



FINISHES CURATED BY SOM X IKONSTUDIO








Built around sustainable, mindful materials, Luum's textile offering serves as the foundation for this collaborative palette developed alongside SOM. The collection delivers the richness, longevity, and versatility required for high-performance spaces. The combination of Luum's warm neutrals and textured wools with the product's precise structural lines creates environments that feel cohesive, timeless and distinctly architectural.



SOM79 CHAIR


The SOM79 chair captures a moment where fashion, architecture, and corporate modernism intersect. The chair’s fluid lines and minimal structure reflect the understated glamour of Halston’s aesthetic, while its architectural clarity allows it to adapt seamlessly to a range of environments. The chair is defined by a lean cantilever structure that approaches minimalist sculpture in form.

The textile selections for this chair focus on sleek, unembellished materials chosen to accentuate the sculptural form.


 COLORFALL Tea 4150 - 03	 PELA Espresso 4024 - 36	 COLORFALL Whiskey 4150 - 05
 COLORFALL Juniper Moss 4150 - 08	 STABILITY Hazelnut 2010 - 05	 PELA Rodeo 4024 - 27
 STABILITY Cactus 2010 - 17	 PELA Mink 4024 - 32	 COLORFALL Midas 4150 - 04
 COLORFALL Snow Globe 4150 - 01	 PELA Mocha 4024 - 35	 PELA Tawny 4024 - 26
 STABILITY Sepia 2010 - 02	 COLORFALL Earnest 4150 - 02	 STABILITY Fauna 2010 - 04
 PELA Driftwood 4024 - 28	 PELA Shale 4024 - 39	 PELA Sundial 4024 - 23




COLORFALL
Sable 4150 - 06



COLORFALL
Bordeaux 4150 - 19




COLORFALL
Blade 4150 - 09




COLORFALL
Cranberry 4150 - 18




STABILITY
Sorrel 2010 - 22



COLORFALL
Wind 4150 - 20



COLORFALL
Apple 4150 - 07



PELA
Plum 4024 - 33



PELA
Lotus 4024 - 30




PELA
Sangria 4024 - 34



STABILITY
Heliotrope 2010 - 21



STABILITY
Aquarelle 2010 - 16




COLORFALL
Ambrosia 4150 - 17




COLORFALL
Daydream 4150 - 16




STABILITY
Flora 2010 - 03




PELA
Carbon 4024 - 20



PELA
Raven 4024 - 41




PELA
Prussian 4024 - 37




COLORFALL
Sanctuary 4150 - 12




COLORFALL
Envy 4150 - 10



COLORFALL
Ocean 4150 - 15



COLORFALL
Lapis 4150 - 14



COLORFALL
Lake 4150 - 13



STABILITY
Nightfall 2010 - 12




STABILITY
Water 2010 - 10



STABILITY
Soft Ice 2010 - 11




COLORFALL
Lava 4150 - 22



COLORFALL
Astral 4150 - 21



STABILITY
Coal 2010 - 06



COLORFALL
Moon Beam 4150 - 11



STABILITY
Cinerous 2010 - 07



PELA
Platinum 4024 - 38



SOM76


Paring down detail to achieve a harmony of simple elegance and inviting comfort, the SOM76 chair and sofa are at once rationalist and expressive, bold and refined, with a precision that suits modern, uncluttered spaces. The collection stands as a testament to enduring modernist principles, showing how thoughtful design continues to meet practical and aesthetic needs across decades.

These textile selections bring warmth, depth, and durability to complement the geomery and precision tailoring of the SOM76 collection.

FINISHES



COLORFALL
Tea 4150 - 03



COLORFALL
Juniper Moss 4150 - 08




STABILITY
Cactus 2010 - 17




WOOL FLECK
Coquina 4099 - 05



PELA
Driftwood 4024 - 28




FLEECE
Aer 4084 - 02



PELA
Espresso 4024 - 36



STABILITY
Hazelnut 2010 - 05



PELA
Mink 4024 - 32



PELA
Mocha 4024 - 35



COLORFALL
Earnest 4150 - 02



COLORFALL
Snow Globe 4150 - 01




STABILITY
Sepia 2010 - 02



COLORFALL
Whiskey 4150 - 05




PELA
Rodeo 4024 - 27



COLORFALL
Midas 4150 - 04



PELA
Tawny 4024 - 26




STABILITY
Fauna 2010 - 04



FLEECE
Linseed 4084 - 03




VELVET UNDERGROUND
Brass Section 4015 - 11



PELA
Sundial 4024 - 23




VELVET UNDERGROUND
Flame Desire 4015 - 04




COLORFALL
Bordeaux 4150 - 19



STABILITY
Nightfall 2010 - 12




COLORFALL
Blade 4150 - 09



PELA
Raven 4024 - 41




COLORFALL
Envy 4150 - 10



COLORFALL
Cranberry 4150 - 18




FLEECE
Ignis 4084 - 05



FLEECE
Cypher 4084 - 06




FLEECE
Balsam 4084 - 07




WOOL FLECK
Mussel Dust 4099 - 14




VELVET UNDERGROUND
Full Phase 4015 - 19



COLORFALL
Apple 4150 - 07




STABILITY
Sorrel 2010 - 22



WOOL FLECK
Blackberry 4099 - 13



VELVET UNDERGROUND
Garden Level 4015 - 17




VELVET UNDERGROUND
Blue Denim 4015 - 06



COLORFALL
Ocean 4150 - 15




VELVET UNDERGROUND
Shockwave 4015 - 13




VELVET UNDERGROUND
Ultraviolet 4015 - 14




VELVET UNDERGROUND
Purple Rain 4015 - 15



VELVET UNDERGROUND
Green Room 4015 - 16




PELA
Prussian 4024 - 37




COLORFALL
Lapis 4150 - 14




FLEECE
Rubedo 4084 - 04




PELA
Plum 4024 - 33



STABILITY
Heliotrope 2010 - 21




PELA
Lotus 4024 - 30



WOOL FLECK
lolite 4099 - 16




COLORFALL
Lake 4150 - 13



VELVET UNDERGROUND
Wallflower 4015 - 12




PELA
Sangria 4024 - 34




COLORFALL
Daydream 4150 - 16




WOOL FLECK
Oat Grass 4099 - 19




COLORFALL
Sanctuary 4150 - 12



VELVET UNDERGROUND
New Wave 4015 - 18




STABILITY
Flora 2010 - 03



COLORFALL
Ambrosia 4150 - 17



STABILITY
Aquarelle 2010 - 16



WOOL FLECK
Zinc 4099 - 03



STABILITY
Water 2010 - 10



WOOL FLECK
Birchbark 4099 - 10



WOOL FLECK
Micrite 4099 - 04




VELVET UNDERGROUND
Smoke Screen 4015 - 10




STABILITY
Soft Ice 2010 - 11

FINISHES




VELVET UNDERGROUND
Dark Moon 4015 - 08




WOOL FLECK
Boulder 4099 - 01




STABILITY
Coal 2010 - 06



COLORFALL
Moon Beam 4150 - 11




WOOL FLECK
Packstone 4099 - 02



VELVET UNDERGROUND
Metal Machine 4015 - 01




STABILITY
Cinerous 2010 - 07




PELA
Platinum 4024 - 38




COLORFALL
Sable 4150 - 06



COLORFALL
Astral 4150 - 21



COLORFALL
Wind 4150 - 20



WOOL FLECK
Beachrock 4099 - 06



PELA
Shale 4024 - 39



FLEECE
Alum 4084 - 01




COLORFALL
Lava 4150 - 22



VELVET UNDERGROUND
Dark Current 4015 - 20



VELVET UNDERGROUND
Blacktop 4015 - 09



PELA
Carbon 4024 - 20

SPECIFICATIONS

LUUM

PELA Leather	Content: 100% Full Grain Leather Hide Origin: Europe Country of Origin: Sweden Weight: 2.9 oz/sqft Thickness: 1.1 - 1.3 mm Hide Size: 50 sqft Dye Info: Semi-Aniline	Finish: Water Based Protective Topcoat Flame Retardancy: Cal TB 117-2013 Colorfastness to Light: ISO 105-B02, Grade 6 Tear Strength: ISO 3377, 20 N/cm Finish Adhesion: ISO 11644, 2 N/cm Environmental: Leather Working Group Certified Gold. Free Of: Intentionally Added PFAS, Antimicrobials, FR Finishes, Formaldehyde, Chrome Note: Dye lots may vary slightly from samples shown. Leather may exhibit natural markings and subtle variations in texture and color.
STABILITY Upholstery	Content: 75% Pre and Post Consumer Recycled Wool, 15% Polyester, 10% Nylon Origin: Italy Weight: 16.78 oz/ly Width: 56" Directional: No	Abrasion: ASTM D4966, Martindale 50 000 cycles Flame Retardancy: Cal TB 117-2013 Breaking Strength: ISO 13934-1 Warp 86.36 lbs, Fill 91.64 lbs Colorfastness to Light: ISO 105-B02, Grade 5-6 Colorfastness to Crocking: ISO 105-X12, Wet Class 3, Dry Class 4-5 Pilling: ISO 12945 (Martindale), Class 3-4 Finish Adhesion: ISO 11644, 2 N/cm Maintenance: S, Clean with a dry cleaning or solvent-based cleaning agent. Do not use water-based cleaning products. Note: Wool is a natural product. Color variations are part of the natural beauty of wool and are not considered a defect.
VELVET UNDERGROUND Upholstery	Content: 100% Polyester Origin: USA Weight: 17.6 oz/ly Width: 54" Directional: Yes	Finish: PFAS Free Stain Repellent Abrasion: ASTM D4157, Wyzenbeek 100,000 double rubs Flame Retardancy: Cal TB 117-2013, UFAC Class 1, NFPA 260 Breaking Strength: ASTM D5034, Warp 220.5 lbs, Fill 238 lbs Seam Slippage: ASTM D4034, Warp 49 lbs, Fill 37 lbs Colorfastness to Light: AATCC 16, Grade 4-5 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet Class 4-5, Dry Class 4-5 Pilling: ASTM D3511 (Brush Pill), Class 3 Environmental: Clean Air Gold, mindful MATERIALS Maintenance: WS, Clean with either a water-based or solvent-based cleaning agent.
COLORFALL Upholstery	Content: Pile: 100% Acrylic, Ground: 100% Polyester Origin: Germany Weight: 17.5 oz/ly Width: 56" Directional: No	Abrasion: ASTM D4157, Wyzenbeek 100,000 double rubs Flame Retardancy: Cal TB 117-2013, NFPA 260 Breaking Strength: ASTM D5034, Warp: 144 lbs, Fill: 219 lbs Seam Slippage: ASTM D4034, Warp: 106 lbs, Fill: 118 lbs Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet: Class 5, Dry: Class 5 Pilling: ASTM D4970 (Martindale), Class 4-5 Special Characteristics: Bleach Cleanable Environmental: CarbonNeutral® Certification, Clean Air Gold, Declare, mindful MATERIALS, Oeko-Tex 100 Certified, REACH Regulation Compliant, Free of: Intentionally Added PFAS, Antimicrobials, FR Finishes, Formaldehyde, Chemical Finishes, Heavy Metals Maintenance: WS, Clean with either a water-based or solvent-based cleaning agent. Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution. Note: Dye lots may vary slightly from samples shown. Samples shown off the bolt. Due to directional pile, apply consistently. Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.
WOOL FLECK Upholstery	Content: 51% Recycled Wool, 39% Recycled Acrylic, 10% Recycled Polyester Origin: Italy Weight: 21.6 oz/ly Width: 55" Directional: Yes	Finish: Acrylic Backing Abrasion: ASTM D4966, Martindale 100,000 cycles Flame Retardancy: Cal TB 117-2013 Breaking Strength: ASTM D5034, Warp: 91.5 lbs, Fill: 88.5 lbs Seam Slippage: ASTM D4034, Warp: 47.4 lbs, Fill: 47.6 lbs Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet Class 4-5, Dry Class 4-5 Piling: ASTM D3511 (Brush Pill), Class 3 Environmental: Clean Air Gold, Declare, Heavy Metal Free, mindful MATERIALS, REACH Regulation Compliant, Recycled Content, Red List Free, Renewable Content Maintenance: S, Clean with a dry cleaning or solvent-based cleaning agent. Do not use water-based cleaning products.