Audience Tables & Collaborative Spaces (asia pacific)

Weights & Volumes
10.26.2026

WORK TABLES 2

MEETING & *AUDIENCE*® BOARDROOM TABLES . . 3

CASUAL TABLES 12

TRAINING 13

STORAGE. 19

general information

Please note, the weights and volumes listed in this section are provided for unpacked product only and are only approximations. Packaging requirements will vary depending on the location to which the product is being shipped, type of product and the amount of product being ordered.

For details, please contact your Customer Service Representative.

teknion

Work Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
Rectangular Work Table (MATWR)				
MATWRC0612NN	49	22.05	19.33	0.58
MATWRC0614NN	53	23.85	21.75	0.65
MATWRC0616NN	61	27.45	26.58	0.8
MATWRC0618NN	66	29.7	29	0.87
MATWRC0814GC	62	27.9	27.19	0.82
MATWRC0814GL	62	27.9	27.19	0.82
MATWRC0814GR	62	27.9	27.19	0.82
MATWRC0814NN	62	27.9	27.19	0.82
MATWRC0816GC	73	32.85	33.23	1
MATWRC0816GL	73	32.85	33.23	1
MATWRC0816GR	73	32.85	33.23	1
MATWRC0816NN	73	32.85	33.23	1
MATWRC0818GC	78	35.1	36.25	1.09
MATWRC0818GL	78	35.1	36.25	1.09
MATWRC0818GR	78	35.1	36.25	1.09
MATWRC0818NN	78	35.1	36.25	1.09
MATWRC0914GC	72	32.4	32.63	0.98
MATWRC0914GL	72	32.4	32.63	0.98
MATWRC0914GR	72	32.4	32.63	0.98
MATWRC0914NN	72	32.4	32.63	0.98
MATWRC0916GC	84	37.8	39.88	1.2
MATWRC0916GL	84	37.8	39.88	1.2
MATWRC0916GR	84	37.8	39.88	1.2
MATWRC0916NN	84	37.8	39.88	1.2
MATWRC0918GC	91	40.95	43.5	1.31
MATWRC0918GL	91	40.95	43.5	1.31
MATWRC0918GR	91	40.95	43.5	1.31
MATWRC0918NN	91	40.95	43.5	1.31
MATWRC0920GC	103	46.35	51	1.5
MATWRC0920GL	103	46.35	51	1.5
MATWRC0920GR	103	46.35	51	1.5
MATWRC0920NN	103	46.35	51	1.5
MATWRS0612NN	49	22.05	19.33	0.58
MATWRS0614NN	53	23.85	21.75	0.65
MATWRS0616NN	61	27.45	26.58	0.8
MATWRS0618NN	66	29.7	29	0.87
MATWRS0814GC	62	27.9	27.19	0.82
MATWRS0814GL	62	27.9	27.19	0.82
MATWRS0814GR	62	27.9	27.19	0.82
MATWRS0814NN	62	27.9	27.19	0.82
MATWRS0816GC	73	32.85	33.23	1
MATWRS0816GL	73	32.85	33.23	1
MATWRS0816GR	73	32.85	33.23	1
MATWRS0816NN	73	32.85	33.23	1
MATWRS0818GC	78	35.1	36.25	1.09
MATWRS0818GL	78	35.1	36.25	1.09
MATWRS0818GR	78	35.1	36.25	1.09
MATWRS0818NN	78	35.1	36.25	1.09
MATWRS0914GC	72	32.4	32.63	0.98
MATWRS0914GL	72	32.4	32.63	0.98
MATWRS0914GR	72	32.4	32.63	0.98
MATWRS0914NN	72	32.4	32.63	0.98
MATWRS0916GC	84	37.8	39.88	1.2
MATWRS0916GL	84	37.8	39.88	1.2
MATWRS0916GR	84	37.8	39.88	1.2
MATWRS0916NN	84	37.8	39.88	1.2
MATWRS0918GC	91	40.95	43.5	1.31

Work Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATWRS0918GL	91	40.95	43.5	1.31
MATWRS0918GR	91	40.95	43.5	1.31
MATWRS0918NN	91	40.95	43.5	1.31
MATWRS0920GC	103	46.35	51	1.5
MATWRS0920GL	103	46.35	51	1.5
MATWRS0920GR	103	46.35	51	1.5
MATWRS0920NN	103	46.35	51	1.5
Oval Work Table (MATWV)				
MATWVC0814GC	62	27.9	27.19	0.82
MATWVC0814GL	62	27.9	27.19	0.82
MATWVC0814GR	62	27.9	27.19	0.82
MATWVC0814NN	62	27.9	27.19	0.82
MATWVC0816GC	73	32.85	33.23	1
MATWVC0816GL	73	32.85	33.23	1
MATWVC0816GR	73	32.85	33.23	1
MATWVC0816NN	73	32.85	33.23	1
MATWVC0818GC	78	35.1	36.25	1.09
MATWVC0818GL	78	35.1	36.25	1.09
MATWVC0818GR	78	35.1	36.25	1.09
MATWVC0818NN	78	35.1	36.25	1.09
MATWVC0914GC	72	32.4	32.63	0.98
MATWVC0914GL	72	32.4	32.63	0.98
MATWVC0914GR	72	32.4	32.63	0.98
MATWVC0914NN	72	32.4	32.63	0.98
MATWVC0916GC	84	37.8	39.88	1.2
MATWVC0916GL	84	37.8	39.88	1.2
MATWVC0916GR	84	37.8	39.88	1.2
MATWVC0916NN	84	37.8	39.88	1.2
MATWVC0918GC	91	40.95	43.5	1.31
MATWVC0918GL	91	40.95	43.5	1.31
MATWVC0918GR	91	40.95	43.5	1.31
MATWVC0918NN	91	40.95	43.5	1.31
MATWVC0920GC	103	46.35	50.75	1.52
MATWVC0920GL	103	46.35	50.75	1.52
MATWVC0920GR	103	46.35	50.75	1.52
MATWVC0920NN	103	46.35	50.75	1.52
MATWVS0814GC	62	27.9	27.19	0.82
MATWVS0814GL	62	27.9	27.19	0.82
MATWVS0814GR	62	27.9	27.19	0.82
MATWVS0814NN	62	27.9	27.19	0.82
MATWVS0816GC	73	32.85	33.23	1
MATWVS0816GL	73	32.85	33.23	1
MATWVS0816GR	73	32.85	33.23	1
MATWVS0816NN	73	32.85	33.23	1
MATWVS0818GC	78	35.1	36.25	1.09
MATWVS0818GL	78	35.1	36.25	1.09
MATWVS0818GR	78	35.1	36.25	1.09
MATWVS0818NN	78	35.1	36.25	1.09
MATWVS0914GC	72	32.4	32.63	0.98
MATWVS0914GL	72	32.4	32.63	0.98
MATWVS0914GR	72	32.4	32.63	0.98
MATWVS0914NN	72	32.4	32.63	0.98
MATWVS0916GC	84	37.8	39.88	1.2
MATWVS0916GL	84	37.8	39.88	1.2
MATWVS0916GR	84	37.8	39.88	1.2
MATWVS0916NN	84	37.8	39.88	1.2
MATWVS0918GC	91	40.95	43.5	1.31
MATWVS0918GL	91	40.95	43.5	1.31

Work Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATWVS0918GR	91	40.95	43.5	1.31
MATWVS0918NN	91	40.95	43.5	1.31
MATWVS0920GC	103	46.35	50.75	1.52
MATWVS0920GL	103	46.35	50.75	1.52
MATWVS0920GR	103	46.35	50.75	1.52
MATWVS0920NN	103	46.35	50.75	1.52
Work Table Modesty Panel (MATMP)				
MATMPR14	11	4.95	1.42	0.04
MATMPR16	13	5.85	1.65	0.05
MATMPR18	17	7.65	2.13	0.06
MATMPR20	19	8.5	2.3	0.07
MATMPV14	9	4.05	1.06	0.03
MATMPV16	11	4.95	1.3	0.03
MATMPV18	14	6.3	1.7	0.05
MATMPV20	16	7.3	2	0.06

Meeting & *AUDIENCE*® Boardroom Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
Square Meeting Table (MATMH)				
MATMHRC10NN	70.62	32.03	3.756	0.106
MATMHRC10PC	70.6	32.03	3.716	0.105
MATMHRC12NN	86.3	39.15	4.127	0.117
MATMHRC12PC	86.3	39.15	4.127	0.117
MATMHRC14NN	115.18	52.24	4.823	0.137
MATMHRC14PC	114.93	52.13	4.864	0.138
MATMHRC16NN	131.75	59.76	5.226	0.148
MATMHRC16PC	131.75	59.76	5.226	0.148
MATMHRS10NN	70.62	32.03	3.756	0.106
MATMHRS10PC	70.6	32.03	3.716	0.105
MATMHRS12NN	86.3	39.15	4.127	0.117
MATMHRS12PC	86.3	39.15	4.127	0.117
MATMHRS14NN	115.18	52.24	4.823	0.137
MATMHRS14PC	114.93	52.13	4.864	0.138
MATMHRS16NN	131.75	59.76	5.226	0.148
MATMHRS16PC	131.75	59.76	5.226	0.148
MATMHSC10NN	70.62	32.03	3.756	0.106
MATMHSC10PC	70.6	32.03	3.716	0.105
MATMHSC12NN	86.3	39.15	4.127	0.117
MATMHSC12PC	86.3	39.15	4.127	0.117
MATMHSC14NN	115.18	52.24	4.823	0.137
MATMHSC14PC	114.93	52.13	4.864	0.138
MATMHSC16NN	131.75	59.76	5.226	0.148
MATMHSC16PC	131.75	59.76	5.226	0.148
MATMHSS10NN	70.62	32.03	3.756	0.106
MATMHSS10PC	70.6	32.03	3.716	0.105
MATMHSS12NN	86.3	39.15	4.127	0.117
MATMHSS12PC	86.3	39.15	4.127	0.117
MATMHSS14NN	115.18	52.24	4.823	0.137
MATMHSS14PC	114.93	52.13	4.864	0.138
MATMHSS16NN	131.75	59.76	5.226	0.148
MATMHSS16PC	131.75	59.76	5.226	0.148
Rounded Square Meeting Table (MATMG)				
MATMGC10NN	67.6	30.66	3.784	0.107
MATMGC10PC	67.58	30.65	3.744	0.106
MATMGC12NN	82.26	37.31	4.127	0.117
MATMGC12PC	82.26	37.31	4.127	0.117
MATMGC14NN	109.83	49.82	4.868	0.138
MATMGC14PC	109.56	49.7	4.868	0.138
MATMGC16NN	125.33	56.85	5.283	0.15
MATMGC16PC	125.08	56.74	5.323	0.151
MATMGS10NN	67.6	30.66	3.784	0.107
MATMGS10PC	67.58	30.65	3.744	0.106
MATMGS12NN	82.26	37.31	4.127	0.117
MATMGS12PC	82.26	37.31	4.127	0.117
MATMGS14NN	109.83	49.82	4.868	0.138
MATMGS14PC	109.56	49.7	4.868	0.138
MATMGS16NN	125.33	56.85	5.283	0.15
MATMGS16PC	125.08	56.74	5.323	0.151
Circular Meeting Table (MATMJ)				
MATMJC12NN	72.59	32.93	4.087	0.116
MATMJC12PC	72.33	32.81	4.087	0.116
MATMJC14NN	94.12	42.69	4.726	0.134
MATMJC14PC	93.85	42.57	4.726	0.134
MATMJC16NN	107.51	48.77	5.129	0.145
MATMJC16PC	107.27	48.65	5.169	0.146
MATMJS12NN	72.59	32.93	4.087	0.116

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT³	M³
MATMJS12PC	72.33	32.81	4.087	0.116
MATMJS14NN	94.12	42.69	4.726	0.134
MATMJS14PC	93.85	42.57	4.726	0.134
MATMJS16NN	107.51	48.77	5.129	0.145
MATMJS16PC	107.27	48.65	5.169	0.146
Rectangular Meeting Table (MATME)				
MATMERC0916NN	96.33	43.7	4.358	0.123
MATMERC0916PC	95.65	43.38	4.422	0.125
MATMERC0918NN	103.85	47.11	4.543	0.129
MATMERC0918PC	103.16	46.79	4.607	0.13
MATMERC0920NN	118.97	53.96	4.914	0.139
MATMERC0920PC	118.28	53.65	4.979	0.141
MATMERC0922NN	126.49	57.37	5.099	0.144
MATMERC0922PC	125.8	57.06	5.164	0.146
MATMERC0922PD	125.96	57.13	5.099	0.144
MATMERC1018NN	116.39	52.8	4.84	0.137
MATMERC1018PC	115.71	52.48	4.905	0.139
MATMERC1020NN	133.6	60.6	5.261	0.149
MATMERC1020PC	132.91	60.29	5.325	0.151
MATMERC1022NN	142.16	64.48	5.471	0.155
MATMERC1022PC	141.48	64.17	5.535	0.157
MATMERC1022PD	141.64	64.25	5.471	0.155
MATMERC1024NN	150.73	68.37	5.68	0.161
MATMERC1024PC	150.04	68.06	5.745	0.163
MATMERC1024PD	150.2	68.13	5.68	0.161
MATMERC1220NN	148.23	67.24	5.608	0.159
MATMERC1220PC	147.55	66.93	5.672	0.161
MATMERC1222NN	157.84	71.6	5.842	0.165
MATMERC1222PC	157.16	71.28	5.907	0.167
MATMERC1222PD	157.32	71.36	5.842	0.165
MATMERC1224NN	167.45	75.96	6.077	0.172
MATMERC1224PC	166.77	75.64	6.141	0.174
MATMERC1224PD	166.93	75.72	6.077	0.172
MATMERS0916NN	96.33	43.7	4.358	0.123
MATMERS0916PC	95.65	43.38	4.422	0.125
MATMERS0918NN	103.85	47.11	4.543	0.129
MATMERS0918PC	103.16	46.79	4.607	0.13
MATMERS0920NN	118.97	53.96	4.914	0.139
MATMERS0920PC	118.28	53.65	4.979	0.141
MATMERS0922NN	126.49	57.37	5.099	0.144
MATMERS0922PC	125.8	57.06	5.164	0.146
MATMERS0922PD	125.96	57.13	5.099	0.144
MATMERS1018NN	116.39	52.8	4.84	0.137
MATMERS1018PC	115.71	52.48	4.905	0.139
MATMERS1020NN	133.6	60.6	5.261	0.149
MATMERS1020PC	132.91	60.29	5.325	0.151
MATMERS1022NN	142.16	64.48	5.471	0.155
MATMERS1022PC	141.48	64.17	5.535	0.157
MATMERS1022PD	141.64	64.25	5.471	0.155
MATMERS1024NN	150.73	68.37	5.68	0.161
MATMERS1024PC	150.04	68.06	5.745	0.163
MATMERS1024PD	150.2	68.13	5.68	0.161
MATMERS1220NN	148.23	67.24	5.608	0.159
MATMERS1220PC	147.55	66.93	5.672	0.161
MATMERS1222NN	157.84	71.6	5.842	0.165
MATMERS1222PC	157.16	71.28	5.907	0.167
MATMERS1222PD	157.32	71.36	5.842	0.165

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT³	M³
MATMERS1224NN	167.45	75.96	6.077	0.172
MATMERS1224PC	166.77	75.64	6.141	0.174
MATMERS1224PD	166.93	75.72	6.077	0.172
MATMESC0916NN	96.33	43.7	4.358	0.123
MATMESC0916PC	95.65	43.38	4.422	0.125
MATMESC0918NN	103.85	47.11	4.543	0.129
MATMESC0918PC	103.16	46.79	4.607	0.13
MATMESC0920NN	118.97	53.96	4.914	0.139
MATMESC0920PC	118.28	53.65	4.979	0.141
MATMESC0922NN	126.49	57.37	5.099	0.144
MATMESC0922PC	125.8	57.06	5.164	0.146
MATMESC0922PD	125.96	57.13	5.099	0.144
MATMESC1018NN	116.39	52.8	4.84	0.137
MATMESC1018PC	115.71	52.48	4.905	0.139
MATMESC1020NN	133.6	60.6	5.261	0.149
MATMESC1020PC	132.91	60.29	5.325	0.151
MATMESC1022NN	142.16	64.48	5.471	0.155
MATMESC1022PC	141.48	64.17	5.535	0.157
MATMESC1022PD	141.64	64.25	5.471	0.155
MATMESC1024NN	150.73	68.37	5.68	0.161
MATMESC1024PC	150.04	68.06	5.745	0.163
MATMESC1024PD	150.2	68.13	5.68	0.161
MATMESC1220NN	148.23	67.24	5.608	0.159
MATMESC1220PC	147.55	66.93	5.672	0.161
MATMESC1222NN	157.84	71.6	5.842	0.165
MATMESC1222PC	157.16	71.28	5.907	0.167
MATMESC1222PD	157.32	71.36	5.842	0.165
MATMESC1224NN	167.45	75.96	6.077	0.172
MATMESC1224PC	166.77	75.64	6.141	0.174
MATMESC1224PD	166.93	75.72	6.077	0.172
MATMESS0916NN	96.33	43.7	4.358	0.123
MATMESS0916PC	95.65	43.38	4.422	0.125
MATMESS0918NN	103.85	47.11	4.543	0.129
MATMESS0918PC	103.16	46.79	4.607	0.13
MATMESS0920NN	118.97	53.96	4.914	0.139
MATMESS0920PC	118.28	53.65	4.979	0.141
MATMESS0922NN	126.49	57.37	5.099	0.144
MATMESS0922PC	125.8	57.06	5.164	0.146
MATMESS0922PD	125.96	57.13	5.099	0.144
MATMESS1018NN	116.39	52.8	4.84	0.137
MATMESS1018PC	115.71	52.48	4.905	0.139
MATMESS1020NN	133.6	60.6	5.261	0.149
MATMESS1020PC	132.91	60.29	5.325	0.151
MATMESS1022NN	142.16	64.48	5.471	0.155
MATMESS1022PC	141.48	64.17	5.535	0.157
MATMESS1022PD	141.64	64.25	5.471	0.155
MATMESS1024NN	150.73	68.37	5.68	0.161
MATMESS1024PC	150.04	68.06	5.745	0.163
MATMESS1024PD	150.2	68.13	5.68	0.161
MATMESS1220NN	148.23	67.24	5.608	0.159
MATMESS1220PC	147.55	66.93	5.672	0.161
MATMESS1222NN	157.84	71.6	5.842	0.165
MATMESS1222PC	157.16	71.28	5.907	0.167
MATMESS1222PD	157.32	71.36	5.842	0.165
MATMESS1224NN	167.45	75.96	6.077	0.172
MATMESS1224PC	166.77	75.64	6.141	0.174
MATMESS1224PD	166.93	75.72	6.077	0.172

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT³	M³
Rounded Rectangular Meeting Table (MATMQ)				
MATMQC0916NN	94.35	42.79	4.358	0.123
MATMQC0916PC	93.66	42.48	4.422	0.125
MATMQC0918NN	101.68	46.12	4.543	0.129
MATMQC0918PC	100.99	45.81	4.607	0.13
MATMQC0920NN	116.49	52.84	4.914	0.139
MATMQC0920PC	116.11	52.67	4.914	0.139
MATMQC0922NN	123.44	55.99	5.099	0.144
MATMQC0922PC	123.13	55.85	5.164	0.146
MATMQC0922PD	123.3	55.93	5.099	0.144
MATMQC1018NN	113.79	51.61	4.84	0.137
MATMQC1018PC	113.1	51.3	4.905	0.139
MATMQC1020NN	130.62	59.25	5.261	0.149
MATMQC1020PC	129.94	58.94	5.325	0.151
MATMQC1022NN	138.28	62.72	5.535	0.157
MATMQC1022PC	138.28	62.72	5.535	0.157
MATMQC1022PD	138.28	62.72	5.535	0.157
MATMQC1024NN	146.93	66.65	5.68	0.161
MATMQC1024PC	146.79	66.58	5.68	0.161
MATMQC1024PD	146.79	66.58	5.68	0.161
MATMQC1220NN	144.77	65.67	5.608	0.159
MATMQC1220PC	144.39	65.49	5.608	0.159
MATMQC1222NN	153.88	69.8	5.882	0.167
MATMQC1222PC	153.88	69.8	5.882	0.167
MATMQC1222PD	153.88	69.8	5.882	0.167
MATMQC1224NN	162.98	73.93	6.157	0.174
MATMQC1224PC	163.23	74.04	6.117	0.173
MATMQC1224PD	163.1	73.98	6.077	0.172
MATMQS0916NN	94.35	42.79	4.358	0.123
MATMQS0916PC	93.66	42.48	4.422	0.125
MATMQS0918NN	101.68	46.12	4.543	0.129
MATMQS0918PC	100.99	45.81	4.607	0.13
MATMQS0920NN	116.49	52.84	4.914	0.139
MATMQS0920PC	116.11	52.67	4.914	0.139
MATMQS0922NN	123.44	55.99	5.099	0.144
MATMQS0922PC	123.13	55.85	5.164	0.146
MATMQS0922PD	123.3	55.93	5.099	0.144
MATMQS1018NN	113.79	51.61	4.84	0.137
MATMQS1018PC	113.1	51.3	4.905	0.139
MATMQS1020NN	130.62	59.25	5.261	0.149
MATMQS1020PC	129.94	58.94	5.325	0.151
MATMQS1022NN	138.28	62.72	5.535	0.157
MATMQS1022PC	138.28	62.72	5.535	0.157
MATMQS1022PD	138.28	62.72	5.535	0.157
MATMQS1024NN	146.93	66.65	5.68	0.161
MATMQS1024PC	146.79	66.58	5.68	0.161
MATMQS1024PD	146.79	66.58	5.68	0.161
MATMQS1220NN	144.77	65.67	5.608	0.159
MATMQS1220PC	144.39	65.49	5.608	0.159
MATMQS1222NN	153.88	69.8	5.882	0.167
MATMQS1222PC	153.88	69.8	5.882	0.167
MATMQS1222PD	153.88	69.8	5.882	0.167
MATMQS1224NN	162.98	73.93	6.157	0.174
MATMQS1224PC	163.23	74.04	6.117	0.173
MATMQS1224PD	163.1	73.98	6.077	0.172
Audience Square Boardroom Table (MATBS)				
MATBSQ16NN	300	135	73.1	2.19

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT³	M³
MATBSQ16PC	300	135	73.1	2.19
MATBSQ18NN	350	157.5	87	2.61
MATBSQ18PD	350	157.5	87	2.61
MATBSQ18PS	350	157.5	87	2.61
MATBSQ20NN	400	180	102.1	3.06
MATBSQ20PD	400	180	102.1	3.06
MATBSQ20PS	400	180	102.1	3.06
MATBSQ22NN	510	229.5	135.94	4.07
MATBSQ22PD	510	229.5	135.94	4.07
MATBSQ22PQ	510	229.5	135.94	4.07
MATBSQ22PS	510	229.5	135.94	4.07
MATBSQ24NN	570	256.5	154.7	4.64
MATBSQ24PD	570	256.5	154.7	4.64
MATBSQ24PQ	570	256.5	154.7	4.64
MATBSQ24PS	570	256.5	154.7	4.64
MATBSS16NN	220	99	73.1	2.19
MATBSS16PC	220	99	73.1	2.19
MATBSS18NN	260	117	87	2.61
MATBSS18PD	260	117	87	2.61
MATBSS18PS	260	117	87	2.61
MATBSS20NN	300	135	102.1	3.06
MATBSS20PD	300	135	102.1	3.06
MATBSS20PS	300	135	102.1	3.06
MATBSS22NN	380	171	135.94	4.07
MATBSS22PD	380	171	135.94	4.07
MATBSS22PQ	380	171	135.94	4.07
MATBSS22PS	380	171	135.94	4.07
MATBSS24NN	420	189	154.7	4.64
MATBSS24PD	420	189	154.7	4.64
MATBSS24PQ	420	189	154.7	4.64
MATBSS24PS	420	189	154.7	4.64
Audience Circular Boardroom Table (MATBC)				
MATBCQ16NN	270	121.5	73.1	2.19
MATBCQ16PC	270	121.5	73.1	2.19
MATBCQ18NN	310	139.5	87	2.6
MATBCQ18PD	310	139.5	87	2.6
MATBCQ18PS	310	139.5	87	2.6
MATBCQ20NN	360	162	102.1	3.06
MATBCQ20PD	360	162	102.1	3.06
MATBCQ20PS	360	162	102.1	3.06
MATBCQ22NN	450	202.5	135.9	4.07
MATBCQ22PD	450	202.5	135.9	4.07
MATBCQ22PQ	450	202.5	135.9	4.07
MATBCQ22PS	450	202.5	135.9	4.07
MATBCQ24NN	500	225	154	4.6
MATBCQ24PD	500	225	154	4.6
MATBCQ24PQ	500	225	154	4.6
MATBCQ24PS	500	225	154	4.6
MATBCS16NN	190	85.5	73.1	2.19
MATBCS16PC	190	85.5	73.1	2.19
MATBCS18NN	220	99	87	2.61
MATBCS18PD	220	99	87	2.61
MATBCS18PS	220	99	87	2.61
MATBCS20NN	250	112.5	102.1	3.06
MATBCS20PD	250	112.5	102.1	3.06
MATBCS20PS	250	112.5	102.1	3.06
MATBCS22NN	320	144	135.94	4.07

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBCS22PD	320	144	135.94	4.07
MATBCS22PQ	320	144	135.94	4.07
MATBCS22PS	320	144	135.94	4.07
MATBCS24NN	360	162	121	3.6
MATBCS24PD	360	162	121	3.6
MATBCS24PQ	360	162	121	3.6
MATBCS24PS	360	162	121	3.6
Audience Rectangular Boardroom Table (MATBR)				
MATBRD1024NN	300	135	67.67	2.03
MATBRD1024RC	300	135	67.67	2.03
MATBRD1024RD	300	135	67.67	2.03
MATBRD1028NN	320	144	76.13	2.28
MATBRD1028RC	320	144	76.13	2.28
MATBRD1028RD	320	144	76.13	2.28
MATBRD1032NN	350	157.5	84.58	2.54
MATBRD1032RC	350	157.5	84.58	2.54
MATBRD1032RD	350	157.5	84.58	2.54
MATBRD1032RT	350	157.5	84.58	2.54
MATBRD1224NN	320	144	77.33	2.3
MATBRD1224RC	320	144	77.33	2.3
MATBRD1224RD	320	144	77.33	2.3
MATBRD1228NN	350	157.5	87	2.61
MATBRD1228RC	350	157.5	87	2.61
MATBRD1228RD	350	157.5	87	2.61
MATBRD1232NN	400	180	106.33	3.19
MATBRD1232RC	400	180	106.33	3.19
MATBRD1232RD	400	180	106.33	3.19
MATBRD1232RT	400	180	106.33	3.19
MATBRD1236NN	430	193.5	116	3.48
MATBRD1236RC	430	193.5	116	3.48
MATBRD1236RD	430	193.5	116	3.48
MATBRD1236RT	430	193.5	116	3.48
MATBRD1240NN	510	229.5	125.67	3.77
MATBRD1240RC	510	229.5	125.67	3.77
MATBRD1240RD	510	229.5	125.67	3.77
MATBRD1240RT	510	229.5	125.67	3.77
MATBRD1244NN	560	252	145	4.35
MATBRD1244RC	560	252	145	4.35
MATBRD1244RD	560	252	145	4.35
MATBRD1244RT	560	252	145	4.35
MATBRD1428NN	380	171	97.88	2.93
MATBRD1428RC	380	171	97.88	2.93
MATBRD1428RD	380	171	97.88	2.93
MATBRD1432NN	430	193.5	119.63	3.58
MATBRD1432RC	430	193.5	119.63	3.58
MATBRD1432RD	430	193.5	119.63	3.58
MATBRD1432RT	430	193.5	119.63	3.58
MATBRD1436NN	460	207	130.5	3.91
MATBRD1436RC	460	207	130.5	3.91
MATBRD1436RD	460	207	130.5	3.91
MATBRD1436RT	460	207	130.5	3.91
MATBRD1440NN	540	243	141.38	4.24
MATBRD1440RC	540	243	141.38	4.24
MATBRD1440RD	540	243	141.38	4.24
MATBRD1440RT	540	243	141.38	4.24
MATBRD1444NN	600	270	163.13	4.89
MATBRD1444RC	600	270	163.13	4.89

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBRD1444RD	600	270	163.13	4.89
MATBRD1444RT	600	270	163.13	4.89
MATBRD1448NN	630	283.5	174	5.22
MATBRD1448RC	630	283.5	174	5.22
MATBRD1448RD	630	283.5	174	5.22
MATBRD1448RQ	630	283.5	174	5.22
MATBRD1448RT	630	283.5	174	5.22
MATBRD1452NN	660	297	184.88	5.54
MATBRD1452RC	660	297	184.88	5.54
MATBRD1452RD	660	297	184.88	5.54
MATBRD1452RQ	660	297	184.88	5.54
MATBRD1452RT	660	297	184.88	5.54
MATBRD1456NN	770	346.5	206.63	6.19
MATBRD1456RC	770	346.5	206.63	6.19
MATBRD1456RD	770	346.5	206.63	6.19
MATBRD1456RQ	770	346.5	206.63	6.19
MATBRD1456RT	770	346.5	206.63	6.19
MATBRD1636NN	500	225	145	4.35
MATBRD1636RC	500	225	145	4.35
MATBRD1636RD	500	225	145	4.35
MATBRD1636RT	500	225	145	4.35
MATBRD1640NN	580	261	157.08	4.71
MATBRD1640RC	580	261	157.08	4.71
MATBRD1640RD	580	261	157.08	4.71
MATBRD1640RT	580	261	157.08	4.71
MATBRD1644NN	640	288	181.25	5.43
MATBRD1644RC	640	288	181.25	5.43
MATBRD1644RD	640	288	181.25	5.43
MATBRD1644RT	640	288	181.25	5.43
MATBRD1648NN	670	301.5	193.3	5.8
MATBRD1648RC	670	301.5	193.3	5.8
MATBRD1648RD	670	301.5	193.3	5.8
MATBRD1648RQ	670	301.5	193.3	5.8
MATBRD1648RT	670	301.5	193.3	5.8
MATBRD1652NN	700	315	205.42	6.16
MATBRD1652RC	700	315	205.42	6.16
MATBRD1652RD	700	315	205.42	6.16
MATBRD1652RQ	700	315	205.42	6.16
MATBRD1652RT	700	315	205.42	6.16
MATBRD1656NN	820	369	229.58	6.88
MATBRD1656RC	820	369	229.58	6.88
MATBRD1656RD	820	369	229.58	6.88
MATBRD1656RQ	820	369	229.58	6.88
MATBRD1656RT	820	369	229.58	6.88
MATBRS1024NN	220	99	67.67	2.03
MATBRS1024RC	220	99	67.67	2.03
MATBRS1024RD	220	99	67.67	2.03
MATBRS1028NN	240	108	76.13	2.28
MATBRS1028RC	240	108	76.13	2.28
MATBRS1028RD	240	108	76.13	2.28
MATBRS1032NN	270	122	85	2.6
MATBRS1032RC	270	122	85	2.6
MATBRS1032RD	270	122	85	2.6
MATBRS1032RT	270	122	85	2.6
MATBRS1224NN	240	108	77.33	2.32
MATBRS1224RC	240	108	77.33	2.32
MATBRS1224RD	240	108	77.33	2.32

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBRS1228NN	270	121.5	87	2.61
MATBRS1228RC	270	121.5	87	2.61
MATBRS1228RD	270	121.5	87	2.61
MATBRS1232NN	320	144	106.33	3.19
MATBRS1232RC	320	144	106.33	3.19
MATBRS1232RD	320	144	106.33	3.19
MATBRS1232RT	320	144	106.33	3.19
MATBRS1236NN	350	157.5	116	3.48
MATBRS1236RC	350	157.5	116	3.48
MATBRS1236RD	350	157.5	116	3.48
MATBRS1236RT	350	157.5	116	3.48
MATBRS1240NN	380	171	125.67	3.77
MATBRS1240RC	380	171	125.67	3.77
MATBRS1240RD	380	171	125.67	3.77
MATBRS1240RT	380	171	125.67	3.77
MATBRS1244NN	440	198	145	4.35
MATBRS1244RC	440	198	145	4.35
MATBRS1244RD	440	198	145	4.35
MATBRS1244RT	440	198	145	4.35
MATBRS1428NN	290	130.5	97.88	2.93
MATBRS1428RC	290	130.5	97.88	2.93
MATBRS1428RD	290	130.5	97.88	2.93
MATBRS1432NN	350	157.5	119.63	3.58
MATBRS1432RC	350	157.5	119.63	3.58
MATBRS1432RD	350	157.5	119.63	3.58
MATBRS1432RT	350	157.5	119.63	3.58
MATBRS1436NN	380	171	130.5	3.91
MATBRS1436RC	380	171	130.5	3.91
MATBRS1436RD	380	171	130.5	3.91
MATBRS1436RT	380	171	130.5	3.91
MATBRS1440NN	420	189	141.38	4.24
MATBRS1440RC	420	189	141.38	4.24
MATBRS1440RD	420	189	141.38	4.24
MATBRS1440RT	420	189	141.38	4.24
MATBRS1444NN	480	216	163.13	4.89
MATBRS1444RC	480	216	163.13	4.89
MATBRS1444RD	480	216	163.13	4.89
MATBRS1444RT	480	216	163.13	4.89
MATBRS1448NN	510	229.5	174	5.22
MATBRS1448RC	510	229.5	174	5.22
MATBRS1448RD	510	229.5	174	5.22
MATBRS1448RQ	510	229.5	174	5.22
MATBRS1448RT	510	229.5	174	5.22
MATBRS1452NN	530	238.5	184.88	5.54
MATBRS1452RC	530	238.5	184.88	5.54
MATBRS1452RD	530	238.5	184.88	5.54
MATBRS1452RQ	530	238.5	184.88	5.54
MATBRS1452RT	530	238.5	184.88	5.54
MATBRS1456NN	600	270	206.63	6.19
MATBRS1456RC	600	270	206.63	6.19
MATBRS1456RD	600	270	206.63	6.19
MATBRS1456RQ	600	270	206.63	6.19
MATBRS1456RT	600	270	206.63	6.19
MATBRS1636NN	410	184.5	145	4.35
MATBRS1636RC	410	184.5	145	4.35
MATBRS1636RD	410	184.5	145	4.35
MATBRS1636RT	410	184.5	145	4.35

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBRS1640NN	450	202.5	157.08	4.71
MATBRS1640RC	450	202.5	157.08	4.71
MATBRS1640RD	450	202.5	157.08	4.71
MATBRS1640RT	450	202.5	157.08	4.71
MATBRS1644NN	520	234	181.25	5.43
MATBRS1644RC	520	234	181.25	5.43
MATBRS1644RD	520	234	181.25	5.43
MATBRS1644RT	520	234	181.25	5.43
MATBRS1648NN	550	247.5	193.33	5.8
MATBRS1648RC	550	247.5	193.33	5.8
MATBRS1648RD	550	247.5	193.33	5.8
MATBRS1648RQ	550	247.5	193.33	5.8
MATBRS1648RT	550	247.5	193.33	5.8
MATBRS1652NN	580	261	205.42	6.16
MATBRS1652RC	580	261	205.42	6.16
MATBRS1652RD	580	261	205.42	6.16
MATBRS1652RQ	580	261	205.42	6.16
MATBRS1652RT	580	261	205.42	6.16
MATBRS1656NN	650	292.5	229.58	6.88
MATBRS1656RC	650	292.5	229.58	6.88
MATBRS1656RD	650	292.5	229.58	6.88
MATBRS1656RQ	650	292.5	229.58	6.88
MATBRS1656RT	650	292.5	229.58	6.88
Audience Oval Boardroom Table (MATBV)				
MATBVD1024NN	300	135	67.67	2.03
MATBVD1024RC	300	135	67.67	2.03
MATBVD1024RD	300	135	67.67	2.03
MATBVD1028NN	320	144	76.13	2.28
MATBVD1028RC	320	144	76.13	2.28
MATBVD1028RD	320	144	76.13	2.28
MATBVD1032NN	350	158	85	2.6
MATBVD1032RC	350	158	85	2.6
MATBVD1032RD	350	158	85	2.6
MATBVD1032RT	350	158	85	2.6
MATBVD1224NN	320	144	77.33	2.32
MATBVD1224RC	320	144	77.33	2.32
MATBVD1224RD	320	144	77.33	2.32
MATBVD1228NN	350	157.5	87	2.61
MATBVD1228RC	350	157.5	87	2.61
MATBVD1228RD	350	157.5	87	2.61
MATBVD1232NN	400	180	106.33	3.19
MATBVD1232RC	400	180	106.33	3.19
MATBVD1232RD	400	180	106.33	3.19
MATBVD1232RT	400	180	106.33	3.19
MATBVD1236NN	430	193.5	116	3.48
MATBVD1236RC	430	193.5	116	3.48
MATBVD1236RD	430	193.5	116	3.48
MATBVD1236RT	430	193.5	116	3.48
MATBVD1240NN	510	229.5	125.67	3.77
MATBVD1240RC	510	229.5	125.67	3.77
MATBVD1240RD	510	229.5	125.67	3.77
MATBVD1240RT	510	229.5	125.67	3.77
MATBVD1244NN	560	252	145	4.35
MATBVD1244RC	560	252	145	4.35
MATBVD1244RD	560	252	145	4.35
MATBVD1244RT	560	252	145	4.35
MATBVD1428NN	380	171	97.88	2.93

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBVD1428RC	380	171	97.88	2.93
MATBVD1428RD	380	171	97.88	2.93
MATBVD1432NN	430	193.5	119.63	3.58
MATBVD1432RC	430	193.5	119.63	3.58
MATBVD1432RD	430	193.5	119.63	3.58
MATBVD1432RT	430	193.5	119.63	3.58
MATBVD1436NN	460	207	130.5	3.91
MATBVD1436RC	460	207	130.5	3.91
MATBVD1436RD	460	207	130.5	3.91
MATBVD1436RT	460	207	130.5	3.91
MATBVD1440NN	540	243	141.38	4.24
MATBVD1440RC	540	243	141.38	4.24
MATBVD1440RD	540	243	141.38	4.24
MATBVD1440RT	540	243	141.38	4.24
MATBVD1444NN	600	270	163.13	4.89
MATBVD1444RC	600	270	163.13	4.89
MATBVD1444RD	600	270	163.13	4.89
MATBVD1444RT	600	270	163.13	4.89
MATBVD1448NN	630	283.5	174	5.22
MATBVD1448RC	630	283.5	174	5.22
MATBVD1448RD	630	283.5	174	5.22
MATBVD1448RQ	630	283.5	174	5.22
MATBVD1448RT	630	283.5	174	5.22
MATBVD1452NN	660	297	184.88	5.54
MATBVD1452RC	660	297	184.88	5.54
MATBVD1452RD	660	297	184.88	5.54
MATBVD1452RQ	660	297	184.88	5.54
MATBVD1452RT	660	297	184.88	5.54
MATBVD1456NN	770	346.5	206.63	6.19
MATBVD1456RC	770	346.5	206.63	6.19
MATBVD1456RD	770	346.5	206.63	6.19
MATBVD1456RQ	770	346.5	206.63	6.19
MATBVD1456RT	770	346.5	206.63	6.19
MATBVD1636NN	500	225	145	4.35
MATBVD1636RC	500	225	145	4.35
MATBVD1636RD	500	225	145	4.35
MATBVD1636RT	500	225	145	4.35
MATBVD1640NN	580	261	157.08	4.71
MATBVD1640RC	580	261	157.08	4.71
MATBVD1640RD	580	261	157.08	4.71
MATBVD1640RT	580	261	157.08	4.71
MATBVD1644NN	640	288	181.25	5.43
MATBVD1644RC	640	288	181.25	5.43
MATBVD1644RD	640	288	181.25	5.43
MATBVD1644RT	640	288	181.25	5.43
MATBVD1648NN	670	301.5	193.33	5.8
MATBVD1648RC	670	301.5	193.33	5.8
MATBVD1648RD	670	301.5	193.33	5.8
MATBVD1648RQ	670	301.5	193.33	5.8
MATBVD1648RT	670	301.5	193.33	5.8
MATBVD1652NN	700	315	205.42	6.16
MATBVD1652RC	700	315	205.42	6.16
MATBVD1652RD	700	315	205.42	6.16
MATBVD1652RQ	700	315	205.42	6.16
MATBVD1652RT	700	315	205.42	6.16
MATBVD1656NN	820	369	229.58	6.88
MATBVD1656RC	820	369	229.58	6.88
MATBVD1656RD	820	369	229.58	6.88

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBVD1656RQ	820	369	229.58	6.88
MATBVD1656RT	820	369	229.58	6.88
MATBVS1024NN	220	99	67.67	2.03
MATBVS1024RC	220	99	67.67	2.03
MATBVS1024RD	220	99	67.67	2.03
MATBVS1028NN	240	108	76.13	2.28
MATBVS1028RC	240	108	76.13	2.28
MATBVS1028RD	240	108	76.13	2.28
MATBVS1032NN	275	125	85	2.6
MATBVS1032RC	275	125	85	2.6
MATBVS1032RD	275	125	85	2.6
MATBVS1032RT	275	125	85	2.6
MATBVS1224NN	240	108	77.33	2.32
MATBVS1224RC	240	108	77.33	2.32
MATBVS1224RD	240	108	77.33	2.32
MATBVS1228NN	270	121.5	87	2.61
MATBVS1228RC	270	121.5	87	2.61
MATBVS1228RD	270	121.5	87	2.61
MATBVS1232NN	320	144	106.33	3.19
MATBVS1232RC	320	144	106.33	3.19
MATBVS1232RD	320	144	106.33	3.19
MATBVS1232RT	320	144	106.33	3.19
MATBVS1236NN	350	157.5	116	3.48
MATBVS1236RC	350	157.5	116	3.48
MATBVS1236RD	350	157.5	116	3.48
MATBVS1236RT	350	157.5	116	3.48
MATBVS1240NN	380	171	125.67	3.77
MATBVS1240RC	380	171	125.67	3.77
MATBVS1240RD	380	171	125.67	3.77
MATBVS1240RT	380	171	125.67	3.77
MATBVS1244NN	440	198	145	4.35
MATBVS1244RC	440	198	145	4.35
MATBVS1244RD	440	198	145	4.35
MATBVS1244RT	440	198	145	4.35
MATBVS1428NN	290	130.5	97.88	2.93
MATBVS1428RC	290	130.5	97.88	2.93
MATBVS1428RD	290	130.5	97.88	2.93
MATBVS1432NN	350	157.5	119.63	3.58
MATBVS1432RC	350	157.5	119.63	3.58
MATBVS1432RD	350	157.5	119.63	3.58
MATBVS1432RT	350	157.5	119.63	3.58
MATBVS1436NN	380	171	130.5	3.91
MATBVS1436RC	380	171	130.5	3.91
MATBVS1436RD	380	171	130.5	3.91
MATBVS1436RT	380	171	130.5	3.91
MATBVS1440NN	420	189	141.38	4.24
MATBVS1440RC	420	189	141.38	4.24
MATBVS1440RD	420	189	141.38	4.24
MATBVS1440RT	420	189	141.38	4.24
MATBVS1444NN	480	216	163.13	4.89
MATBVS1444RC	480	216	163.13	4.89
MATBVS1444RD	480	216	163.13	4.89
MATBVS1444RT	480	216	163.13	4.89
MATBVS1448NN	510	229.5	174	5.22
MATBVS1448RC	510	229.5	174	5.22
MATBVS1448RD	510	229.5	174	5.22
MATBVS1448RQ	510	229.5	174	5.22
MATBVS1448RT	510	229.5	174	5.22

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBVS1452NN	530	238.5	184.88	5.54
MATBVS1452RC	530	238.5	184.88	5.54
MATBVS1452RD	530	238.5	184.88	5.54
MATBVS1452RQ	530	238.5	184.88	5.54
MATBVS1452RT	530	238.5	184.88	5.54
MATBVS1456NN	600	270	206.6	6.19
MATBVS1456RC	600	270	206.6	6.19
MATBVS1456RD	600	270	206.6	6.19
MATBVS1456RQ	600	270	206.6	6.19
MATBVS1456RT	600	270	206.6	6.19
MATBVS1636NN	410	184.5	145	4.35
MATBVS1636RC	410	184.5	145	4.35
MATBVS1636RD	410	184.5	145	4.35
MATBVS1636RT	410	184.5	145	4.35
MATBVS1640NN	450	202.5	157.08	4.71
MATBVS1640RC	450	202.5	157.08	4.71
MATBVS1640RD	450	202.5	157.08	4.71
MATBVS1640RT	450	202.5	157.08	4.71
MATBVS1644NN	520	234	181.25	5.43
MATBVS1644RC	520	234	181.25	5.43
MATBVS1644RD	520	234	181.25	5.43
MATBVS1644RT	520	234	181.25	5.43
MATBVS1648NN	550	247.5	193.3	5.8
MATBVS1648RC	550	247.5	193.3	5.8
MATBVS1648RD	550	247.5	193.3	5.8
MATBVS1648RQ	550	247.5	193.3	5.8
MATBVS1648RT	550	247.5	193.3	5.8
MATBVS1652NN	580	261	205.42	6.16
MATBVS1652RC	580	261	205.42	6.16
MATBVS1652RD	580	261	205.42	6.16
MATBVS1652RQ	580	261	205.42	6.16
MATBVS1652RT	580	261	205.42	6.16
MATBVS1656NN	650	292.5	229.58	6.88
MATBVS1656RC	650	292.5	229.58	6.88
MATBVS1656RD	650	292.5	229.58	6.88
MATBVS1656RQ	650	292.5	229.58	6.88
MATBVS1656RT	650	292.5	229.58	6.88
Audience Boat Boardroom Table (MATBB)				
MATBBD1024NN	300	135	67.67	2
MATBBD1024RC	300	135	67.67	2
MATBBD1024RD	300	135	67.67	2
MATBBD1028NN	320	144	76.13	2.3
MATBBD1028RC	320	144	76.13	2.3
MATBBD1028RD	320	144	76.13	2.3
MATBBD1032NN	350	157	84.6	2.55
MATBBD1032RC	350	157	84.6	2.55
MATBBD1032RD	350	157	84.6	2.55
MATBBD1032RT	350	157	84.6	2.55
MATBBD1224NN	320	144	77	2.3
MATBBD1224RC	320	144	77	2.3
MATBBD1224RD	320	144	77	2.3
MATBBD1228NN	350	157.5	87	2.6
MATBBD1228RC	350	157.5	87	2.6
MATBBD1228RD	350	157.5	87	2.6
MATBBD1232NN	400	180	106.33	3.2
MATBBD1232RC	400	180	106.33	3.2
MATBBD1232RD	400	180	106.33	3.2
MATBBD1232RT	400	180	106.33	3.2

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBBD1236NN	430	193	116	3.5
MATBBD1236RC	430	193	116	3.5
MATBBD1236RD	430	193	116	3.5
MATBBD1236RT	430	193	116	3.5
MATBBD1240NN	510	229	125.7	3.8
MATBBD1240RC	510	229	125.7	3.8
MATBBD1240RD	510	229	125.7	3.8
MATBBD1240RT	510	229	125.7	3.8
MATBBD1244NN	560	252	145	4.4
MATBBD1244RC	560	252	145	4.4
MATBBD1244RD	560	252	145	4.4
MATBBD1244RT	560	252	145	4.4
MATBBD1428NN	380	171	98	2.9
MATBBD1428RC	380	171	98	2.9
MATBBD1428RD	380	171	98	2.9
MATBBD1432NN	430	194	119	3.6
MATBBD1432RC	430	194	119	3.6
MATBBD1432RD	430	194	119	3.6
MATBBD1432RT	430	194	119	3.6
MATBBD1436NN	460	207	130	3.9
MATBBD1436RC	460	207	130	3.9
MATBBD1436RD	460	207	130	3.9
MATBBD1436RT	460	207	130	3.9
MATBBD1440NN	540	243	141	4.3
MATBBD1440RC	540	243	141	4.3
MATBBD1440RD	540	243	141	4.3
MATBBD1440RT	540	243	141	4.3
MATBBD1444NN	600	270	163	4.9
MATBBD1444RC	600	270	163	4.9
MATBBD1444RD	600	270	163	4.9
MATBBD1444RT	600	270	163	4.9
MATBBD1448NN	630	282	174	5.2
MATBBD1448RC	630	282	174	5.2
MATBBD1448RD	630	282	174	5.2
MATBBD1448RQ	630	282	174	5.2
MATBBD1448RT	630	282	174	5.2
MATBBD1452NN	660	297	185	5.5
MATBBD1452RC	660	297	185	5.5
MATBBD1452RD	660	297	185	5.5
MATBBD1452RQ	660	297	185	5.5
MATBBD1452RT	660	297	185	5.5
MATBBD1456NN	770	346	206	6.2
MATBBD1456RC	770	346	206	6.2
MATBBD1456RD	770	346	206	6.2
MATBBD1456RQ	770	346	206	6.2
MATBBD1456RT	770	346	206	6.2
MATBBD1636NN	500	225	145	4.35
MATBBD1636RC	500	225	145	4.35
MATBBD1636RD	500	225	145	4.35
MATBBD1636RT	500	225	145	4.35
MATBBD1640NN	580	261	157	4.7
MATBBD1640RC	580	261	157	4.7
MATBBD1640RD	580	261	157	4.7
MATBBD1640RT	580	261	157	4.7
MATBBD1644NN	640	288	181	5.4
MATBBD1644RC	640	288	181	5.4
MATBBD1644RD	640	288	181	5.4
MATBBD1644RT	640	288	181	5.4

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBBD1648NN	670	301	193	5.8
MATBBD1648RC	670	301	193	5.8
MATBBD1648RD	670	301	193	5.8
MATBBD1648RQ	670	301	193	5.8
MATBBD1648RT	670	301	193	5.8
MATBBD1652NN	700	315	205	6.2
MATBBD1652RC	700	315	205	6.2
MATBBD1652RD	700	315	205	6.2
MATBBD1652RQ	700	315	205	6.2
MATBBD1652RT	700	315	205	6.2
MATBBD1656NN	820	369	229	6.9
MATBBD1656RC	820	369	229	6.9
MATBBD1656RD	820	369	229	6.9
MATBBD1656RQ	820	369	229	6.9
MATBBD1656RT	820	369	229	6.9
MATBBS1024NN	220	99	67	2
MATBBS1024RC	220	99	67	2
MATBBS1024RD	220	99	67	2
MATBBS1028NN	240	108	76	2.2
MATBBS1028RC	240	108	76	2.2
MATBBS1028RD	240	108	76	2.2
MATBBS1032NN	270	121	84	2.5
MATBBS1032RC	270	121	84	2.5
MATBBS1032RD	270	121	84	2.5
MATBBS1032RT	270	121	84	2.5
MATBBS1224NN	240	108	77	2.3
MATBBS1224RC	240	108	77	2.3
MATBBS1224RD	240	108	77	2.3
MATBBS1228NN	270	121	87	2.6
MATBBS1228RC	270	121	87	2.6
MATBBS1228RD	270	121	87	2.6
MATBBS1232NN	320	144	106	3.2
MATBBS1232RC	320	144	106	3.2
MATBBS1232RD	320	144	106	3.2
MATBBS1232RT	320	144	106	3.2
MATBBS1236NN	350	157	116	3.5
MATBBS1236RC	350	157	116	3.5
MATBBS1236RD	350	157	116	3.5
MATBBS1236RT	350	157	116	3.5
MATBBS1240NN	380	171	126	3.8
MATBBS1240RC	380	171	126	3.8
MATBBS1240RD	380	171	126	3.8
MATBBS1240RT	380	171	126	3.8
MATBBS1244NN	440	198	145	4.3
MATBBS1244RC	440	198	145	4.3
MATBBS1244RD	440	198	145	4.3
MATBBS1244RT	440	198	145	4.3
MATBBS1428NN	290	130.5	97.88	2.9
MATBBS1428RC	290	130.5	97.88	2.9
MATBBS1428RD	290	130.5	97.88	2.9
MATBBS1432NN	350	157.5	119.6	3.5
MATBBS1432RC	350	157.5	119.6	3.5
MATBBS1432RD	350	157.5	119.6	3.5
MATBBS1432RT	350	157.5	119.6	3.5
MATBBS1436NN	380	171	130.5	3.9
MATBBS1436RC	380	171	130.5	3.9
MATBBS1436RD	380	171	130.5	3.9
MATBBS1436RT	380	171	130.5	3.9

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATBBS1440NN	420	189	141.3	4.24
MATBBS1440RC	420	189	141.3	4.24
MATBBS1440RD	420	189	141.3	4.24
MATBBS1440RT	420	189	141.3	4.24
MATBBS1444NN	480	216	163.1	4.89
MATBBS1444RC	480	216	163.1	4.89
MATBBS1444RD	480	216	163.1	4.89
MATBBS1444RT	480	216	163.1	4.89
MATBBS1448NN	510	229.5	174	5.2
MATBBS1448RC	510	229.5	174	5.2
MATBBS1448RD	510	229.5	174	5.2
MATBBS1448RQ	510	229.5	174	5.2
MATBBS1448RT	510	229.5	174	5.2
MATBBS1452NN	530	238.5	184.8	5.54
MATBBS1452RC	530	238.5	184.8	5.54
MATBBS1452RD	530	238.5	184.8	5.54
MATBBS1452RQ	530	238.5	184.8	5.54
MATBBS1452RT	530	238.5	184.8	5.54
MATBBS1456NN	600	270	206.6	6.2
MATBBS1456RC	600	270	206.6	6.2
MATBBS1456RD	600	270	206.6	6.2
MATBBS1456RQ	600	270	206.6	6.2
MATBBS1456RT	600	270	206.6	6.2
MATBBS1636NN	410	184.5	145	4.35
MATBBS1636RC	410	184.5	145	4.35
MATBBS1636RD	410	184.5	145	4.35
MATBBS1636RT	410	184.5	145	4.35
MATBBS1640NN	450	202.5	157	4.7
MATBBS1640RC	450	202.5	157	4.7
MATBBS1640RD	450	202.5	157	4.7
MATBBS1640RT	450	202.5	157	4.7
MATBBS1644NN	520	234	181.2	5.4
MATBBS1644RC	520	234	181.2	5.4
MATBBS1644RD	520	234	181.2	5.4
MATBBS1644RT	520	234	181.2	5.4
MATBBS1648NN	550	247.5	193.3	5.8
MATBBS1648RC	550	247.5	193.3	5.8
MATBBS1648RD	550	247.5	193.3	5.8
MATBBS1648RQ	550	247.5	193.3	5.8
MATBBS1648RT	550	247.5	193.3	5.8
MATBBS1652NN	580	261	205.4	6.16
MATBBS1652RC	580	261	205.4	6.16
MATBBS1652RD	580	261	205.4	6.16
MATBBS1652RQ	580	261	205.4	6.16
MATBBS1652RT	580	261	205.4	6.16
MATBBS1656NN	650	292.5	229.5	6.8
MATBBS1656RC	650	292.5	229.5	6.8
MATBBS1656RD	650	292.5	229.5	6.8
MATBBS1656RQ	650	292.5	229.5	6.8
MATBBS1656RT	650	292.5	229.5	6.8
Audience Video Conference Table (MATVC)				
MATVCD1428NN	360	162	108	3.26
MATVCD1428RC	360	162	108	3.26
MATVCD1428RD	360	162	108	3.26
MATVCD1432NN	390	175.5	119.6	3.58
MATVCD1432RC	390	175.5	119.6	3.58
MATVCD1432RD	390	175.5	119.6	3.58
MATVCD1432RT	390	175.5	119.6	3.58

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATVCD1436NN	410	184.5	130.5	3.91
MATVCD1436RC	410	184.5	130.5	3.91
MATVCD1436RD	410	184.5	130.5	3.91
MATVCD1436RT	410	184.5	130.5	3.91
MATVCD1440NN	490	220.5	141.38	4.24
MATVCD1440RC	490	220.5	141.38	4.24
MATVCD1440RD	490	220.5	141.38	4.24
MATVCD1440RT	490	220.5	141.38	4.24
MATVCD1628NN	390	175.5	120.8	3.63
MATVCD1628RC	390	175.5	120.8	3.63
MATVCD1628RD	390	175.5	120.8	3.63
MATVCD1632NN	420	189	132.92	3.98
MATVCD1632RC	420	189	132.92	3.98
MATVCD1632RD	420	189	132.92	3.98
MATVCD1632RT	420	189	132.92	3.98
MATVCD1636NN	440	198	145	4.35
MATVCD1636RC	440	198	145	4.35
MATVCD1636RD	440	198	145	4.35
MATVCD1636RT	440	198	145	4.35
MATVCD1640NN	520	234	157.08	4.71
MATVCD1640RC	520	234	157.08	4.71
MATVCD1640RD	520	234	157.08	4.71
MATVCD1640RT	520	234	157.08	4.71
MATVCD1644NN	580	261	181.25	5.43
MATVCD1644RC	580	261	181.25	5.43
MATVCD1644RD	580	261	181.25	5.43
MATVCD1644RT	580	261	181.25	5.43
MATVCD1648NN	610	274.5	193.33	5.8
MATVCD1648RC	610	274.5	193.33	5.8
MATVCD1648RD	610	274.5	193.33	5.8
MATVCD1648RQ	610	274.5	193.33	5.8
MATVCD1648RT	610	274.5	193.33	5.8
MATVCD1652NN	630	283.5	205.42	6.16
MATVCD1652RC	630	283.5	205.42	6.16
MATVCD1652RD	630	283.5	205.42	6.16
MATVCD1652RQ	630	283.5	205.42	6.16
MATVCD1652RT	630	283.5	205.42	6.16
MATVCD1656NN	740	333	229.58	6.88
MATVCD1656RC	740	333	229.58	6.88
MATVCD1656RD	740	333	229.58	6.88
MATVCD1656RQ	740	333	229.58	6.88
MATVCD1656RT	740	333	229.58	6.88
MATVCS1428NN	280	126	108.75	3.26
MATVCS1428RC	280	126	108.75	3.26
MATVCS1428RD	280	126	108.75	3.26
MATVCS1432NN	310	139.5	119.63	3.58
MATVCS1432RC	310	139.5	119.63	3.58
MATVCS1432RD	310	139.5	119.63	3.58
MATVCS1432RT	310	139.5	119.63	3.58
MATVCS1436NN	330	148.5	130.5	3.91
MATVCS1436RC	330	148.5	130.5	3.91
MATVCS1436RD	330	148.5	130.5	3.91
MATVCS1436RT	330	148.5	130.5	3.91
MATVCS1440NN	370	166.5	141.38	4.24
MATVCS1440RC	370	166.5	141.38	4.24
MATVCS1440RD	370	166.5	141.38	4.24
MATVCS1440RT	370	166.5	141.38	4.24
MATVCS1628NN	310	139.5	121	3.63

Meeting & *AUDIENCE*® Boardroom Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATVCS1628RC	310	139.5	121	3.63
MATVCS1628RD	310	139.5	121	3.63
MATVCS1632NN	330	148.5	132.92	3.98
MATVCS1632RC	330	148.5	132.92	3.98
MATVCS1632RD	330	148.5	132.92	3.98
MATVCS1632RT	330	148.5	132.92	3.98
MATVCS1636NN	360	162	145	4.35
MATVCS1636RC	360	162	145	4.35
MATVCS1636RD	360	162	145	4.35
MATVCS1636RT	360	162	145	4.35
MATVCS1640NN	400	180	157.08	4.71
MATVCS1640RC	400	180	157.08	4.71
MATVCS1640RD	400	180	157.08	4.71
MATVCS1640RT	400	180	157.08	4.71
MATVCS1644NN	460	207	181.25	5.43
MATVCS1644RC	460	207	181.25	5.43
MATVCS1644RD	460	207	181.25	5.43
MATVCS1644RT	460	207	181.25	5.43
MATVCS1648NN	480	216	193.33	5.8
MATVCS1648RC	480	216	193.33	5.8
MATVCS1648RD	480	216	193.33	5.8
MATVCS1648RQ	480	216	193.33	5.8
MATVCS1648RT	480	216	193.33	5.8
MATVCS1652NN	510	229.5	205.42	6.16
MATVCS1652RC	510	229.5	205.42	6.16
MATVCS1652RD	510	229.5	205.42	6.16
MATVCS1652RQ	510	229.5	205.42	6.16
MATVCS1652RT	510	229.5	205.42	6.16
MATVCS1656NN	580	261	229.58	6.88
MATVCS1656RC	580	261	229.58	6.88
MATVCS1656RD	580	261	229.58	6.88
MATVCS1656RQ	580	261	229.58	6.88
MATVCS1656RT	580	261	229.58	6.88
Media Shelf (MATSH)				
MATSH	6.83	3.1	0.85	0.03
Rail Mount Cable Manager (MATRC)				
MATRC05	0.25	0.11	0.04	0
MATRC10	0.5	0.23	0.07	0
MATRC30	1.5	0.68	0.22	0.01

Casual Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
Square Lounge Table (MATCTL)				
MATCTLR06	65.84	29.86	2.175	0.062
MATCTLR08	86.57	39.27	2.502	0.071
MATCTLS06	66.06	29.97	2.175	0.062
MATCTLS08	86.79	39.37	2.502	0.071
Rounded Square Lounge Table (MATCRL)				
MATCRL06	64.6	29.3	2.182	0.062
MATCRL08	84.69	38.42	2.515	0.071
Circular Lounge Table (MATCDL)				
MATCDL06	51.95	23.56	2.076	0.059
MATCDL08	69.86	31.69	2.398	0.068
Square Cafe Table (MATCTB)				
MATCTBR06606	67.26	30.51	2.672	0.076
MATCTBR06607	87.99	39.91	2.999	0.085
MATCTBR06608	99.48	45.13	3.272	0.093
MATCTBR07406	67.72	30.72	2.91	0.082
MATCTBR07407	88.45	40.12	3.237	0.092
MATCTBR07408	99.95	45.34	3.509	0.099
MATCTBR10706	69.74	31.63	3.938	0.112
MATCTBR10707	90.47	41.04	4.265	0.121
MATCTBR10708	101.96	46.26	4.538	0.129
MATCTBS06606	67.48	30.61	2.672	0.076
MATCTBS06607	88.21	40.01	2.999	0.085
MATCTBS06608	99.71	45.23	3.272	0.093
MATCTBS07406	67.95	30.82	2.91	0.082
MATCTBS07407	88.68	40.22	3.237	0.092
MATCTBS07408	100.17	45.44	3.509	0.099
MATCTBS10706	69.96	31.73	3.938	0.112
MATCTBS10707	90.69	41.14	4.265	0.121
MATCTBS10708	102.18	46.36	4.538	0.129
Rounded Square Cafe Table (MATCRB)				
MATCRB06606	66.02	29.95	2.679	0.076
MATCRB06607	86.11	39.06	3.013	0.085
MATCRB06608	97.06	44.03	3.289	0.093
MATCRB07406	66.48	30.16	2.917	0.083
MATCRB07407	86.58	39.27	3.25	0.092
MATCRB07408	97.53	44.24	3.526	0.1
MATCRB10706	68.5	31.07	3.945	0.112
MATCRB10707	88.6	40.19	4.278	0.121
MATCRB10708	99.55	45.16	4.611	0.13
Circular Cafe Table (MATCDB)				
MATCDB06606	53.37	24.21	2.573	0.073
MATCDB06608	91.63	41.56	3.272	0.093
MATCDB07406	53.83	24.42	2.811	0.08
MATCDB07408	92.1	41.78	3.509	0.099
MATCDB10706	55.85	25.33	3.839	0.109
MATCDB10708	95.72	43.41	4.837	0.137
Square Dining Table (MATCQS)				
MATCQSR0608066	71.44	32.4	2.771	0.078
MATCQSR0608074	71.9	32.61	3.009	0.085
MATCQSR0609066	71.44	32.4	2.771	0.078
MATCQSR0609074	71.9	32.61	3.009	0.085
MATCQSR0808066	93.21	42.28	3.123	0.088
MATCQSR0808074	93.68	42.49	3.361	0.095
MATCQSR0809066	93.21	42.28	3.123	0.088
MATCQSR0809074	93.68	42.49	3.361	0.095
MATCQSS0608066	71.66	32.51	2.771	0.078
MATCQSS0608074	93.44	42.38	3.123	0.088

Casual Tables (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MATCQSS0609066	71.66	32.51	2.771	0.078
MATCQSS0609074	93.44	42.38	3.123	0.088
MATCQSS0808066	93.44	42.38	3.123	0.088
MATCQSS0808074	93.9	42.59	3.361	0.095
MATCQSS0809066	93.44	42.38	3.123	0.088
MATCQSS0809074	93.9	42.59	3.361	0.095

Training

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
TRAINING – WORKSURFACES				
Rectangular Worksurface (MXWR)				
MXWRRA0410	20.11	9.12	0.988	0.028
MXWRRA0412	26.54	12.04	1.129	0.032
MXWRRA0414	33.41	15.15	1.411	0.04
MXWRRA0416	36.83	16.71	1.552	0.044
MXWRRA0418	46.27	20.99	1.693	0.048
MXWRRA0420	56.45	25.61	1.8962	0.0538
MXWRRA0422	68.87	31.24	2.1237	0.0602
MXWRRA0610	24.06	10.91	1.185	0.034
MXWRRA0612	31.06	14.09	1.354	0.038
MXWRRA0614	39.05	17.71	1.693	0.048
MXWRRA0616	43.04	19.52	1.862	0.053
MXWRRA0618	53.04	24.06	2.032	0.058
MXWRRA0620	64.71	29.35	2.2758	0.065
MXWRRA0622	78.94	35.81	2.5489	0.0728
MXWRRA0810	30.07	13.64	2.081	0.059
MXWRRA0812	37.91	17.2	2.187	0.062
MXWRRA0814	47.6	21.59	2.398	0.068
MXWRRA0816	52.44	23.78	2.504	0.071
MXWRRA0818	63.29	28.71	2.61	0.074
MXWRRA0820	77.21	35.03	3.1842	0.0903
MXWRRA0822	94.2	42.73	3.8847	0.1101
MXWRRB0410	20.02	9.08	0.988	0.028
MXWRRB0412	26.45	12	1.129	0.032
MXWRRB0414	33.32	15.11	1.411	0.04
MXWRRB0416	36.74	16.67	1.552	0.044
MXWRRB0418	46.18	20.95	1.693	0.048
MXWRRB0420	56.34	25.56	1.8962	0.0538
MXWRRB0422	68.73	31.18	2.1237	0.0602
MXWRRB0610	23.97	10.87	1.185	0.034
MXWRRB0612	30.97	14.05	1.354	0.038
MXWRRB0614	38.96	17.67	1.693	0.048
MXWRRB0616	42.95	19.48	1.862	0.053
MXWRRB0618	52.95	24.02	2.032	0.058
MXWRRB0620	64.6	29.3	2.2758	0.065
MXWRRB0622	78.81	35.75	2.5489	0.0728
MXWRRB0810	29.98	13.6	2.081	0.059
MXWRRB0812	37.82	17.16	2.187	0.062
MXWRRB0814	47.51	21.55	2.398	0.068
MXWRRB0816	52.35	23.74	2.504	0.071
MXWRRB0818	63.2	28.67	2.61	0.074
MXWRRB0820	77.1	34.98	3.1842	0.0903
MXWRRB0822	94.07	42.67	3.8847	0.1101
MXWRRC0410	20.02	9.08	0.988	0.028
MXWRRC0412	26.45	12	1.129	0.032
MXWRRC0414	33.32	15.11	1.411	0.04
MXWRRC0416	36.74	16.67	1.552	0.044
MXWRRC0418	46.18	20.95	1.693	0.048
MXWRRC0420	56.34	25.56	1.8962	0.0538
MXWRRC0422	68.73	31.18	2.1237	0.0602
MXWRRC0610	23.97	10.87	1.185	0.034
MXWRRC0612	30.97	14.05	1.354	0.038
MXWRRC0614	38.96	17.67	1.693	0.048
MXWRRC0616	42.95	19.48	1.862	0.053
MXWRRC0618	52.95	24.02	2.032	0.058
MXWRRC0620	64.6	29.3	2.2758	0.065
MXWRRC0622	78.81	35.75	2.5489	0.0728

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXWRRC0810	29.98	13.6	2.081	0.059
MXWRRC0812	37.82	17.16	2.187	0.062
MXWRRC0814	47.51	21.55	2.398	0.068
MXWRRC0816	52.35	23.74	2.504	0.071
MXWRRC0818	63.2	28.67	2.61	0.074
MXWRRC0820	77.1	34.98	3.1842	0.0903
MXWRRC0822	94.07	42.67	3.8847	0.1101
MXWRRD0410	20.02	9.08	0.988	0.028
MXWRRD0412	26.45	12	1.129	0.032
MXWRRD0414	33.32	15.11	1.411	0.04
MXWRRD0416	36.74	16.67	1.552	0.044
MXWRRD0418	46.18	20.95	1.693	0.048
MXWRRD0420	56.34	25.56	1.8962	0.0538
MXWRRD0422	68.73	31.18	2.1237	0.0602
MXWRRD0610	23.97	10.87	1.185	0.034
MXWRRD0612	30.97	14.05	1.354	0.038
MXWRRD0614	38.96	17.67	1.693	0.048
MXWRRD0616	42.95	19.48	1.862	0.053
MXWRRD0618	52.95	24.02	2.032	0.058
MXWRRD0620	64.6	29.3	2.2758	0.065
MXWRRD0622	78.81	35.75	2.5489	0.0728
MXWRRD0810	29.98	13.6	2.081	0.059
MXWRRD0812	37.82	17.16	2.187	0.062
MXWRRD0814	47.51	21.55	2.398	0.068
MXWRRD0816	52.35	23.74	2.504	0.071
MXWRRD0818	63.2	28.67	2.61	0.074
MXWRRD0820	77.1	34.98	2.9232	0.0829
MXWRRD0822	94.07	42.67	3.274	0.0928
MXWRSA0410	20.14	9.13	0.988	0.028
MXWRSA0412	26.57	12.05	1.129	0.032
MXWRSA0414	33.43	15.17	1.411	0.04
MXWRSA0416	36.86	16.72	1.552	0.044
MXWRSA0418	46.3	21	1.693	0.048
MXWRSA0420	56.49	25.62	1.8962	0.0538
MXWRSA0422	68.91	31.26	2.1237	0.0602
MXWRSA0610	24.09	10.93	1.185	0.034
MXWRSA0612	31.08	14.1	1.354	0.038
MXWRSA0614	39.08	17.73	1.693	0.048
MXWRSA0616	43.06	19.53	1.862	0.053
MXWRSA0618	53.07	24.07	2.032	0.058
MXWRSA0620	64.75	29.37	0	0
MXWRSA0622	78.99	35.83	0	0
MXWRSA0810	30.1	13.65	2.081	0.059
MXWRSA0812	37.94	17.21	2.187	0.062
MXWRSA0814	47.63	21.6	2.398	0.068
MXWRSA0816	52.46	23.8	2.504	0.071
MXWRSA0818	63.31	28.72	2.61	0.074
MXWRSA0820	77.24	35.04	2.9232	0.0829
MXWRSA0822	94.23	42.75	3.5663	0.1011
MXWRSB0410	20.05	9.09	0.988	0.028
MXWRSB0412	26.47	12.01	1.129	0.032
MXWRSB0414	33.34	15.12	1.411	0.04
MXWRSB0416	36.77	16.68	1.552	0.044
MXWRSB0418	46.21	20.96	1.693	0.048
MXWRSB0420	56.38	25.57	1.8962	0.0538
MXWRSB0422	68.78	31.2	2.1237	0.0602
MXWRSB0610	24	10.88	1.185	0.034
MXWRSB0612	30.99	14.06	1.354	0.038

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXWRSB0614	38.99	17.68	1.693	0.048
MXWRSB0616	42.97	19.49	1.862	0.053
MXWRSB0618	52.98	24.03	2.032	0.058
MXWRSB0620	64.64	29.32	2.2758	0.065
MXWRSB0622	78.86	35.77	2.5489	0.0728
MXWRSB0810	30.01	13.61	2.081	0.059
MXWRSB0812	37.85	17.17	2.187	0.062
MXWRSB0814	47.54	21.56	2.398	0.068
MXWRSB0816	52.37	23.75	2.504	0.071
MXWRSB0818	63.22	28.68	2.61	0.074
MXWRSB0820	77.13	34.99	2.9232	0.0829
MXWRSB0822	94.1	42.69	3.274	0.0928
MXWRSC0410	20.05	9.09	0.988	0.028
MXWRSC0412	26.47	12.01	1.129	0.032
MXWRSC0414	33.34	15.12	1.411	0.04
MXWRSC0416	36.77	16.68	1.552	0.044
MXWRSC0418	46.21	20.96	1.693	0.048
MXWRSC0420	56.38	25.57	1.8962	0.0538
MXWRSC0422	68.78	31.2	2.1237	0.0602
MXWRSC0610	24	10.88	1.185	0.034
MXWRSC0612	30.99	14.06	1.354	0.038
MXWRSC0614	38.99	17.68	1.693	0.048
MXWRSC0616	42.97	19.49	1.862	0.053
MXWRSC0618	52.98	24.03	2.032	0.058
MXWRSC0620	64.64	29.32	2.2758	0.065
MXWRSC0622	78.86	35.77	2.5489	0.0728
MXWRSC0810	30.01	13.61	2.081	0.059
MXWRSC0812	37.85	17.17	2.187	0.062
MXWRSC0814	47.54	21.56	2.398	0.068
MXWRSC0816	52.37	23.75	2.504	0.071
MXWRSC0818	63.22	28.68	2.61	0.074
MXWRSC0820	77.13	34.99	2.9232	0.0829
MXWRSC0822	94.1	42.69	3.274	0.0928
MXWRSD0410	20.05	9.09	0.988	0.028
MXWRSD0412	26.47	12.01	1.129	0.032
MXWRSD0414	33.34	15.12	1.411	0.04
MXWRSD0416	36.77	16.68	1.552	0.044
MXWRSD0418	46.21	20.96	1.693	0.048
MXWRSD0420	56.38	25.57	1.8962	0.0538
MXWRSD0422	68.78	31.2	2.1237	0.0602
MXWRSD0610	24	10.88	1.185	0.034
MXWRSD0612	30.99	14.06	1.354	0.038
MXWRSD0614	38.99	17.68	1.693	0.048
MXWRSD0616	42.97	19.49	1.862	0.053
MXWRSD0618	52.98	24.03	2.032	0.058
MXWRSD0620	64.64	29.32	2.2758	0.065
MXWRSD0622	78.86	35.77	2.5489	0.0728
MXWRSD0810	30.01	13.61	2.081	0.059
MXWRSD0812	37.85	17.17	2.187	0.062
MXWRSD0814	47.54	21.56	2.398	0.068
MXWRSD0816	52.37	23.75	2.504	0.071
MXWRSD0818	63.22	28.68	2.61	0.074
MXWRSD0820	77.13	34.99	2.9232	0.0829
MXWRSD0822	94.1	42.69	3.274	0.0928
TRAINING – WORKSURFACE SUPPORTS				
Slender Leg (MXSLS)				
MXSLSCASR06C	11.05	5.01	1.776	0.05
MXSLSCASR06L	10.71	4.86	1.557	0.044
MXSLSCF2906C	9.56	4.34	1.599	0.045

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXSLSCF2906L	9.5	4.31	1.508	0.043
MXSLSTASR04C	14.85	6.73	1.125	0.032
MXSLSTASR04L	8.26	3.75	1.069	0.03
MXSLSTASR06C	10.79	4.89	1.776	0.05
MXSLSTASR06L	10.45	4.74	1.557	0.044
MXSLSTF2904C	14.85	6.73	1.125	0.032
MXSLSTF2904L	7.07	3.21	1.035	0.029
MXSLSTF2906C	9.33	4.23	1.599	0.045
MXSLSTF2906L	9.26	4.2	1.513	0.043
TRAINING – TABLES				
Folding Table - Slender Legs (MXTFSS)				
MXTFSSRC0616A0	72.73	32.99	30.082	0.852
MXTFSSRC0616A2	72.6	32.93	26.662	0.755
MXTFSSRC0616B0	72.63	32.94	30.082	0.852
MXTFSSRC0616B2	72.49	32.88	26.662	0.755
MXTFSSRC0616C0	72.63	32.94	30.082	0.852
MXTFSSRC0616C2	72.49	32.88	26.662	0.755
MXTFSSRC0616D0	72.63	32.94	30.082	0.852
MXTFSSRC0616D2	72.49	32.88	26.662	0.755
MXTFSSRC0618A0	77.91	35.34	32.872	0.931
MXTFSSRC0618A2	77.78	35.28	29.136	0.825
MXTFSSRC0618B0	77.81	35.29	32.872	0.931
MXTFSSRC0618B2	77.67	35.23	29.136	0.825
MXTFSSRC0618C0	77.81	35.29	32.872	0.931
MXTFSSRC0618C2	77.67	35.23	29.136	0.825
MXTFSSRC0618D0	77.81	35.29	32.872	0.931
MXTFSSRC0618D2	77.67	35.23	29.136	0.825
MXTFSSRC0620A0	100.37	45.53	38.593	1.093
MXTFSSRC0620A2	100.24	45.47	34.223	0.969
MXTFSSRC0620B0	100.26	45.48	38.593	1.093
MXTFSSRC0620B2	100.13	45.42	34.223	0.969
MXTFSSRC0620C0	100.26	45.48	38.593	1.093
MXTFSSRC0620C2	100.13	45.42	34.223	0.969
MXTFSSRC0620D0	100.26	45.48	38.593	1.093
MXTFSSRC0620D2	100.13	45.42	34.223	0.969
MXTFSSRC0816A0	83.63	37.94	30.627	0.867
MXTFSSRC0816A2	83.5	37.87	27.207	0.77
MXTFSSRC0816B0	83.53	37.89	30.627	0.867
MXTFSSRC0816B2	83.39	37.83	27.207	0.77
MXTFSSRC0816C0	83.53	37.89	30.627	0.867
MXTFSSRC0816C2	83.39	37.83	27.207	0.77
MXTFSSRC0816D0	83.53	37.89	30.627	0.867
MXTFSSRC0816D2	83.39	37.83	27.207	0.77
MXTFSSRC0818A0	89.8	40.73	33.467	0.948
MXTFSSRC0818A2	89.67	40.67	29.73	0.842
MXTFSSRC0818B0	89.7	40.69	33.467	0.948
MXTFSSRC0818B2	89.56	40.63	29.73	0.842
MXTFSSRC0818C0	89.7	40.69	33.467	0.948
MXTFSSRC0818C2	89.56	40.63	29.73	0.842
MXTFSSRC0818D0	89.7	40.69	33.467	0.948
MXTFSSRC0818D2	89.56	40.63	29.73	0.842
MXTFSSRC0820A0	114.24	51.82	39.287	1.112
MXTFSSRC0820A2	114.11	51.76	34.916	0.989
MXTFSSRC0820B0	114.14	51.77	39.287	1.112
MXTFSSRC0820B2	114	51.71	34.916	0.989
MXTFSSRC0820C0	114.14	51.77	39.287	1.112
MXTFSSRC0820C2	114	51.71	34.916	0.989
MXTFSSRC0820D0	114.14	51.77	39.287	1.112
MXTFSSRC0820D2	114	51.71	34.916	0.989

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFSSRT0416A0	63.08	28.61	22.022	0.624
MXTFSSRT0416A2	62.94	28.55	18.681	0.529
MXTFSSRT0416B0	62.97	28.56	22.022	0.624
MXTFSSRT0416B2	62.84	28.5	18.681	0.529
MXTFSSRT0416C0	62.97	28.56	22.022	0.624
MXTFSSRT0416C2	62.84	28.5	18.681	0.529
MXTFSSRT0416D0	62.97	28.56	22.022	0.624
MXTFSSRT0416D2	62.84	28.5	18.681	0.529
MXTFSSRT0418A0	67.6	30.66	24.065	0.681
MXTFSSRT0418A2	67.46	30.6	20.415	0.578
MXTFSSRT0418B0	67.49	30.61	24.065	0.681
MXTFSSRT0418B2	67.36	30.55	20.415	0.578
MXTFSSRT0418C0	67.49	30.61	24.065	0.681
MXTFSSRT0418C2	67.36	30.55	20.415	0.578
MXTFSSRT0418D0	67.49	30.61	24.065	0.681
MXTFSSRT0418D2	67.36	30.55	20.415	0.578
MXTFSSRT0420A0	88.73	40.25	28.293	0.801
MXTFSSRT0420A2	88.6	40.19	24.024	0.68
MXTFSSRT0420B0	88.63	40.2	28.293	0.801
MXTFSSRT0420B2	88.49	40.14	24.024	0.68
MXTFSSRT0420C0	88.63	40.2	28.293	0.801
MXTFSSRT0420C2	88.49	40.14	24.024	0.68
MXTFSSRT0420D0	88.63	40.2	28.293	0.801
MXTFSSRT0420D2	88.49	40.14	24.024	0.68
MXTFSSRT0616A0	72.27	32.78	30.061	0.851
MXTFSSRT0616A2	72.13	32.72	26.704	0.756
MXTFSSRT0616B0	72.16	32.73	30.061	0.851
MXTFSSRT0616B2	72.03	32.67	26.704	0.756
MXTFSSRT0616C0	72.16	32.73	30.061	0.851
MXTFSSRT0616C2	72.03	32.67	26.704	0.756
MXTFSSRT0616D0	72.16	32.73	30.061	0.851
MXTFSSRT0616D2	72.03	32.67	26.704	0.756
MXTFSSRT0618A0	77.45	35.13	32.849	0.93
MXTFSSRT0618A2	77.32	35.07	29.181	0.826
MXTFSSRT0618B0	77.34	35.08	32.849	0.93
MXTFSSRT0618B2	77.21	35.02	29.181	0.826
MXTFSSRT0618C0	77.34	35.08	32.849	0.93
MXTFSSRT0618C2	77.21	35.02	29.181	0.826
MXTFSSRT0618D0	77.34	35.08	32.849	0.93
MXTFSSRT0618D2	77.21	35.02	29.181	0.826
MXTFSSRT0620A0	99.9	45.32	38.567	1.092
MXTFSSRT0620A2	99.77	45.26	34.276	0.971
MXTFSSRT0620B0	99.8	45.27	38.567	1.092
MXTFSSRT0620B2	99.67	45.21	34.276	0.971
MXTFSSRT0620C0	99.8	45.27	38.567	1.092
MXTFSSRT0620C2	99.67	45.21	34.276	0.971
MXTFSSRT0620D0	99.8	45.27	38.567	1.092
MXTFSSRT0620D2	99.67	45.21	34.276	0.971
MXTFSSRT0816A0	83.17	37.72	30.606	0.867
MXTFSSRT0816A2	83.03	37.66	27.249	0.772
MXTFSSRT0816B0	83.06	37.68	30.606	0.867
MXTFSSRT0816B2	82.93	37.62	27.249	0.772
MXTFSSRT0816C0	83.06	37.68	30.606	0.867
MXTFSSRT0816C2	82.93	37.62	27.249	0.772
MXTFSSRT0816D0	83.06	37.68	30.606	0.867
MXTFSSRT0816D2	82.93	37.62	27.249	0.772
MXTFSSRT0818A0	89.34	40.52	33.444	0.947
MXTFSSRT0818A2	89.21	40.46	29.776	0.843
MXTFSSRT0818B0	89.23	40.48	33.444	0.947

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFSSRT0818B2	89.1	40.41	29.776	0.843
MXTFSSRT0818C0	89.23	40.48	33.444	0.947
MXTFSSRT0818C2	89.1	40.41	29.776	0.843
MXTFSSRT0818D0	89.23	40.48	33.444	0.947
MXTFSSRT0818D2	89.1	40.41	29.776	0.843
MXTFSSRT0820A0	113.78	51.61	39.26	1.112
MXTFSSRT0820A2	113.64	51.55	34.97	0.99
MXTFSSRT0820B0	113.67	51.56	39.26	1.112
MXTFSSRT0820B2	113.54	51.5	34.97	0.99
MXTFSSRT0820C0	113.67	51.56	39.26	1.112
MXTFSSRT0820C2	113.54	51.5	34.97	0.99
MXTFSSRT0820D0	113.67	51.56	39.26	1.112
MXTFSSRT0820D2	113.54	51.5	34.97	0.99
MXTFSSSC0616A0	72.76	33	30.082	0.852
MXTFSSSC0616A2	72.63	32.94	26.662	0.755
MXTFSSSC0616B0	72.65	32.96	30.082	0.852
MXTFSSSC0616B2	72.52	32.9	26.662	0.755
MXTFSSSC0616C0	72.65	32.96	30.082	0.852
MXTFSSSC0616C2	72.52	32.9	26.662	0.755
MXTFSSSC0616D0	72.65	32.96	30.082	0.852
MXTFSSSC0616D2	72.52	32.9	26.662	0.755
MXTFSSSC0618A0	77.94	35.35	32.872	0.931
MXTFSSSC0618A2	77.81	35.29	29.136	0.825
MXTFSSSC0618B0	77.83	35.31	32.872	0.931
MXTFSSSC0618B2	77.7	35.24	29.136	0.825
MXTFSSSC0618C0	77.83	35.31	32.872	0.931
MXTFSSSC0618C2	77.7	35.24	29.136	0.825
MXTFSSSC0618D0	77.83	35.31	32.872	0.931
MXTFSSSC0618D2	77.7	35.24	29.136	0.825
MXTFSSSC0620A0	100.4	45.54	38.593	1.093
MXTFSSSC0620A2	100.26	45.48	34.223	0.969
MXTFSSSC0620B0	100.29	45.49	38.593	1.093
MXTFSSSC0620B2	100.16	45.43	34.223	0.969
MXTFSSSC0620C0	100.29	45.49	38.593	1.093
MXTFSSSC0620C2	100.16	45.43	34.223	0.969
MXTFSSSC0620D0	100.29	45.49	38.593	1.093
MXTFSSSC0620D2	100.16	45.43	34.223	0.969
MXTFSSSC0816A0	83.66	37.95	30.627	0.867
MXTFSSSC0816A2	83.53	37.89	27.207	0.77
MXTFSSSC0816B0	83.55	37.9	30.627	0.867
MXTFSSSC0816B2	83.42	37.84	27.207	0.77
MXTFSSSC0816C0	83.55	37.9	30.627	0.867
MXTFSSSC0816C2	83.42	37.84	27.207	0.77
MXTFSSSC0816D0	83.55	37.9	30.627	0.867
MXTFSSSC0816D2	83.42	37.84	27.207	0.77
MXTFSSSC0818A0	89.83	40.75	33.467	0.948
MXTFSSSC0818A2	89.7	40.69	29.73	0.842
MXTFSSSC0818B0	89.73	40.7	33.467	0.948
MXTFSSSC0818B2	89.59	40.64	29.73	0.842
MXTFSSSC0818C0	89.73	40.7	33.467	0.948
MXTFSSSC0818C2	89.59	40.64	29.73	0.842
MXTFSSSC0818D0	89.73	40.7	33.467	0.948
MXTFSSSC0818D2	89.59	40.64	29.73	0.842
MXTFSSSC0820A0	114.27	51.83	39.287	1.112
MXTFSSSC0820A2	114.14	51.77	34.916	0.989
MXTFSSSC0820B0	114.16	51.78	39.287	1.112
MXTFSSSC0820B2	114.03	51.72	34.916	0.989
MXTFSSSC0820C0	114.16	51.78	39.287	1.112
MXTFSSSC0820C2	114.03	51.72	34.916	0.989

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFSSSC0820D0	114.16	51.78	39.287	1.112
MXTFSSSC0820D2	114.03	51.72	34.916	0.989
MXTFSSST0416A0	63.11	28.62	22.022	0.624
MXTFSSST0416A2	62.97	28.56	18.681	0.529
MXTFSSST0416B0	63	28.58	22.022	0.624
MXTFSSST0416B2	62.87	28.52	18.681	0.529
MXTFSSST0416C0	63	28.58	22.022	0.624
MXTFSSST0416C2	62.87	28.52	18.681	0.529
MXTFSSST0416D0	63	28.58	22.022	0.624
MXTFSSST0416D2	62.87	28.52	18.681	0.529
MXTFSSST0418A0	67.63	30.67	24.065	0.681
MXTFSSST0418A2	67.49	30.61	20.415	0.578
MXTFSSST0418B0	67.52	30.63	24.065	0.681
MXTFSSST0418B2	67.39	30.57	20.415	0.578
MXTFSSST0418C0	67.52	30.63	24.065	0.681
MXTFSSST0418C2	67.39	30.57	20.415	0.578
MXTFSSST0418D0	67.52	30.63	24.065	0.681
MXTFSSST0418D2	67.39	30.57	20.415	0.578
MXTFSSST0420A0	88.76	40.26	28.293	0.801
MXTFSSST0420A2	88.63	40.2	24.024	0.68
MXTFSSST0420B0	88.65	40.21	28.293	0.801
MXTFSSST0420B2	88.52	40.15	24.024	0.68
MXTFSSST0420C0	88.65	40.21	28.293	0.801
MXTFSSST0420C2	88.52	40.15	24.024	0.68
MXTFSSST0420D0	88.65	40.21	28.293	0.801
MXTFSSST0420D2	88.52	40.15	24.024	0.68
MXTFSSST0616A0	72.3	32.79	30.061	0.851
MXTFSSST0616A2	72.16	32.73	26.704	0.756
MXTFSSST0616B0	72.19	32.74	30.061	0.851
MXTFSSST0616B2	72.06	32.68	26.704	0.756
MXTFSSST0616C0	72.19	32.74	30.061	0.851
MXTFSSST0616C2	72.06	32.68	26.704	0.756
MXTFSSST0616D0	72.19	32.74	30.061	0.851
MXTFSSST0616D2	72.06	32.68	26.704	0.756
MXTFSSST0618A0	77.48	35.14	32.849	0.93
MXTFSSST0618A2	77.34	35.08	29.181	0.826
MXTFSSST0618B0	77.37	35.09	32.849	0.93
MXTFSSST0618B2	77.24	35.03	29.181	0.826
MXTFSSST0618C0	77.37	35.09	32.849	0.93
MXTFSSST0618C2	77.24	35.03	29.181	0.826
MXTFSSST0618D0	77.37	35.09	32.849	0.93
MXTFSSST0618D2	77.24	35.03	29.181	0.826
MXTFSSST0620A0	99.93	45.33	38.567	1.092
MXTFSSST0620A2	99.8	45.27	34.276	0.971
MXTFSSST0620B0	99.83	45.28	38.567	1.092
MXTFSSST0620B2	99.69	45.22	34.276	0.971
MXTFSSST0620C0	99.83	45.28	38.567	1.092
MXTFSSST0620C2	99.69	45.22	34.276	0.971
MXTFSSST0620D0	99.83	45.28	38.567	1.092
MXTFSSST0620D2	99.69	45.22	34.276	0.971
MXTFSSST0816A0	83.2	37.74	30.606	0.867
MXTFSSST0816A2	83.06	37.68	27.249	0.772
MXTFSSST0816B0	83.09	37.69	30.606	0.867
MXTFSSST0816B2	82.96	37.63	27.249	0.772
MXTFSSST0816C0	83.09	37.69	30.606	0.867
MXTFSSST0816C2	82.96	37.63	27.249	0.772
MXTFSSST0816D0	83.09	37.69	30.606	0.867
MXTFSSST0816D2	82.96	37.63	27.249	0.772

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFSSST0818A0	89.37	40.54	33.444	0.947
MXTFSSST0818A2	89.23	40.48	29.776	0.843
MXTFSSST0818B0	89.26	40.49	33.444	0.947
MXTFSSST0818B2	89.13	40.43	29.776	0.843
MXTFSSST0818C0	89.26	40.49	33.444	0.947
MXTFSSST0818C2	89.13	40.43	29.776	0.843
MXTFSSST0818D0	89.26	40.49	33.444	0.947
MXTFSSST0818D2	89.13	40.43	29.776	0.843
MXTFSSST0820A0	113.8	51.62	39.26	1.112
MXTFSSST0820A2	113.67	51.56	34.97	0.99
MXTFSSST0820B0	113.7	51.57	39.26	1.112
MXTFSSST0820B2	113.57	51.51	34.97	0.99
MXTFSSST0820C0	113.7	51.57	39.26	1.112
MXTFSSST0820C2	113.57	51.51	34.97	0.99
MXTFSSST0820D0	113.7	51.57	39.26	1.112
MXTFSSST0820D2	113.57	51.51	34.97	0.99
Flip Top Table Slander Legs (MXTFTS)				
MXTFTSRC0610A	51.18	23.22	6.586	0.186
MXTFTSRC0610C	51.08	23.17	6.586	0.186
MXTFTSRC0612A	55.44	25.15	6.793	0.192
MXTFTSRC0612C	55.33	25.1	6.793	0.192
MXTFTSRC0614A	68.15	30.91	7.285	0.206
MXTFTSRC0614B	68.05	30.87	7.285	0.206
MXTFTSRC0614C	68.05	30.87	7.285	0.206
MXTFTSRC0614D	68.05	30.87	7.285	0.206
MXTFTSRC0616A	73.01	33.12	7.503	0.212
MXTFTSRC0616B	72.9	33.07	7.503	0.212
MXTFTSRC0616C	72.9	33.07	7.503	0.212
MXTFTSRC0616D	72.9	33.07	7.503	0.212
MXTFTSRC0618A	77.86	35.32	7.721	0.219
MXTFTSRC0618B	77.76	35.27	7.721	0.219
MXTFTSRC0618C	77.76	35.27	7.721	0.219
MXTFTSRC0618D	77.76	35.27	7.721	0.219
MXTFTSRC0620A	94.19	42.72	8.282	0.235
MXTFTSRC0620B	94.08	42.68	8.282	0.235
MXTFTSRC0620C	94.08	42.68	8.282	0.235
MXTFTSRC0620D	94.08	42.68	8.282	0.235
MXTFTSRC0810A	58.16	26.38	6.933	0.196
MXTFTSRC0810C	86.44	39.21	6.933	0.196
MXTFTSRC0812A	63.41	28.76	7.189	0.204
MXTFTSRC0812C	63.31	28.72	7.189	0.204
MXTFTSRC0814A	78.13	35.44	7.78	0.22
MXTFTSRC0814B	78.02	35.39	7.78	0.22
MXTFTSRC0814C	78.02	35.39	7.78	0.22
MXTFTSRC0814D	78.02	35.39	7.78	0.22
MXTFTSRC0816A	83.98	38.09	8.048	0.228
MXTFTSRC0816B	83.87	38.04	8.048	0.228
MXTFTSRC0816C	83.87	38.04	8.048	0.228
MXTFTSRC0816D	83.87	38.04	8.048	0.228
MXTFTSRC0818A	89.83	40.75	8.316	0.235
MXTFTSRC0818B	89.72	40.7	8.316	0.235
MXTFTSRC0818C	89.72	40.7	8.316	0.235
MXTFTSRC0818D	89.72	40.7	8.316	0.235
MXTFTSRC0820A	108.15	49.06	8.975	0.254
MXTFTSRC0820B	108.05	49.01	8.975	0.254
MXTFTSRC0820C	108.05	49.01	8.975	0.254
MXTFTSRC0820D	108.05	49.01	8.975	0.254
MXTFTSRT0610A	50.72	23.01	6.586	0.186

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFTSRT0610C	50.61	22.96	6.586	0.186
MXTFTSRT0612A	54.97	24.93	6.793	0.192
MXTFTSRT0612C	54.86	24.89	6.793	0.192
MXTFTSRT0614A	67.69	30.7	7.285	0.206
MXTFTSRT0614B	67.58	30.65	7.285	0.206
MXTFTSRT0614C	67.58	30.65	7.285	0.206
MXTFTSRT0614D	67.58	30.65	7.285	0.206
MXTFTSRT0616A	72.54	32.91	7.503	0.212
MXTFTSRT0616B	72.44	32.86	7.503	0.212
MXTFTSRT0616C	72.44	32.86	7.503	0.212
MXTFTSRT0616D	72.44	32.86	7.503	0.212
MXTFTSRT0618A	77.4	35.11	7.721	0.219
MXTFTSRT0618B	77.29	35.06	7.721	0.219
MXTFTSRT0618C	77.29	35.06	7.721	0.219
MXTFTSRT0618D	77.29	35.06	7.721	0.219
MXTFTSRT0620A	93.73	42.51	8.282	0.235
MXTFTSRT0620B	93.62	42.46	8.282	0.235
MXTFTSRT0620C	93.62	42.46	8.282	0.235
MXTFTSRT0620D	93.62	42.46	8.282	0.235
MXTFTSRT0810A	57.7	26.17	6.933	0.196
MXTFTSRT0810C	57.59	26.12	6.933	0.196
MXTFTSRT0812A	62.95	28.55	7.189	0.204
MXTFTSRT0812C	62.84	28.51	7.189	0.204
MXTFTSRT0814A	77.66	35.23	7.78	0.22
MXTFTSRT0814B	77.56	35.18	7.78	0.22
MXTFTSRT0814C	77.56	35.18	7.78	0.22
MXTFTSRT0814D	77.56	35.18	7.78	0.22
MXTFTSRT0816A	83.51	37.88	8.048	0.228
MXTFTSRT0816B	83.41	37.83	8.048	0.228
MXTFTSRT0816C	83.41	37.83	8.048	0.228
MXTFTSRT0816D	83.41	37.83	8.048	0.228
MXTFTSRT0818A	89.37	40.54	8.316	0.235
MXTFTSRT0818B	89.26	40.49	8.316	0.235
MXTFTSRT0818C	89.26	40.49	8.316	0.235
MXTFTSRT0818D	89.26	40.49	8.316	0.235
MXTFTSRT0820A	107.69	48.85	8.975	0.254
MXTFTSRT0820B	107.58	48.8	8.975	0.254
MXTFTSRT0820C	107.58	48.8	8.975	0.254
MXTFTSRT0820D	107.58	48.8	8.975	0.254
MXTFTSSC0610A	51.21	23.23	6.586	0.186
MXTFTSSC0610C	51.1	23.18	6.586	0.186
MXTFTSSC0612A	55.46	25.16	6.793	0.192
MXTFTSSC0612C	55.36	25.11	6.793	0.192
MXTFTSSC0614A	68.18	30.93	7.285	0.206
MXTFTSSC0614B	68.08	30.88	7.285	0.206
MXTFTSSC0614C	68.08	30.88	7.285	0.206
MXTFTSSC0614D	68.08	30.88	7.285	0.206
MXTFTSSC0616A	73.04	33.13	7.503	0.212
MXTFTSSC0616B	72.93	33.08	7.503	0.212
MXTFTSSC0616C	72.93	33.08	7.503	0.212
MXTFTSSC0616D	72.93	33.08	7.503	0.212
MXTFTSSC0618A	77.89	35.33	7.721	0.219
MXTFTSSC0618B	77.78	35.28	7.721	0.219
MXTFTSSC0618C	77.78	35.28	7.721	0.219
MXTFTSSC0618D	77.78	35.28	7.721	0.219
MXTFTSSC0620A	94.22	42.74	8.282	0.235
MXTFTSSC0620B	94.11	42.69	8.282	0.235
MXTFTSSC0620C	94.11	42.69	8.282	0.235

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFTSSC0620D	94.11	42.69	8.282	0.235
MXTFTSSC0810A	58.19	26.4	6.933	0.196
MXTFTSSC0810C	58.09	26.35	6.933	0.196
MXTFTSSC0812A	63.44	28.78	7.189	0.204
MXTFTSSC0812C	63.34	28.73	7.189	0.204
MXTFTSSC0814A	78.16	35.45	7.78	0.22
MXTFTSSC0814B	78.05	35.4	7.78	0.22
MXTFTSSC0814C	78.05	35.4	7.78	0.22
MXTFTSSC0814D	78.05	35.4	7.78	0.22
MXTFTSSC0816A	84.01	38.11	8.048	0.228
MXTFTSSC0816B	83.9	38.06	8.048	0.228
MXTFTSSC0816C	83.9	38.06	8.048	0.228
MXTFTSSC0816D	83.9	38.06	8.048	0.228
MXTFTSSC0818A	89.86	40.76	8.316	0.235
MXTFTSSC0818B	89.75	40.71	8.316	0.235
MXTFTSSC0818C	89.75	40.71	8.316	0.235
MXTFTSSC0818D	89.75	40.71	8.316	0.235
MXTFTSSC0820A	108.18	49.07	8.975	0.254
MXTFTSSC0820B	108.08	49.02	8.975	0.254
MXTFTSSC0820C	108.08	49.02	8.975	0.254
MXTFTSSC0820D	108.08	49.02	8.975	0.254
MXTFTSST0610A	50.75	23.02	6.586	0.186
MXTFTSST0610C	50.64	22.97	6.586	0.186
MXTFTSST0612A	55	24.95	6.793	0.192
MXTFTSST0612C	54.89	24.9	6.793	0.192
MXTFTSST0614A	67.72	30.72	7.285	0.206
MXTFTSST0614B	67.61	30.67	7.285	0.206
MXTFTSST0614C	67.61	30.67	7.285	0.206
MXTFTSST0614D	67.61	30.67	7.285	0.206
MXTFTSST0616A	72.57	32.92	7.503	0.212
MXTFTSST0616B	72.46	32.87	7.503	0.212
MXTFTSST0616C	72.46	32.87	7.503	0.212
MXTFTSST0616D	72.46	32.87	7.503	0.212
MXTFTSST0618A	77.43	35.12	7.721	0.219
MXTFTSST0618B	77.32	35.07	7.721	0.219
MXTFTSST0618C	77.32	35.07	7.721	0.219
MXTFTSST0618D	77.32	35.07	7.721	0.219
MXTFTSST0620A	93.75	42.53	8.282	0.235
MXTFTSST0620B	93.65	42.48	8.282	0.235
MXTFTSST0620C	93.65	42.48	8.282	0.235
MXTFTSST0620D	93.65	42.48	8.282	0.235
MXTFTSST0810A	57.73	26.18	6.933	0.196
MXTFTSST0810C	57.62	26.14	6.933	0.196
MXTFTSST0812A	62.98	28.57	7.189	0.204
MXTFTSST0812C	62.87	28.52	7.189	0.204
MXTFTSST0814A	77.69	35.24	7.78	0.22
MXTFTSST0814B	77.58	35.19	7.78	0.22
MXTFTSST0814C	77.58	35.19	7.78	0.22
MXTFTSST0814D	77.58	35.19	7.78	0.22
MXTFTSST0816A	83.54	37.89	8.048	0.228
MXTFTSST0816B	83.44	37.85	8.048	0.228
MXTFTSST0816C	83.44	37.85	8.048	0.228
MXTFTSST0816D	83.44	37.85	8.048	0.228
MXTFTSST0818A	89.39	40.55	8.316	0.235
MXTFTSST0818B	89.29	40.5	8.316	0.235
MXTFTSST0818C	89.29	40.5	8.316	0.235
MXTFTSST0818D	89.29	40.5	8.316	0.235
MXTFTSST0820A	107.72	48.86	8.975	0.254

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXTFTSST0820B	107.61	48.81	8.975	0.254
MXTFTSST0820C	107.61	48.81	8.975	0.254
MXTFTSST0820D	107.61	48.81	8.975	0.254
TRAINING – TABLES				
Solid Modesty Panel (MXCMS)				
MXCMS10C1	7.05	3.2	0.325	0.009
MXCMS10C2	9.89	4.49	0.613	0.017
MXCMS10F1	8.91	4.04	0.417	0.012
MXCMS10F2	11.75	5.33	0.706	0.02
MXCMS12C1	8.22	3.73	0.383	0.011
MXCMS12C2	11.69	5.3	0.747	0.021
MXCMS12F1	10.08	4.57	0.476	0.013
MXCMS12F2	13.55	6.15	0.839	0.024
MXCMS14C1	11.23	5.09	0.508	0.014
MXCMS14C2	16.02	7.27	1.022	0.029
MXCMS14F1	13.09	5.94	0.601	0.017
MXCMS14F2	17.88	8.11	1.115	0.032
MXCMS16C1	12.4	5.63	0.567	0.016
MXCMS16C2	18.02	8.17	1.156	0.033
MXCMS16F1	14.27	6.47	0.659	0.019
MXCMS16F2	19.88	9.02	1.249	0.035
MXCMS18C1	13.58	6.16	0.625	0.018
MXCMS18C2	20.02	9.08	1.29	0.037
MXCMS18F1	15.44	7	0.718	0.02
MXCMS18F2	21.88	9.93	1.382	0.039
MXCMS20C1	15.93	7.23	0.742	0.021
MXCMS20C2	24.02	10.9	1.557	0.044
MXCMS20F1	17.79	8.07	0.834	0.024
MXCMS20F2	25.88	11.74	1.649	0.047
Modesty Panel – Metal (MXCMM)				
MXCMM10C1E201	9.56	4.34	0.27	0.008
MXCMM10C1E401	9.56	4.34	0.27	0.008
MXCMM10C1NNNA	9.56	4.34	0.27	0.008
MXCMM10C2E201	12.4	5.62	0.558	0.016
MXCMM10C2E401	12.4	5.62	0.558	0.016
MXCMM10C2NNNA	12.4	5.62	0.558	0.016
MXCMM10F1E201	12.01	5.45	0.346	0.01
MXCMM10F1E401	12.01	5.45	0.346	0.01
MXCMM10F1NNNA	12.01	5.45	0.346	0.01
MXCMM10F2E201	14.86	6.74	0.634	0.018
MXCMM10F2E401	14.86	6.74	0.634	0.018
MXCMM10F2NNNA	14.86	6.74	0.634	0.018
MXCMM12C1E201	11.11	5.04	0.318	0.009
MXCMM12C1E401	11.11	5.04	0.318	0.009
MXCMM12C1NNNA	11.11	5.04	0.318	0.009
MXCMM12C2E201	14.57	6.61	0.681	0.019
MXCMM12C2E401	14.57	6.61	0.681	0.019
MXCMM12C2NNNA	14.57	6.61	0.681	0.019
MXCMM12F1E201	13.56	6.15	0.394	0.011
MXCMM12F1E401	13.56	6.15	0.394	0.011
MXCMM12F1NNNA	13.56	6.15	0.394	0.011
MXCMM12F2E201	17.03	7.72	0.758	0.021
MXCMM12F2E401	17.03	7.72	0.758	0.021
MXCMM12F2NNNA	17.03	7.72	0.758	0.021
MXCMM14C1E201	14.83	6.73	0.423	0.012
MXCMM14C1E401	14.83	6.73	0.423	0.012
MXCMM14C1NNNA	14.83	6.73	0.423	0.012
MXCMM14C2E201	19.62	8.9	0.937	0.027
MXCMM14C2E401	19.62	8.9	0.937	0.027

Training (continued)

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXCMM14C2NNNA	19.62	8.9	0.937	0.027
MXCMM14F1E201	17.29	7.84	0.499	0.014
MXCMM14F1E401	17.29	7.84	0.499	0.014
MXCMM14F1NNNA	17.29	7.84	0.499	0.014
MXCMM14F2E201	22.08	10.01	1.013	0.029
MXCMM14F2E401	22.08	10.01	1.013	0.029
MXCMM14F2NNNA	22.08	10.01	1.013	0.029
MXCMM16C1E201	16.38	7.43	0.471	0.013
MXCMM16C1E401	16.38	7.43	0.471	0.013
MXCMM16C1NNNA	16.38	7.43	0.471	0.013
MXCMM16C2E201	22	9.98	1.06	0.03
MXCMM16C2E401	22	9.98	1.06	0.03
MXCMM16C2NNNA	22	9.98	1.06	0.03
MXCMM16F1E201	18.84	8.55	0.547	0.015
MXCMM16F1E401	18.84	8.55	0.547	0.015
MXCMM16F1NNNA	18.84	8.55	0.547	0.015
MXCMM16F2E201	24.46	11.09	1.137	0.032
MXCMM16F2E401	24.46	11.09	1.137	0.032
MXCMM16F2NNNA	24.46	11.09	1.137	0.032
MXCMM18C1E201	17.93	8.13	0.519	0.015
MXCMM18C1E401	17.93	8.13	0.519	0.015
MXCMM18C1NNNA	17.93	8.13	0.519	0.015
MXCMM18C2E201	24.37	11.06	1.184	0.034
MXCMM18C2E401	24.37	11.06	1.184	0.034
MXCMM18C2NNNA	24.37	11.06	1.184	0.034
MXCMM18F1E201	20.39	9.25	0.596	0.017
MXCMM18F1E401	20.39	9.25	0.596	0.017
MXCMM18F1NNNA	20.39	9.25	0.596	0.017
MXCMM18F2E201	26.83	12.17	1.26	0.036
MXCMM18F2E401	26.83	12.17	1.26	0.036
MXCMM18F2NNNA	26.83	12.17	1.26	0.036
MXCMM20C1E201	21.04	9.54	0.616	0.017
MXCMM20C1E401	21.04	9.54	0.616	0.017
MXCMM20C1NNNA	21.04	9.54	0.616	0.017
MXCMM20C2E201	29.13	13.21	1.431	0.041
MXCMM20C2E401	29.13	13.21	1.431	0.041
MXCMM20C2NNNA	29.13	13.21	1.431	0.041
MXCMM20F1E201	23.5	10.66	0.692	0.02
MXCMM20F1E401	23.5	10.66	0.692	0.02
MXCMM20F1NNNA	23.5	10.66	0.692	0.02
MXCMM20F2E201	31.59	14.33	1.507	0.043
MXCMM20F2E401	31.59	14.33	1.507	0.043
MXCMM20F2NNNA	31.59	14.33	1.507	0.043
Modesty Panel for Flip-Top Table– Solid (MXCMSF)				
MXCMSF10C	8.02	3.64	0.369	0.01
MXCMSF10F	9.56	4.34	0.446	0.013
MXCMSF12C	9.19	4.17	0.427	0.012
MXCMSF12F	10.74	4.87	0.504	0.014
MXCMSF14C	11.55	5.24	0.544	0.015
MXCMSF14F	13.09	5.94	0.621	0.018
MXCMSF16C	12.72	5.77	0.603	0.017
MXCMSF16F	14.27	6.47	0.679	0.019
MXCMSF18C	13.9	6.3	0.661	0.019
MXCMSF18F	15.44	7	0.738	0.021
MXCMSF20C	16.25	7.37	0.778	0.022
MXCMSF20F	17.79	8.07	0.855	0.024
Modesty Panel for Flip-Top Table – Metal (MXCMMF)				
MXCMMF10CE201	10.35	4.69	0.216	0.006
MXCMMF10CE401	10.35	4.69	0.216	0.006

Training (continued)

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
MXCMMF10CNNNA	10.35	4.69	0.216	0.006
MXCMMF10FE201	12.04	5.46	0.257	0.007
MXCMMF10FE401	12.04	5.46	0.257	0.007
MXCMMF10FNNNA	12.04	5.46	0.257	0.007
MXCMMF12CE201	11.64	5.28	0.247	0.007
MXCMMF12CE401	11.64	5.28	0.247	0.007
MXCMMF12CNNNA	11.64	5.28	0.247	0.007
MXCMMF12FE201	13.34	6.05	0.288	0.008
MXCMMF12FE401	13.34	6.05	0.288	0.008
MXCMMF12FNNNA	13.34	6.05	0.288	0.008
MXCMMF14CE201	14.22	6.45	0.31	0.009
MXCMMF14CE401	14.22	6.45	0.31	0.009
MXCMMF14CNNNA	14.22	6.45	0.31	0.009
MXCMMF14FE201	15.92	7.22	0.351	0.01
MXCMMF14FE401	15.92	7.22	0.351	0.01
MXCMMF14FNNNA	15.92	7.22	0.351	0.01
MXCMMF16CE201	15.52	7.04	0.341	0.01
MXCMMF16CE401	15.52	7.04	0.341	0.01
MXCMMF16CNNNA	15.52	7.04	0.341	0.01
MXCMMF16FE201	17.22	7.81	0.382	0.011
MXCMMF16FE401	17.22	7.81	0.382	0.011
MXCMMF16FNNNA	17.22	7.81	0.382	0.011
MXCMMF18CE201	16.81	7.62	0.372	0.011
MXCMMF18CE401	16.81	7.62	0.372	0.011
MXCMMF18CNNNA	16.81	7.62	0.372	0.011
MXCMMF18FE201	18.51	8.4	0.413	0.012
MXCMMF18FE401	18.51	8.4	0.413	0.012
MXCMMF18FNNNA	18.51	8.4	0.413	0.012
MXCMMF20CE201	19.4	8.8	0.435	0.012
MXCMMF20CE401	19.4	8.8	0.435	0.012
MXCMMF20CNNNA	19.4	8.8	0.435	0.012
MXCMMF20FE201	21.09	9.57	0.476	0.013
MXCMMF20FE401	21.09	9.57	0.476	0.013
MXCMMF20FNNNA	21.09	9.57	0.476	0.013
Cable Tray (MXPWCT)				
MXPWCT12	0.31	0.14	0.106	0.003
Electrical Tray (MXPWET)				
MXPWETF10	2.9	1.32	0.279	0.008
MXPWETF12	3.82	1.73	0.385	0.011
MXPWETF14	5.25	2.38	0.51	0.014
MXPWETF16	6.17	2.8	0.616	0.017
MXPWETF18	6.88	3.12	0.678	0.019
MXPWETF20	7.59	3.44	0.741	0.021
MXPWETF22	8.3	3.76	0.803	0.023
MXPWETS10	4.24	1.92	0.422	0.012
MXPWETS12	4.95	2.25	0.484	0.014
MXPWETS14	6.37	2.89	0.609	0.017
MXPWETS16	7.3	3.31	0.715	0.02
MXPWETS18	8.01	3.63	0.778	0.022
MXPWETS20	8.72	3.95	0.84	0.024
MXPWETS22	9.43	4.28	0.902	0.026
TRAINING – CABLE MANAGEMENT & ACCESSORIES				
Vertical Wire Manager (MYMJEL)				
MYMJEL	1.54	0.7	0.15	0.0042

Storage

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT^3	M^3
Audience Laminate Credenza with Doors (MAFCLA)				
MAFCLAS1207	141	64	16	0.45
MAFCLAS1209	159	72	20	0.56
MAFCLAS1607	182	82	21	0.6
MAFCLAS1609	203	92	26	0.75
MAFCLAS1807	201	91	24	0.68
MAFCLAS1809	225	102	30	0.85
MAFCLAS2007	228	103	26	0.76
MAFCLAS2009	256	116	33	0.94
MAFCLAS2207	253	115	30	0.85
MAFCLAS2209	283	128	37	1
Audience Laminate Credenza with Single Drawer (MAFCLB)				
MAFCLBS1207	154	70	16	0.45
MAFCLBS2007	235	106	26	0.76
MAFCLBS2207	259	118	30	0.85
Audience Laminate Credenza with Doors and Drawers (MAFCLC)				
MAFCLCS1209	180	82	20	0.56
MAFCLCS1609	232	105	26	0.75
MAFCLCS1809	255	116	30	0.85
MAFCLCS2009	291	132	33	0.94
MAFCLCS2209	320	145	37.5	1
Credenza Top (MAFCT)				
MAFCT12	29	13	0.69	0.02
MAFCT16	38	17	0.9	0.02
MAFCT18	43	19	1	0.02
MAFCT20	48	22	1.1	0.03
MAFCT22	54	24	1.3	0.03