

tek/n
product information



ap



uk/eu

For more inspiration

teknion

tek/n
technical information



configuration 1



configuration 2



configuration 3



configuration 4



configuration 5



configuration 6



configuration 7

tek/n

product details

product description

tek/n is a minimalist and desking system designed to offer high-end aesthetics with a clean, modern look.

It is modular & height-adjustable components enable quick and easy customization of the workspace while maintaining a consistent look.

Choose between a minimalist straight leg or a stylish A-leg to match your office's design language.

collection



teknion

finishes

Base Finishes

Power Coated

Worksurface Finishes


Source Laminate

Foundation Laminate


Notes: Finishes availability is subject to region. Please refer to Fabric & Finishes Guide details on regional availability.

technical information


Double-Sided Bench



Single-Sided Bench



Modular Meeting Table



Side Return (add-on extension)



ap



uk/eu

For more information

teknion

life cycle assessment
Core Environmental impact indicators – EN 15804+A2 PN 514

Indicator	Unit	A1-A3	A4	A5	B1	B6	B7	C1	C2	C3	C4	D
core environmental impact indicators												
GWP-total	kg CO2 eq	5.16E+02	4.23E+01	7.39E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.49E+01	2.64E+02	4.92E-02	-2.41E+02
GWP-fossil	kg CO2 eq	7.04E+02	4.23E+01	7.39E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.49E+01	3.92E+01	4.91E-02	-2.41E+02
GWP-biogenic	kg CO2 eq	-1.90E+02	1.66E-02	1.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.73E-02	2.25E+02	7.19E-05	1.15E-01
GWP-luluc	kg CO2 eq	7.82E-01	2.33E-02	2.40E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.15E-02	3.95E-03	4.69E-05	-1.55E-01
ODP	kg CFC11 eq	8.69E-05	9.12E-06	2.72E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.10E-06	2.46E-06	1.90E-08	-1.08E-05
AP	mol H+ eq	3.62E+00	7.41E-01	8.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.40E-01	1.59E-01	4.54E-04	-1.03E+00
EP-freshwater	kg P eq	2.92E-01	2.09E-03	5.52E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.51E-03	2.09E-03	5.08E-06	-1.00E-01
EP-marine	kg N eq	8.01E-01	1.87E-01	3.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.74E-02	7.23E-02	1.56E-04	-2.18E-01
EP-terr	mol N eq	8.22E+00	2.08E+00	3.68E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.07E-01	7.80E-01	1.71E-03	-2.29E+00
POCP	kg NMVOC eq	3.12E+00	5.52E-01	1.22E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-01	2.11E-01	4.97E-04	-1.09E+00
ADPE	kg Sb eq	7.30E-03	1.05E-04	1.95E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.07E-04	3.35E-05	1.12E-07	-1.99E-04
ADPF	MJ	9.31E+03	5.92E+02	1.56E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.99E+02	1.68E+02	1.33E+00	-2.66E+03
WDP	m3 depriv.	3.95E+02	2.12E+00	1.52E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.80E+00	4.59E+00	6.05E-02	-3.34E+01

Notes on abbreviations: GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADPminerals & metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

methodology

- The LCA was calculated using the methodology in ISO 14025/14040/14044. Impact categories are reported accordance with EN15804:2012+A2:2019 and BRE 2025 Product Category Rules (PN 514 Rev 3.2).
- Environmental impacts have been calculated using BRE LINA software.

system boundry

This LCA covers impacts from cradle to grave using the following modules:

- A1 (Raw material supply), A2 (Transport), A3(Manufacturing), A4 (Transport to site), A5 (Installation), B6 (Operational energy use), C1 (Deconstruction), C2 (Transport at end-of-life), C3 (Waste processing) and C4 (Disposal).

In addition, module D - Benefits & loads beyond system, is included.

declared / functional unit

- Tek/n desking system for 6 persons with dimensions 1400 mm (depth) x 4800 mm (width) and a total weight of 321 kg.

mass per declared unit

- 312 kg

data covering period

- This LCA covers the period 2023 – 2024



raw materials

Steel	51.34%
Particle Board	43.59%
Polypropylene	2.76%
Aluminum	0.45%
Fabric	0.85%
Powder Coat	1.01%
Total	100.00%

recycled content

Pre Consumer	22.40%
Post Consumer	0.50%
Total	22.90%

end of life

Recyclability	99.00%
----------------------	---------------