

complements (metric)

teknion's ergonomics &
accessories program

II.24.2025



teknion

complements Designed to

support health and productivity at work, the

Complements Ergonomics & Accessories

Program offers paper flow, lighting and

organizational products that integrate with all

Teknion furniture to enhance individual and

group workspaces.

The Complements program comprises

Ergonomic Accessories such as keyboard

solutions, work displays and work flow

Accessories that keep documents and

supplies close at hand and display various

personal items. Task Lighting directs light to the task at hand and electrical products support the use of technology. Teknion has also partnered with international industry designers to further expand Complements with innovative, environmentally friendly products that bring the functional beauty of European residential furniture to the workplace.

contents

WHERE TO FIND THE INFORMATION YOU NEED	3
ERGONOMICS & ACCESSORIES	9
WORK FLOW ACCESSORIES	31
ELECTRICS	39

update summary

Please be advised that information has been updated within the Complements (Metric) Price & Application Guide. To highlight these updates, a summary has been created for your reference.

UPDATE

All pricing has been increased by 3.5%

Please note, first orders for new products will be accepted on November 24, 2025. All software will also be updated by November 24, 2025. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.


user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.

index

Section Contents	Product Code	Page No.
Introduction		
Where to find the information you need		3
Ergonomics & Accessories		
Footrest	MYKFR	11
Swerv Monitor Arm Overview		12
Swerv Monitor Arm Positioning With Monitor Sizes		13
Swerv Monitor Arm	MYMSS	14
Swerv Dual Arm Cover Plate	MYMSC	15
Swerv XL Dynamic Monitor Arm Overview		
Swerv XL Dynamic Monitor Arm	MYMSX	17
Swerv XI Dynamic Monitor Arm with Crossbar Overview		18
Swerv XL Dynamic Monitor Arm with Crossbar	MYMSB	19
Swerv Contrast Screen Basics		20
Planning with the Swerv Contrast Screen		21
Swerv Contrast Screen	MGZMH	22
Mast Overview		24
Planning With MAST		25
MAST Configurations		26
MAST Adjustment Features		27
MAST Dynamic Arm	MYMSTD	28
Work Flow Accessories		
Personal Organizers	MPAX	32
Table rail	MYFXR	33
Hang-On Whiteboard	MYPBW	35
Workstation Signage	MACWS	36
Coat Hook	MTAP	37
Electrics		
Diecast Grommet	MYEDG	40
Security Basket	MYESB	41



Primary Zone

- 1 Tiers Keyboard Solutions
Secondary Zone:

- 2 MAST Dynamic Arm
3 Document Stand
4 Telephone Shelf
5 Media Organizer
6 Pen and Note Holder/Basic Shelf
7 Footrest

Reference Zone

- 8 Binder Bin
9 Tray
10 Vertical Organizer
11 Workstation Signage
12 6" Shelves
13 CPU Holder

The Workstation

The workstation is divided into three zones - Primary, Secondary and Reference. A well-designed and set-up workstation will have accessories properly positioned in relation to the seated user in each of these zones.

Primary Zone – Within Immediate Reach

- Everything is within the seated user's reach when elbows are at their side.
- Items in this zone are used constantly throughout the work day, such as keyboard and mouse, to prevent injury.

Secondary Zone – Within Arm's Reach

- Everything is within a 180° sweep of both arms when out-stretched.
- Items in this zone are used frequently throughout the day, such as monitor, document stand, planner, telephone and lighting.

Reference Zone – Beyond

- Anything beyond arm's reach.
- This zone includes heavy reference files and materials.

Teknion has extensive knowledge of the work environment. We understand the importance of designing and setting up work environments properly, and making them adjustable to suit the needs of the user. We also understand the importance of providing our clients with the proper tools they need to ensure that their employees remain healthy. It is with this knowledge that we developed our Complements line of ergonomic accessories for the office environment.


For ergonomics to be effective in the office, products must be selected and used properly within the context of the individual's physical characteristics, job function and application in conjunction with the furniture. Complements offers a comprehensive line of Ergonomic Accessories based on Teknion's extensive knowledge of the work environment. Components include adjustable Keyboard Arms, visual display tools, Flat Screen Monitor Arms, Footrest and Laptop Stand for greater ease, efficiency and comfort while working.

CONTENTS

MYKFR	FOOTREST	11
	SWERV MONITOR ARM OVERVIEW	12
	SWERV MONITOR ARM POSITIONING WITH MONITOR SIZES	13
MYMSS	SWERV MONITOR ARM	14
MYMSC	SWERV DUAL ARM COVER PLATE	15
	SWERV XL DYNAMIC MONITOR ARM OVERVIEW	16
MYMSX	SWERV XL DYNAMIC MONITOR ARM	17
	SWERV XL DYNAMIC MONITOR ARM WITH CROSSBAR OVERVIEW	18
MYMSB	SWERV XL DYNAMIC MONITOR ARM WITH CROSSBAR	19
	SWERV CONTRAST SCREEN BASICS	20
	PLANNING WITH THE SWERV CONTRAST SCREEN	21
MGZMH	SWERV CONTRAST SCREEN.	22
	MAST OVERVIEW	24
	PLANNING WITH MAST.	25
	MAST CONFIGURATIONS	26
	MAST ADJUSTMENT FEATURES.	27
MYMSTD	MAST DYNAMIC ARM.	28

MYKFR Footrest

Notes
Fixed-height, non-skid surface with an adjustable angle.
Provides support for the legs and relieves pressure on the lower back.
User-controlled rocking motion increases healthy circulation of the legs.
Recommended for situations when the user does not have adequate adjustment in their chair or worksurfaces to allow their feet to rest comfortably on the floor.
Finished in Black.




Price
260

Swerv Monitor Arm Overview

Swerv is ready to make users move in their workstations with style.

Move easy. Work well. Using a monitor really can look and feel this good.

Swerv Dynamic Arm



1 Mounting Option

Available with the 3-in-1 Swerv Smart Clamp that includes Edge Clamp (shown), Round Grommet and Thru Mounts. Diamond Grommet version that integrates with upStage, HAB, Cityline and Expansion Desking is also available. Both single and dual arms are available to be mounted with Swerv smart clamp or Diamond Grommet.

2 Reach Arm

Highlighted by its hollow body, the reach arm calls out to its sister product, Sanna Lightbar for its inspiration and unique ability to manage and guide wires

3 Wire Management

Wires still exist and Swerv moves with them to be freely driven to new positions without interference

3a A removable cap unveils a pass through between the reach arm and the post

3b Integrated into the hollow reach arm, the reach clip helps to create Swerv's signature cord curve from the upper adjustment arm to the reach

3c Raceway. The initial connection between cables and arm is critical for establishing slack for turning and clean aesthetics

4 Weight Balancing (5-12lbs)

Swerv is highlighted with a patent pending weight balancing mechanism similar to the patented counterbalance table mechanism


4a Macro Adjuster. Used to balance the weight of the monitor.

4b Micro Adjuster. Used to dial-in an exact user "feel" for the arm/monitor movement

5 Adjustment Arm

- 10" up/down height adjustment
- 20.5" focal depth adjustment (total arm)

- Balances monitors between 5 and 12 lbs
- Conceals the Macro Adjuster behind the monitor



6 Swivel/Tilt Head

- 270° swivel rotation
- 135° tilting for standard and bifocal viewing angles



7 Monitor Mount

Quick Release VESA Plate

- 75/75 and 100/100
- 185° portrait to landscape rotation
- Quick Release tab allows for intuitive release of monitor from the arm

Swerv Monitor Arm is designed to suit many planning scenarios. The following outlines monitor arm solutions recommended for typical worksurface sizes and applications.

Swerv Monitor Arm Positioning with Monitor Sizes



Assumptions

- Average distance from front edge of desk to monitor is 19/20"
- Angle of Monitor is 20°
- Monitor sizes are 16:9 Ratio with a 1/2" bezel

Assumptions

- Monitor Arm cannot exceed the back edge of the worksurface (Desk Edge Screens will likely be present)
- Planning with Swerv Monitor Arms and panels or desk edge screens should be taking into consideration, as it may prevent full 360° swivel movement.

Monitor Size	Swerv'd Primary/Secondary			Center "V"			Swerv'd "V"			Split Swerv		
	Worksurface Depths			Worksurface Depths			Worksurface Depths			Worksurface Depths		
	24"	30"	36"	24"	30"	36"	24"	30"	36"	24"	30"	36"
19"	✓	✓	!	!	!	✓	!	✓	✓	✓	✓	✓
20"	✓	✓	!	!	!	✓	!	✓	✓	✓	✓	✓
21"	✓	✓	!	!	!	✓	!	✓	✓	✓	✓	✓
22"	✓	✓	!	!	!	✓	!	✓	✓	✓	✓	✓
23"	✓	!	×	!	!	✓	×	✓	✓	✓	✓	✓
24"	×	!	×	!	!	✓	×	!	✓	✓	✓	✓
27"	×	!	×	×	!	✓	×	!	✓	✓	✓	✓
30"	×	!	×	×	!	✓	×	!	✓	✓	✓	✓

MYMSS

Swerv Monitor Arm



What's Included

Fully adjustable single or dual dynamic arm(s), specified mounting style, 75/100 quick release VESA plate, monitor mounting hardware and wire management. Supports technology between 5 (2.2kg) – 12lbs (5.4kg).

Notes

Dual Arm with Smart Clamp includes one Dual Arm Cover Plate and two Single Arm Cover Plates.

Dual Arm with Diamond Grommet includes 2 arms with a single piece mount that has 2 posts. Smart Clamp includes Desk Edge Clamp, 2 3/4"(10cm) Round Grommet, and Bolt Thru Mounts

Bolt Thru Mount requires a 3/8"(1cm) drilled hole in work surface and works on worksurfaces up to 1 1/2"(3.8cm) thick

Desk Edge Mount works on worksurfaces between 3/4"(1.9cm) to 1 1/2"(3.8cm) thick

Quick release feature is standard for 75/100 VESA plate

Height adjustment range of 10" (25.4cm)

Monitor arms weight capacity 5lbs (2.2kg) – 12lbs (5.4kg) for Flat Screen Weight Capacity per Arm

Monitor arms weight capacity 5lbs (2.2kg) – 10lbs (4.5kg) for Curve Screen Weight Capacity per Arm


Focal adjustment of 20.5

Minimum product depth of 2"(5.1cm)

Tilt adjustment of 135°, Swivel adjustment of 360°

Easily positions monitor in landscape or portrait

Arm reach and clamp includes integrated wire management



Options

Number of Arms

1 Single | 2 Dual

Mount

2 Swerv Smart Clamp | 4 Diamond Grommet

Finish

25 Crisp Grey | 60 Platinum | 68 Anthracite

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price
1	Single	594
2	Dual	1197

MYMSC Swerv Dual Arm Cover Plate

This product will convert two Single Arm Smart Clamp Swerv's into a Dual Arm Smart Clamp Swerv.

What's Included

Swerv Dual Arm Cover Plate in selected finish.

Notes

Joins two single Swerv arms with Smart Clamp a resultant 7" (18cm) spacing between posts.




Options

Arms Spacing

07 7

Finish

25 Crisp Grey | 60 Platinum | 68 Anthracite




Please add the desired code(s) from above to the end of your product option code below.

Price
23

swerv xl dynamic monitor arm overview

Swerv XL is a scaled up, larger version of the standard Swerv monitor arm. Swerv XL provides the ability to support single heavier monitors or support dual monitors using a single arm and crossbar.

swerv xl dynamic monitor arm



1 Mounting Option

Swerv XL uses the XL Desk Edge Clamp. Unique to Swerv XL, both adjustment allen keys are conveniently stored under the top cover plate.

2 Reach Arm

Highlighted by its hollow body, the reach arm calls out to its sister product, Sanna Lightbar for its inspiration and unique ability to manage and guide wires.

3 Wire Management

Wires still exist and Swerv XL moves with them to be freely driven to new positions without interference. A removable cap unveils a pass through between the reach arm and the post.

3b Integrated into the hollow reach arm, the reach clip helps to create Swerv XL's signature cord curve from the upper adjustment arm to the reach Raceway.

3c The initial connection between cables and arm is critical for establishing slack for turning and clean aesthetics.

4 Weight Balancing (20-35 lbs) Swerv XL is highlighted with a patent pending weight balancing mechanism similar to the patented counterbalance table mechanism.


4a Macro Adjuster. Used to balance the weight of the monitor.

5 Adjustment Arm

- 10" up/down height-adjustment 20 1/2" focal depth adjustment (total arm)
- Balances monitors between 20 and 38 lbs
- Conceals the Macro Adjuster behind the monitor
- 11 1/2" up/down height-adjustment, 23" focal depth adjustment (total arm).
- Balances monitors between 20 and 35 lbs

6 Swivel/Tilt Head

- 270° swivel rotation
- 180° swivel
- 135° tilting for standard and bifocal viewing angles




7 Monitor Mount

7 Quick Release VESA Plate

- 75/75 and 100/100
- 185° portrait to landscape rotation
- Quick Release tab allows for intuitive release of monitor from the arm

MYMSX Swerv XL Dynamic Monitor Arm



What's Included

1 Monitor Arm with Edge Clamp.

Notes

- XL Edge Clamp works on worksurfaces between 3/4" (1.9cm) to 1 1/2" (3.8cm) thick.
- Quick release feature is standard for 75/100 VESA plate.
- Height-adjustment range of 11 1/2"(29cm).
- Monitor arms weight capacity 20lbs (9.1kg) – 35lbs (16kg) for Flat Screen Weight Capacity per Arm
- Monitor arms weight capacity 20lbs (9.1kg) – 22lbs (9.9kg) for Curve Screen Weight Capacity per Arm
- Focal adjustment of 23"(58cm).
- Minimum product depth of 5 1/2"(14cm).
- Tilt adjustment of 135°.
- Post swivel adjustment of 360° or 180° (dependent on use of rotation stops).
- Monitor swivel of 180°.
- Easily positions monitor in landscape or portrait.
- Dynamic Arm body and XL Edge Clamp include integrated wire management.
- Adjustment tools store / concealed under edge clamp top cap.

Options

Arms Configuration

01 Single Arm

Mount

2 XL Edge Clamp

Finish

25 Crisp Grey | 60 Platinum | 68 Anthracite


.....
Please add the desired code(s) from above to the end of your product option code below.

Price
1039

swerv xl dynamic monitor arm with crossbar overview

Swerv XL with crossbar is a scaled up, larger version of the standard Swerv monitor arm with an attached crossbar. Swerv XL provides the ability to support dual monitors using a single arm and crossbar.

swerv xl dynamic monitor arm with crossbar




- 1 Mounting Option**
Available with an XL Desk Edge Clamp. Diamond Grommet version that integrates with upStage, HAB, Cityline and Expansion Desking is also available. Single arm is available to be mounted with the Swerv XL smart clamp or Diamond Grommet.
- 2 Reach Arm**
Highlighted by its hollow body, the reach arm calls out to its sister product, Sanna Lightbar for its inspiration and unique ability to manage and guide wires.

- 3 Wire Management**
Wires still exist and Swerv XL moves with them to be freely driven to new positions without interference.
- 3a** A removable cap unveils a pass through between the reach arm and the post. The initial connection between cables and arm is critical for establishing slack for turning and clean aesthetics.
- 4** Weight Balancing (20-35 lbs) Swerv XL is highlighted with a patent pending weight balancing mechanism similar to the patented counterbalance table mechanism.

- 4a** Macro Adjuster. Used to balance the weight of the monitor.
- 5 Adjustment Arm**
 - 10" up/down height-adjustment
 - 20 1/2" focal depth adjustment (total arm)
 - Balances monitors between 20 and 38 lbs
 - Conceals the Macro Adjuster behind the monitor
 - 11 1/2" up/down height-adjustment, 23" focal depth adjustment (total arm). Balances monitors between 20 and 35 lbs

- 6 Swivel/Tilt Head**
 - 270° swivel rotation
 - 180° swivel
 - 135° tilting for standard and bifocal viewing angles



- 7 Monitor Mount**
Quick Release VESA Plate
 - 75/75 and 100/100 185° portrait to landscape rotation
 - Quick Release tab allows for intuitive release of monitor from the arm
 - Includes two 1 lbs VESA plates for use with lighter monitors. This will reduce the minimum weight balanced from 20 to 18 lbs. Additional longer mounting screws are included
- 8 Crossbar**
 - Crossbar length is 30"
 - Crossbar finish will be the same as the Desk Edge Clamp
 - Includes two crossbar mounted wire managers
 - Two swivel/tilt VESA heads that slide along the crossbar
 - Finish will match arm finish selection
- 9 Soft Touch Handle**
 - Mounts to the crossbar
 - Height-Adjustable
 - Provides easy and convenient assistance for moving large sets of monitors

MYMSB

Swerv XL Dynamic Monitor Arm with Crossbar

What's Included

1 Monitor Arm, XL Edge Clamp, 30" (76.2cm) Crossbar with 2 monitor VESA attachments and 2 wire management clips.

Notes

XL Edge Clamp works on worksurfaces between 3/4" (1.9cm) to 1 1/2" (3.8cm) thick.

Quick release feature is standard for 75/100 VESA plates.

Height-adjustment range of 11 1/2" (29.2cm).

Supports dual monitors with weight balancing individual monitors between 6 (2.7kg) and 14lbs (6.3kg).

Monitor arms weight capacity 6lbs (2.7kg) – 14lbs (6.3kg) for Flat Screen Weight Capacity per Arm

Monitor arms weight capacity 6lbs (2.7kg) – 14lbs (6.3kg) for Curve Screen Weight Capacity per Arm

Additional 1lbs VESA plates included to reduce weight balancing minimum to 18 lbs.

Focal adjustment of 23" (58cm).

Minimum product depth of 5 1/2" (14cm).

Tilt adjustment of 135°.


Post swivel adjustment of 360° or 180° (dependent on use of rotation stops).

Monitor swivel of 180°.

Easily positions monitor in landscape or portrait.

Dynamic Arm body and XL Edge Clamp include integrated wire management.

Adjustment tools store/concealed under edge clamp top cap.



Options

Arms Configuration

1 Single Arm

Crossbar Length

30 30

Mount

2 XL Edge Clamp

Finish

25 Crisp Grey | 60 Platinum | 68 Anthracite

Handle

N None | Y Soft Touch Handle


Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price
N	None	1330
Y	Soft Touch Handle	1412


swerv contrast screen basics

Swerv Contrast Screen can be mounted to the Swerv, Swerv XL or Swerv XL with Crossbar Monitor Arm and provides a contemporary solution for privacy and coverage with single and dual monitor screens.

swerv contrast screen




- Used with either a single monitor or dual monitor with crossbar
- Screen is attached flush to the mounting bracket of the monitor arm or crossbar
- Available in smooth felt



Swerv Contrast Screen (GZMH)

- Arm Type:
 - Swerv, Swerv XL
 - Swerv XL with Crossbar
- Available in:
 - Small
 - Medium
 - Large

Finishes:



Strata

Pewter



Lunar

Warm Ash

planning with the swerv contrast screen


swerv contrast screen with single monitor

Swerv Contrast Screens can be mounted to the Swerv and Swerv XL Monitor Arm when using a single monitor screen.



Small Contrast Screen (S)

Suitable for monitor screen sizes 20" - 22"



Medium Contrast Screen (M)

Suitable for monitor screen sizes 23" - 25"





Large Contrast Screen (L)

Suitable for monitor screen sizes 26" - 28"


swerv contrast screen with dual monitors

Swerv Contrast Screens can be mounted to the Swerv XL with Crossbar when using dual monitor screens.



Small Contrast Screen (S)

Suitable for monitor screen sizes 20" - 22"



Medium Contrast Screen (M)

Suitable for monitor screen sizes 23" - 25"




Large Contrast Screen (L)

Suitable for monitor screen sizes 26" - 28"

MGZMH

Swerv Contrast Screen



What's Included

1 Smooth Felt Screen, mounting hardware.

Notes

Can be mounted on Swerv Monitor Arm (MYMSS), Swerv XL Dynamic Monitor Arm (MYMSX) and Swerv XL Dynamic Monitor Arm with Crossbar (MYMSB) monitor arm solutions.

Available in Three finishes.

Sizing for use with Swerv XL Dynamic Monitor Arm (MYMSX):

- Small screen suitable for monitor sizes 20"(51cm) – 22" (56cm) (26"(66cm)w x 16"(41cm)h)
- Medium screen suitable for monitor sizes 23"(58cm) – 25"(64cm) (28"(71cm)w x 17"(43cm)h)
- Large screen suitable for monitor sizes 26"(66cm) – 28"(71cm) (31"(79cm)w x 18 1/2"(47cm)h)

Sizing for use with Swerv XL Dynamic Monitor Arm with Crossbar (MYMSB):

- Small screen suitable for monitor sizes 20"(51cm) – 22"(56cm) (46"(117cm)w x 16"(41cm)h)
- Medium screen suitable for monitor sizes 23"(58cm) – 25"(64cm) (50"(127cm)w x 17"(43cm)h)
- Large screen suitable for monitor sizes 26"(66cm) – 28"(71cm) (56"(142cm)w x 18 1/2"(47cm)h)

Options

Arms Type

1 Swerv, Swerv XL | 2 Swerv XL with Crossbar

Size

S Small | M Medium | G Large

Finish


R5 Pewter | R6 Lunar

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price	
		Swerv XL	Swerv XL with Crossbar
S	Small	239	383
M	Medium	279	536
L	Large	361	661

MAST Overview

MAST Dynamic Arm / Dynamic Arm Light




1 Mounting Option

Bolt Thru Mount (1) shown. See page 28 for additional mounting options.

2 Post

An upright post that connects mounting option with the hub. The post is available in Single (1) and Dual (2) configurations. Configuration is determined by selection of Single or Dual arm.



3 Wire Management

Wire Clip

- The friction fit wire clip can be placed anywhere on the post. Wires are passed through the center of the clip and positioned in the outer holding area ensuring wires do not accidentally become unmanaged.

Integrated Wire Management

- The load balancing linkage has two external wire clips and the angled linkage has one integrated wire clip for superior wire management from monitor to worksurface.

4 Load Balancing Linkage

Provides the unique ability to balance loads between 8 to 30 pounds with Dynamic Arm (MYMSTD). A special friction mechanism ensures that only a small amount of force is required to adjust the arm up and down through the entire range of motion. A consistent user experience is guaranteed as the monitor load is balanced equally at any position.

5 Hub


A. Positioning Feature
Fixes the hub in a set position relative to the post.

B. Adjustment Screw
Adjusts the amount

of counterbalance force in the load balancing linkage. Using an allen key, rotating counter clockwise (+) adds force for heavier monitors, rotating clockwise (-) subtracts force for lighter monitors.

C. Indicator Window

Visible on both sides of the hub, the indicator window provides directional feedback to the user when balancing the arm referencing small medium and large images of a monitor. The indicator establishes a benchmark position significantly reducing installation times.



6 Angled Linkage

Only available on the Dynamic Arm / Dynamic Arm Light, the geometry of the Angled Linkage as well as the height of the post assures that the user is able to move the monitor up and down through the full 12" range of motion.


7 Swivel/Tilt Head

Provides swivel and tilt adjustability for the monitor.

8 Monitor Mount

Quick Release VESA Plate (YMSTV)

- VESA 75/100 hole pattern.
- Standard with all MAST arms (also available as separate item).
- The smart tab (a signature Library Green color) allows intuitive release of the monitor from the arm.




Quick Release Vesa Plate

Planning with MAST

Dynamic Arm Configuration


The following outlines the dimensions of the MAST Dynamic Arm (MYMSTD) when fully extended in the maximum or minimum height position. Full arm extension is 46cm to 52cm and is dependent on position in the arc of up/down adjustment. Minimum product depth of 10cm.




MAST Configurations

Mounting Options


The mounting options for the Dynamic Arm (MYMSTD) are restricted to options 2, 5 and 8.



Standard Edge
Clamp (2)



Expansion
Grommet (5)




Interpret
Accessory Beam
Mount (8)


Arm Configurations

MAST can accommodate single or dual monitors in the following combinations.

Dynamic




Single (1)




Double (2)

MAST Adjustment Features


Dynamic Arm (D) / Dynamic Arm Light (X) Offers 30.5cm of height adjustment.




Supports monitor loads.




360° swivel for easy monitor sharing and positioning.



Provides rotation from portrait to landscape.





Tilts 135° in total (105° above horizontal and 30° below). Supporting bifocal and multi-level applications.



46cm to 52cm of focal depth adjustment and minimum product depth of 10cm

MYMSTD

MAST Dynamic Arm



What's included

Fully adjustable Single or Dual Dynamic Arm(s), specified mounting style, quick release VESA plate, monitor mounting hardware, wire management clip.

Notes

Bolt Thru Mount requires a 1cm drilled hole in work surface and works on worksurfaces up to 4.8cm thick.

Desk Edge Mount works on worksurfaces up to 4.8cm thick.

Quick release feature is standard for 75/100 VESA plate

Height range of 30.5cm.

Monitor arms weight capacity 8lbs (3.6kg) – 30lbs (13.6kg) for Flat Screen Weight Capacity per Arm

Monitor arms weight capacity 8lbs (3.6kg) – 22.5lbs (10.2kg) for Curve Screen Weight Capacity per Arm

Focal adjustment of 135°, Swivel adjustment of 360°.

Angled arm linkage standard.

Easily positions monitor in landscape or portrait.

Arm linkages include integrated wire management.

Hub mounted wire management clip is standard.

Finished in Metallic Silver.

Options

Configuration

1 Single | 2 Dual

Mount

2 Standard Edge Clamp | 5 Expansion Grommet

8 Interpret Accessory Beam Mount

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price
1 Single	2 Standard Edge Clamp	817
1 Single	5 Expansion Grommet	848
1 Single	8 Interpret Accessory Beam Mount	848
2 Dual	2 Standard Edge Clamp	1566
2 Dual	5 Expansion Grommet	1598
2 Dual	8 Interpret Accessory Beam Mount	1598

Work Flow Accessories ensure that documents, media and work supplies are visible, close at hand and easily accessible when needed. Products mount to Accessory Rails or Elements across all Teknion furniture product lines or attach beneath the worksurface to keep the surface free of clutter. As a part of Teknion's total ergonomic program, Work Flow Accessories are designed to facilitate organization and enhance personal productivity.


The Personal Charger supports electric devices and provides a place to charge them. The Personal Box stores small, personally valuable items and includes a mirror under the lid. Achieve a creative ambiance with photographs, postcards, sketches and other personal items on display, while maintaining a workspace that looks organized and professional.

work flow accessories

CONTENTS

MPAX	PERSONAL ORGANIZERS	32
MYFXR	TABLE RAIL	33
MYPBW	HANG-ON WHITEBOARD.	35
MACWS	WORKSTATION SIGNAGE	36
MTAP	COAT HOOKS.	37

MPAX Personal Organizers



Personal Organizers provide organizers for storing and sorting paper and accessories off the desk surface.

Notes

Telephone shelves accommodate two telephone sizes, are equipped with wire management slots and can be used to display work in progress.
 Vertical organizers can be used separately or ganged together to create cascading work managers.
 Media organizers store cd's and dvd's.
 Binder bins support binders and vertical files.
 Letter and legal trays store paper and files horizontally.
 Dimensional sorters store files and paper and can be flipped for right or left accessories.

Options

Finish options (See fabrics & finishes Program for finish listings)

Foundation | Accent | Mica

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Dimensions (cm)			Price	
		H	W	D	Foundation	Mica / Accent
90	Divisional Sorter, Letter/A4	229	76	229	50	76
91	Divisional Sorter, Legal/Foolscap	229	76	30	53	77
92	Tray – Letter/A4	51	306	254	56	78
93	Tray - Legal	51	406	229	57	81
94	Pencil Tray	25	254	76	36	50
95	Binder Bin	229	102	203	57	81
96	Digital Media Organizer	127	102	127	54	61
97	Telephone Shelf, Small	76	229	279	83	95
98	Telephone Shelf, Large	76	330	279	88	104
99	Vertical Work Organizer, Letter/A4	229	305	25	86	100
100	Vertical Work Organizer, Legal/Foolscap	229	381	25	92	104

MYFXR Table Rail

fx accessory rails attach to tables and worksurfaces to provide double-sided access for mounting of fx and complements accessories.

Notes

Rail styles (i.e., Full, 1/2 and combo) refer to above worksurface.
 Rail height from floor is 107cm and 33cm from worksurface.
 Mounting hardware will match the rail finish.

Options

Rail Style

2 1/2 Rail | 3 Combo | 4 Single Rail

Height

033 33cm

Width

06, 08, 09, 10, 12, 14, 15, 16, 18


Rail Finish (See fabrics & finishes Program for finish listings)

Foundation | Mica

Base Finish (See fascia laminate category in the fabrics & finishes Program for finish listing)

Grade COM Fabric | Grade A | Grade 1 Fabric

Please add the desired code(s) from above to the end of your product option code below.



Product Options				Price				
				Foundation	Mica	Grade A	COM	Grade 1
2	1/2 Rail	033 33cm height	06 60cm width	415	415	46	46	65
2	1/2 Rail	033 33cm height	08 80cm width	461	461	46	46	65
2	1/2 Rail	033 33cm height	09 90cm width	524	524	55	55	77
2	1/2 Rail	033 33cm height	10 100cm width	543	543	55	55	77
2	1/2 Rail	033 33cm height	12 120cm width	671	671	60	60	84
2	1/2 Rail	033 33cm height	14 140cm width	677	677	60	60	84
2	1/2 Rail	033 33cm height	15 150cm width	718	718	68	68	92
2	1/2 Rail	033 33cm height	16 160cm width	727	727	68	68	92
2	1/2 Rail	033 33cm height	18 180cm width	790	790	76	76	97
3	Combo	033 33cm height	06 60cm width	374	374	21	21	31
3	Combo	033 33cm height	08 80cm width	411	411	21	21	31
3	Combo	033 33cm height	09 90cm width	452	452	23	23	34
3	Combo	033 33cm height	10 100cm width	483	483	23	23	34
3	Combo	033 33cm height	12 120cm width	561	561	28	28	38
3	Combo	033 33cm height	14 140cm width	575	575	29	29	38
3	Combo	033 33cm height	15 150cm width	626	626	30	30	46
3	Combo	033 33cm height	16 160cm width	638	638	31	31	46
3	Combo	033 33cm height	18 180cm width	683	683	33	33	52

MYFXR

Table Rail (continued)


Product Options				Price				
				Foundation	Mica	Grade A	COM	Grade 1
4	Single Rail	033 33cm height	06 60cm width	454	454	65	65	90
4	Single Rail	033 33cm height	08 80cm width	499	499	65	65	90
4	Single Rail	033 33cm height	09 90cm width	539	539	77	77	100
4	Single Rail	033 33cm height	10 100cm width	571	571	77	77	100
4	Single Rail	033 33cm height	12 120cm width	656	656	84	84	105
4	Single Rail	033 33cm height	14 140cm width	672	672	84	84	105
4	Single Rail	033 33cm height	15 150cm width	736	736	92	92	116
4	Single Rail	033 33cm height	16 160cm width	751	751	92	92	116
4	Single Rail	033 33cm height	18 180cm width	794	794	97	97	119

MYPBW Hang-On Whiteboard

Notes


Transit and T/O/S versions mount to any reveal line on the panel.
 leverage version mounts to the top horizontal rail of a panel.
 Expansion desking version mounts over top of Original and Unframed Elements.
 Standard dry-erase markers can be used on the whiteboard surface.
 finished in White.

.....
Please add the desired code(s) from above to the end of your product option code below.



Product Options		Price
1	T/O/S & Transit Product Lines	260
2	District Product lines	288

MACWS Workstation Signage



What's included

1 back panel for mounting a paper name tag, a clear plastic cover, hanging clip, linking clip and 2 end caps, 1 information sheet explaining set-up for word processing output.

Notes

Can be mounted to the panel via the horizontal rail or the Accessory Elements and rails.
 If double-sided tape is applied to the linking clips, the sign can also be mounted to a flat surface.
 Can be linked together to provide individual identification in clustered workstations or grouped areas.
 Name tags can be easily created and maintained using standard word processing programs. A detailed instruction sheet is provided with the product.
 Finished with an Anodized Aluminum frame and black plastic end caps.

.....
Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price
T/O/S & Transit or Ability product lines	126

MTAP Coat Hook

Notes


Hung from the panel horizontal rail and can be used to support a variety of items. It cannot be mounted between elements. MTAP1 all work with the ie Cross beam.

Options

Finish options (See fabrics & finishes Program for finish listings)

Foundation | Accent | Mica

Please add the desired code(s) from above to the end of your product option code below.



Product Options		Dimension (cm)			Price		
		H	W	D	Foundation	Accent	Mica
1	Transit Coat Hook	15	7.6	7.6	105	123	123
2	District Coat Hook	15	7.6	7.6	116	135	135

Complements Electrical Accessories work with all Teknion furniture to organize electrical and data wires and support the efficient use of technology. Power outlets can be positioned to provide easy, immediate plug-in at the worksurface. Most accessories can be repositioned by the user when needs change. Components such as the Remote Power Box mount to Teknion Accessory Elements to allow power outlets to be located at any elevation desired.


electronics

CONTENTS

MYEDG	DIECAST GROMMET	40
MYESB	SECURITY BRACKET	41

MYEDG

Diecast Grommet



What's included

2 piece round or square (as specified) grommet. Polycarbonate grommet ring with diecast zinc cap. Data cable nest which accommodates cables up to CAT 6 (approx 0.6cm).

Notes

Can be used on any standard teknon worksurface thickness.
 7cm hole saw can be used for installation in the field.
 Pass through accommodates power cables up to 1.2cm thick.
 Grommet cap is finished in platinum, ring is finished in arctic.

Options

Finish options
 Foundation | Mica | Accent

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price
1	Round	72
2	Square	87

MYESB Security Bracket

What's included

1 security bracket, mounting screws.

Notes

Provides a hard mount for security tether attachment.

Able to direct and manage wires.

Mounts to underside of surface.


Finished in Platinum or Graphic steel.

Options

Finish options

7 Platinum | L Graphic steel

Please add the desired code(s) from above to the end of your product option code below.



Price
86

teknion

www.teknion.com

CAN/US/INT 11-24
©Teknion 2025

®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.

Some products may not be available in
all markets. Contact your local Teknion
Representative for availability.

NOV25-AIH-PG