

district

price & application guide

II.24.2025



teknion

update summary

Please be advised that information has been updated within the District Price & Application Guide. To highlight these updates, a summary has been created for your reference.

revised

Price increase has been incorporated.

Revised the Quantity Chart for Floor Flush Power Spine Support Kit (UZFF).

First orders for new products will be accepted on November 24, 2025. All software will also be updated by November 24, 2025. If you have any questions regarding the information enclosed, contact your Teknion Customer Service Representative.





WHAT IS DISTRICT 6

INDEX 12

APPLICATION GUIDE 19



PRICE & PRODUCT GUIDE. 291

what is district

District responds to a new generation of architecture and employees, combining elements of classic furniture with the functionality of systems furniture. Two key features define District.

more out of small spaces

- As workstations become smaller, there is a need to maximize the use of every volume




layering

- Worksurfaces and credenzas overlap
- Shelves and lower cubbies allow for storage in otherwise unusable areas

furniture pieces with multiple functions

- Towers and lockers are used for support of worksurface, binder storage, waste sorting, coat storage, and space division



District

Conventional System Layout


re-appropriation of surfaces and volumes

- Equal or greater capacity and performance can be achieved with less conventional layouts
- Emphasis on increasing the primary worksurfaces and decreasing the secondary worksurface depth
- Flat screen monitors and laptops reduce the need for corner worksurface

what is district (continued)


furniture look & feel

- Users are moving to workspaces that have a more furniture like feel, but still require adequate storage and power capacity




conventional system components

- Individual freestanding or semi-supported pieces of furniture rather than components add to this look




district furniture pieces



district focuses less on panels for space division


- Panel walls are typically not used to enclose entire stations, but are used as a conduit for technology



- Storage is utilized in place of panel walls optimizing planning possibilities and price competitiveness


district workstation typicals

The following examples demonstrate the versatility of District to create various workstation types, from storage based spine planning, bench planning, traditional systems planning and freestanding offices.




storage spine

- combo towers can provide space division and power/communications distribution without the use of panels
- cabinets can be placed in either direction, and have the option to be the full desired height or made up of stacked components for maximum flexibility
- cabinets are available with coat storage, filing and open cabinets for variable privacy
- power is available above or below desk level on some products
- accessories such as tackboards can be mounted to the backside of storage components
- District worksurfaces mount directly to the storage without the need for legs, to create a clean aesthetic



shared address benching


- desk height panels provide power/communication distribution below desk height level to provide a clean aesthetic
- glass screens between worksurfaces and desk edge screens provide territorial privacy
- workstations can be shared by a number of users, so lockers can provide individual storage
- seat cushions can provide temporary seating for guests



collaborative open plan


- space division is provided by a combination of 42" high panels and storage
- 42" high panels enhance the functionality of the workstation by providing above worksurface power and accessory rails
- narrow depth return worksurfaces and storage add to the spaciousness of small workstations
- storage formats are available for closed and open storage combinations, and are available with wood, laminate and glass options

district workstation typicals (continued)



conventional workstation

- District can be planned in a more traditional way where panels provide the space division
- fascias are available in solid, wood, metal and fabric finishes to provide varying aesthetics
- storage is available with various foot details, or to the floor for a more traditional appearance
- panels range from 29" high to 66" high depending on the amount of privacy required



freestanding private office

- private offices can be created using combinations of District worksurfaces and storage
- overhead storage can mount to drywall and Altos
- additional seating requirements can be accommodated with the District seat cushion on credenzas
- the aesthetic of District is maintained with the use of layered worksurfaces and storage, and the use of the semi-suspended end gable, Desk Shelf and the distinct District handle on storage return worksurfaces and storage add to the spaciousness of small workstations
- storage formats are available for closed and open storage combinations, and are available with wood, laminate and glass options

introduction

xpress program

what is xpress

Teknion's Xpress Program is designed to offer expedited shipment to a large base of teknion customers needing delivery in an abbreviated time frame. Products that are available through *Teknion's Xpress Program* will include this **Xpress**.

order information

Orders received before 12:00 pm eastern standard/eastern daylight savings time will be processed on that same day. Orders received after 12:00 pm eastern standard/eastern daylight savings time will be processed on the next business day.

Teknion's Xpress Program is not intended to replace our standard product lead time. For this reason, the following guidelines are in effect:

- Quantities may be limited on individual items based on product availability.  **XPRESS PRODUCT PROGRAM**

XPRESS PRODUCT MAP	PROGRAM	ORDER DETAILS	NOTES
EXPANSION CASEGOODS	5-day Program*	Maximum \$75,000 list	See Product Map for details
EXPANSION CASEWORK+	10-day Program*	Maximum \$30,000 list	See Product Map for details
EXPANSION DESKING	5-day Program*	Maximum \$75,000 list	See Product Map for details
EXPANSION LEARNING	5-day Program*	Maximum \$50,000 list	See Product Map for details
COMPLEMENTS	5 or 10-day Program*	See Product Map for details	Excluded: Flintwood and Natural Veneer Full Knife Edge
SEATING	5 or 10-day Program*	See Product Map for details	See Product Map for details
DISTRICT	10-day Program*	Maximum \$200,000 list or 25 units of any single products	Excluded: Flintwood, Natural Veneer for Worksurfaces, Screens, Fascias and Storage Full Knife Edge on Worksurfaces
DISTRICT STORAGE	10-day Program*	Maximum \$200,000 list or 50 units	Excluded: Flintwood and Natural Veneer Backpainted Glass
FILING & STORAGE	10-day Program*	Maximum 50 units	Excluded: Flintwood Fronts District Handles
LEVERAGE	10-day Program*	Maximum: \$200,000 list or 25 units of any single products or 50 units of storage	Excluded: Flintwood and Natural Veneer
ALTOS	10-day Program*	Maximum \$75,000 list	See Product Map for details
TEK VUE	10-day Program*	Maximum \$150,000 list	See Product Map for details

* 5-10 days refers to manufactured days. Refer to the Teknion Lead Time Sheet published on MyTeknion for the current manufacturing information.

- Orders can only be accepted with Xpress fabrics, finishes and available sizes.
- Orders must be submitted via the Order Submission application on OnePlace.

changes and cancellations

No changes or cancellations are accepted on Xpress orders.

terms and conditions

All other terms and conditions of sale are available online at www.teknion.com.

Not all products are available through *Teknion's Xpress Program*. Refer to the specification software or product maps for complete product offering.

Product Maps are available online at **Xpress Product Maps**.

index

Section Contents	Product Code	Page No.
WHAT IS DISTRICT		
What is District		6
District Workstation Typicals		8
INTRODUCTION		
Xpress Program		11
APPLICATION GUIDES		
Understanding Panel Walls		25
Flush Panel Wall Basics		27
Elevated Panel Wall Basics		28
Convertible Panel Wall Basics		29
Panel Wall Base Basics		30
Planning with Panel Wall Rail & Light Block Rail		31
Support Foot Basics		32
Planning with Panel Wall Base & Foot		33
Support Foot for Freestanding District Basics		34
Planning with Freestanding Panels		35
Add-On Window Basics		36
Planning with Add-On Windows		37
Full-Height Window Basics		38
Planning with Full-Height Glass Panels		39
Understanding Fascias		42
Understanding Fascias for Freestanding District		43
Understanding Fascia Types		44
Fascia Basics		45
Planning with Fascias		53
Planning with Window Fascias		56
Planning with Power Communications Fascias on Non-Freestanding Panels		57
Planning with Power Communications Fascias on Freestanding Panels		60
Understanding Power Spine		66
Floor Flush Power Spine Basics		69
Power Spine Basics		70
Planning with Power Spine, Top Trims & Screens		74
Planning with Power Spine Fascias		75
Planning with Power Spine Fascia Cut Outs		80
Planning with Power Spine Electrics		81
Planning with Power Spine Lateral Screens		83
Planning with Power Spine Lateral Screens with Return		84
Open Frame Basics		85
Planning with Open Frames		86
Sliding Screen Basics		87
Planning with Sliding Screens		88
Bracket & Anchor for Height-Adjustable Table Basics		89
Planning with Power Spine Lateral Floor Screen Datum Heights		90
Understanding Power Spine Worksurface		92
Power Spine Worksurface & Worksurface Support Basics		93
Planning with Power Spine Worksurface		97

Section Contents	Product Code	Page No.
Planning with Power Spine Rectangle Worksurface		99
Planning with Power Spine Zig Zag Panel & Worksurface		101
Planning with Power Spine 120 hub & Worksurface		102
Power Spine hiSpace Quick Connect Table Basics		103
Planning with Power Spine hiSpace Quick Connect Table		106
Understanding Screens		110
Desk Edge Screen Basics		112
Planning with Desk Edge Screens		117
Desktop Lateral Screen Basics		134
Desktop Screen Basics		137
Modesty Screen Basics		138
Planning with Modesty Screens		139
Floor Screen Basics		140
Planning with Floor Screens		141
Storage Screen Basics		142
Planning with Storage Screens		143
Storage Screen Typicals		144
Lateral Floor Screens Basics		145
Lateral Floor Screens with Return Basics		146
Planning with End Mount Lateral Screens		147
Gallery Screen Basics		150
Gallery Screen with Returns Basics		151
Gallery Screen with Shared Returns Basics		152
Planning with Gallery Screens		153
Panel Wall Add-On Screen Basics		155
Planning with Wall Panel Add-On Screens		156
Glass Blades for Panels with Inset Basics		158
Planning with Glass Blades for Panels with Inset		159
Understanding Trims & Connectors		166
Top Trim Basics		167
End Trim Basics		168
Connector Basics		169
Connector & Trim Configurations		171
Planning with Connectors & Trims		173
Understanding Worksurfaces		178
Worksurface Basics		179
Planning with Worksurfaces		180
Planning with Worksurface Gaps		181
Planning with Small Footprint Worksurfaces		183
Planning with Grommets		184
Worksurface Grain/Pattern Direction		185
Edge Trim Style Overview		187
Understanding Height-Adjustability		190
Navigate Height-Adjustable Build-In Perpendicular Table Basics		191
Navigate Height-Adjustable Build-In Parallel Table Basics		192
Navigate Height-Adjustable Freestanding Table Basics		193

index

Section Contents	Product Code	Page No.
hiSpace Height-Adjustable Built-In Perpendicular Table Basics		194
hiSpace Height-Adjustable Built-In Parallel Table Basics		195
Planning with Height-Adjustable Tables		196
Credenzas for Height-Adjustable Tables Overview		206
Credenzas for Height-Adjustable Table Basics		207
Height-Adjustable Credenza Drawer Widths		208
Planning with Credenzas for Height-Adjustable Tables		210
Height-Adjustable Tables with Screen Overview		215
Planning with Height-Adjustable Tables and Screens		216
Height-Adjustable Credenza Lock Chart		222
Understanding District Support		226
Worksurface Support Basics – Horizontal		227
Planning with Worksurface Supports – Horizontal		228
Worksurface Support Basics – Vertical		232
Planning with Panel-Mounted Cantilevered Supports		233
Worksurface Support, Freestanding Basics		234
Planning with Worksurface Supports, Freestanding		235
Planning with Semi-Suspended Supports		236
Worksurface-to-Storage Support Basics		237
Planning with Worksurface to Storage Supports		238
Storage-to-Panel Support Basics		240
Selecting the Correct Storage-to-Panel Bracket		241
Planning with Keyboard Trays		243
Understanding Accessories		251
Storage Mounted Fascia Basics		252
Planning with Storage Mounted Fascias		253
Screen & Panel Mounted Fascias Basics		254
Planning with Screen-Mounted & Panel-Mounted Fascias		255
Tower & Locker Infill Basics		256
Planning with Tower & Locker Infills		257
Seat Cushion Basics		258
Complements Accessory Basics		259
Electrics & Communications Overview		262
Power Entry Basics – Panel-Mounted Workstations		263
Planning with Power Poles		264
Power & Communications Basics – Panel-Mounted Workstations		265
Planning with Power Boxes & Outlets		266
Wiring Systems		268
Power Distribution Basics – Panel-Mounted Workstations		269
Planning with Harnesses		270
Determining Harnesses Lengths		271
Casual Electrics Basics – Panel-Mounted Workstations		272
Storage Electrics Basics		273
Planning with Storage		276
Power Conservation System Basics		279

Section Contents	Product Code	Page No.
Planning with Power Conservation System		280
International Electrics Basics		283
Planning with International Electrics		287
PANEL WALLS		
Flush Panel Wall	UNPFR	294
Flush Panel with Inset	UYPFR	295
Elevated Panel Wall	UNPER	296
Elevated Panel Wall with Inset	UYPER	297
Convertible Panel Wall	UNPC	298
Convertible Panel Wall with Inset	UYPCR	299
Add-On Window (D-Style) – Single Glass	UNPWSR	300
Add-On Window (D-Style) – Double Glass	UNPWDR	302
Flush Full-Height Window (D-Style) – Single Glass	UNPFWSR	304
Flush Full-Height Window (D-Style) – Double Glass	UNPFWDR	305
Elevated Full-Height Window (D-Style) – Single Glass	UNPEWSR	306
Elevated Full-Height Window (D-Style) – Double Glass	UNPEWDR	307
Convertible Panel Wall Base and Foot Trim	UNPCF	308
Elevated Panel Wall Foot	UNPEFR	309
Support Foot for Freestanding District	UAFFN	310
Panel Wall Rail	UNPHN	311
Light Block Rail	UNEX	312
FASCIAS		
Solid Fascia	UNESD	318
Solid Fascia For Freestanding District (Clip Mount)	UAESD	320
Stretch Solid Fascia	UNYSD	322
Stretch Solid Fascia for Freestanding District	UAYSD	324
Solid Fascia – Full-Height	UNESF	326
Metal Fascia	UNELM	328
Metal Fascia For Freestanding District (Slot Mount)	UAELM	330
Tackable Fabric Fascia	UNELF	332
Tackable Fabric Fascia		
For Freestanding District (Slot Mount)	UAELF	336
Whiteboard Fascia	UNEMB	338
Accessory Fascia	UNELA	339
Solid Power/Communications Fascia	UNECL	340
Solid Power/Communications Fascia		
For Freestanding District (Clip Mount)	UAECL	344
Solid International Power/Communications Fascia	UNEIL	346
Solid International Power/Communications Fascia		
For Freestanding District (Clip Mount)	UAEIL	356
Metal Power/Communications Fascia	UNELCM	360
Metal Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELCM	364
Metal International Power/Communications Fascia	UNELIM	366

Section Contents	Product Code	Page No.
Metal International Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELIM	374
Tackable Fabric Power/Communications Fascia	UNELCF	378
Tackable Fabric Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELCF	384
Tackable Fabric International		
Power/Communications Fascia	UNELIF	386
Tackable Fabric International Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELIF	404
Metal Base Feed Fascia	UNELMB	410
Metal Base Feed Fascia For Freestanding District		
(Slot Mount)	UAELMB	411
Fabric Base Feed Fascia	UNELFB	412
Fabric Base Feed Fascia For Freestanding District		
(Slot Mount)	UAELFB	413
Fascia Clip Kit	UNELK	414
POWER SPINE		
Floor Flush Power Spine	UNFF	421
Floor Flush Inset Power Spine	UYFF	422
Floor Flush Power Spine Support Kit	UZFF	424
Power Spine Panel	UNPZ	426
Power Spine Inset Panel	UYPZ	428
Power Spine Support Kit	UZPK	430
Zig Zag Power Spine Panel	UNZZ	434
Zig Zag Power Spine Inset Panel	UYZZ	435
Zig Zag Support Kit	UZZK	436
Power Spine 120 Hub Panel	UNYH	438
Power Spine 120 Hub Inset Panel	UZYH	439
Power Spine 120 Hub Support Kit	UZYK	440
Open Frame 29" High Panel, Standard	UNAF	442
Open Frame 29" High Panel, Inset	UYAF	443
Sliding Fabric Screen for Open Frame	UNXF	444
Sliding Smooth Felt Screen for Open Frame	UNZF	446
Power Spine Base Feed Cover	UZBC	447
Anchor for Height-Adjustable Table	UZAS	448
Bracket for Height-Adjustable Table	UZBS	449
hiSpace Quick Connect Height-Adjustable Freestanding		
Table Mechanism for District Power Spine	YSZ	450
Rectangular Height-Adjustable Worksurface with Connection Kit		
for hiSpace Quick Connect with District Power Spine	WBZ	451
hiSpace Quick Connect Parallelogram Height-Adjustable		
Freestanding Table Mechanism for District Power Spine	YSB	452
Parallelogram Height-Adjustable Worksurface with		
Connection Kit for District Power Spine	WBP	453

Section Contents	Product Code	Page No.
hiSpace 120 Height-Adjustable Freestanding Table	YST	454
hiSpace Quick Connect 120 Hub Height-Adjustable		
Freestanding Table Mechanism for District Power Spine	WBT	456
Power Spine Rectangle Worksurface	UZWE	458
Power Spine Rectangle Worksurface Support Bundle	UZWC	460
Power Spine Parallelogram Worksurface	UZWP	462
Power Spine Parallelogram Worksurface Support Bundle	UZWK	464
Power Spine Angled Worksurface	UZWA	466
Power Spine Angled Worksurface Support Bundle	UZWB	468
Power Spine Dual 120 Angled Worksurface	UZWD	469
Power Spine Dual Angled Worksurface Support Bundle	UZDK	470
Power Spine 120 Hub Worksurface	UZWT	471
Power Spine 120 HUB Worksurface Support Bundle	UZWW	472
SCREENS		
Desk Top Casual Screen	UNSDT	480
Desk Edge Screen	UNSD E	481
Desk Edge Screen – Glass	UNSD EG	482
Desk Edge Screen – Full-Height	UNSF DE	484
Desk Edge Screen – Full-Height Glass	UNSF DG	486
Infinity Curved Desk Edge Screen	GXCD	488
Infinity Desk Edge Screen	GXDD	492
Quilted Infinity Desk Edge Screen	GQDD	498
Infinity Side Desk Edge Screen	GXSD	502
Infinity Desk Edge Floor Screen	GXF D	504
Infinity Side Desk Edge Floor Screen	GXED	506
Infinity Screen Alignment Clip	GXCC	507
Framed Desk Edge Screen	GYDD	508
Framed Side Desk Edge Screen	GYSD	512
Framed Desk Edge Floor Screen	GYFD	516
Framed Side Desk Edge Floor Screen	GYED	518
Desk Edge Screen with Glass	GVGD	520
Glass 6mm Lateral Screen	GNGD	522
Glass 10mm Lateral Screen	GNTD	523
Writable Glass Lateral Screen	GNWD	524
Solid Lateral Screen	GNSD	525
Writable Laminate Lateral Screen	GNLD	526
Infinity Lateral Screen	GNXD	527
Smooth Felt Lateral Screen	GNZD	528
Fabric Lateral Screen	GNYD	529
Metal Lateral Screen	GNMD	530
Modesty Screen	UNSM	531
Floor Screen	UNSF	532
Floor Screen Extended Leveling Kit	UNSF XL	534
Storage Screen	UNSSS	536

index

Section Contents	Product Code	Page No.
Lateral Floor Screen Solid	UZSS	538
Lateral Floor Screen with Glass	UZSG	540
Lateral Floor Screen with Glass, with Return	UZRG	548
Lateral Floor Screen with Solid, with Return	UZRS	560
Lateral Floor Screen with Glass, with Shared Return	UZCG	566
Lateral Floor Screen with Solid, with Shared Return	UZCS	572
Gallery Screen	UGSSS	578
Gallery Screen with Glass	UGSGS	579
Gallery Screen with Return	UGSSL	580
Gallery Screen with Glass with Return	UGSGL	584
Gallery Screen with Shared Return	UGSST	588
Gallery Screen with Glass with Shared Return	UGSGT	592
Panel Wall Add-On Screen – Solid	UNSPS	596
Panel Wall 10mm Add-On Screen – Glass	UNSPG	597
Panel Wall Add-On Screen – 6mm Glass	UNSPF	598
Panel Glass Blade for Panels with 10mm Inset Glass	UYSPG	599
Panel Glass Blade for Panels with 6mm Inset Glass	UYSPF	600
Bridged Glass Blade for Panels with 10mm Inset Glass	UYSCG	601
Bridged Glass Blade for Panels with 6mm Inset Glass	UYSCF	602
Smooth Felt Add-On	UNSPZ	603
Smooth Felt Blade for Panels with Inset	UYSPZ	604
Infinity Blade for Panels with Inset	UYXD	604
CONNECTIONS & TRIMS		
Top Trim	UNTT	612
Panel Top Trim for Panels with Inset Glass for 6mm or 10mm	UYTT	613
Panel Top Trim for Panels with Inset Smooth Felt	UZTT	614
Top Trim – Power Pole Access	UNTTP	615
Bridged Top Trim for Panels with		
Inset Glass for 6mm or 10mm	UYCT	616
End Trim	UNTE	617
End Trim For Freestanding District	UATE	618
Intermediate End Trim	UNTM	619
Two-Way 90°	UNPCR2	620
Three-Way 90°	UNPCR3	621
Four-Way 90°	UNPCR4	622
Two-Way 180° Spacer	UNPCCR	623
Two-Way Intermediate 90°	UNIC2	624
Three-Way Intermediate 90°	UNIC3	625
Four-Way Intermediate 90°	UNIC4	626
Two-Way Intermediate 180°	UNICC	627
Two-Way 90° Corner Cap for Panels with		
Inset Glass for 6mm or 10mm	UYPC2	628
Transition Cover	UNTC	629
Top Trim Cover for Panels with		
Inset Glass for 6mm or 10mm	UYTC	630
Wall Start	UNPCW	631

Section Contents	Product Code	Page No.
WORKSURFACES		
Rectangle Worksurface	UNWR	634
Rectangle with Radius Corners Worksurface	UNWC	638
HEIGHT-ADJUSTABILITY		
Navigate Freestanding Table, Base Only	YAD One Table One Plug	644
Navigate Height-Adjustable Built-in Base - Parallel Planning	YHD One Table One Plug	648
Navigate Height-Adjustable		
Built-in Base - Perpendicular Planning	YGD One Table One Plug	650
Navigate Height-Adjustable Built-in		
Gable Base - Parallel Planning	YWD One Table One Plug	652
Navigate Height-Adjustable Built-in		
Gable Base - Perpendicular Planning	YVD One Table One Plug	654
hiSpace Quick Connect Height-Adjustable Built-in Base -		
Perpendicular Planning	YSG	656
hiSpace Quick Connect Height-Adjustable Built-in Base -		
Perpendicular Planning	YSP	658
Parallel Rectangular Height-Adjustable		
Built-in Worksurface, T-Legs	WHD	660
Parallel Rectangular Height-Adjustable		
Built-in Worksurface, Gable	WHD_	661
Perpendicular Rectangular Height-Adjustable		
Built-in Worksurface, T-Legs	WLD	662
Perpendicular Rectangular Height-Adjustable		
Built-in Worksurface, Gable	WLD_	663
Freestanding Table Rectangular		
Height-Adjustable Worksurface	WBD	664
Perpendicular Rectangular Height-Adjustable		
Built-in Worksurface with Radius Corners	WMD	668
hiSpace Parallel Rectangular Height-Adjustable Built-in		
Worksurface	WBF	669
hiSpace Perpendicular Rectangular Height-Adjustable Built-in		
Worksurface with connection kit for Quick Connect	WBG	670
hiSpace Rectangular Height-Adjustable Built-in Perpendicular		
Worksurface with Radius Corners	WJE	671
Perpendicular Credenza for Height-Adjustable Table	UPPC	672
Shared Perpendicular Credenza for		
Height-Adjustable Table	UPCS	674
Parallel Spine Credenza for Height-Adjustable Table	UPSC	676
Parallel Corridor Credenza for Height-Adjustable Table	UPCC	678
SUPPORTS		
End Gable	UNGEN	684
End Gable – Height-Adjustable	UNGEAN	685
Flush End Gable	UNGEF	686
Flush End Gable – Height-Adjustable	UNGEFA	687
Mid Gable	UNGMF	688

index

Section Contents	Product Code	Page No.
Mid Gable – Height-Adjustable	UNGMFA	689
Cantilever	UNLVR	690
Off-Module Cantilever	UNLVFN	691
Off-Module Cantilever for Panels with Accessory Beam	UALVFN	692
Semi-Suspended Gable	UNGSN	693
Semi-Suspended Gable – Height-Adjustable	UNGSAN	694
Leg – Single	UNLGN	695
Leg – Height-Adjustable Single	UNLGA	696
Leg – Pair	UNLGPN	697
Leg – Height-Adjustable Pair	UNLGPA	697
Worksurface Panel Wall Bracket – Pair	UNBP	698
Worksurface Panel Wall Bracket – Height-Adjustable	UNBPA	698
Storage-to-Panel Bracket	UWSPB	699
Worksurface-to-Tower Bracket Kit	UWBT	700
Height-Adjustable Worksurface-to-Tower Bracket Kit	UWBTH	701
Low Credenza-to-Worksurface Support	UNCPWN	702
Reconfigurable Low Credenza-to-Worksurface Support	UWCPWN	703
Flush Plate	UNRF	704
Structural Flush Plate	UNRFS	704
Worksurface Reinforcement Channel	UNRC	705
Mini Leg	UNCLN	706
Centermount Cabinet Support Posts & Trim	UNOPT	707
Centermount Cabinet Support Brackets & Top Trim	UNOBT	708
Side Filer Panel Support Kit	UWSPK	709
ACCESSORIES		
Standing Storage Fascia	UNPSF	714
Stacking Storage Fascia	UNPSS	718
Tackboard – Screen Mount	UNTBS	722
Whiteboard – Screen Mount	UNTBW	724
Tackboard – Panel Wall Mount	UNTBP	726
Single Locker with Cubby Infill	UKSCIS	728
Lateral Tower Infill	UTLXIS	730
Combo Tower Infill	UTCXIS	732
Source Laminate Combo Tower Infill	UTCXIX	736
Pedestal Tower with Cubby Infill	UTDCIS	739
Seat Cushion	UWLC	740
Fitted Seat Cushion	UWLF	741
Tool Kit	UNTK	742
Accessory Bundle	UNAB	743
Side Filer Boot Tray	UNBW	744
ELECTRICS		
Power Box	UNQPR	750
Receptacle Outlet	UNQRO	751
Power Harness	UNQBHR	752
Base Feed	UNQBFR	753

Section Contents	Product Code	Page No.
Split Base Feed	UNQBFSR	754
Ceiling Feed	UNQCFR	755
Power Pole	UNQEP	756
End of Run Power Pole	UNQEPR	757
Cable Trough	UNQCT	758
Vertical Cable Manager	UNVC	759
Casual Wire Manager Kit	ZOEWM	760
Data Extender Plate	UNQDE	761
Chicago Power Box	UNQPRCH	762
Chicago Base Feed	UNQBFRCH	763
Chicago Ceiling Feed	UNQCFRCH	764
Under Cabinet Wire Tray	EWWT	765
Storage Base Feed	EWBF	766
Storage Chicago Base Feed	EWBFCH	767
Storage Split Base Feed	EWBFS	768
Storage Ceiling Feed	EWCF	769
Storage Chicago Ceiling Feed	EWCFCH	770
Storage Power Harness	EWBH	771
4-Way Splitter	EWDB	772
I-Connector	EWIC	772
Flush Mount Power & Data	EWQP	773
Chicago Flush-Mounted Power Box	EWQPCH	774
Storage Receptacle Outlet	EWRO	775
Cubby Power Monument	EWQPM	776
Chicago Cubby Power Monument	EWQPMCH	777
Storage Power Pole	EWEP	778
Power Conservation System	UNQPC	779
Diecast Grommet	UNDG	780
INTERNATIONAL ELECTRICS		
Outlet Box	VED	786
Interconnecting Power Cable	VCC	787
Input Power Cable	VEP	788
Voice & Data Box	VVD	789
Voice & Data Outlets	VDO	790
Electric Accessories	VAC	791
Screen Mount Outlet Box Bracket	UNXSE	792
Base Feed Mounting Kit	UNXPFR	792
Panel Mount Outlet Box Bracket	UNXBR	793
CALA Power Module	VBCD	794
CALA Power In Feed	VBPD	795
CALA Jumper Power Harness	VBPH	796
CALA Power Station	VBWB	797


application guide

application guide

PANEL WALLS	23
FASCIAS	41
POWER SPINE	65
SCREENS	109
CONNECTIONS & TRIMS	165
WORKSURFACES	177
HEIGHT-ADJUSTABILITY	189
SUPPORTS	225
ACCESSORIES	249
ELECTRICS	261
INTERNATIONAL ELECTRICS	283


understanding application guide pages

This application guide will include the following types of pages.



understanding pages


Used to describe the intent and common features of a group of products.



basics pages

Used to describe the details of each individual product including:

- Product codes
- Dimensions
- Options
- Features
- Links to the price page



planning pages

Used to outline the rules and restrictions that should be considered when planning with products.

panel walls

panel walls


UNDERSTANDING PANEL WALLS	25
FLUSH PANEL WALL BASICS	27
ELEVATED PANEL WALL BASICS	28
CONVERTIBLE PANEL WALL BASICS	29
PANEL WALL BASE BASICS	30
PLANNING WITH PANEL WALL RAIL & LIGHT BLOCK RAIL	31
SUPPORT FOOT BASICS	32
PLANNING WITH PANEL WALL BASE & FOOT	33
SUPPORT FOOT FOR FREESTANDING DISTRICT BASICS	34
PLANNING WITH FREESTANDING PANELS	35
ADD-ON WINDOW BASICS	36
PLANNING WITH ADD-ON WINDOWS	37
FULL-HEIGHT WINDOW BASICS	38
PLANNING WITH FULL-HEIGHT GLASS PANELS	39

understanding panel walls

District Panels are available in three Panel Styles: Standard Panel Wall, Panel Wall with Inset Glass and Panel Wall with Accessory Beam. Each Panel Style is available in three Panel Profiles: Flush, Elevated and Convertible.

panel profiles


- **Flush**, which provides privacy to the floor
- **Elevated**, which provides a 6" high open space at the bottom of the panel to allow air flow and a lighted aesthetic
- **Convertible**, which provides a economical alternative to the Flush and Elevated Panel and allows the flexibility to convert from a Flush Panel Profile to an Elevated Panel Profile using the same frame



Standard Panel Wall (UNPFR, UNPER and UNPC)

All panel profiles accept the Panel Wall Add-On Screen – Glass (UNSPG) and Panel Wall Add-On Screen – Solid (UNSPS).

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels **cannot** accept a freestanding foot.



Panel Wall with Inset (UYPFR, UYPER and UYPCR)

All panel profiles accept the following blade options:

- Glass Blade (UYSPG/UYSPF)
- Bridged Glass Blade (UYSCG/UYSCF)
- Smooth Felt Blade (UYSPZ)
- Infinity Blade (UYXD)


The blade is inset into the frame, so there is less exposed trim offering a more seamless appearance.

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels **cannot** accept a freestanding foot.


understanding panel walls (continued)

panel creep

District Panels have no creep factor, the nominal dimension and the actual dimension are the same.




- Panels 66" or wider consist of two equally sized segments




- Frame up to 60" consist of one segment only

panel runs




- On panel wall heights of 66" that do **not** support loads, the maximum run allowed is 12' - 0"
- 60" wide x 66" high wing panels must be used at both ends to provide adequate support



- On panel wall heights of 29", 42" and 51" that do **not** support loads, the maximum unsupported run allowed is 16' - 0"
- 60" wide wing panels the same height as the panel run, must be used at both ends to provide support

fascia spans





- Fascias can span across both sections of a frame 66" wide and wider to cover the entire width, or can be split so that each section can have a different fascia

flush panel wall basics


Flush Panel Walls consist of a frame to the floor, and are typically used with hard surface fascias which have mounting clips.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Finished in Black



Flush Panel Wall (UNPFR)

- Available in heights of 29", 42", 51" and 66"
- The 29", 42" and 51" high frame can be used in freestanding application
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)





Flush Panel Wall with Inset (UYPFR)

- Available 29", 42" and 51" high
- Can be used in freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage
- Can be used with the following:
 - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
 - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
 - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
 - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)

elevated panel wall basics


Elevated Panel Walls consist of a frame that allows for 6" of open space at the bottom. It is typically used with hard surface fascias which have mounting clips and for applications where the aesthetic and finish of the foot are considerations.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces, but does **not** extend to the floor – the Elevated Panel Wall Foot (UNPEFR) (must be ordered separately) is attached below the panel frame to reach the desired datum height
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Base of the 6" rail is finished in Clear Anodized, Foundation or Mica paint finishes



Elevated Panel Wall (UNPER)

- Available in heights of 29", 42", 51" and 66"
- **Cannot** be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)





Elevated Panel Wall with Inset (UYPER)

- Available 29", 42" and 51" high
- **Cannot** be used on freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage
- Can be used with the following:
 - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
 - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
 - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
 - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)

convertible panel wall basics


Convertible Panel Walls consist of a frame to the floor and provides an economical and flexible alternative to the Flush and Elevated panel frame. It can be used in a flush or elevated profile and is typically used for applications where the majority of the fascias do not have clips and are slot-mounted.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Does **not** have fascia attachment clips, is complete with slots only
- There are two rows of slots side-by-side will accept both fascias and storage or supports in the same location
- Accepts all fascia types but for Fascias that are complete with fascia clips, a separate mounting clip kit is required for mounting the fascias to the frame
- When used in a Flush application fascias are mounted onto the frame to the floor, and when used in an Elevated application the fascia mounts onto the frame to the 6" rail and an additional Convertible Panel Wall Base and Foot Trims (UNPCF) are added to provide a base trim and foot cover on the frame below the 6" level
- Finished in Black



Convertible Panel Wall (UNPC)

- Available in heights of 29", 42", 51" and 66"
- The 29", 42" and 51" high can be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)





Convertible Panel Wall with Inset (UYPCR)

- Available 29", 42" and 51" high
- Can be used in freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage
- Can be used with the following:
 - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
 - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
 - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
 - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)


panel wall base basics

Panel Wall Rails and Light Block Rails are used to create additional segmentation on panels above the 29" high rail.



Panel Wall Rail (UNPHN)

- Complete with clips so can be used on all panels when Fascias with clips are specified




Light Block Rail (UNEX)


- Does not include clips so can be used on all panel types when fascias with no clips are specified

planning with panel wall rail & light block rail

The following should be considered when planning with Panel Wall Rails and Light Block Rails.




- Panel walls have fixed horizontal segmentation at 6" and 29" heights and top rail height only




- If additional segmentation is required above 29" high, Panel Wall Rails or Light Block Rails must be added at the desired heights

- One rail is required at all fascia breaks above 29" high
- Choice of rail will depend on whether the fascia has clips (Panel Wall Rail) or mounts into slots (Light Block Rail)



- Panel Wall Rails and Light Block Rails are only available up to 60" wide
- They **cannot** span across the two panel in panel widths 66" and above sections
- One rail must be ordered for each half of the panel


In this example, the 6" and 29" high rail and top of panel are fixed, so four additional rails are required.



- Panel Walls **cannot** be segmented between the 6" high rail and 29" high rail
- There are no mounting locations in the frame Panel Wall Rails or Light Block Rails


support foot basics

Panel Wall Bases and Panel Wall Feet are used for elevated panel wall applications.



Elevated Panel Wall Foot (UNPEFR)

- Used with the Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset (UYPER)
- Mounted to the base of the panel frame to elevate the frame 6" above the floor
- Used at all ends and shared between two panels at 180° angles, but are **not** required at corners or 180° spacers because the connector provides the necessary panel support
- Available in Clear Anodized, Foundation and Mica paint finishes




Convertible Panel Wall Base and Foot Trim (UNPCF)

- Used with the Convertible Panel Wall (UNPC) only in an elevated application
- Consists of a metal trim that is attached to the bottom rail of the panel and elevated feet that snap onto the frame post
- One Convertible Panel Wall Base and Foot Trim is required for all elevated panels 60" and less. Two are required for elevated panels 66" and wider as they are made up of two frames (specified as one unit at the overall length)
- Available in Foundation and Mica paint finishes

planning with panel wall base & foot


The following should be considered when planning with Panel Wall Bases and Feet.

elevated panel wall foot



- The Panel Wall Foot is used only on the Elevated Panel Wall
- Provides a clean aesthetic at the base of the panel because it is required only at the ends of panel runs and shared between two panels in a straight run
- Offers a Clear Anodized finish option


convertible panel wall base and foot trim




- The Convertible Panel Wall Base and Trim is used only on the Convertible Panel Wall in Elevated applications
- Available only in painted finishes
- Lengths 60" wider and under include two feet covers and one base trim
- Lengths 66" wide and wider include four feet covers and two base trims

support foot for freestanding district basics

The Support Foot is used to create Freestanding District Panel runs.



Support Foot (Shown)




Support Foot for Freestanding District (UAFN)


- Installed at the bottom of panels to create freestanding applications
- **Cannot** be used with an Elevated panel
- The Support Foot can be used in any of the four existing hole locations on the bottom of Flush or Convertible panels
- On Panel widths from 24" - 48" there are two cut out locations, 54" - 96" have four cut out locations
- There must be a foot at both start and ends of a panel run
- The Support Foot takes up approximately 1/2" in height therefore a specific fascia is required below 29" high (the height is nominal, therefore 28" fascia will actually be approximately 27-1/2" to allow for the foot)
- The distance between panel support feet **cannot** exceed 96"
- A unique end trim is required, End Trim for Freestanding District (UATE) to accommodate the height change created by the foot
- Freestanding District can be specified up to 51" total in height (this can be either a 51" high panel or a 29" or 42" high panel with storage or screens to 51" high)
- The top area of the foot offers cable pass through capability available with levelers
- Available with levelers
- Recommend additional support feet if panel mounted storage usage is high

planning with freestanding panels



The following outlines the steps for planning with Freestanding District Panels.



Specify the Support Foot as needed. Support foot must be specified at the beginning and at the end of each run as well as every 8' in between. Support feet **cannot** be placed in the same location that power is used, so careful attention to the planning of power is required. See fascia section for available power cut out locations.



Specify the fascias required. In this example the power is in the right location, but at the end of the run, the power is located center right to avoid interference with support foot.




When planned at 29" high with accessory rail, a variety of storage options can be added either freestanding and mobile or mounted onto the accessory beam.


Recommend additional support feet if panel mounted storage usage is high.

add-on window basics

Add-On Windows mount to the top of a panel wall frame to provide an uninterrupted glass finish.



Add-On (D-Style)
Window (Shown)



Add-On Window (D-Style) – Single Glass (UNPWSR) and Add-On Window (D-Style) – Double Glass (UNPWDR)



- Mount on-module or semi off-module to the top of a panel wall frame up to a height of 66"
- Frame is continuous on all sides to provide a refined aesthetic
- Are **not** load bearing, and **cannot** be mounted above another add-on window
- Do **not** affect existing cable routing within the panel wall frame
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately
- Not available on UY_ Panels

planning with add-on windows

The following should be taken into consideration when planning with Add-On Windows.

stackability


- Only one window can be stacked onto a Panel Wall to a maximum height of 66"
- The Add-On is non-load bearing



- When the panel frame is wider than 60" and made up of two sections, the Add-On spans across both frame sections


off-modularity

- The Add-On Window can be mounted fully on-module or semi off-module




Fully On-Module

- The add-on window spans the entire panel wall regardless of whether the panel is a single frame section or made up of two frame sections



Semi Off-Module

- The Add-On Window is mounted on a panel wall that is over 60" wide therefore, made up of two sections
- The Add-On must be half the width of the overall panel to meet the connection of the two sections




Fully Off-Module


The add-on window **cannot** be specified fully off-module.

full-height window basics

Full-Height Windows are used in place of a panel wall to provide a full-height glass alternative.




Flush Full Height (D-Style)
Window (Shown)



Flush Full-Height Window (D-Style) – Single Glass (UNPFWSR) and Flush Full-Height Window (D-Style) – Double Glass (UNPFWDR)

- Used in place of a Flush Panel Wall (UNPFR) and Flush Panel with Inset (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims and 6" Base Fascia must be specified separately




Elevated Full-Height (D-Style) Window – Single Glass (UNPEWSR) and Elevated Full-Height (D-Style) Window – Double Glass (UNPEWDR)


- Used in place of an Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately

planning with full-height glass panels


The following should be considered when planning with full-height glass panels.




- Consists of the glass and frame only; top trims and end trims must be specified separately
- When the Flush Full Height Window is specified, a fascia must be specified to finish the base below the 6" rail



29", 42" and 51" heights are available in widths from 24" - 60"



66" height is only available in widths from 24" - 48"



- Full-height glass panels can support worksurfaces when the depth of the worksurface and the width of the panels are the same – see the *Supports* section for proper supports

fascias

fascias

UNDERSTANDING FASCIAS.42

UNDERSTANDING FASCIAS FOR FREESTANDING DISTRICT43

UNDERSTANDING FASCIA TYPES44

FASCIA BASICS.45

PLANNING WITH FASCIAS53

PLANNING WITH WINDOW FASCIAS56

PLANNING WITH POWER COMMUNICATIONS FASCIAS ON NON
FREESTANDING PANELS.57

PLANNING WITH POWER COMMUNICATIONS FASCIAS ON
FREESTANDING PANELS.60


understanding fascias

District Fascias mount to a panel wall frame to provide functionality and aesthetic options to the panel and are available for standard and freestanding applications.

Fascias are available for two applications

- UN_applications - used on
 - Standard panel walls
 - Standard panel walls with accessory rails
- UA_applications - used on
 - Panel walls with freestanding feet (at the bottom level)
 - Panel walls with freestanding feet and accessory rails (at the top level)
- When specifying fascias on panels wall frames the total height of the fascias will be 1" less than the actual panel frame height, to allow for leveling (ex. a 29"h. panel wall frame uses a 28"h. fascia, or a 6" and 22"h. fascia combination)

UN_applications



The following outlines the types of UN__ fascias available


- 1 Solid Fascias
 - Provide a high aesthetic and a furniture look and feel to a workstation
 - Fascias can be segmented or monolithic
- 2 Stretch Solid Fascias
 - Span across connectors to provide an uninterrupted aesthetic
- 3 Fabric and Metal Fascias
 - Provide a cost effective alternative to solid fascias
- 4 Tackable and Whiteboard Fascias, available
 - Framed to provide an enhanced aesthetic
 - Unframed to provide a cost effective alternative
- 5 Accessory Fascias
 - Provide a rail to store personal items above the worksurface
- 6 Power and Communication Fascias
 - Provides access to power either above or below worksurface level
- 7 Window Fascias
 - Add lightness to a panel wall

understanding fascias for freestanding district

UA_ applications

UA_ Fascias can be used in two locations:

- On the bottom level of a panel with freestanding feet
- Only the 6", 27" and 28"h. can be used at the bottom of a panel
- Fascia- heights are nominal, the actual size is 1/2" less to accommodate the freestanding foot
- At a level where electrical is required on a panel with freestanding feet, as the electrical locations are designed to avoid interference with the freestanding feet
- When specifying fascias on panels wall frames with accessory rails, the total height of the fascias will be 2" less than the actual panel frame, to allow for the thickness of the accessory rail and for leveling (ex. a 29"h. panel wall frame uses a 27"h. fascia, or a 6" and 21"h. fascia combination)




The following outlines the types of UA_ fascias available

- 1 Solid Fascias
-Accommodates the freestanding foot
- 2 Fabric and Metal Fascias
-Accommodates the freestanding foot
- 3 Power and Communication Fascias
-Provides access to power below worksurface level
-The cut out locations are different than the cut out locations on UN_ fascia to avoid interference with freestanding feet

understanding fascia types


The following examples outline the fascia heights required for non freestanding and freestanding panel configurations.

standard



District Flush or Convertible Panel


- No Freestanding Feet, 29"h
- UN__28 fascia required



District Flush or Convertible Panel, No Freestanding Foot, 29"h.


- One UN__6 fascia required
- One UN__22 fascia required

standard with accessory rail




District Flush, No Freestanding Feet, 29" h

- UA__27 fascia required
- This allows for the 1" accessory rail at the top




District Flush, No Freestanding Foot, 29" h.

- One UN__6 fascia required
- One UA__21 fascia required



District Flush or Convertible Panel, No Freestanding Foot


- UN__28 fascia required
- UN__ fascia required to top of panel



District Flush or Convertible Panel, No Freestanding Foot


- UN__06 fascia required
- UN__22 fascia required
- UN__Fascia required to top of panel

panel with freestanding feet



District Flush or Convertible Panel, with Freestanding Foot, 29" high


- UA__28 fascia required the panel



District Flush or Convertible Panel with Freestanding Foot, 29" high


- One UA__6 fascia required
- One UN__22 fascia required

panel with freestanding feet and accessory rail




District Flush and Freestanding Foot, 29" high

- UA__27 fascia required
- This allows for the 1" accessory rail at the top




District Flush and Freestanding Foot, 29" high

- UA__6 fascia required
- UA__21 fascia required
- This allows for the 1" accessory rail at the top



District Flush or Convertible Panel with Freestanding Foot

- UA__28 fascia required
- UN__ fascia required to top of panel



District Flush or Convertible Panel, With Freestanding Foot




- UA__6 fascia required
- UN__22 fascia required
- UN__Fascia required to top of panel

fascia basics


District fascias mount onto panel wall frames by either clip mounting or slot mounting. The following outlines the available options.

clip-mounted

- The following fascias types mount into Flush and Elevated Panel Wall Frames
- They are hard surface fascias that provide a District aesthetic and are considered “D-style” fascias
- All “D-style” fascias mount to the panel frames with clips
- If a “D-style” fascia is required on a Convertible Panel Wall, a Fascia Clip Kit (additional clips) must be ordered and installed on the panel

Product Name and Code	Illustration	Description
Solid Fascia (UNESD), Solid Full-Height Fascia (UNESF) and Stretch Solid Fascia (UNYSD)		A solid fascia that mounts into a panel wall frame. Widths: 24" - 96" in 6" increments Heights: Solid Fascias 6", 7", 9", 13", 15", 22", 24", 26", 28", 30" and 37" Solid Full Height Fascias 35" and 41" -For monolithic applications on 42" high panel wall frames Stretch Solid Height Fascia 6", 22", 28", 35" and 41" Finishes: Laminate Flintwood (horizontal grain pattern) Natural Veneer
Solid Fascia for Freestanding District (Clip Mounted) (UAESD) and Stretch Fascia for Freestanding District (UAYSD)		A solid fascia that mounts into a panel wall frame with: Freestanding feet Accessory rail Widths: 24" - 96" in 6" increments Heights: Solid Fascias and Stretch Fascias 6", 22", 28", 35" and 41" -Used in two locations 1) The base level of a panel wall frame with freestanding feet 2) When a panel wall frame has an accessory rail Finishes: Laminate Flintwood (horizontal grain pattern) Natural Veneer
Solid Power/Communications Fascia (UNECL) (shown) and Solid International Power/Communications Fascia (UNEIL)		A solid fascia with electrical and communication cut outs that mounts into a panel wall frame. -The cut out configurations and orientations available depend on size Heights: 7", 13", 22", 26", 28", 35", 37" and 41" -Available for above and below worksurface mounting Widths: 24" - 96" in 6" increments Outlet Configurations: UNECL 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM UNEIL 2 = cut out for two outlets 3 = cut out for two outlets and one data/communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets Cut Out Orientations: Horizontal L = left R = right C = centered B = both left and right Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28" high fascias flush to the floor) Finishes: Laminate Flintwood (horizontal grain pattern) Natural Veneer




fascia basics (continued)

Product Name and Code	Illustration	Description
Solid Power/ Communications Fascia for Freestanding District (Clip Mounted) (UAECL) and Solid International Power/ Communications Fascia for Freestanding District (Clip Mounted) (UAEIL)		A solid fascia with electrical and communication cut outs that mounts into a panel wall frame with: -Freestanding feet -Accessory rail -The cut out locations are different than a UN__fascia to allow for the placement of freestanding feet below the panel frame -The cut out configurations and orientations available depend on size, see chart see power communications fascias chart Heights: 22" and 28"h. -Sizes are nominal, actual sizes are 1/2" less to accommodate a freestanding support foot Widths: 24" - 96" in 6" increments Outlet Configurations: UAECL 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM UAEIL 2 = cut out for two outlets 3 = cut out for two outlets and one data/communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets Cut out Locations: One cut out LL = left RR = right LC = left center RC = right center 2 cut outs LR = left and right CR = left center and right CL = right center and left --See chart see power communications fascias chart Finishes: Laminate Flintwood (horizontal grain pattern) Natural Veneer




fascia basics (continued)

slot-mounted



- The following fascias types mount to the Convertible Panel Wall Frame or Power Spine frame (depending on size). They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- All “L-Style” fascias mount into the panel wall slots
- An “L-Style” fascia can mount into a Flush or Elevated Panel Wall as these frames also contain slots, the clips on the panel walls will remain unused

Product Name and Code	Illustration	Description
Metal Fascia (UNELM)		A metal fascia that mounts into a panel wall frame Heights: 6", 7", 9", 13", 15", 22", 24", 26", 28", 30", 35", 37" Widths: For 6" - 28" high - 24" - 96" wide (in 6" increments) For 30" and 37" high - 24" - 60" wide (in 6" increments) Finishes: Foundation Accent Mica
Metal Fascia for Freestanding District (UAELM)		A metal fascia that mounts into a panel wall frame with: Freestanding feet Accessory rail Heights: 6", 22", 28", and 35" -Mounted in the lowest level of the panel -Are used on panel wall frames with an accessory rail -1" less to allow for the thickness of the accessory rail Widths: For 6" - 28" high - 24" - 96" wide (in 6" increments) For 35" high - 24" - 60" wide (in 6" increments) Finishes: Foundation Mica
Communications Fascia (UNELCM) (shown) and Metal International Power/Communications Fascia (UNEILM)		A metal fascia with electrical and communication cut outs that mounts into a panel wall frame Heights: 7", 13", 22", 26", 28" and 37" Available for above and below worksurface mounting Widths: For 7" - 27" high - 24" - 96" wide (in 6" increments) For 37" high - 24" - 60" wide (in 6" increments) Outlet Configurations: UNELCM 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See chart see power communications fascias chart for size restrictions UNEILM 2 = cut out for two outlets 3 = cut out for two outlets and one data/communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions Cut Out Orientations: Horizontal L = left R = right C = centered B = both left and right -See power communications fascias chart Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28"h. fascias flush to the floor) -See power communications fascias chart for size restrictions Finishes: Foundation Mica






fascia basics (continued)

Product Name and Code	Illustration	Description
Metal Power/Communications Fascia for Freestanding District (Slot Mount) (UAELCM) and Metal International Power/Communications Fascia for Freestanding District (UAELIM)		A metal fascia with electrical and communication cut outs that mounts into panel wall frame with: - Freestanding feet - Accessory rail -The cut out locations are different than a UN__ fascia to allow for the placement of freestanding feet below the panel Heights: 22", 28" and 35" -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot Widths: 36" - 96" in 6" increments Outlet Configurations: UAELCM 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UAELIM 2 = cut out for two outlets 3 = cut out for two outlets and one data/communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions Cut out Locations: One cut out LL = left RR = right LC = left center RC = right center -See power communications fascias chart for size restrictions 2 cut outs LR = left and right CR = left center and right CL = right center and left -See power communications fascias chart for size restrictions Finishes: Foundation Mica
Tackable Fabric Fascia (UNELF)		A tackable fascia that mounts into a panel wall frame Heights: 6", 7", 9", 13", 15", 21", 24", 26", 28", 30", 35, 37 and 41" Fascias are tackable in all heights except 6" and 7" Widths: 24" - 96" in 6" increments Finishes: Fabric All standard Teknion panel fabrics
Tackable Fabric Fascia for Freestanding District (Slot Mount) (UAELF)		A tackable fascia that mounts into a panel wall frame with: - Freestanding feet - Accessory rail Heights: 6", 22", and 35" -Can only be mounted in the lowest level of the panel -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot Widths: 24" - 96" in 6" increments Finishes: Fabric All standard Teknion panel fabrics


fascia basics (continued)

Product Name and Code	Illustration	Description
Tackable Fabric Power/ Communications Fascia (UNELCF) and Tackable Fabric International Power/ Communications Fascia (UNELIF)		A tackable fascia with electrical and communication cut outs that mounts into a panel wall frame Heights: 7", 13", 22", 26", 28", 35", 37" and 41"h. -Available for above and below worksurface mounting -Tackable in all heights except 7"h. Widths: 24" - 96" in 6" increments Outlet Configurations: UNELCF 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UNELIF 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions Cut Out Orientations: Horizontal L = left R = right C = centered B = both left and right -See power communications fascias chart for size restrictions Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28"h. fascias flush to the floor) -See power communications fascias chart for size restrictions Finishes: Fabric All standard Teknion panel fabrics UNELIF Bezel Finish: Black Storm White
Tackable Fabric Power/ Communications Fascia for Freestanding District (UAELCF) and Tackable Fabric International Power/ Communications Fascia (UAELIF)		A tackable fascia with electrical and communication cut outs that mounts into panel wall frame with: Freestanding feet Accessory rail -The cut out locations are different than a UN__ fascia to allow for the placement of freestanding feet below the panel Heights: 22" and 35"h. -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot Widths: 36" - 96" in 6" increments Outlet Configurations: UAELCF 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UAELIF 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions Cut Out Locations: One cut out LL = left RR = right LC = left center RC = right center -See power communications fascias chart for size restrictions Two cut outs LR = left and right CR = left center and right CL = right center and left -See power communications fascias chart for size restrictions Finishes: Fabric All standard Teknion panel fabrics

fascia basics (continued)

Product Name and Code	Illustration	Description
Whiteboard Fascia (UNEMB)		A whiteboard fascia that mounts into a panel wall frame -Available with or without a tray Heights: 22", 24", 30" and 37" Widths: 36", 42" and 48" Finishes: Foundation Mica
Accessory Fascia (UNELA)		An accessory rail that mounts into a panel wall frame Heights: 6", 13" and 15" Widths: 24" - 96" in 6" increments Finishes: Foundation Mica
Metal Base Feed Fascia (UNELMB) (shown)		A 6"h. metal fascia with a cut out that allows power and communication cables to enter a panel wall frame at the base level Widths: 36" - 96" in 6" increments Finishes: Foundation Mica
Metal Base Feed Fascia for Freestanding Application (UAELMB)		A 6" high metal fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level -Height is nominal, actual sizes are 1/2" less to accommodate a support foot Widths: 36" - 96" in 6" increments Cut Out Locations: Left Right Centered -See power communications fascias chart for location restrictions Finishes: Foundation Mica
Fabric Base Feed Fascia (UNELFB)		A 6" high fabric fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level Widths: 24" - 96" in 6" increments Cut Out Locations: Left Right Centered -See power communications fascias chart for location restrictions Finishes: Fabric All standard Teknion panel fabrics

fascia basics (continued)

Product Name and Code	Illustration	Description
Fabric Base Feed Fascia for Freestanding District (UAELFB)		A 6"h. fabric fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level -Height is nominal, actual sizes are 1/2" less to accommodate a support foot Widths: 36" - 96" in 6" increments Locations: - Left - Right - Centered -See power communications fascias chart for location restrictions Finishes: - Fabric - All standard Teknion panel fabrics
Fascia Clip Kit (UNELK)		Fascia Clips are required to mount clip-mounted fascias to a Convertible Panel Frame -The quantity required varies depending on the size of the panel wall frame -Kits are available in packages of 25 or 100 clips

fascia basics (continued)

The following charts outline the number of clips required for each clip mounted fascia.


Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
29	24	4	2
29	30	4	2
29	36	4	2
29	42	6	3
29	48	6	3
29	54	6	3
29	60	6	3
29	66	8	4
29	72	8	4
29	78	12	6
29	84	12	6
29	90	12	6
29	96	12	6
42	24	6	4
42	30	6	4
42	36	6	4
42	42	9	6
42	48	9	6
42	54	9	6
42	60	9	6
42	66	12	8
42	72	12	8
42	78	18	12
42	84	18	12
42	90	18	12
42	96	18	12

Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
51	24	6	4
51	30	6	4
51	36	6	4
51	42	9	6
51	48	9	6
51	54	9	6
51	60	9	6
51	66	12	8
51	72	12	8
51	78	18	12
51	84	18	12
51	90	18	12
51	96	18	12
66	24	8	6
66	30	8	6
66	36	8	6
66	42	11	8
66	48	11	8
66	54	11	8
66	60	11	8
66	66	16	12
66	72	16	12
66	78	22	16
66	84	22	16
66	90	22	16
66	96	22	16

planning with fascias


The following should be considered when planning with District Fascias.

clip-mounting vs. slot-mounting




Fascias with Clips (“D” style)

- Intended to mount to Flush or Elevated Panels
- The clip on the fascia connects to the clip on the panel wall frame




- Clip mounted fascias can also be mounted to a Convertible panel frame, however fascia clips will have to be installed on the panel wall frame (Fascia Clip Kit UNELK)



Slot Mounted Fascias (“L” style)


- Intended to mount to Convertible Panel Wall frames
- There are no clips on either the fascia or the frame, the fascias mount into the vertical slots of the frame
- Mounting into the slots will not interfere with slot accessibility for mounted storage or supports




- Slot mounted fascias can also be mounted to a Flush or Elevated panel frame, however the existing clips on the frame will not be used

planning with fascias (continued)


fascia widths





- Fascias can span the entire width of a panel wall frame regardless of whether it is made up of one or two frame sections as the fascias sit outside of the frame





- On panel wall frames that are made up of two frame sections (66" or wider) two equally wide fascias can be specified, one mounting to each section




- Fascia widths can be different on opposite sides of a panel, and above and below the 29" high datum as long as they match the datum heights and the width of the panel frame sections




- Two Stretch Fascias span across a three-way connector to conceal the connector to provide a cleaner aesthetic
- A single stretch fascias **cannot** extend over two panel wall frames and the three-way connect, two fascias are required that meet in the middle of the connector





- Fascias above the 29" datum height are typically split to add functionality to a workstation




- Fascias below the 29" datum height are typically split when worksurface height-adjustability is required
- Height-adjustable cantilevers require the vertical slot on a panel wall to be exposed for mounting (see Supports section)



- Fascias above and below the worksurface can be split to achieve specific power/communication locations
- Fascia widths under 42" have cut outs available only in the center of the fascia, and fascia widths over 66" have power available only on the right or left side, so splitting fascias into smaller sizes can provide power closer to the center of the panel wall



- A fascia over 66" wide must span across two equally sized frames
- Clip mounted fascias have specific clip locations that must line up with the locations on the frames
- Slot mounted fascias are often reinforced at the center point of the fascia so require the slots to attach to




planning with fascias (continued)

fascia heights

- District fascias are available in a variety of heights to achieve different looks and levels of functionality
- The 6" and 29"h. are the only fixed rails


all panel heights (except 42"h)

- The 29" h. datum is always exposed




Monolithic aesthetic

- Segmentation only at the 29" datum height




Above worksurface segmentation for added functionality

- If segmentation is required above the 29" h. rail, additional panel wall rails or light block rails are required (ex. above - one additional rail is required at the 51" h. datum)



Below worksurface segmentation for added functionality

- 6" and 29" high horizontal segmentation allows for worksurface and storage mounting




Reconfigurable fascias


- The same fascia can be used above and below the worksurface to add to the reconfigurability of a panel wall (ex. above - a 6" fascia is used at the base of the panel, and between 36" and 42"h.)

42" high panels only

- Monolithic fascias are available for 42" high panels only



- A 41" h. fascia is used on a Flush or Conventional Panel Wall, and covers the 6" and 29" h. fixed rails




- A 35" h. fascia is used on an Elevated Panel Wall, and covers the 29" h. fixed rail


planning with window fascias

The following should be considered when planning with District Window Fascias.


- Window fascias mount into a panel wall frame, they do **not** mount above the frame




- A panel wall frame up to 60" wide is only one frame section so can accommodate a single window fascia



- A panel wall frame 66" wide and wider consists of two frame sections
- It **cannot** accommodate a single window fascia



- Two equally sized windows must be specified, one will fit into each section of the panel wall frame



- If a single span of glass is desired for panels over 60" wide, the window / UNEW_R must be used as it mounts above the frame

planning with power communications fascias on non freestanding panels

Power and Communication Fascia cut outs are available in a variety of locations depending on the size of the fascia. The following chart is an overview of the available locations.

fascias for non freestanding panels

UNECL Solid Power Communications Fascia (Clip Mount)
 UNEIL Solid International Power Communications Fascia (Clip Mount)
 UNELCM Metal Power/Communications Fascia (Slot Mount)
 UNELIM Metal International Power Communications Fascia (Slot Mount)
 UNELCF Tackable Fabric Power/Communications Fascia (Slot Mount)
 UNELIF Tackable Fabric International Power Communications Fascia (Slot Mount)




Horizontal Power/Communication Orientation																Vertical Power/Communications Orientation							
		Fascia Widths														Fascia Heights							
		24	30	36	42	48	54	60	66	72	78	84	90	96		7	13	21	22	27	28	37	
L-Left	All outlet configurations														T top								
R-Right	All outlet configurations														B bottom								
B-Both	All outlet configurations														F flush								
C-Center	2 (2 outlets)																						
	3 (2 outlets and 2 data)																						
	4 (4 outlets)																						
	5 (2 outlets CALA)																						
	6 (4 outlets CALA)																						

planning with power communications fascias on non freestanding panels (continued)

horizontal power/communications orientation

single width




Duplex outlet plus VDM (2)

- UNECL Solid Power Communication Fascia
- UNELCM Metal Power Communication Fascia
- UNELCF Fabric Power Communication Fascia

Cut Out for two outlets (2)

- UNEIL International Solid Power Communication Fascia
- UNELIM International Metal Power Communication Fascia
- UNELIF International Fabric Power Communication Fascia

double width



Cut Out for two outlets and one data/communications (3)

- UNEIL International Solid Power Communication Fascia
- UNELIM International Metal Power Communication Fascia
- UNELIF International Fabric Power Communication Fascia

Cut Out for two duplex outlets plus VDM (4)

- UNECL Solid Power Communication Fascia
- UNELCM Metal Power Communication Fascia
- UNELCF Fabric Power Communication Fascia

CAIA Cut Out for two outlets (5)

- UNEIL International Solid Power Communication Fascia
- UNELIM International Metal Power Communication Fascia
- UNELIF International Fabric Power Communication Fascia


CAIA Cut Outs for four outlets (6)

- UNEIL International Solid Power Communication Fascia
- UNELIM International Metal Power Communication Fascia
- UNELIF International Fabric Power Communication Fascia


planning with power communications fascias on non freestanding panels (continued)

vertical power/communication orientation


top location



bottom location



flush location



- When a power and communications fascia is installed on one side of a panel wall only, certain fascias, certain restrictions apply
- A solid fascia is the only clip mounted fascia that can be used on the opposite side
- All slot mounted fascias can be used on the opposite
- If a segmentation is required above the fascia, a light block rail must be used and it must be rotated 90° to allow more room inside of the panel frame

planning with power communications fascias on freestanding panels

Power and Communication Fascia cut outs are available in a variety of locations depending on the size of the fascia. The following chart is an overview of the available locations.

fascias for freestanding panels and panels with accessory rail

- UAECL Solid Power Communications Fascia (Clip Mount) for Freestanding District
- UAELI Solid International Power Communications Fascia for Freestanding District (Clip Mount)
- UAELCM Metal Power Communications Fascia for Freestanding District (Slot Mount)
- UAELIM Metal International Power Communications Fascia for Freestanding District (Slot Mount)
- UAELCF Tackable Fabric Power Communications Fascia for Freestanding District (Slot Mounted)
- UAELIF Tackable International Fabric Power Communications Fascia for Freestanding District (Slot Mounted)

Horizontal Power/Communication Orientation																Vertical Power/Communications Orientation							
		Fascia Widths														Fascia Heights							
		24	30	36	42	48	54	60	66	72	78	84	90	96		7	13	21	22	27	28	37	
Left (L)	2 (2 outlets), 5 (2 outlets CALA)														Top (T)								
Right (R)	2 (2 outlets), 5 (2 outlets CALA)														Bottom (B)								
Left Center (LC)	2 (2 outlets), 5 (2 outlets CALA)														Flush (F)								
Right Center (RC)	2 (2 outlets), 5 (2 outlets CALA)																						
Left and Right (LR)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)																						
Left Center and Right (CR)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)																						
Right Center and Left (CL)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)																						


	Available
	Not Available

planning with power communications fascias on freestanding panels (continued)

electrical/communication outlet locations

- Careful attention is required when planning with UA_ Power Communication Fascias.
 - The support on the freestanding foot extends from the bottom of the panel to the top, so no electrical can be placed above it
 - The UA_ fascia has additional location options to accommodate this
- The UA_ fascia is not available 24" or 30" wide, when these sizes are required a UN_ power communication fascia must be used
- UN_ fascias can be used in freestanding applications, as long as the cut out location is not over a freestanding foot


fascias 36" - 60"



Left (LL)

Right (RR)


fascias 66" - 96"



Left and Right (LR)

Left Center and Right (LC)


Right Center and Left (RC)




Left Center (LC)

Left Center (RC)

planning with power communications fascias on freestanding panels (continued)




The following are recommended configurations for planning power/communication and support foot locations.




base feed fascias

Base Feed Fascias provide a cut out location for bringing power and communications wires into a workstation. The cut out locations vary depending on the width of the panel frame.



- When a 36\" - 60\" wide fascia is specified the Left and Right cut out will be justified to the outer sides of the fascia



- When a 66\" - 96\" wide fascia is specified the Left and Right cut out will be justified to the center of the frame

power spine

power spine

UNDERSTANDING POWER SPINE	66
FLOOR FLUSH POWER SPINE BASICS	69
POWER SPINE BASICS	70
PLANNING WITH POWER SPINE, TOP TRIMS & SCREENS	74
PLANNING WITH POWER SPINE FASCIAS	75
PLANNING WITH POWER SPINE FASCIA CUT OUTS	80
PLANNING WITH POWER SPINE ELECTRICS	81
PLANNING WITH POWER SPINE LATERAL FLOOR SCREENS	83
PLANNING WITH POWER SPINE LATERAL FLOOR SCREENS WITH RETURN	84
OPEN FRAME BASICS	85
PLANNING WITH OPEN FRAMES	86
SLIDING SCREEN BASICS	87
PLANNING WITH SLIDING SCREENS	88
BRACKET & ANCHOR FOR HEIGHT-ADJUSTABLE TABLE BASICS	89
PLANNING WITH POWER SPINE LATERAL FLOOR SCREEN DATUM HEIGHTS	90
UNDERSTANDING POWER SPINE WORKSURFACE	92
POWER SPINE WORKSURFACE & WORKSURFACE SUPPORT BASICS	93
PLANNING WITH POWER SPINE WORKSURFACE	97
PLANNING WITH POWER SPINE RECTANGLE WORKSURFACE	99
PLANNING WITH POWER SPINE ZIG ZAG PANEL & WORKSURFACE	101
PLANNING WITH POWER SPINE 120 HUB & WORKSURFACE	102
POWER SPINE HISPACE QUICK CONNECT TABLE BASICS	103
PLANNING WITH POWER SPINE HISPACE QUICK CONNECT TABLE	106

understanding power spine

District Power Spine offers a simple and cost effective way to divide space and route power and data. It is available in Linear, Zig Zag and 120 Hub profiles.

linear and floor flush profile

Power Spine provides affordable power delivery, flexible planning and simple to specify linear planning.



zig zag profile

Zig Zag Power Spine provides an unique expression that gives the user the feeling of their own corner or nook.



120 hub profile

This 120° Hub offers privacy for heads down work, while optimizing the space in any office environment.



understanding power spine (continued)

Power Spine is designed to match the style of District although it is not a panel, it is a power spine. It has unique components and uses many components from District to complete a power spine configuration.

The unique components include:

- panel frame
- support kit
- lateral screens
- worksurface kits
- power spine specific to hiSpace tables
- base feed cover

The shared District components include:

- fabric, metal and solid fascias 13", 26", 35" and 41" height only
- top and end trims
- add-on glass, felt and infinity screens
- desk mounted screens
- electrics

It can be planned with Floor Flush Linear, Linear, Zig Zag and 120 Hub configurations.

The Linear, Zig Zag and 120 Hub configurations offer a 15" high opening at the bottom of the panel.

Two frame heights are available for Linear, Zig Zag and 120 Hub:

- 29" (accepts a 13" add-on screens for an overall height of 42")
- 42" (accepts a 9" add-on screens for a maximum overall height of 51")

Floor Flush Power Spine heights are available:

- 29" (accepts a 28" or 22" + 6" base feed fascia)
- 42" (accepts a 41" or 35" + 6" base feed fascia)

Power Spine can be planned for various applications from freestanding height-adjustable tables to fixed worksurfaces to casual lounge environments.

The following typical demonstrate layouts possible with Power Spine.

with height-adjustable tables

Mobile furniture and height-adjustable tables can be placed along the spine to meet task-intensive needs, yet still allow the furniture to be repositioned as needed.



understanding power spine (continued)

with fixed worksurfaces

Semi-suspended worksurfaces combined with floor screens provide a more conventional workstation.



with casual lounge furniture


The spine provides space division and power access in casual environments and open collaborative spaces.



floor flush power spine basics


The Power Spine structure consists of a frame and support kit. End and top trims, fascias, screens and electrical components are added from the District offering.

- Module Widths: 48", 60", 66", 72", 84"
- Overall Widths: 96", 120", 132" 14A", 144", 168", 180", 192", 198", 216", 240", 288", 252", 264" 336"
- Power Spine widths over 240" recommend lateral screens at the ends for support




Floor Flush Power Spine (UNFF)

- Height: 29"
- Compatible with:
 - Standard District Top Trims and End Trims
 - Panel Wall Add-On Screens - Glass
 - Panel Wall Add-On Screens - Felt
- Fascias:
 - 28" high or 22"+ 6" base feed fascia
 - For metal/fabric fascias choose: Frame for Metal/Fabric
 - For solid fascias choose: Frame for Solid Fascia
- Can accommodate semi suspended worksurfaces since the mounting channel at 29" high remains accessible



Floor Flush Inset Power Spine (UYFF)

- Height: 29", 42"
- Compatible with:
 - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
 - District Panel Top Trim for Panels with Inset Smooth Felt
 - Panel Top Trim for Panels with Inset Glass
 - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
 - Smooth Felt Blade for Panels with Inset
- Fascias:
 - 41" high or 35"+6" base feed fascia
 - For metal/fabric fascias choose: Frame for Metal/Fabric
 - For solid fascias choose: Frame for Solid Fascia
- Cannot accommodate worksurfaces on the 29" high frame
 - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
 - 42" high panel



Floor Flush Power Spine Support Kit (UZFF)

- Height: 29", 42"
- Components include:
 - large or medium feet (levelers between if needed)
- Large feet are 18" deep
- Medium feet are 12" deep
- Number of large and medium is dependent on support kit selected. Refer to [chart](#) on price page
- Finishes:
 - Foundation
 - Mica
 - Accent

power spine basics

The Power Spine structure consists of a frame and support kit. End and top trims, fascias, screens and electrical components are added from the District offering.

linear



Power Spines are specified the complete length of the configuration and not as individual modules.

The Support Kit is also specified the complete length so that the proper amount of feet and posts are included.

- Module Widths: 48", 60", 66", 72", 84"


- Overall Widths: 96", 120", 132", 144", 144A", 168", 180", 192", 198", 216", 240", 288", 252", 264", 336"

Power Spine widths over 240" recommend lateral screens at the ends for support.




Power Spine Panel (UNPZ)

- Height: 29"
- Compatible with:
 - Standard District Top and End Trims
 - Panel Wall Add-On Screens - Glass
 - Panel Wall Add-On Screens - Felt
- Can accommodate semi-suspended worksurfaces since the mounting channel at 29" high remains accessible
- Fascias:
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias



Power Spine Inset Panel (UYPZ)

- Height: 29", 42"
- Compatible with:
 - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
 - District Panel Top Trim for Panels with Inset Smooth Felt
 - Panel Top Trim for Panels with Inset Glass
 - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
 - Smooth Felt Blade for Panels with Inset
 - Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)
- Fascias for 29" high
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias
- Fascia for 42" high
 - 26" metal/fabric fascia paired with Frame for Metal/Fabric
 - 26" solid fascia paired with Frame for Solid Fascias
- Cannot accommodate worksurfaces on the 29" high frame
 - 29" and 42" high datum is inaccessible due to the frame structure for inset glass or felt screens



Power Spine Support Kit (UZPK)

- Height: 29", 42"
- Components include:
 - bottom trim
 - leg covers
 - large or medium feet and post feet
- Support Types:
 - no support post
 - with center support post
 - with offset support post
- Large feet are 18" deep
- Medium feet are 12" deep
- The number of large and medium feet is dependent on support kit selected. Refer to [chart](#) on price page
- Finishes:
 - Foundation
 - Mica
 - Accent

power spine basics (continued)




zig zag

Zig Zag Power Spines are specified the complete length of the configuration and not as individual modules. Includes a centralized single post at each junction.

The Support Kit is also specified the complete length so that the proper amount of feet and posts are included.

The Zig Zag spine is offered in spine lengths of three, four or five segments of standard module sizes, where the in line Power Spine is limited to four.

- Standard Height: 29"
- Inset Height: 29", 42"
- Module Widths: 48", 60", 72", 84"
- Overall Widths: 14A, 180", 192", 216", 240", 24A, 252", 288", 300", 336", 360", 420"



Power Spine Zig Zag (UNZZ)

- Height: 29"
- Compatible with:
 - Standard District Top and End Trims
 - Panel Wall Add-On Screens - Glass
 - Panel Wall Add-On Screens - Felt
- Can accommodate semi-suspended worksurfaces since the mounting channel at 29" high remains accessible
- Fascias:
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias

Power Spine Zig Zag Inset Panel (UYZZ)

- Height: 29", 42"
- Compatible with:
 - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
 - District Panel Top Trim for Panels with Inset Smooth Felt
 - Panel Top Trim for Panels with Inset Glass - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
 - Smooth Felt Blade for Panels with Inset
 - Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)
- Fascias for 29" high
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias
- Fascia for 42" high
 - 26" metal/fabric fascia paired with Frame for Metal/Fabric
 - 26" solid fascia paired with Frame for Solid Fascias
- Cannot accommodate worksurfaces on the 29" high frame
 - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
 - 42" high panel

Power Spine Zig Zag Support Kit (UZZK)


- Height: 29", 42"
- Components include:
 - top cap
 - vertical trims
 - connectors
 - gaskets
 - shared feet
 - bottom trims and covers
 - two large feet
 - support feet
 - leg covers
- Large feet are 18" deep
- The number of large and medium feet is dependent on support kit selected. Refer to [chart](#) on price page
- Finishes:
 - Foundation
 - Mica
 - Accent

power spine basics (continued)

120° hub panel


The 120° Hub consists of three panels in a 120° configuration and is specified as a complete frame. The Support Kit is also specified as a complete unit.

- Standard Height: 29"
- Inset Height: 29", 42"
- Module Widths: 48", 60"




Power Spine 120° Hub Panel (UNYH)

- Height: 29"
- Compatible with:
 - Standard District Top and End Trims
 - Panel Wall Add-On Screens - Glass
 - Panel Wall Add-On Screens - Felt
- Can accommodate semi-suspended worksurfaces since mounting channel at 29" high the remains accessible
- 13" fabric or metal fascias are specified with this frame
- Fascias:
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias



Power Spine 120° Hub Inset Panel (UZYH)

- Height: 29", 42"
- Compatible with:
 - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
 - District Panel Top Trim for Panels with Inset Smooth Felt
 - Panel Top Trim for Panels with Inset Glass
 - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
 - Smooth Felt Blade for Panels with Inset
 - Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)
- Fascias for 29" high
 - 13" metal/fabric fascia paired with Frame for Metal/Fabric
 - 13" solid fascia paired with Frame for Solid Fascias
- Fascia for 42" high
 - 26" metal/fabric fascia paired with Frame for Metal/Fabric
 - 26" solid fascia paired with Frame for Solid Fascias
- Cannot accommodate worksurfaces on the 29" high frame
 - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
 - 42" high panel








Power Spine 120° Hub Support Kit (UZYK)

- Height: 29", 42"
- Components include:
 - top cap
 - connectors
 - gaskets
 - central post
 - bottom trims
 - three med feet are 12" deep
- The number of large and medium is dependent on support kit selected (see chart)
- Finishes:
 - Foundation
 - Mica
 - Accent

power spine basics (continued)

The following chart shows the number of panels within a Power Spine span.

POWER SPINE LINEAR		
		
CENTER POST	OFFSET POST	NO POST
120 (two 60" panels) 132 (two 66" panels) 14A (three 48" panels) 144 (two 72" panels) 168 (two 84" panels) 180 (three 60" panels) 192 (four 48" panels) 198 (three 66" panels) 216 (three 72" panels) 240 (four 60" panels) 252 (three 84" panels) 264 (four 66" panels) 288 (four 72" panels) 336 (four 84" panels)	14A (one 48" panel, one 96" panel) 180 (one 60" panel, one 120" panel) 192 (two 48" panels, one 96" panel) 240 (two 60" panels, one 120" panel)	96 (one 96" panel) 120 (one 120" panel) 192 (two 96" panels) 240 (two 120" panels)


FLOOR FLUSH POWER SPINE	POWER SPINE ZIG ZAG	POWER SPINE 120
		
096 (one 96" panels) 120 (two 60" panels) 132 (two 66" panels) 14A (three 48" panels) 144 (two 72" panels) 168 (two 84" panels) 180 (three 60" panels) 192 (four 48" panels) 198 (three 66" panels) 216 (three 72" panels) 240 (four 60" panels) 252 (three 84" panels) 264 (four 66" panels) 288 (four 72" panels) 336 (four 84" panels)	14A (three 48" panels) 180 (three 60" panel) 192 (four 48" panels) 216 (three 72" panels) 240 (four 60" panels) 24A (five 48" panels) 252 (three 84" panels) 288 (four 72" panels) 300 (five 60" panels) 336 (four 84" panels) 360 (five 72" panels) 420 (five 84" panels)	48 (three 48" panels) 60 (three 60" panels)

planning with power spine, top trims & screens


The following should be considered when planning with Power Spine Panels and Panel Spine support kits.

Two frame types are available for Floor Flush, Linear, Zig Zag and Hub Power Spine Panels.


power spine panel



- Accepts a standard top trim
- If an add-on is desired, the top trim is replaced with a standard Panel Wall Add-On Screen – Glass or Felt Screen
- Must be used when semi-suspended worksurfaces are specified to allow access to the horizontal mounting rail




- Accepts add-on screen glass




- Accepts add-on screen felt


power spine inset panel




- Accepts a Panel Top Trim with Inset Glass, Infinity Fabric Blade or Felt
- Inset Panels are compatible with all Top Trim options
- **Cannot** be used when semi-suspended worksurfaces are specified as there is no horizontal mounting rail available



- Accepts panel glass blade



- Accepts panel felt blade



- Accepts infinity blade


End trims, top trims and fascias are specified from the standard District product offering for all Panel Spine types:

- One solid, metal or fabric fascia is required on each side of a module


planning with power spine fascias

The following should be considered when planning with power spine fascias.

linear power spine




Example: 288" Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Power Spine
- Panels 42" high consisting of four 72" wide modules

floor flush power spine




Example: 288" Floor Flush Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Floor Flush Power Spine
- Panels 42" high consisting of four 72" wide modules

planning with power spine fascias (continued)

zig zag spine




Example: 288" Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Power Spine
- Panels 42" high consisting of four 72" wide modules

power spine 120 hub



Example: 288" Power Spine
- Panels 29" high consisting of three 60" wide modules



Example: 288" Power Spine
- Panels 42" high consisting of three 60" wide modules

planning with power spine fascias (continued)

Linear Power Spine frames are available in three configurations.


All support kits have a foot at each end as well as additional feet and support along the length depending on the size and configuration.

no support (N)

Allows for large spans without feet in these conditions:

- When no add-ons are used
- When felt screen add-ons are used


Cannot be used with glass add-on screens.



29" high frame shown

center support (C)

- Used when glass panel add-ons are used
- It provided the additional support required for the glass




29" high frame shown

offset support post (F)


The offset placement allows for less visible support locations on a spine and is used when:

- When no add-ons are used
- When felt screen add-ons are used

Cannot be used with glass add-on screens.




29" high frame shown




42" high frame shown

planning with power spine fascias (continued)


The Floor Flush Power Spine includes two large feet at the ends and levelers or medium feet, depending on the width span chosen.



The Power Spine Zig Zag panel always has a center support.




The Power Spine 120 Hub panel always has a center support.




planning with power spine fascias (continued)


Additional rules also apply when planning with Linear and Floor Flush Power Spine.




Any spine run length can be done as long as there is a support foot every 96".



Any 29" high Power Spine with no center support or offset support must be planned with a Smooth Felt Add-On on top of the Power Spine.



Spine Frame at 29" high with 120", 180" or 240" wide without Felt or Add-on Screens cannot plan with any offset (F) or no support (N) options.



Spine runs with a span of 120" must be planned with a continuous PET Panel Wall Add-On Screens.


Cannot span only a partial width.

Any type of add-on screens should run the entire length of the spine.

planning with power spine fascia cut outs


power/communications fascias

The examples below are shown with Tackable Fabric Power/Communication Fascias (Slot Mount) (UNELCF) shown at 41" height.



base feed fascias

The examples below are shown with Fabric Base Feed Fascia (Slot Mount) (UNELFB) shown at 41" height.



planning with power spine electrics

The following should be considered when planning with power spine electrics.


The Power Spine uses standard District electrics.

The frame includes the following:


- Specific pass through for data cables with a capacity of 12 CAT6A cables (100% fill rate)
- Standard pass-through for power harnesses
- A cut out on the bottom frame to allow a base feed or ceiling feed to be installed in the interior of the frame

The following demonstrates how power enters Floor Flush, Linear, Zig Zag or 120 Hub Power Spines.



ceiling feed




- The liquid cable extends through the cut out in the bottom of the frame, over the foot and into the power pole
- It then routes up to the ceiling




The base feed has a liquid tight cable that extends through the cut out in the bottom of the frame to the floor and remains exposed.



On frame modules 60" wide or wider, both can be placed in the same module.




- On frame modules 48" wide the base feed and power module must be placed in separate frame modules




- 48" wide frame modules cannot accommodate both a base feed and power module, there isn't sufficient space for both

planning with power spine electrics (continued)


Zig Zag and 120 Hub configurations have specific electrical requirements.



- In Power Spine Zig Zag configurations with parallel work surfaces, longer harnesses will be required to make up the distance between power boxes
- Routing multiple harnesses through the connections is not recommended



- In Power Spine Zig Zag configurations with dual perpendicular work surfaces, power access will be limited to one power module for two users
- Parallel planning is best suited for the smaller 48" and 60" modules where Perpendicular planning is better for the larger modules to sufficient back to back space for the users



- When the Power Spine 120 Hub panel modules are 48" wide, the basefeed kit and power box cannot be in the same module
- The base feed will have to be installed on the exterior of the panel



planning with power spine lateral floor screens

The following should be considered when planning with power spine lateral floor screens in linear applications.

Screens are available in the following configurations.



end mount double, handed

- Screens mount to the end of the spine panel run and extent to the mid point of the frame to provide a clean aesthetic on the outside of the workstations
- End Trim is not required on the panel frame in this application




end mount shared, non-handed

- Screen mounts centered on the outside of the panel frame
- End Trim is not required on the panel frame in this application





end mount single, handed

- Screen mounts outside of the panel frame and extends completely across the end of the frame to provide a clean aesthetic to the outside of the workstations in single sided applications



mid spine, handed

- Screen mounts mid run at a location with a support post





planning with power spine lateral floor screens with return

Handedness is determined by where the bracket is on the screen when the user is facing the workstation.



end mount single, with return

- End mount single (ES) Screen mounts outside of the panel frame and extends completely across the end of the frame to provide a clean aesthetic to the outside of the workstations with a return for added privacy





end mount double, with return

- End Mount Double (EB) Screens mount to the end of the spine panel run and extend to the mid point of the frame to provide a clean aesthetic on the outside of the workstations with returns for added privacy
- End Trim is not required on the panel frame in this application





mid spine, with return

- Mid Spine (MS) Screen mounts mid run at a location with a return determined by handedness




mid spine, shared return

- Mid Spine (MS) Screen mounts mid run at a location with shared return for added privacy




open frame basics

The Open Frame add on is compatible with a Linear or Floor Flush 29" high Power Spine panel or District panels at 29" high. This addition creates a 51" high or 57" datum, with adjustable privacy through the use of the sliding screens.



Open Frame 29" High Panel, Standard (UNAF)

- Datum Heights: 51" (22") or 57" (28")
- Widths: 48" - 96" (6" increments)
- Compatible with Standard Power Spine Panels at 29" high:
 - Linear (UNPZ)
 - Floor Flush (UNFF)
- Compatible with District Power Spine Panels at 29" high:
 - District Flush Panel Wall (UNPFR)
 - District Elevated Panel Wall (UNPER)
 - Convertible Panel Wall (UNPC)
- Not compatible with 96" Linear or Floor Flush Power Spine
- Four configurations:
 - Beginning (B)
 - Middle (M)
 - Finish (F)
 - Complete (C)




Open Frame 29" High Panel, Inset (UYAF)

- Datum Heights: 51" (22") or 57" (28")
- Widths: 48" - 96" (6" increments)
- Compatible with Power Spine Inset Panels at 29" high:
 - Linear (UYPZ)
 - Floor Flush (UYFF)
- Compatible with District Inset Panels at 29" high:
 - District Flush Panel Wall with Inset (UYPFR)
 - District Elevated Panel Wall with Inset (UYPER)
 - Convertible Panel Wall with Inset (UYPCR)
- Not compatible with 96" Linear or Floor Flush Power Spine
- Four configurations:
 - Beginning (B)
 - Middle (M)
 - Finish (F)
 - Complete (C)


planning with open frames

The following should be considered when planning with Open Frame.



The Open Frame is available in two heights to have a 51" high datum or 57" high datum.

Open Frame can be specified as a complete frame or linked together to form longer runs.
To create a longer span a combination beginning, middle and finish can be specified.




Complete open frame on a 192" width Floor Flush Power Spine.

Beginning, Middle, Finish in a 180" width Power Spine.

sliding screen basics

The Sliding Screens for Open Frame add flexible privacy feature to the Open Frame.



Sliding Fabric for Open Frame (UNXF)

- Height: 14", 20", 26"
- Width: 23" - 53" (3" increments)
- Not all panel and upholstery fabric are available. For more information, see the *Textiles Program Guide*



Sliding Smooth Felt Screen for Open Frame (UNZF)


- Height: 14", 20", 26"
- Width: 23" - 53" (3" increments)
- Available in all Smooth Felt color options
- Optional Diagonal Pattern on one side

planning with sliding screens

The following should be considered when planning with Sliding Screens for Open Frame.


The Sliding Screens for Open Frame add in the flexible privacy feature to the Open Frame.

The Screens are available in Smooth Felt or Fabric materials.



- The recommended screen sizes for each panel width has an approximate 6" overlap (example: for a 72" wide panel, should have with two dividers at 41" wide)
- The pattern on the Smooth Felt Sliding Screen can be placed on either of the two sliding tracks of an Open Frame and can be adjusted on site


Sliding Screen is available with a diagonal pattern.



Diagonal


bracket & anchor for height-adjustable table basics

Height-Adjustable Tables tether to a lateral screen with the use of the Bracket or Anchor.



Anchor for Height-Adjustable Table (UZAS)

- An anchor to tether a hiSpace/Navigate Height-Adjustable Table to the return of a lateral screen
- Anchor Options:
 - hiSpace (H)
 - hiSpace Slide (S)
 - hiSpace (6" frame reduction) (F)
 - hiSpace Slide (6" frame reduction) (G)
 - Navigate (N)
- Installed on-site
- Not compatible with worksurfaces with desk-mounted screens



Bracket for Height-Adjustable Table (UZBS)


- A bracket to tether a hiSpace/Navigate Height-Adjustable Table to a lateral screen from the foot of the table
- Bracket Options:
 - hiSpace (H)
 - hiSpace Slide (S)
 - hiSpace Round Leg (R)
 - Navigate 23" Depth/ 29" Depth (N)
 - Navigate 35" Depth (P)
- Installed on-site
- Not compatible with worksurfaces with desk-mounted screens

planning with power spine lateral floor screens datum heights

- Lateral screens are available with two datum height options for the glass:
 - from 29"
 - from 42"
- Can be used on either Power Spine Panel or Power Spine Inset Panel with inset glass depending on the application

29" high panel walls


- Panel Wall Add-On Screen - Glass has a 2" high metal frame bringing the glass datum height to 31" high when mounted to a panel
- It is recommended that the 31" glass option be selected for the Lateral Screen so that the datum heights align




Recommended Lateral Screen: 31" high solid with 11" glass.

29" and 42" high power spine with panel glass blade for panels with inset glass

- Inset Panel Wall Add-On Screen - Glass has no metal frame so the datum height remains at 29" or 42" high when mounted to a panel
- It is recommended that the 29" glass option be selected for the Lateral Screen when used with the 29" high panel and 42" high glass option be selected when used with the 42" high option




Recommended Lateral Screen: 29" high solid with 13" glass.




Recommended Lateral Screen: 42" high solid with 9" glass.

Two height options can be used in single sided applications with Add-On Screens on 29" high panels depending on the desired aesthetic.



Lateral screen with 31" high solid and glass above:

- the solid part of the screen and the solid part of the glass add-on trim will align




Lateral screen with 29" high solid and glass above:

- the solid part of the screen and the top of the panel will align


planning with power spine lateral floor screens datum heights (continued)

mid run applications



- In mid run applications it is recommended that the 29" high lateral screen with glass above be used
- This aligns the solid portion of the lateral screen or with the top of the panel frame eliminating unnecessary height changes and gaps

42" high panel walls




Only one option is available for adding glass to a 42" high panel

- Inset Glass Screen (the glass is inset, so no trim is visible, the datum height remains at 42")

Lateral Floor Screens provide support to panels when

- The maximum number of panel sections is four and the overall length does not exceed 192" (ex. 4 x 48" sections = 192")
- Reminder: panels over 60" wide consist of two panel sections, so 2 x 48" wide sections is the equivalent of 1 x 96" wide panel
- The maximum number of panels sections is three when 60" wide panels are used and the overall length does not exceed 180" (ex. 3 x 60" sections = 180")
- Panel heights do not exceed 51" high



understanding power spine workspace

District Power Spine provides a variety of workspaces and workspace support bundles for Floor Flush, Linear and 120 planning. The following outlines the features of District Power Spine workspaces and Workspace Support bundles.

District Workspaces for Power Spine Panels are available in a variety of styles for both height-adjustable and fixed applications.

rectangular



Rectangular workspaces can be applied in Floor Flush, Linear and Zig Zag Perpendicular and Parallel planning.

dual angled and 120 angled



Angled workspaces can be applied in Zig Zag Perpendicular and 120 Hub planning.

parallelogram



Parallelogram workspaces can be applied in Zig Zag Perpendicular and 120 Hub planning.


120 hub



120 Hub Workspaces can be applied 120 Hub planning.


power spine worksurface & worksurface support basics

The Rectangular Worksurface and Support bundle is used in Floor Flush, Linear and Zig Zag applications.




Finishes:

- Worksurface Finishes:
 - Foundation Laminate
 - Flintwood
 - Natural Veneer
- Grommet Finishes
 - Storm White
 - Espresso
 - Platinum
 - Very White
- Support Finishes:
 - Foundation Colors
 - Mica Colors
 - Accent Colors



Power Spine Rectangle Worksurface (UZWE)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66" 72"
- Edge:
 - (8) Flat
 - (H) Full Knife
- Optional grommets
- Applications:
 - (A) Freestanding - four legs
 - (B) Perpendicular (panel mounted) - two legs



Power Spine Rectangular Worksurface Support Bundle (UZWC)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Leg Type:
 - (L) Standard Leg
- Includes legs, mounting brackets and reinforcement channels depending on application
- Applications:
 - (A) Freestanding - four legs
 - (B) Perpendicular - two legs, two brackets


power spine worksurface and worksurface support basics (continued)

The Parallelogram Worksurface and Support Bundle for Zig Zag and 120 Hub planning for semi-supported applications.




Finishes:

- Worksurface Finishes:
 - Foundation Laminate
 - Flintwood
 - Natural Veneer
- Grommet Finishes
 - Storm White
 - Espresso
 - Platinum
 - Very White
- Support Finishes:
 - Foundation Colors
 - Mica Colors
 - Accent Colors



Power Spine Parallelogram Worksurface (UZWP)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Edge:
 - (F) Flat
 - (H) Full Knife
- Optional grommets
- Handedness:
 - (LH) Left Hand
 - (RH) Right Hand
- Applications:
 - (A) Freestanding - four legs
 - (C) Perpendicular - two legs
 - (D) Parallel - one legs



Power Spine Parallelogram Worksurface Support Bundle (UZWK)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Handedness:
 - (LH) Left
 - (RH) Right
- Leg Type:
 - (C) Standard Leg for Curved Radius
- Applications:
 - (A) Freestanding - four legs
 - (C) Parallel - two legs, two brackets
 - (D) Perpendicular - one legs, three brackets


power spine worksurface and worksurface support basics (continued)

The Dual 120 Angled Worksurface and Support Bundle for 120 Zig Zag Perpendicular planning for semi-supported applications.




Finishes:

- **Worksurface Finishes:**
 - Foundation Laminate
 - Flintwood
 - Natural Veneer
- **Grommet Finishes:**
 - Storm White
 - Espresso
 - Platinum
 - Very White
- **Support Finishes:**
 - Foundation Colors
 - Mica Colors
 - Accent Colors




Power Spine Dual 120 Angled Worksurface (UZWD)

- Depths: 48", 60"
- Widths: 48", 54", 60", 66", 72"
- Edge:
 - (8) Flat
- Optional grommets
- Applications:
 - Perpendicular - two legs
- Includes two angled worksurfaces




Power Spine Dual Angled Worksurface Support Bundle (UZDK)

- Used with the Power Spine Rectangle Worksurface
- Depths: 48", 60"
- Widths: 48", 54", 60", 66", 72"
- Leg Type:
 - (L) Standard Leg
- Applications:
 - (B) Perpendicular - two legs, two brackets



Power Spine Angled Worksurface (UZWA)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Edge:
 - (8) Flat
 - (H) Full Knife
- Optional grommets
- Handedness:
 - (LH) Left Hand
 - (RH) Right Hand
- Applications:
 - (B) Perpendicular - two legs
 - (D) Parallel - one leg



Power Spine Angled Worksurface Support Bundle (UZWB)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Handedness:
 - (LH) Left
 - (RH) Right
- Leg Type:
 - (L) Standard Leg
- Applications:
 - (B) Perpendicular - two legs, two brackets
 - (D) Parallel - one leg, three brackets
- Leg Type:
 - (L) Standard Leg
- Applications:
 - (B) Perpendicular - two legs, two brackets
 - (D) Parallel - one leg, three brackets


power spine worksurface and worksurface support basics (continued)

120 Hub Corner Worksurface to be supported by two legs and three brackets.




Finishes:

- Worksurface Finishes:
 - Foundation Laminate
 - Flintwood
 - Natural Veneer
- Grommet Finishes
 - Storm White
 - Espresso
 - Platinum
 - Very White
- Support Finishes:
 - Foundation Colors
 - Mica Colors
 - Accent Colors



Power Spine 120 Hub Worksurface (UZWT)

- Depths: 24", 30"
- Widths: 48", 60"
- Edge:
 - (8) Flat
 - (H) Full Knife
- Optional grommets
- Applications:
 - (E) Semi-Supported - two legs



Power Spine 120 Hub Worksurface Support Bundle (UZWW)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 60"
- Leg Type:
 - (L) Standard Leg
- Applications:
 - (E) Semi-Supported - two legs

planning with power spine worksurface

The following should be considered when planning with Power Spine Worksurfaces.

The support configuration for fixed worksurfaces varies depending on the worksurface style and mounting condition.

freestanding planning



4x legs on all corners.

perpendicular applications



- Two legs on one end of the worksurface
- Two brackets on the opposite end (attached to powerspine)

parallel applications



- Two legs on the front side of the worksurface
- Two brackets on the panel side (attached to powerspine)

parallel and 120 hub applications



- One leg on the corner of the worksurface
- Three brackets on the panel side (attached to powerspine)

Knife Edges on worksurfaces will vary depending on the worksurface type and application.

rectangular, angled and parallelogram


120 hub



Four knife edges





Three knife edges




Three knife edges

Parallelogram worksurfaces **cannot** be used for perpendicular planning. Angled Worksurfaces should be used.



Parallelogram worksurfaces have radiused corners, the amount is determined by the application.

four legs (freestanding)



All corners are radiused.

two legs and two brackets



Two corners are radiused.

one leg and three brackets




Two corners are radiused.


planning with power spine worksurface (continued)

The depth and width of Angled and Parallelogram worksurfaces is determined by the following:

- The nominal depth is the distance from the user edge to the face of the panel
- The nominal width matches the width of the panel that the worksurface sits in front of




All Angled, Parallelogram and 120 Hub Semi-Suspended Worksurfaces follow the District worksurface protocol and have a 1" gap on all panel facing sides.




Angled and Parallelogram worksurfaces are handed.


- The handedness is determined by the location of the acute angled corner from the user's perspective




Left Handed



Right Handed



Left Handed




Right Handed


The 120 Hub Worksurface has slight differences depending on whether it's use fixed or height adjustable.

- The width on height-adjustable surfaces is 1" less on each side
- The grommet locations are different:
 - The fixed worksurface grommets are inset 6-2/5" on center
 - The height-adjustable worksurface grommets are inset 3-2/5"

fixed




height-adjustable




planning with power spine rectangle worksurface


The following should be considered when planning with rectangular worksurfaces and support kits in linear applications.




Worksurfaces mount perpendicular to the Power Spine Panel.



Worksurfaces **cannot** be mounted parallel to the panels.



Worksurfaces **cannot** be used as a return worksurface.




Off module planning


- For 48" and 60" frame modules, worksurfaces **cannot** be planned off module.

planning with power spine rectangle worksurface (continued)

When planning with lateral screens and semi-suspended worksurfaces the screens can be planned in two ways:



- Attached to the panel and not the worksurface
- a foot is required on screens 48" wide or wider
- Semi-suspended worksurfaces **cannot** be used with 42" high panels
- Semi-suspended worksurfaces **cannot** be used with inset panels




- The worksurface mounted screen has fixed bracket locations, the width of the screen must be equal to or smaller than the width of the worksurface
- Not designed to support the worksurface

planning with power spine zig zag panel & worksurfaces


The following should be considered when planning with Zig Zag worksurfaces and support kits in linear applications.

Zig Zag Power Spine panels can accept a variety of worksurface types.


single parallelogram worksurfaces



single rectangular worksurfaces




single and dual angled worksurfaces



The recommended worksurface size is 72".



single and dual rectangular worksurfaces




The recommended worksurface size is 72".

Recommended worksurface sizes for Perpendicular Planning Power Spine Zig Zag Panels is 72" wide.

The following recommendations are not recommended.



Not optimal use of space, only if freestanding desks required.




planning with power spine 120 hub & worksurfaces

The following should be considered when planning with 120 Hub Worksurfaces and support kits in linear applications.


120 Hub Power Spine panels can accept a variety of worksurface types.

angled worksurfaces



Planning with Angled Worksurface Semi-Suspended only.


120 hub worksurfaces




Planning with Classic Hub Worksurface Height-Adjustable, Semi-Suspended.

Acceptable Planning (with some drawbacks).

rectangular worksurfaces



Rectangular - Semi Suspended or Freestanding limits legs space.




Rectangular Height-Adjustable, or Freestanding create gaps between Worksurface and Powerspine.

power spine hispace quick connect table basics

Quick Connect Tables can be easily integrated into Power Spine configurations.

The Power Spine Quick Connect Table has all of the same features as the Quick Connect Tables that are available in Complements: *Teknion's Ergonomics & Accessories Program*.


rectangular



Finishes:


- Worksurface Finishes:
 - Foundation Laminate
- Base Finish:
 - Ebony
 - Platinum
 - Very White
- Connection Kit Finish:
 - Ebony
 - Platinum
 - Very White

- Bases and tops are ordered separately and must be the same size
- Depths: 23", 29"
- Widths: 52" 58" 64", 70"
- Orientations:
 - Spine Front and Centered for parallel (C) (only available for 52" wide)
 - Spine Left for Perpendicular (L)
 - Spine Right for Perpendicular (R)
- Base Mechanisms:
 - Extended electric (22.6" - 48.7")
- All configurations allow for desk edge screens
- Same Kit of Parts can adjust to fit all planning applications for:
 - Perpendicular, Frame Inset Left
 - Perpendicular, Frame Inset Right
 - Parallel, Frame Centered



hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSZ)

- Switch:
 - Display with Up/Down Memory
 - Toggle Display with Memory
- Power PAK: Cable Organizer with Felt Cover
- Wire Management:
 - None
 - Vertical Wire Carrier



Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBZ)

- Grommet Style:
 - None
 - Round (2.75" Diameter)
 - Rectangular (Diamond Shaped Cutout)
- Cut Out Location: None, Center
- Edge Trim:
 - Flat Trim
 - Straight Trim
 - Bullnose Trim


power spine hispace quick connect table basics (continued)

parallelogram




Finishes:

- Worksurface Finishes:
 - Foundation Laminate
- Base Finish:
 - Ebony
 - Platinum
 - Very White



hiSpace Quick Connect Parallelogram Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSB)

- Base Mechanism:
 - (9E) Extended Electric (22.6" - 48.7")
- Depth:
 - 23", 29"
- Width:
 - 60", 72"
- Handedness:
 - Left hand
 - Right hand
- Switch:
 - Display with Up /Down Memory
 - Toggle Display with Memory
- Power PAK:
 - None
 - Cable Organizer with Felt Cover
- Wire Management:
 - None
 - Vertical Wire Carrier



Parallelogram Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (UZWP)

- Base Mechanism:
 - (9E) Extended Electric (22.6" - 48.7")
- Depth:
 - 23", 29"
- Width:
 - 60", 72"
- Handedness:
 - (LH) Left hand
 - (RH) Right Hand
- Grommet Style:
 - None
 - Round (.75" Diameter)
- Cut Out Location:
 - None
- Corner Condition:
 - (A) Four Radius Corners
- Edge Trim:
 - Flat Trim
 - Straight Trim
 - Bullnose Trim
 - Full Knife Trim


power spine hispace quick connect table basics (continued)

120 hub




Finishes:

- Worksurface Finishes:
 - Foundation Laminate
- Base Finish:
 - Ebony
 - Platinum
 - Very White



hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine (YST)

- Base Mechanism:
 - (9E) Extended Electric (22.6" - 48.7")
- Depth:
 - 23", 29"
- Width:
 - 46", 58"
- Switch:
 - Display with Up/Down Memory
 - Toggle Display with Memory
- Under Surface Cable Management:
 - None
 - Cable Organizer with Felt Cover
 - Dual Plastic Tray
- Wire Management:
 - None
 - Vertical Wire Carrier




120 Hub Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBT)


- Base Mechanism:
 - (9E) Extended Electric (22.6" - 48.7")
- Depth:
 - 23", 29"
- Width:
 - 46", 58"
- Grommet Style:
 - None
 - Round (.75" Diameter)
- Cut Out Location:
 - None
 - Center
 - Left
 - Right
 - Left and Right
 - Center and Left
 - Center Right
 - Center, Left and Right
- Edge Trim:
 - Flat Trim
 - Straight Trim
 - Bullnose Trim
 - Full Knife Trim

planning with power spine hispace quick connect table


The following should be considered when planning with Power Spine hiSpace Quick Connect Height-Adjustable Freestanding Table.



- The leg of the hiSpace Quick Connect base can be repositioned to allow for reconfiguration
- It can be adjusted up to 3", to allow approximately 7" overhang on the worksurface




Adjusting the leg position will also create a 9" leg clearance to avoid interference with the power spine panel leg.




Regardless of the leg position, edge mounted screens will always fit.

planning with power spine hispace quick connect table (continued)

The following should be considered when planning with Power Spine three legged and Parallelogram hiSpace Quick Connect Height-Adjustable Freestanding Tables.



Under surface Cable Manager not available on 46" width.



Under surface Cable Manager (YSB) not available on 60" width.

screens

screens

- UNDERSTANDING SCREENS110
- DESK EDGE SCREEN BASICS.112
- PLANNING WITH DESK EDGE SCREENS117
- DESKTOP LATERAL SCREEN BASICS134
- DESK TOP SCREEN BASICS137
- MODESTY SCREEN BASICS138
- PLANNING WITH MODESTY SCREENS139
- FLOOR SCREEN BASICS140
- PLANNING WITH FLOOR SCREENS141
- STORAGE SCREEN BASICS142
- PLANNING WITH STORAGE SCREENS143
- STORAGE SCREEN TYPICALS.144
- LATERAL FLOOR SCREENS BASICS145
- LATERAL FLOOR SCREENS WITH RETURN BASICS146
- PLANNING WITH END MOUNT LATERAL SCREENS147
- GALLERY SCREEN BASICS150
- GALLERY SCREEN WITH RETURNS BASICS.151
- GALLERY SCREEN WITH SHARED RETURNS BASICS152
- PLANNING WITH GALLERY SCREENS.153
- PANEL WALL ADD-ON SCREEN BASICS155
- PLANNING WITH WALL PANEL ADD-ON SCREENS156
- GLASS BLADES FOR PANELS WITH INSET BASICS158
- PLANNING WITH GLASS BLADES FOR PANELS WITH INSET.159
- BLADES FOR PANELS WITH INSET BASICS162


understanding screens

District provides a variety of screens for space division in panel wall and freestanding applications. They provide visual and territorial privacy and a lighter aesthetic than a panel wall in areas where shielded wire management is not required.

desk edge screens


Desk Edge Screens are available in five styles:

- Solid and Glass
- Infinity fabric, straight and curved
- Framed fabric
- Smooth Felt
- Desk Edge Screen with Glass




Solid and Glass Desk Edge Screens

- Mounts on- or off-module to the edge of single return worksurfaces
- Provides privacy at 42", 51" and 57" heights
- Available in glass at two modesty heights




Infinity Desk Edge Screens, Desk Edge Floor Screens and Side Desk Edge Screens

- Attaches to worksurfaces to provide a lightweight, thin upholstered fabric screen
- Provides privacy at 42", 51" and 57" heights
- Provides a softer curvilinear aesthetic
- Creates space division and local desktop privacy at various heights




Framed Fabric Desk Edge Screens, Desk Edge Floor Screens and Side Desk Edge Screens

- Attaches to worksurfaces to provide an upholstered fabric screen
- Provides privacy at 42", 51" and 57" heights
- Is outlined by a frame
- Creates space division and local desktop privacy at various heights above and below the worksurface



Smooth Felt Desk Edge Screens


- Attaches to worksurface to provide privacy
- Create space division at 42" and 51" heights
- A Smooth Felt Screen with an lightweight aesthetics
- Available in Complements: *Teknion's Ergonomics & Accessories Program*



Desk Edge Screen with Glass


- A screen that is solid at the bottom and glass at the top
- 42", 51" and 57" heights with options for glass starting from desk height

understanding screens (continued)




lateral screens

- Desktop Lateral screens attach to a worksurface to provide lateral space division
- Metal finish screens provides privacy at 51" high and other finishes provide privacy at 42", 51" and 57" heights
- Available in a variety of finishes:
 - Glass
 - Writable glass
 - Laminate
 - Writable laminate
 - Fabric
 - Metal
 - Smooth Felt




floor screens

- Floor Screens provide complete privacy by mounting on- or off-module to the back of a worksurface and extending to the floor
- Provides privacy at 42", 51" and 57" heights



gallery screens

- Gallery Screens provide complete privacy and architecture look by mounting to the panels with invisible brackets
- Provide Privacy at 42", 51" and 57" heights
- Solid Screen in a variety of finishes:
 - Foundation Laminate
 - Flintwood
 - Veneer
- Glass available in Clear or Frost finishes




panel wall add-on screens

- Panel Wall Add-On Screens provide light, frameless privacy by mounting on- or off-module to a panel wall and offer an alternative to high panels with windows


desk edge screen basics

Desk Edge Screens can be used on Freestanding or Panel Mounted Worksurfaces to provide visual privacy.

desk edge screens




Desk Edge Screen - Full-Height Glass shown



Desk Edge Screen (UNSDE)


- Heights:
 - 13" for a 42" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
 - Source Laminate
 - Flintwood
 - Natural Veneer



Desk Edge Screen – Glass (UNSDEG)


- Heights:
 - 13" for a 42" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
 - Glass

full-height desk edge screens



Desk Edge Screen – Full-Height (UNSFDE)

- Heights:
 - 13" (Overall height 30.4") to provide a 42" datum
 - 22" (Overall height 37") to provide a 51" datum
 - 28" (Overall height 43") to provide a 57" datum
- Widths: 23" to 96" in 1" increments
- Modesty Base Heights:
 - 15" Modesty
- Finishes:
 - Source Laminate
 - Flintwood
 - Natural Veneer




Desk Edge Screen – Full-Height Glass (UNSFDEG)

- Heights:
 - 13" to provide a 42" datum
 - 22" to provide a 51" datum
 - 28" to provide a 57" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
 - 10mm thick etched tempered glass
 - Standard Frost


desk edge screen basics (continued)

infinity screens




Quilted Infinity Desk Edge Screen shown

- Infinity Screen Features:
 - Radius corners
 - Casual and continuous corner applications
 - 1/2" thickness
 - Non-tackable
- Available in select panel and upholstery fabric, refer to the *Teknion Textiles Program Guide*




Infinity Curved Desk Edge Screen (GXCD)

- Depths: 20"
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Widths: 24" to 60" in 6" increments
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
- Wire Manager is available




Infinity Desk Edge Screen (GXDD)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
 - 6" Elevated
- Wire Manager is available




Quilted Infinity Desk Edge Screen (QDDE)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Widths: 36" to 72" in 6" increments
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
- Two Quilted Patterns:
 - Diode
 - Pico
- Wire Manager is available




Infinity Side Desk Edge Screen (GXSD)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Widths: 18" to 36" in 6" increments
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
 - 6" Elevated



Infinity Desk Edge Floor Screen (GXFD)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Height: 1" Floor



Infinity Side Desk Edge Floor Screen (GXSD)

- Depths: 24", 30", and 36"
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Modesty Base Height: 1" Floor




Infinity Screen Alignment Clip (GXCC)

- Used to clip Infinity screens together in side-by-side applications

desk edge screen basics (continued)


framed fabric screens

Framed Fabric Desk Edge Floor Screen shown




Framed Fabric Desk Edge Screen shown

- Framed Fabric Screen Features:
 - Square corners
 - 1" thickness
 - Tight fit corner applications
 - Tackable
- Available in select panel and upholstery fabric, refer to the *Teknion Textiles Program Guide*




Framed Fabric Desk Edge Screen (GYDD)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
 - 6" Elevated (not available at 57" datum)




Framed Fabric Side Desk Edge Screen (GYSD)

- Depths: 18" to 36" in 6" increments
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Modesty Base Heights:
 - 23" Partial Modesty
 - 15" Modesty
 - 6" Elevated (not available at 57" datum)



Framed Fabric Desk Edge Floor Screen (GYFD)

- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Height: 1" Floor




Framed Fabric Side Desk Edge Floor Screen (GYED)

- Depths: 18" to 36" in 6" increments
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Modesty Base Height: 1" Floor


desk edge screen basics (continued)

smooth felt desk edge screens




Smooth Felt Desk Edge and
Side Desk Edge Screen shown


The Smooth Felt Screens can be used on District worksurfaces.
They are available in Complements: *Teknion's Ergonomics & Accessories Program*.




Smooth Felt Desk Edge Screen (GZDH)



Smooth Felt Side Desk Edge Screen (GZSH)




Smooth Felt Square Corner Desk Edge Screen (GZBH)



Smooth Felt Curved Radius Desk Edge Screen (GZCH)

desk edge screen basics (continued)


desk edge screens with glass



Finishes:

- Screen:
 - Source Laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Glass Options:
 - Clear
 - Frosted
- Hardware:
 - Foundation
 - Mica
 - Accent

- A screen that is solid at the bottom with glass at the top
- Two options are available:
 - Desk Edge Screen with Glass, Floor Height
 - Desk Edge Screen with Glass, Floor Height, Inset
- Designed to align with both standard panel glass add-on and inset glass blades




Desk Edge Screen with Glass (GVGD)

- Heights:
 - 31" Solid with 11" Glass to provide a 42" datum
 - 29" Solid with 13" Glass to provide a 42" inset datum
 - 44" Solid with 7" Glass to provide a 51" datum
 - 31" Solid with 20" Glass to provide a 51" datum
 - 42" Solid with 9" Glass to provide a 51" inset datum
 - 29" Solid with 22" Glass to provide a 51" inset datum
 - 44" Solid with 13" Glass to provide a 57" datum
 - 42" Solid with 15" Glass to provide a 57" inset datum
- Widths: 48" to 96" in 6" increments
- Modesty Base Height: 1" Floor

planning with desk edge screens


The following should be considered when planning with Desk Edge Screens.

Desk Edge Screens have restrictions depending on whether they are being used in panel mounted or freestanding applications.




Panel Mounted Worksurface

Desk Edge Screens can be mounted to the worksurface with no restrictions.




Freestanding Workstations with a Worksurface Return

Desk Edge Screens can be mounted to the worksurface return with no restrictions, the return surface provides adequate support.



Freestanding Table without a Worksurface Return

Desk Edge Screens can be mounted if the worksurface is 30" deep or more. It **cannot** be mounted on a 24" deep worksurface.



Desk Edge Screens mount on or off-module to the back or return edge of a worksurface to provide full width or casual fit with controlled gaps.




On-Module




Off-Module

- Desk Edge Screens can be used on height adjustable tables
- Full Height Solid Desk Edge Screens **cannot** be used due to interference when the table is lowered




- A Solid Desk Edge Screen **cannot** be used in combination with a Modesty Panel, the brackets will interfere



planning with desk edge screens (continued)


solid and glass desk edge screens

Desk Edge Screens provides visual privacy above desk height to a 42" datum with minimal modesty privacy below.





Desk Edge Screens extend 6" below the worksurface to provide minimal modesty privacy.

Desk Edge Screen – Full-Height (UNSFDE) provides visual privacy above and additional modesty privacy below.




Desk Edge Screens – Full Height extend 13" below the worksurface to provide additional modesty privacy.


The Desk Edge Screen – Full Height (UNSFDE) can only be used on worksurfaces 30" and 36" deep when used in freestanding applications.




The Desk Edge Screen – Full Height (UNSFDE) can be used on all worksurface depths when worksurfaces are semi-suspended in panel wall applications.




Solid and Glass Desk Edge Screens **cannot** be used on the side of a worksurface due to interference from storage and supports.



pedestal supported




leg supported








gable supported

planning with desk edge screens (continued)

The Desk Edge Screen (UNSD/ UNSDEG) is mounted with a 1" cable management gap from the surface.



The Desk Edge Screen – Full-Height (UNSFDE/ UNSFDG) provides the 1" cable management gap.




The desk edge screen extends 6" below the worksurface providing a 2" clearance above a credenza.

The full height desk edge screen extends 15" (UNSFDE) or 17 2/5" (UNSFDEG) below the worksurface provides no clearance over a low credenza.

planning with desk edge screens (continued)


infinity screens

The following applications are available when planning with infinity screens.




Desk Edge Screen Side Desk Edge Screen Curved Desk Edge Screen Desk Edge Floor Screen Side Desk Edge Floor Screen

Infinity Desk Edge Screens can be attached to worksurfaces in the following applications:




Worksurface attached to panel Worksurface attached to low storage Worksurface attached to high storage with width restrictions Worksurface attached to the side of storage

The following are all of the possible datum and modesty heights for Desk Edge Screens.
Refer to each individual screen for the list of specific heights available for that screen.



There are two types of patterns available when planning with the Quilted Infinity Desk Edge Screens:




Pico Diode

planning with desk edge screens (continued)


Infinity Screen widths are nominal.

- The actual width is 1/4" less on each side



When two screens are planned side by side, there will be a 1/2" gap between the two screens.

- Screen Alignment Clips (GXCC) are used to align the two parallel screens




Infinity screens have no physical connection at corners. They are a casual fit.




Infinity Desk Edge Screens offer an optional wire manager that accompanies the bracket connection.

- The gap will always be 1/2"
- A continuous trough allows for cable management
- The trough can accommodate a Power Rod (YEPD) or Power Bar (YEPS). Available in Complements: *Teknion's Ergonomics & Accessories Program*
- When planning with integrated height-adjustable tables, the wire manager should not be specified due to interference with storage below




planning with desk edge screens (continued)

Curved Infinity Screens (GXCD) can be used with Rectangle with Radius Corners Worksurface (UNWC).




Two types of radius corner worksurfaces are available:


- rectangular with two radius corners
- rectangular with four radius corners




Rectangle with Radius Corners
Worksurface (UNWC) - two radius



Rectangle with Radius Corners
Worksurface (UNWC) - four radius




Two Radius Corners is suitable when the worksurface needs to be terminated with square corners or when joined with a return worksurface.



Four Radius Corners is suitable when a radius is desired on all corners of the surface and no other furniture is being planned against it.

For more information on Rectangle with Radius Corners Worksurfaces (UNWC), see *Worksurfaces* section for more details.


The following leg styles can be used with Rectangle with Radius Corners Worksurfaces:



Interpret Leg
(WWSWN)



upStage Leg
(HTWD)




Leverage Leg
(KLP1, KLP2,
KLP3 and KLP4)

planning with desk edge screens (continued)


When planning a curved infinity screen with a District low credenza, the 23" h. modesty version must be used.

- The brackets on a 15"h. modesty will interfere with the credenza



When Infinity Curved Desk Edge Screens are specified with credenza, screen needs to stop short of the edge of the desk when used with two worksurface supports depending on storage depth. For example, if 16" deep Credenza is specified, the screen must stop 16" from the edge of worksurface.


If Screen is justified to storage side with dual supports, Infinity Curved Desk Edge Screens with 30" to 60" width has to be specified.



This application works with 23" modesty only.


If Infinity Curved Desk Edge Screen is justified to storage side with single support, any of the 24" to 60" wide screens can be specified.

When planning with a curved screen that almost fits the full width of the worksurface and the open end is facing the outside, it must stop a minimum of 4" from the edge to avoid post leg interferences.




planning with desk edge screens (continued)





When planning with Infinity Desk Edge Screens with Rectangle with Radius Corners Worksurfaces, it is recommended to specify screens 6" less than the worksurface.



Infinity Curved Desk Edge Screen and Infinity Desk Edge Screen can be planned side-by-side





Infinity Desk Edge Screen with partial modesty (23") can be planned over low storage. With lower modesty heights (6", 15" and 19"), the screen must sit outside of the low storage to avoid interferences. Screens with 19" modesty heights are available in *Complements: Teknion's Ergonomics & Accessories Program*.





planning with desk edge screens (continued)

When planning with high storage, Infinity desk Edge Screen must stop short of storage as brackets will not be able to attach between storage and worksurface. The high storage should be specified to have open storage instead of drawers under the worksurface due to interference with the brackets.




When planning an infinity desk edge screen perpendicular to a panel wall, the screen should extend to the panel wall to hide the 1" wire gap on the worksurface.

- It is not recommended that the screen extend past the end of the panel




planning with desk edge screens (continued)


The following outlines the gables and legs that can be used with an infinity side desk edge screen.



Infinity Side Desk Edge Screens can be planned in panel or to create corridor privacy on the end of return desks




The screen provides additional privacy when used on the end of a worksurface in a panel environment.



The screen provides corridor privacy in a non-panel environment.

When planning with a low credenza, an infinity side desk edge screen can be used on the storage side.


- The screen must attach to the surface so that it sits outside of the credenza



Low
Credenza

planning with desk edge screens (continued)

18" deep Infinity Side Desk Edge Screens (GXSD) and Infinity Side Desk Edge Floor Screens (GXED) have re-positionable brackets, allowing these screens to be planned on either side of the worksurface.



Infinity Side Desk Edge Screens can be planned at both partial and full depth.


All screens can be planned with 24"-36" deep worksurfaces. Due to leg interference issues, this screen **cannot** be attached to 18" deep worksurfaces. An 18" side desk edge screen can be placed on a 23"/24" deep worksurface as a partial fit.




18" deep worksurface with
18" deep Infinity Side Desk Edge
Screen (GXSD)



24" deep worksurface with
24" deep Infinity Side Desk Edge
Screen (GXSD)



24" deep worksurface with
18" deep Infinity Side Desk Edge
Screen (GXSD)




30" deep worksurface with
24" deep Infinity Side Desk Edge
Screen (GXSD)


planning with desk edge screens (continued)

framed fabric screens


The following applications are available when planning with framed fabric screens.




Desk Edge Screen



Side Desk Edge Screen




Desk Edge Floor Screen




Side Desk Edge Floor Screen


Framed Fabric Desk Edge Screens can be attached to worksurfaces in the following applications:




Worksurface attached to panel



Worksurface attached to low storage




Worksurface attached to high storage with width restrictions



Worksurface attached to side of storage

Framed Fabric Screen widths are actual and will be same width as worksurface.




Framed Desk Edge Screens have a common bracket placement distance of 10-3/8" inset from the edge.




planning with desk edge screens (continued)




Framed Fabric Screen must be planned with a 1/2" wire gap in order to ensure front edge of the Framed Fabric Side Desk Edge Screen will be aligned to the front edge of the desk.



Corner detail with Framed Fabric Screens are closed and have physical connection between the Desk Edge Screen and Side Desk Edge Screen via extrusion trim.





Framed Fabric Desk Edge Screen with partial modesty (23") can be planned over low storage. With lower modesty heights (6" and 15"), the screen must sit proud of the low storage to avoid interferences.





planning with desk edge screens (continued)

When planning with high storage, Framed Fabric Desk Edge Screen must stop short of storage as brackets will not be able to attach between storage and worksurface. The high storage should be specified to have open storage instead of drawers under the worksurface due to interference with the brackets.




When planning a framed fabric desk edge screen perpendicular to a panel wall, the screen should extend to the panel wall to hide the 1" wire gap on the worksurface.

- It is not recommended that the screen extend past the end of the panel




planning with desk edge screens (continued)


The following outlines the gables and legs that can be used with a framed fabric side desk edge screen.




End Gable –
Height-Adjustable
(UNGEAN)




Semi-Suspended Gable
– Height-Adjustable
(UNGSAN)



Semi-Suspended
Gable (UNGSN)




Leg – Pair
(UNLGPN)




Leverage Leg
(KLP)

Framed Fabric Side Desk Edge Screens can be planned in panel or to create corridor privacy on the end of return desks




The screen provides additional privacy when used on the end of a work surface in a panel environment.



The screen provides corridor privacy in a non panel environment.

When planning with a low credenza, a framed fabric side desk edge screen can be used on the storage side.

- The screen must attach to the surface so that it sits outside of the credenza



Low
Credenza

planning with desk edge screens (continued)


Framed Fabric Side Desk Edge Screens can be planned at both partial and full depth.
All screens can be planned with 24"-36" deep worksurfaces. Due to leg interference issues, this screen **cannot** be attached to 18" deep worksurfaces. An 18" side desk edge screen can be placed on a 23"/24" deep worksurface as a partial fit.



18" deep worksurface with
18" deep Framed Fabric Side Desk
Edge Screen (GYSD)



24" deep worksurface with
24" deep Framed Fabric Side Desk
Edge Screen (GYSD)



24" deep worksurface with
18" deep Framed Fabric Side Desk
Edge Screen (GYSD)



30" deep worksurface with
24" deep Framed Fabric Side Desk
Edge Screen (GYSD)

planning with desk edge screens (continued)


desk edge screens with glass

Available in heights that match the datum heights of both Panel Wall Add-On Screens - Glass and Inset Glass Blades.


The support frame on a Panel Wall Add-On Screen - Glass is 2" high therefore increasing the datum height of the actual glass by 2".

Desk Edge Screens with Glass are also available with a 2" higher glass datum height.

When used together the two will align.



- Example shown:
42" high panel with 9" Panel Wall Add-On Screen = 51" overall height
- Recommended screen height with Glass: 44" high with 7" glass
- This allows for the 2" add-on glass frame height




- Using a 42" high solid with 9" glass will result in a 2" difference in the datum heights of the glass


There is no support frame on an Inset Glass Blade, the glass mounts directly into the panel frame so the datum height of the glass does not change.

Desk Edge Screens with Glass are available with datum heights that match the top of a panel frame.

When used together the two will align.




- Example shown:
42" high panel with 9" Inset Glass Blade = 51" overall height
- Recommended screen height: 42" solid with 9" glass
- This allows both glass datum heights to be at 42"h




- Using a 44" solid with 7" glass will result in a 2" difference in the datum heights of the glass

desktop lateral screen basics

Lateral screens attach to the top of a worksurface to provide lateral privacy and space division at multiple heights.




- Desktop Lateral screens are applicable to 1" worksurface only
- Desktop Lateral Screens attach to the worksurface without any tools to provide lateral space division. It rests fully on the worksurface
- This screen has 1" gap for wire management
- Depths: 23", 29" and 35"




6mm Glass Lateral Screen (GNGD)

- A 6 mm glass screen with a straight profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Clear
 - Frost




10mm Glass Lateral Screen (GNTD)

- A 10 mm glass screen with a straight profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Clear
 - Frost



Writable Glass Lateral Screen (GNWD)

- A writable glass screen with a straight profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Specialty Glass Laminate
 - Specialty Glass Grade 7




Solid Lateral Screen (GNSD)

- A solid screen with a straight profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Source Laminate
 - Natural Veneer
 - Flintwood


desktop lateral screen basics (continued)

**Writable Laminate Lateral Screen (GNLD)**


- A writable laminate screen with a square profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Specialty Writable Laminate

**Infinity Fabric Lateral Screen (GNXD)**


- A fabric screen with a curved profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Select Panel and Upholstery fabrics are available - refer to the *Teknion Textiles Program Guide*

**Smooth Felt Lateral Screen (GNZD)**

- A felt screen with a curved profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Finish:
 - Smooth Felt colors

**Framed Fabric Lateral Screen (GNYD)**

- A framed fabric screen with a square profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Finish:
 - Select Panel and Upholstery fabrics are available - refer to the *Teknion Textiles Program Guide*

**Metal Lateral Screen (GNMD)**

- A metal screen with a curved profile
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
- Metal Finish:
 - Foundation
 - Mica
 - Accent

planning with desktop lateral screens


The following should be considered when planning with desktop lateral screens.

It is important to understand the depth of worksurfaces with panels when specifying lateral screens.




- All worksurfaces have nominal depths (the actual depth is 1" less than the nominal depth) to allow for a gap at the back
- The gap is not optional, it is the standard configuration

- Lateral screens have nominal depths and can be specified to fit Rectangular Worksurfaces (UNWR)
- Actual depths of lateral screens are:
 - 24" deep is 23" deep
 - 30" deep is 29" deep
 - 36" deep is 35" deep





- The depth of Lateral Screens must always be the same depth as the worksurface



desk top screen basics

The following outlines the features of the Desk Top Casual Screen




Desk Top Casual Screen (UNSDT)


- Is a freestanding screen which sits on top of the worksurface to provide privacy
 - extends 13" above the worksurface for seated height privacy
- Height: 13"
- Widths: 24"
- Screen Finishes:
 - Source Laminate
 - Flintwood
 - Natural Veneer
- Base Finishes:
 - Foundation
 - Mica
 - Clear Anodized

modesty screen basics

The following outlines the features of the Modesty Screen.



Modesty Screen (shown)




Modesty Screen (UNSM)


- Mounts 1" below worksurfaces to provide visual privacy
- Is an off-module casual fit
- Actual width is 1" less than the nominal width
- Available in Source Laminate, Fascia Laminate, Standard Flintwood and Natural Veneer finishes
- The Modesty Screen is 14" above finished floor

planning with modesty screens


The following should be considered when planning with Modesty Screens.




- The suggested minimum recess for the Modesty Screen is 2-3/4" from the back edge of the worksurface
- The recommended distances are:
 24" worksurface 2-3/4" inset
 30" worksurface 6" inset
 36" worksurface 12" inset



The Modesty Screen should be centered in the open space between supports.



The Modesty Screen can be mounted on worksurfaces with various types of desk support options including storage – Attention must be given to reinforcement channel location (see *Supports* section for details).





A casual fit is desired, it is recommended that the modesty screen be specified 6" less than the worksurface width on both sides in the area of application.

floor screen basics

The following outlines the features of the Floor Screen.

Floor Screen (shown)




Floor Screen (UNSF)

- A 5/8" thick, 42" or 51" high visual screen that provides privacy to floor level
- Is mounted to a worksurface on- or off-module
- Available in widths from 23" to 96" in 1" increments for 42" high and 23" to 48" widths available in 1" increments for 51" and 57" high
- Provides full width or casual fit with controlled gaps
- Does **not** provide support to the worksurface
- Can only be attached to worksurfaces that are permanently affixed to at least one piece of storage, a Panel Wall, or to a freestanding desk with a return
- Aluminum top rail can accommodate the Pencil Tray (PAX94), Media Organizer (PAX96), Vertical Organizers (PAX99, PAX100) and Workstation Signage (ACWS). Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Can be used with a Vertical Cable Manager (UNVC) which manages cables between the floors and the underside of the worksurface. Must be specified separately. (see *Electrics* section)


Floor Screen Extended Leveling Kit (UNSFXL)

- Available for height adjustment and leveling on uneven floors

grain direction



- For 42" high floor screens the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from left to right from the user's perspective. From the visitor's perspective, outside the workstation, the grain direction is right to left




- For 51" and 57" high floor screens the grain runs vertical
- For Cathedral Flintwood and Natural Veneers the grain direction is from bottom to top from both the user's and visitor's perspective, inside and outside the workstation

planning with floor screens


The following should be considered when planning with Floor Screens.

workspace support


Floor screens can only be used with the following applications:



Worksurfaces that are fixed to a panel wall




When permanently attached




In freestanding applications with a workspace return

screen widths


Screens can be installed at different widths depending on the intended result and sizes available.




Casual width for partial privacy



Full width for total privacy




Side-by-side to achieve a specific width and height



Single or multiple screens can span across two workspaces



gapping

The Floor Screen is mounted with a 1" gap for cable management.



storage screen basics

The following outlines the features of the Storage Screen.




Storage Screen (UNSSS)

- Mounts to 21" high and 28" high storage credenzas to provide casual space division
- Heights:
 - 42"h
 - 51"h
 - 57"h
- Widths:
 - 24", 30"-96" in 1" increments
- The screen mounts into the slots on the back of credenzas or storage
- Has a leveling range of 0.5 down and the brackets allow it to remain attached to storage
- On storage less than 60" wide, the screen should be specified to span the entire width of the cabinet and on storage 60" wide and over, the screen can mount off-module and be specified shorter


planning with storage screens

The following should be considered when planning with Storage Screens.


The Storage Screen mounts into the slots on the back of low and high credenzas and storage units.



- Mounts on credenzas less than 60" wide, the screen must span the entire width of the storage



- Mounts on storage 60" wide and over, an additional slot is provided in the center of the credenza for off-module mounting
- To mount off-module, the screen must be at least half the width of the storage and must be flush to one end of the cabinet to align with slot location. The screen can **not** extend past the end of the storage




- When a screen is used between two credenzas the screen will mount only to the back of one credenza
- A 2" gap is required between credenzas for mounting


storage screen typicals

The following typicals demonstrate planning options for the storage screen.


double storage spine (full width)



single corridor screen (full width)




double storage wing divider (off-module)




lateral floor screens basics

The Solid Lateral Screen is used with District Panels or Power Spine to provides a clean aesthetic and allows for seated privacy between users.




- The screen thickness is 1"
- A stability foot is included on screens 48" and wider




Lateral Floor Screen Solid (UZSS)

- A solid screen with no glass
- Height: 29", 42, 51", 57
- Depth: 24", 30", 36", 42", 48", 60", 72"




Lateral Floor Screen with Glass (UZSG)

- A solid screen with a glass top
- Height:
 - 42" Total (31" plus 11" glass) (G)
 - 51" Total (44" plus 7" glass) (K)
 - 51" Total (31" plus 20" glass) (M)
 - 57" Total (44" plus 13" glass) (N)
 - Inset 42" Total (29" plus 13" glass) (D)
 - Inset 51" Total (42" plus 9" glass) (E)
 - Inset 51" Total (29" plus 22" glass) (F)
 - Inset 57" Total (42" plus 15" glass) (H)



Left



Left

- The left handed orientation will have the mounting brackets on the right
- The right handed orientation will have the mounting brackets on the left
- It is especially important at the end condition. If it is specified with the incorrect handedness, the screen will sit in 1/2" from the end


Finishes:

- Screen:
 - Solid laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Hardware:
 - Foundation
 - Mica
 - Accent
- Glass Finishes:
 - Clear
 - Frost

lateral floor screens with return basics

Lateral floor screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.


- Lateral floor screens are available for end and mid run applications
- Available solid or with glass
- Provide support to panel runs
- Lateral Floor Screens are not available for Zig Zag or 120 Power Spine configurations
- Compatible with Lateral Power Spine and Floor Flush Power Spine



- Handedness:
 - Left
 - Right
 - Not applicable
 - Handedness is determined by the location of the bracket when the user is facing the workstation
- Screen Support:
 - None - available on 24, 30, 36" and 42" widths
 - Foot/Bracket -required on 48", 60" and 72" wide screens
 - Worksurface connection
- Not designed to support a worksurface
- The Solid portion of the screen must be the same or taller than the panel height to ensure proper connection


Finishes:

- Screen:
 - Solid laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Hardware:
 - Foundation
 - Mica
 - Accent
- Glass Finishes:
 - Clear
 - Frost




Lateral Floor Screen with Glass, with Return (UZRG)

- A solid screen with glass and a return
- Bracket Attachments:
 - End Mounted Single
 - End Mounted Double
 - Mid Spine
- Height:
 - 42" Total (31" plus 11" glass) (G)
 - 51" Total (44" plus 7" glass) (K)
 - 51" Total (31" plus 20" glass) (M)
 - 57" Total (44" plus 13" glass) (N)
 - Inset 42" Total (29" plus 13" glass) (D)
 - Inset 51" Total (42" plus 9" glass) (E)
 - Inset 51" Total (29" plus 22" glass) (F)
 - Inset 57" Total (42" plus 15" glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 18", 20", 24", 25", 30", 31"




Lateral Floor Screen with Solid, with Return (UZRS)

- A solid screen with no glass and a return
- Bracket Attachments:
 - End Mounted Single
 - End Mounted Double
 - Mid Spine
- Height: 29", 42", 51", 57"
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 18", 20", 24", 25", 30", 31"



Lateral Floor Screen with Glass, with Shared Return (UZCG)

- A solid screen with glass and a shared return
- Bracket Attachments:
 - Mid Spine
- Height:
 - Inset 42" high total (29" Solid, 13" Glass) (D)
 - Inset 51" high total (42" Solid, 9" Glass) (E)
 - Inset 51" high total (29" Solid, 22" Glass) (F)
 - Inset 57" high total (42" Solid, 15" Glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 36", 40", 48", 50", 60", 62"




Lateral Floor Screen with Solid, with Shared Return (UZCS)

- A solid screen with no glass and a shared return
- Bracket Attachments:
 - Mid Spine
- Height: 29", 42", 51", 57"
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 36", 40", 48", 50", 60", 62"


planning with end mount lateral screens

End Mount Lateral Floor Screens are available in the following heights to provide various levels of privacy.



Solid



Solid with Glass




Panel run must be longer than the length of the screen segment.




planning with end mount lateral screens (continued)

End Mount Lateral Screens can be used with or without a support foot.



The support foot is required when


- the screen is 48" wide or wider and not attached to a worksurface



The support foot is not required when


- the screen is attached to a fixed worksurface
- the screen is 42" wide or less

Screens can be used in the following locations



EB

ED



ES

EB – End Mounted Double



- used on the outside of a workstation
- extends half way across the end of a panel run
- actual size = nominal size + 1-1/2"

ED – End Mounted Share


- shared on the outside of two workstations
- mounts centered to the end of a panel run
- actual size = nominal size + 3"

ES - End Mounted Single

- used on the outside of a single workstation
- extends completely across the end of a panel run
- actual size = nominal size + 3"



EB




ES


Regardless of the type of End Mount Lateral Screen used, the nominal dimension from the panel wall remains the same, allowing for a consistent footprint on all workstations.

planning with end mount lateral screens (continued)


End Mount Lateral Screens can provide panel support in place of return panels with the following restrictions:



- The maximum number of panel sections is four and the overall length does not exceed 192" (ex. 4 x 48" sections = 192")
- The maximum number of panels sections is three when 60" wide panels are used and the overall length does not exceed 180" (ex. 3 x 60" sections = 180")
- Panel heights do not exceed 51" high
- District panels over 60" wide are made up of two segments so a 96" wide panel is considered 2 - 48" wide segments



End Mount Lateral Floor Screens will not support a span of five or more segments, regardless of the width of each segment even if the overall length is less than 192".




This example demonstrates how additional End Mount Lateral Screens can provide the panel support required.

example: double end screens and mid run screens

- there are no unsupported runs of more than four segments and the run does not exceed 192" without an additional screen

gallery screen basics


Gallery screens attach perpendicularly to the panel frame to provide privacy at ends and between users.



- The screen thickness is 1-1/2"
- Bracket Attachments:
 - End Mounted: Single (ES), Double (EB), Shared (ED)
 - Mid Spine: On-module (MS)


Finishes:

- Screen:
 - Foundation laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Leveler Finishes
 - Foundation
 - Mica
 - Accent
- Glass Finishes (6mm):
 - Clear
 - Frost
 - Tinted



Gallery Screen (UGSSS)

- Height: 42"h, 51"
- Width: 24" - 84" (6" increments)




Gallery Screen with Glass (UGSGS)

- Height:
 - Inset 51" Total (42" plus 9" glass) (E)
 - Inset 57" Total (42" plus 15" glass) (H)
- Width: 24" - 84" (6" increments)

gallery screen with returns basics


Gallery screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.



- The screen thickness is 1-1/2"
- Bracket Attachments:
 - End Mounted: Single (ES), Double (EB)
 - Mid Spine: On-module (MS)


Finishes:

- Screen:
 - Foundation laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Leveler Finishes
 - Foundation
 - Mica
 - Accent
- Glass Finishes (6mm):
 - Clear
 - Frost
 - Tinted



Gallery Screen with Return (UGSSL)

- Height: 42"h, 51"h
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74", 84", 85", 86"
- Return Depth: 18", 20", 24", 25", 30", 31"




Gallery Screen with Glass with Return (UGSGL)

- Height:
 - Inset 51" Total (42" plus 9" glass) (E)
 - Inset 57" Total (42" plus 15" glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74", 84", 85", 86"
- Return Depth: 18", 20", 24", 25", 30", 31"

gallery screen with shared returns basics


Gallery screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.



- The screen thickness is 1-1/2"


Finishes:

- Screen:
 - Foundation laminate
 - Flintwood (horizontal grain pattern)
 - Natural veneer
- Leveler Finishes
 - Foundation
 - Mica
 - Accent
- Glass Finishes (6mm):
 - Clear
 - Frost
 - Tinted



Gallery Screen with Shared Return (UGSST)

- Height: 42"h, 51"h
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74", 84", 85", 86"
- Return Depth: 36", 40", 48", 50", 60", 62"
- Bracket Attachments:
 - Mid Spine: On-module (MS)





Gallery Screen with Glass with Shared Return (UGSGT)

- Height:
 - Inset 51" Total (42" plus 9" glass) (E)
 - Inset 57" Total (42" plus 15" glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74", 84", 85", 86"
- Return Depth: 36", 40", 48", 50", 60", 62"
- Bracket Attachments:
 - End Mounted: Single (ES), Double (EB)
 - Mid Spine: On-module (MS)



planning with gallery screens

Gallery Screens are available in the following heights to provide various levels of privacy.

Solid




Solid with Glass




handedness


Handedness of the screen is determined when a user is facing the panel, what hand the screen is on




MS
mid spine
Never handed



ES
end, single
Right




EB
end, double
Right




ED
end, shared
Never handed

brackets


Brackets are designed to be hidden within the panels and screens.




MS
mid spine
Never handed



ES
end, single
Right



EB
end, double
Right




ED
end, shared
Never handed

planning with gallery screens (continued)


The following should be considered when planning with Gallery Screens.

HA tables and Desk Edge Screens



If planning parallel to spine, with Height-Adjustable Tables and Desk Edge Screens plus Gallery Screens surrounding the desk, a special request is required on both the worksurface and the desk edge screen to be at least 1" smaller in width.



Storage



If planning Storage to fit between Gallery Screens, a special is required to undersize the storage to fit. The storage can no longer hook into the panel.


panel wall add-on screen basics

The Panel Wall Add-On Screen provides a casual option for finishing the top level of panel walls.




Panel Wall Add-On Screen – Solid (UNSPS)

- Provides a light frameless alternative to a solid fascia at the top of a panel
- Available in solid finish
- Can be mounted on- or off-module, or span two panel walls but **cannot** span a 180° spacer or 90° connection
- Replaces the top trim of the same width on the panel wall
- The support frame is visible above the Top Trim




Panel Wall Add-On Screen – (UNSPG)

- Provides a light frameless alternative to a window at the top of a panel
- Glass is 10mm thick
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180° spacer or 90° connection
- Replaces the top trim of the same width on the panel wall
- The support frame is visible above the Top Trim
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in clear and specialty glass finishes



Panel Wall Add-On Screen – 6mm Glass (UNSPF)

- Provides casual space division and privacy with a slim frame less add-on screen at the top of panel
- Glass is 6mm thick
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180° spacer or 90° connection
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in clear and frosted glass finishes



Smooth Felt Add-On (UNSPZ)


- Provides casual space division and privacy with a slim frame less add-on screen at the top of panel
- Smooth Felt Screen
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180° spacer or 90° connection
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in Smooth Felt colors

planning with wall panel add-on screens


The following should be considered when planning with add-on screens.

on- and off-modular

- Add-on screens can be mounted on- or off-module, or span across two panels
- The base of the add-on screen mounts to the top of the panel frame, eliminating the need for a Top Trim in that location



add-on screen end caps




When two panel add-ons are mounted side-by-side, the end cap is removed, and the two add-ons will sit flush


Screens are complete with end caps to finish the trim, and sit beyond the add-on screen and over the end trim to create a finished end condition

planning with wall panel add-on screens (continued)

change of height conditions




- When mounting panel add-on screens in change-of-height panel configurations, the add-on must start a minimum of 3" from the edge of the panel to allow for the Intermediate Trim thickness and a Top Trim must be ordered to fill the remaining width
- Top trim widths required below 24" are cut to size on site. The cut end should be applied against the adjoining panel, as the intermediate end trim will conceal the cut edge



- When the change of height is due only to center-mounted storage and **not** a panel height change, the panel add-on can span the width of the frame it is mounted to

spanning connectors


An add-on screen **cannot** span over a 180° or 90° connection




glass blades for panels with inset basics

The Glass Blade for Panels with Inset Glass provides a casual option for finishing the top level of panel walls. The Glass Blade recesses into the panel frame so less trim is visible.

- Ten applications are available:
 - Both Standard
 - One Side Corner
 - One Side Notch
 - One Side Extended
 - Both Side Corner
 - Both Side Notch
 - Both Side Extended
 - Extended and Notch
 - Corner and Notch
 - Corner and Extended




- Provides a light frameless alternative to a window at the top of a panel
- Can only be used on Panel Walls with Inset (UYPCR, UYPER and UYPFR)
- Available with Standard Clear and Specialty Frost, white or Cool White Glass
- Can be mounted on- or off-module or span two panel walls




Panel Glass Blade for Panels with Inset Glass (UYSPG)

- Provides a glass blade inset into a panel frame without any exposed top trim
- Glass is 10mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)




Panel Glass Blade for Panels with 6mm Inset Glass (UYSPF)

- Provides a 6mm thick glass blade inset into a panel frame without any exposed top trim
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)
- Screen finishes include Clear, Frost and Tinted Glass



Bridged Glass Blade for Panels with Inset Glass (UYSCG)

- Provides an inset glass blade that spans over two panels being connected by a three-way connector
- Glass is 10mm thick
- Top trim must be specified separately, Bridged Top Trim for Panels with Inset Glass (UYCT)
- Widths are nominal and account for the 3\"/>



Bridged Glass Blade for Panels with 6mm Inset Glass (UYSCF)


- Provides a 6mm thick inset glass blade that spans over two panels being connected by a three-way connector
- Top trim must be specified separately, Bridged Top Trim for Panels with Inset Glass (UYCT)
- Screen finishes include Clear, Frost and Tinted Glass
- Widths are nominal and account for the 3\"/>

planning with glass blades for panels with inset

The following should be considered when planning with Glass Blade for Panels with Inset.


panel glass blade

- Can be on- or off-module and can span across two panels
- The base of the Inset Glass must be embedded into a Panel Wall with Inset (UYPCR, UYPER and UYPFR) and must be used with the Panel Top Trim for Panels with Inset Glass (UYTT)




bridged glass blade

- Bridged Glass Blade for Panels with Inset Glass spans across two panels connected by a three-way connector, and can be mounted on- or -off module
- The base of the inset glass must be embedded into a Panel Wall with Inset (UYPCR, UYPER and UYPFR) and must be used with Bridged Top Trim for Panels with Inset Glass (UYCT)
- When planning off-module it is recommended that the exposed top trim be covered by Bridged Top Trim for Panels with Inset Glass (UYCT)




planning with glass blades for panels with inset (continued)

There are ten application available when planning with Glass Blades for Panels with Inset Glass:




Both Standard (S)

Used when beside other panels with Inset Glass Blade and no extension is required on when the panel beside it has no glass blade.




One Side Corner (G)

Used on a corner to reduce the gap between glass blades. Must be used with Two-Way 90° Corner Gap for Panels with Inset Glass (UYPC2).



One Side Notch (K)


Used when planned against an Intermediate End Trim.



One Side Extended (E)


Extends 1-1/2" over a Three-Way Connector. Must be used with a second Glass Blade with Side Extended to cover the full Three-Way connector. The cap on Three-Way connector is removed to have both glass blades extend over it.

planning with glass blades for panels with inset (continued)




Both Side Corner (C)

Used when both ends are on a corner to reduce the gap between glass blades. Must be used with Two-Way 90° Corner Gap for Panels with Inset Glass (UYPC2).




Both Side Notch (N)

Used when planned between two Intermediate End Trims.




Both Side Extended (B)

Used to run 1-1/2" over a Three-Way Connector on either end. Must be used with a second Glass Blade with side Extended to cover full the Three-Way connector on each side.




Extended and Notch (F)

Used to extend 1-1/2" over a Three-Way Connector on one end and against an Intermediate End Trim on the other. The Top cap on the Three-Way connector is removed to have both glass blades extend over it.



Corner and Notch (H)

Used when one end is on a corner to reduce the gap between glass blades and the other end is against an Intermediate End Trim. Must be used with Two-Way 90° Corner Gap for Panels with Inset Glass (UYPC2).




Corner and Extended (D)

Used when one end is on a corner to reduce the gap between glass blades and the other end extended 1-1/2" over a Three-Way Connector. Must be used with a second Glass Blade with side Extended to cover the full Three-Way connector. The Top cap on the Three-Way Connector is removed to have both glass blades extend over it. Must be used with Two-Way 90° Corner Gap for Panels with Inset Glass (UYPC2).


blades for panels with inset basics

The Smooth Felt/Infinity Blade for Panels provide a casual option for finishing the top level of panel walls and recesses into the panel frame so less trim is visible.



Smooth Felt Blade for Panels with Inset (UYSPZ)

- Provides a Smooth Felt Blade inset into a panel frame without any exposed top trim
- Smooth Felt Blade is 10mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)



Infinity Blade for Panels with Inset (UYXD)

- Provides an Infinity blade inset into a panel frame without any exposed top trim
- Infinity Blade is 6mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)

connections & trims

connections & trims

UNDERSTANDING TRIMS & CONNECTORS 166

TOP TRIM BASICS 167

END TRIM BASICS 168


CONNECTOR BASICS 169

CONNECTOR & TRIM CONFIGURATIONS 171

PLANNING WITH CONNECTORS & TRIMS 173

understanding trims & connectors



Trims and connectors are required to finish the tops, ends and corners of District Panel Walls and Add-On Windows.



- 1 Corner connectors include brackets, trims and corner caps.
- 2 All trims are bolted to the panel wall for positive engagement and alignment.
- 3 Corner connectors are specified to match the panel type that they are being used with (ex. Flush/Convertible-to- Flush/Convertible, Elevated-to-Elevated, or Flush/Convertible-to-Elevated).
- 4 All panel wall connections are on-module.
- 5 Top trims are available up to 96" wide to span across all widths of panels including those made up of two sections.
- 6 Connectors are available for two-, three- and four-way connections as well as 180° connections.
- 7 Panel Top Trim for Panels with Inset Glass allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to sit inset into a panel.


top trim basics

The following outlines the features of each of the top trims available in District.




Top Trim (UNTT)

- A full width trim on the top of a panel wall or add-on window
- 7/16" thick




Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)

- Allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to be inset into a panel wall
- Available in Both Extended, One Side Extended and Both Standard applications
- Must be used on Panel Wall with Inset (UYPCR, UYPER and UYPFR)
- Available in Foundation, Mica and Accent colors




Top Trim – Power Pole Access (UNTP)

- Same as the Top Trim except with a cut out to allow a Power Pole to be installed off-module 9" from a panel end
- Non-handed



Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)

- Allows Bridged Glass Blade for Panels with Inset Glass (UYSCG) to be inset into the panel wall while spanning over two panels attached by a three-way connector
- Optional brackets are available on one or both sides to connect to related end trim
- Available in Both Extended, One Side Extended and Both Standard applications
- Widths are nominal and account for the 3" width of the three-way connector
- Available in Foundation, Mica and Accent colors
- Non-handed




Top Trim Cover for 6mm or 10mm (UYTC)


- Used to fill exposed sections on Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT)
- Cut on site

end trim basics

The following outlines the features of each of the end trims available in District.




End Trim (Shown)




End Trim (UNTE)

- A full-height trim that conceals the end of a panel wall
- Heights matches the heights of Flush and Elevated Panel Walls and Convertible Walls
- Required to cover the full height of a panel wall, including add-on window and full-height window, if applicable
- Can be used on panel walls with or without Accessory Beam




End Trim for Freestanding District (UATE)

- Used in freestanding applications to accommodate the support foot gaps
- Available in Mica and Foundation finishes
- Can be used on panel walls with or without Accessory Beam




Intermediate End Trim (UNTM)

- Conceals an exposed portion of a panel wall, add-on window or full-height window in a change-of-height location



Transition Cover (UNTC)

- Used to provide a seamless vertical trim cover when an intermediate panel connection occurs above a full panel connection





Wall Start (UNPCW)


- Used to connect either elevated or standard Panel Walls (no corners) to reinforced drywall
- Foot is specified separately for elevated Panel Walls at the wall start connector point

connector basics

The following outlines the features of each of the connectors available in District.

**Two-Way 90° (UNPCR2)**


- Connection is used to connect two panel walls and windows at 90° in same panel height or varying panel height configurations
- For change of heights, the connector is specified for the lowest height panel
- Available with options for connecting Flush, Elevated or Convertible Panel Walls

**Four-Way 90° (UNPCR4)**


- Connection is used to connect four panel walls and full-height windows at 90° in same panel height or varying panel height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls

**Two-Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm (UYPC2)**

- Used with Two-Way 90° (UNPCR2) and replaces the cap on existing connector to accommodate Panel Top Trim for Panels with Inset Glass (UYTT) and Panel Glass Blade for Panels with Inset Glass (UYSPG) in a corner application
- Available in Clear Anodized, Foundation and Mica

**Three-Way 90° (UNPCR3)**

- Connection is used to connect three panel walls at 90° in same panel wall height or varying panel wall height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available in two configurations:
 - (1) one vertical cover and top cap which completely finishes the connection when no Intermediate 180° Connector (UNIC3) will be used above it
 - (0) no vertical cover or top cap is used for change-of-height connections when an Intermediate 180° Connector (UNIC3) is used above it, a separate Transition Cover (UNTC) must be ordered
- Available with options for connecting Flush, Elevated or Convertible Panel Walls



**Two-Way 180° Spacer (UNPCCR)**

- Connection is used when a spacer is required between two panel walls, full-height windows or add-on windows joined at 180° to match either panel wall lengths or to provide a needed space for screens etc.
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls
- In most layouts no spacer is needed, panel walls are bolted together with 0" gap

connector basics (continued)


The following outlines the features of each of the connectors available in District.

Two-Way Intermediate (Shown)




Two-Way Intermediate 90° (UNIC2)

- Connection is used to fill the exposed ends of panel walls above a three-way or four-way connection in a change-of-height configuration




Two-Way Intermediate 180° (UNICC)

- Connections is used to fill the exposed ends of panel walls or add-on windows above a 180° spacer in change-of-height configurations
- Available in two configurations;
 - (2) two vertical covers (completely finishes both sides with equal length trim covers)
 - (1) one vertical cover only (select when a two-way Intermediate 180° connection is above a three-way 90° connection a Transition Cover (UNTC) is ordered separately to cover the open side)



Three-Way Intermediate 90° (UNIC3)

- Connection is used to fill the exposed ends of panel walls or add-on windows above a four-way connector in change of height configurations




Four-Way Intermediate 90° (UNIC4)

- Connection is used to fill the gap created when four add-on windows are added above an existing four-way connection


connector & trim configurations

A minimal number of connector types are required to make a large number of connections possible in District.


two-way



Two-Way 90° Connector (UNPCR2)




Two-Way 90° Connector (UNPCR2)
Intermediate End Trim (UNTM)




Two-Way 180° Spacer (UNPCCR)


three-way




Three-Way 90° Connector (UNPCR3)




Three-Way 90° Connector (UNPCR3)
(no vertical trim option)
Two-Way Intermediate 180° Spacer
(UNICC) (one vertical trim only
option)
Transition Cover (UNTC)



Three-Way 90° Connector (UNPCR3)
Two-Way 90° Intermediate (UNPC2)



Three-Way 90° Connector (UNPCR3)
Intermediate End Trim (UNTM)




Three-Way 90° Connector (UNPCR3)
Two-Way 90° Connector (UNIC2)
Intermediate End Trim (UNTM)


connector & trim configurations (continued)

four-way


The Smooth Felt Blade for Panels with Inset Glass provides a casual option for finishing the top level of panel walls. Blade recesses into the panel frame so less trim is visible.




Four-Way 90° Connector (UNPCR4)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)




Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 90° (UNIC2)




Four-Way 90° Connector (UNPCR4)
Intermediate End Trim (UNTM)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Two-Way Intermediate 180° (UNICC)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Two-Way Intermediate 90° (UNIC2)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Intermediate End Trim (UNTM)



Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 180° (UNICC)
Intermediate End Trim (UNTM)



Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Intermediate End Trim (UNTM)




Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 90° (UNIC2)
Intermediate End Trim (UNTM)


planning with connectors & trims

The following should be considered when planning with District trims and connectors.


trims and connectors




- The combination of panel types used must be indicated when specifying a corner connector because elevated connectors include the panel foot. In this example a UNPCR3EA is used which indicates two Flush panels or Convertible panels or one Elevated panel



- In change of height applications, the connector is specified at the height of the lowest panel
- Intermediate Connectors and Intermediate Trims are used above that height to conceal all exposed ends



- When an L-shaped corner connector meets a straight corner connector, (ex. Three-Way 90° (UNPCR3) with a Two-Way Intermediate 90° (UNIC2) above), a seam will be visible




- When a Two-Way Intermediate 180° (UNICC) is mounted above a 90° Connector (ex. Three-Way 90° (UNPCR3) the connectors should be specified **without** the outside trims. A Transition Cover (UNTC) is specified to extend the full height of the connection, eliminating the seam

planning with connectors & trims (continued)


panel top trim for panels with inset glass

- Panel Top Trims for Inset Glass are required when the inset glass blade is used
- When the Extended option is specified over a three-way connector the existing top cap is removed and the Panel Top Trim for Panels with Inset Glass is run over top to conceal the three-way connector and allow for glass blades to meet




top trim cover

If an off-module application is specified, the Top Trim Cover must be specified to fill the exposed trim locations. The Top Trim Cover can be cut on site to ensure accuracy.




When Notched option is desired to accommodate an Intermediate End Trim the Panel Top Trim for Panels with Inset Glass must be specified as standard and only the Panel Glass Blade for Panels with Inset Glass will be specified Notched.




two-way 90° corner cap for panels with inset glass

When planning with Panel Glass Blade for Panels with Inset Glass (UYSPG) or Bridged Glass Blade for Panels with Inset Glass (UYSCG) on a corner application, a Two-Way 90° Corner Cap for Panels with Inset Glass must be specified to replace existing cap on two-way connector to allow inset glass to meet.




planning with connectors & trims (continued)

levelers




- When a flush corner connector is used the trim extends to the floor but the levelers may be visible



- When an elevated corner connector is used, the foot is visible but the levelers will be concealed
- The foot extends over the leveler

finish detail



- When the Anodized Aluminum finish is specified on connectors and trims, there will be a visual difference between the top and end trims and the corner caps (Extruded Aluminum vs Cast Aluminum). If a consistent finish is required, it is recommended that Mica Paint be specified

worksurfaces

worksurfaces

UNDERSTANDING WORKSURFACES. 178

WORKSURFACE BASICS. 179

PLANNING WITH WORKSURFACES 180

PLANNING WITH WORKSURFACE GAPS 181

PLANNING WITH SMALL FOOTPRINT WORKSURFACES. 183


PLANNING WITH GROMMETS. 184

WORKSURFACE GRAIN/PATTERN DIRECTION 185

EDGE TRIM STYLE OVERVIEW 187

understanding worksurfaces

District provides a variety of worksurface shapes for primary and secondary worksurfaces. The following outlines the features of District worksurfaces.




- 1 District surfaces are standard with a 1" gap on the back side for cable access
- 2 Worksurface widths are available in 1" increments to allow for an optional 1" gap on one or both sides of a worksurface and to match up with storage components (see *Storage* section)
- 3 Worksurfaces can be panel wall- or storage-mounted or specified with legs to create freestanding or semi-supported surfaces (see *Supports* section)
Worksurfaces can be mounted on- or off-module
- 4 The orientation of worksurfaces is determined by the location of the deepest end from the users perspective

worksurface basics


The following worksurface shapes are available in District.

Worksurfaces **cannot** be mounted to 29" high Panel Walls with Inset Glass with the Panel Wall Bracket (UNBP). See *Planning with Worksurface Support – Horizontal* section for more details.

Nominal depth dimensions shown



Rectangle Worksurface (UNWR)



Rectangle with Radius Corners Worksurface (UNWC)

Finishes


- Worksurfaces are available in Foundation Laminate, Flintwood and Natural Veneer finishes
- Edge trims are available in Acrylic, ABS, Flintwood and Natural Veneer
- Acrylic is available with Foundation Laminate
- ABS is available with Foundation Laminate
- Flintwood edge trims are finished to match the Flintwood surface
- Natural Veneer edge trims are finished to match the Natural Veneer surface

planning with workspaces


The following should be considered when planning with District workspaces.

conventional vs. district


- District allows for the re-interpretation of conventional corner oriented workstations to maximize work flow



- **Conventional planning** typically uses a deep corner surface with keyboard tray and equal depth returns




- **District planning** provides a deep primary workspace and shallow secondary surface for clear articulation of work-zones
- Worksurface shapes are optimized for rectangular and tapered configurations



- **District planning** uses overlapping surfaces and volumes to allow more "stacking" and less filing surfaces


workspace edge profiles

- District workspaces are available with flat and full knife edge profiles



- All sides of the workspace have the same edge profile (both the user back and return edges of a full knife edge workspace have the full knife edge profile). This reduces the instances of a workspace becoming handed

- Workspaces are **not** offered with an eased edge so that gutters are **not** created when workspaces are butted up against each other
- The edge profile does **not** affect the placement of supports




- Workspace outside corners are **not** radiused. Edge trims meet at 90° at the outside corners of a workspace

planning with worksurface gaps

The following should be considered when planning for gapping on worksurfaces.


worksurface depths




- All worksurfaces have **nominal** depths (the actual depth is 1" less than the nominal depth) to allow for a gap at the back
- The gap is **not** optional, it is the standard configuration
- The gap is for cable management, access to electrics and alignment with storage and panel walls (International electrics may require a grommet to be specified to accommodate larger sized plugs). Grommets available in center, left or right side

worksurface widths


District worksurfaces are available in 1" increment widths to allow for a continuous gap around all sides of a workstation bounded by panel walls.




Worksurface is specified at same width as panel because no gap is required on either end



Worksurface is specified 1" less than width of panel to allow a gap on one side only



Worksurface is specified 2" less than the panel width to allow a gap on both sides




For freestanding applications, gapping is **not** an issue, so a full width worksurface should be specified.

planning with worksurface gaps (continued)

The following examples demonstrate a variety of typical gapping applications.


96" Panel Walls



The depth is always nominal so the 36" depth is actually 35" with a 1" gap.


Full width worksurfaces are used because no return panel walls are used on the sides.

96" Panel Wall




Both worksurfaces are 1" less than the width of the panel walls.

96" Panel Wall




Only the primary surface is 1" less than the width of the panel wall, because there is no gap on the return surface.

96" Panel Wall




Worksurface is 2" less than the width of the panel wall to allow for a gap on either side.

96" Panel Wall



The primary worksurface is wrapped on both sides by panels so it is 2" less than the width of the panel, the return remains the full width.

96" Panel Wall




The two returns meet each other in the center so no gaps are required.

96" Panel Wall

96" Panel Wall


48"

96" Panel Wall



The center worksurface and return remains the full panel width and the outside primary surfaces have a 1" gap.


96" Panel Wall




When a semi-suspended worksurface is used, it should be aligned with the panel end. The 1" gap then moves to the corner without having to reduce the return surface by 1".

planning with small footprint worksurfaces

District provides a limited collection of Small Footprint Worksurfaces that optimize efficiency within small scale workstation layouts.




Rectangle Worksurface
(UNWR)




Rectangle with Radius Corners
Worksurface (UNWC)

- Worksurfaces are available in depths of 17" to allow for maximum planning capability in temporary or permanent address workstations

rectangular worksurfaces



- 17" deep surfaces provide adequate chair space in 5' x 5' workstations





- When worksurfaces are requires above a 16" deep low storage, the cabinet depths will align

planning with grommets

The following needs to be considered when selecting grommets

worksurfaces combined with supports

Grommets can be located left, right or centered. The left and right grommets are centered on the depth to avoid interference with supports. See *Supports* for more details.



- Careful attention must be given to worksurfaces with a grain direction
- For surfaces with no grommet the grain direction should be going from left to right to match surface with grommets




workspace grain/pattern direction

Attention to grain/pattern direction is important when planning workspaces.

- There is no user edge so care must be taken during installation to match grain/pattern direction
- Grain/patterns are **not** “centered” on workspace or support
- Applies to Foundation Laminate (wood grain patterns), Flintwood (Standard and Cathedral) and Natural Veneer

workspaces



- Grain direction will appear in the same direction, from side to side
- For Cathedral Flintwoods and Natural Veneers the grain will run from left to right from the user's prospective
- Grain patterns are **not** centered on workspace
- Includes Laminate, Flintwood (Standard and Cathedral) and Natural Veneers


worksurface grain/pattern direction (continued)

Attention to grain/pattern direction is important when planning workspaces. The following examples demonstrate this.

- There is no user edge so care must be taken upon installation to match grain/pattern direction
- Grain/patterns are **not** “centered” on workspace or support
- Includes Foundation Laminate, Flintwood (Standard and Cathedral) and Natural Veneer


bridge workspaces

District does **not** offer a bridge workspace so grain direction changes will always occur



workspaces combined with supports









- Grain direction on Supports is always vertical
- For Cathedral Flintwoods and Natural Veneers the grain runs from bottom to top
- There is no matching grain across Supports (A) and Workspaces (B)



edge trim style overview

The chart below indicates which edge trim style can be specified with each District worksurface finish.

Both user edge and non-user edges have the same edge trim style.

		Foundation Laminate Surface	Flintwood Surface	Natural Veneer Surface
Flat (8) All Edges			n/a	n/a
Flintwood Flat (9) All Edges		n/a		
Flat (G) All Edges		n/a	n/a	n/a
Full Knife (H) User Edge		*		
Full Knife (X) User Edge		n/a	n/a	n/a

height-adjustability

height-adjustability

UNDERSTANDING HEIGHT-ADJUSTABILITY	190
NAVIGATE HEIGHT-ADJUSTABLE BUILD-IN PERPENDICULAR TABLE BASICS	191
NAVIGATE HEIGHT-ADJUSTABLE BUILD-IN PARALLEL TABLE BASICS	192
NAVIGATE HEIGHT-ADJUSTABLE FREESTANDING TABLE BASICS	193
HISPACE HEIGHT-ADJUSTABLE BUILD-IN PERPENDICULAR TABLE BASICS	194
HISPACE HEIGHT-ADJUSTABLE BUILT-IN PARALLEL TABLE BASICS	195
PLANNING WITH HEIGHT-ADJUSTABLE TABLES	196
CREDENZAS FOR HEIGHT-ADJUSTABLE TABLES OVERVIEW . .	206
CREDENZAS FOR HEIGHT-ADJUSTABLE TABLE BASICS	207
HEIGHT-ADJUSTABLE CREDENZA DRAWER WIDTHS	208
PLANNING WITH CREDENZAS FOR HEIGHT-ADJUSTABLE TABLES	210
HEIGHT-ADJUSTABLE TABLES WITH SCREEN OVERVIEW	215
PLANNING WITH HEIGHT-ADJUSTABLE TABLES AND SCREENS .	216
HEIGHT-ADJUSTABLE CREDENZA LOCK CHART	222

understanding height-adjustability

District provides a variety of height-adjustable desking options which include credenzas and height-adjustable worksurfaces.

There are two options in height-adjustable tables:

navigate

- Option of two types of base mechanisms:
 - Standard Range Electric
 - Extended-Electric-Restricted
- Leg styles:
 - Post Leg and T-Leg
 - T-Legs
 - T-Leg and Gable Leg
- Two worksurface styles:
 - Rectangular
 - Rectangular worksurface with Radius Corners
- Worksurface finishes:
 - Foundation Laminate
 - Flintwood
 - Natural Veneer
- Power and undersurface cable management options available

hiSpace

- Option of one type of base mechanism:
 - Extended Electric with Riser
- Leg styles:
 - T-Legs
- Two worksurface styles:
 - Rectangular
 - Rectangular worksurface with Radius Corners
- Worksurface finishes:
 - Foundation Laminate
- Power and undersurface cable management options available

Both Navigate and hiSpace Height-adjustable tables can be planned with credenza storage in a variety of perpendicular and parallel applications.

perpendicular height-adjustable worksurfaces

Height-adjustable tables run perpendicular to the panel spine with credenzas running parallel to the spine.



parallel height-adjustable worksurfaces

Height-adjustable tables run parallel to the panel spine with credenzas running perpendicular to the spine.



perpendicular storage

Credenza storage runs perpendicular to the panel spine with Height-Adjustable tables running parallel to the spine.



parallel storage

Credenza storage runs parallel to the panel spine with Height-Adjustable tables running perpendicular to the spine.




navigate height-adjustable built-in perpendicular table basics

District with Navigate Height Adjustable Tables offers options for planning in perpendicular applications.




Perpendicular Height-Adjustable Built-in Worksurfaces)

- Used with same sized Navigate Height-Adjustable Built-in Bases
- Depth: 30"
- Grommet Cut Out Styles
 - Round (2-3/4" diameter)
- Cut Out Location:
 - None
 - Center
 - Left
 - Right




Perpendicular Rectangular Height-Adjustable Built-in Worksurface (WLD)

- A worksurface with rectangular edges be used with either:
 - Built-in Bases, Perpendicular Planning
 - Built-in Gable Base - Perpendicular Planning
- Widths: 53", 59", 65", 71", 77", 83"




Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Two Radius Corners (WMD)

- A worksurface with radius edges that can used with:
 - Built-in Bases, Perpendicular Planning
- Widths: 65", 71", 77", 83"



Navigate Height-Adjustable Built-in Base - Perpendicular Planning (YGD)

- A height-adjustable table base used with:
 - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
 - Rectangular Height-Adjustable Worksurface with Two Radius Corners, Perpendicular Planning
- Width (to work with worksurface width):
 - 65", 71", 77", 83"
- Leg Styles:
 - T-Leg (30" deep)



Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (YVD)

- A height-adjustable base with integrated gable leg used with:
 - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
- Width (to work with worksurface width):
 - 53", 59", 65", 71", 77", 83"
- Leg Styles:
 - Gable Leg (30" deep)


navigate height-adjustable built-in parallel table basics

District offers a variety of options for height-adjustable planning in parallel applications.




Navigate Height-Adjustable Built-in Base - Parallel Planning

- Used with same sized Perpendicular Height-Adjustable Worksurfaces
- Depth:
 - 29"
- Base Mechanism:
 - Standard Range Electric (27" - 43")
 - Extended Range Electric - Restricted (25" - 48.7")
- Switch Styles:
 - Standard Up/Down
 - Display with Up/Down Memory
 - Toggle Up/Down
 - Display Toggle with Memory and Navigate GPS




Parallel Rectangular Height-Adjustable Built-in Worksurface (WHD)

- A worksurface with rectangular edges used with:
 - Built-in Bases, Parallel Planning
 - Built-in Gable Base - Parallel Planning
- Depths:
 - 29"
- Widths:
 - 52", 58", 64", 70", 76", 82"
- Grommet Cut Out Styles:
 - Round (2-3/4" diameter)
- Cut out Location:
 - None
 - Center
 - Left
 - Right



Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)

- A height-adjustable table base used with:
 - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Width (to work with worksurface width):
 - 52", 58", 64", 70", 76", 82"
- Leg Styles:
 - T-Leg (30" deep)




Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)

- A height-adjustable base with integrated gable leg used with:
 - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Width (to work with worksurface width):
 - 46", 52", 58", 64", 70", 76", 82"
- Leg Styles:
 - Gable Leg (30" deep)


navigate height-adjustable freestanding table basics

District offers a variety of options for height-adjustable planning in freestanding applications.



Freestanding Table Rectangular Height-Adjustable Worksurface (WBD)

- A worksurface with rectangular edges used with:
 - Built-in Base, Freestanding Planning
- Depths:
 - 23", 29", 35"
- Widths:
 - 45", 51", 57", 63", 69", 75", 81"
- Grommet Cut Out Styles:
 - Round (2-3/4" diameter)
- Cut out Location:
 - None
 - Center
 - Left
 - Right



Navigate Freestanding Table, Base Only (YAD)

- A height-adjustable table base used with:
 - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Depths (to work with worksurface depth):
 - 23", 29", 35"
- Width (to work with worksurface width):
 - 45", 51", 57", 63", 69", 75", 81"
- Leg Styles:
 - T-Leg (30" deep)
- Base Mechanism:
 - Counterbalance - Standard (29.5" - 49.5")
 - Counterbalance - Lower Edition (26.5" - 43.5")
 - Standard - Electric (27" - 43")
 - Extended Electric - Restricted (25" - 48.7")
 - Extended Electric - Extended (22.6" - 48.7")
- Switch Styles:
 - Standard Up/Down
 - Display with Up/Down Memory
 - Toggle Up/Dow
 - Display Toggle with Memory and Navigate GPS


hiSpace height-adjustable built-in perpendicular table basics

District offers a variety of options for height-adjustable planning in perpendicular applications.




Perpendicular Height- Adjustable Built-in Worksurfaces:

- Depths: 30"
- Widths: 65", 71"
- Grommet Cut Out Styles:
 - Round (2-3/4" diameter)
- Cut out Location:
 - None
 - Center
 - Left
 - Right




Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Connection Kit for Quick Connect (WBG)

- A worksurface with rectangular edges used with:
 - Built-in Bases, Perpendicular Planning
 - Built-in Gable Base - Perpendicular Planning



Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Connection Kit for Quick Connect with Radius Corners (WJE)

- A worksurface with radius edges used with:
 - Built-in Bases, Perpendicular Planning




hiSpace Quick Connect Height-Adjustable Built-in Base Perpendicular Planning (YSG)

- A height-adjustable table base used with:
 - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
 - Rectangular Height-Adjustable Worksurface with Two Radius Corners, Perpendicular Planning
- Depths (to work with worksurface depth):
 - 30"
- Width (to work with worksurface width):
 - 65", 71"
- Leg Styles: T-Leg (30" deep)
- Base Mechanism:
 - Extended Electric with Riser - (25"-51.1")
- Switch Styles:
 - Display with Up/Down Memory
 - Toggle Display with Memory
- Optional Undersurface Cable Management:
 - None
 - Cable Organizer with Felt Cover
 - Dual Plastic Trays and Powerbar
 - Dual Plastic Trays
- Vertical Wire Carrier:
 - None
 - Vertical Wire Carrier Finish


hiSpace height-adjustable built-in parallel table basics

District offers a variety of options for height-adjustable planning in parallel applications.



Parallel Rectangular Height-Adjustable Built-in Worksurface (WBF)

- A worksurface with rectangular edges used with:
 - Built-in Bases, Parallel Planning
- Depths:
 - 29"
- Widths:
 - 52", 58", 64", 70"
- Grommet Cut Out Styles:
 - Round (2-3/4" diameter)
- Cut-out Location:
 - None
 - Center
 - Left
 - Right




hiSpace Height-Adjustable Built-in Base - Parallel Planning with connection kit for Quick Connect (YSP)

- A height-adjustable table base used with:
 - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Depths (to work with worksurface depth):
 - 29"
- Width (to work with worksurface width):
 - 52", 58", 64", 70"
- Base Mechanism:
 - Extended Electric with Riser - (25" - 51.1")
- Switch Styles:
 - Display with Up/Down Memory
 - Toggle Display with Memory
- Undersurface Cable Management:
 - None
 - Cable Organizer with Felt Cover
 - Dual Plastic Trays and Powerbar
 - Dual Plastic Trays
- Vertical Wire Carrier:
 - None
 - Vertical Wire Carrier Finish

planning with height-adjustable tables

The following should be taken into consideration when planning with height-adjustable tables.


height-adjustment range




cut outs and grommets

Cut outs with grommets are used to direct wires to the underside of the desk so they can be plugged into an under worksurface power bar or directed to a District panel. Only the cut out is included in the worksurface, grommets must be ordered separately.

The following cut out locations can be specified:



The following outlines the location of the grommet cut outs:



Center cut out is always centered on worksurface.


Left and right cut outs are 5" from edge for 30" deep worksurfaces and 3" for 29" deep worksurfaces.

planning with height-adjustable tables (continued)

switches


The following switches are available for upStage Navigate and hiSpace Height-Adjustable Built-In bases:

- Navigate
 - Standard Up/Down
 - Display with Up/Down Memory
 - Toggle Up/Down
 - Display Toggle with Memory and Navigate GPS
- hiSpace
 - Display with Up/Down Memory




power bars and iec connection

There is an optional Cross Channel Integrated Power Bar which is mounted under the worksurface.



Cross Channel Integrated Powerbar - 4 Outlets (I)



Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C)


- Available on worksurfaces with 53" - 83" widths

If no Cross Channel Integrated Power Bar is specified, a cover plate will be provided.

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

power pack on hiSpace

There is an optional power pack integrated with Cable Organizer with felt cover.




- Available on worksurfaces 53" - 71"

planning with height-adjustable tables (continued)


undersurface cable management

The following under surface are available for upStage Navigate and hiSpace Height-Adjustable Built-In bases:


- Navigate
 - None
 - Cable organization with felt cover (Only available on worksurface depths 30")
 - Cable organization with no cover
 - Dual Plastic Trays & Power Bar
 - Dual Plastic Trays
- hiSpace
 - None
 - Dual Plastic Trays & Power Bar
 - Dual Plastic Trays




None



Cable organization with felt cover
(Only available on worksurface
depths 31")



Dual plastic trays, power bar
and under surface mount




Dual plastic trays


planning with height-adjustable tables (continued)

vertical wire carrier


Vertical Wire Carriers can be specified on Height-Adjustable Built-in Bases and come with a mounting bracket.



If an Vertical Wire Carrier is specified, it is recommended that it be planned within a credenza.




Vertical Wire Carriers cannot be planned within a Parallel Corridor Credenza (UPCC).




planning with height-adjustable tables (continued)

perpendicular planning with worksurfaces




Planning with Perpendicular Rectangular Height-Adjustable Built-in Worksurfaces to the panel spine




Planning with Perpendicular Rectangular Height-Adjustable Built-in Worksurfaces with Two Radius Corners to the panel spine

parallel planning with worksurfaces



When planning with worksurfaces parallel to the spine, only Parallel Rectangular Height-Adjustable Built-in Worksurface can be specified.




It is not recommended to use Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Two Radius Corners parallel to the panel spine.

planning with height-adjustable tables (continued)

navigate perpendicular worksurfaces and height-adjustable table bases


District Navigate height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.

In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TSL

Left Leg in Corridor,
Right Leg in Parallel
Spine Credenza



TSR

Right Leg in Corridor,
Left Leg in Parallel
Spine Credenza



TCL


Left Leg in Parallel
Corridor Credenza,
Right Leg along Panel

TCR
Right Leg in Parallel
Corridor Credenza,
Left Leg along Panel

TBL

Left Leg in Parallel
Corridor Credenza,
Right Leg in Parallel
Spine Credenza

TBR
Right Leg in Parallel
Corridor Credenza,
Left Leg in Parallel
Spine Credenza



GSL

Left Leg is Gable Leg
in Corridor, Right
Leg in Parallel Spine
Credenza



GSR

Right Leg is Gable
Leg in Corridor, Left
Leg in Parallel Spine
Credenza

Once the application has been chosen, the worksurface is then specified to match the height-adjustable table base.

The following is an example of how to specify a height-adjustable table that is perpendicular to the spine.

Make certain that 3-digit Leg Application codes match to ensure proper fit.



TSL (Leg Application code)
Left Leg in Corridor,
Right Leg in Parallel Spine
Credenza

Navigate Height-Adjustable Built-in Base Perpendicular Planning - YGDTSL7S31711

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YGD	TSL / TSR	7S	31"	65"	1
	TCL / TCR	9C		71"	
	TBL / TBR			77"	
	GSL / GSR			83"	


Perpendicular Rectangular Height-Adjustable Built-in Worksurface - WBGTSU9U3071NN

Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WBG	TSL / TSR	7S	31"	53"	GC (Grommet, Center)
	TCL / TCR	9C		59"	GL (Grommet, Left)
	TBL / TBR			65"	GR (Grommet, Right)
	GSL / GSR			71"	NN (Grommet, None)
				77"	


planning with height-adjustable tables (continued)

hispace parallel worksurfaces and height-adjustable table bases


District hiSpace height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in. In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TZL
Left Leg in Credenza, Right Leg in the Middle




TZR
Right Leg in Credenza, Left Leg in the Middle




TDL
Left Leg Outside, Right Leg in Shared Perpendicular Credenza




TDR
Right Leg Outside, Left Leg in Shared Perpendicular Credenza




THL
Left Leg in Perpendicular Credenza, Right Leg in Shared Perpendicular Credenza




THR
Right Leg in Perpendicular Credenza, Left Leg in Shared Perpendicular Credenza



GDL
Left Gable Leg toward the outside, Right T-Leg in Shared Perpendicular Credenza



GDR
Right Gable Leg toward the outside, Left T-Leg in Shared Perpendicular Credenza





GZL
Left T-Leg in Perpendicular Credenza, Right Gable Leg toward the middle



GZR
Right T-Leg in Perpendicular Credenza, Left Gable Leg toward the middle

Once the application has been chosen, the worksurface is then specified to match the height adjustable table base. The following is an example of how to specify a height-adjustable table that is parallel to the spine. Make certain that 3-digit Leg Application codes match to ensure proper fit.





TDL (Leg Application code)
Left T-Leg in Perpendicular Credenza, Right Gable Leg toward the middle

Navigate Height-Adjustable Built-in Base Parallel Planning - YHDTDL7S29701

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YHD	TZL / TZR	7S	29"	52"	1
	TDL / TDR	9C		58"	
	THL / THR			64"	
	GDL / GDR			70"	
	GZL / GZR			78"	
				82"	

Parallel Rectangular Height-Adjustable Built-in Worksurface - WBFTZL9U2970NN


Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WBF	TZL / TZR	7S	29"	52"	GC (Grommet, Center)
	TDL / TDR	9C		58"	GL (Grommet, Left)
	THL / THR			64"	GR (Grommet, Right)
	GDL / GDR			70"	NN (Grommet, None)
	GZL / GZR			78"	
				82"	

planning with height-adjustable tables (continued)

hiSpace perpendicular worksurfaces and height-adjustable table bases

District hiSpace height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.

In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TSL

Left Leg in Corridor,
Right Leg in Parallel
Spine Credenza

TSR

Right Leg in Corridor,
Left Leg in Parallel
Spine Credenza




TCL

Left Leg in Parallel
Corridor Credenza,
Right Leg along Panel

TCR

Right Leg in Parallel
Corridor Credenza,
Left Leg along Panel



TBL

Left Leg in Parallel
Corridor Credenza,
Right Leg in Parallel
Spine Credenza



TBR

Right Leg in Parallel
Corridor Credenza,
Left Leg in Parallel
Spine Credenza

Once the application has been chosen, the worksurface is then specified to match the height-adjustable table base.

The following is an example of how to specify a height-adjustable table that is perpendicular to the spine.

Make certain that 3-digit Leg Application codes match to ensure proper fit.



TSL (Leg Application code)

Left Leg in Corridor,
Right Leg in Parallel Spine
Credenza

hiSpace Height-Adjustable Built-in Base Perpendicular Planning - YSGTSL9U30711

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YSG	TSL / TSR TCL / TCR TBL / TBR	9U	30"	65" 71"	1


hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface - WLDTSL9U3071NN

Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WLD	TSL / TSR TCL / TCR TBL / TBR	9U	30"	71"	GC (Grommet, Center) GL (Grommet, Left) GR (Grommet, Right) NN (Grommet, None)


planning with height-adjustable tables (continued)

navigate parallel worksurfaces and height-adjustable table bases


District Navigate height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in. In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TZL
Left Leg in Credenza,
Right Leg in the
Middle




TZR
Right Leg in Credenza,
Left Leg in the Middle




TDL
Left Leg Outside,
Right Leg in Shared
Perpendicular Credenza



TDR
Right Leg Outside,
Left Leg in Shared
Perpendicular Credenza





THL
Left Leg in
Perpendicular Credenza,
Right Leg in Shared
Perpendicular Credenza



THR
Right Leg in
Perpendicular
Credenza, Left Leg in
Shared Perpendicular

Once the application has been chosen, the worksurface is then specified to match the height adjustable table base. The following is an example of how to specify a height-adjustable table that is parallel to the spine. Make certain that 3-digit Leg Application codes match to ensure proper fit.





TDL (Leg Application code)
Left T-Leg in Perpendicular
Credenza, Right Gable Leg
toward the middle

hiSpace Height-Adjustable Built-in Base Parallel Planning - YSPTDL9U29701

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YSP	TZL / TZR	9U	29"	52"	1
	TDL / TDR			58"	
	THL / THR			64"	
				70"	


hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface - WLDTDL7S2970NN

Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WLD	TZL / TZR	9U	29"	52"	GC (Grommet, Center)
	TDL / TDR			58"	GL (Grommet, Left)
	THL / THR			64"	GR (Grommet, Right)
				70"	NN (Grommet, None)


planning with height-adjustable tables (continued)

gapping


When planning with height-adjustable tables there will be a 1" gap between the worksurfaces and panels to avoid any pinch points.




Perpendicular to spine Navigate or hiSpace
Height-Adjustable Table wrapped with screens.



Perpendicular to spine Navigate or hiSpace
Height-Adjustable Table wrapped with a
Freestanding District Panel.



Perpendicular to spine Navigate or hiSpace
Height-Adjustable Table with Screen.




Parallel to spine Navigate or hiSpace
Height-Adjustable Table.

credenzas for height-adjustable tables overview

When choosing a credenza for height-adjustable tables in District, there are two styles, perpendicular and parallel which are defined by the relationship of the credenza to the panel spine.

perpendicular credenzas


Credenzas run perpendicular to the panel spine with height-adjustable tables running parallel to the spine.




- 1 Perpendicular Credenza for Height-Adjustable Table - Full Drawer (UPPC)
- 2 Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

parallel credenzas


Credenzas run parallel to the panel spine with height-adjustable tables running perpendicular off of the spine.



- 1 Parallel Spine Credenza for Height-Adjustable Table - Open with Drawer (UPSC)
- 2 Parallel Corridor Credenza for Height-Adjustable Table (UPCC)



District Handle Pull




Rectangular Handle Pull

Two handle styles are available on District credenzas for height-adjustability.


credenzas for height-adjustable table basics

District offers a variety of credenza options for height-adjustable planning in parallel and perpendicular applications.




- District Navigate and hiSpace Height-Adjustable Tables can be used with credenzas for height-adjustable tables
- Provides storage with the capability to integrate height-adjustable tables and support stackers and panels
- Height:
 - 21"
- Depth:
 - 16"
- Leveling Range is -0.625" to +0.375"
- Lock option is standard locks
- Storage extended leveling kit (UNSLC) can be ordered *from the District Storage Price & Application Guide* to reach +0.750"

Finishes:
 - Laminate
 - Flintwood
 - Wood Veneer




Perpendicular Credenza for Height-Adjustable Table (UPPC)

- Configurations:
 - Full Drawer
 - File with Hinged Door
- Can be used with:
 - Navigate Height-Adjustable Built-in Base - Parallel Planning
 - Navigate Height-Adjustable Built-in Gable Base - Parallel Planning
 - hiSpace Height-Adjustable Built-in Base Quick Connect - Parallel Planning
- Widths:
 - 48", 54", 60", 66", 72"




Parallel Spine Credenza for Height-Adjustable Table (UPSC)

- Configurations:
 - Full Drawer
 - Open with Drawer
- Can be used with:
 - Navigate Height-Adjustable Built-in Base - Perpendicular Planning
 - Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning
 - hiSpace Height-Adjustable Built-in Base Quick Connect - Perpendicular Planning
- Widths:
 - 72", 78", 84"



Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

- Can be used with:
 - Navigate Height-Adjustable Built-in Base - Parallel Planning
 - Navigate Height-Adjustable Built-in Gable Base - Parallel Planning
 - hiSpace Height-Adjustable Built-in Base Quick Connect - Parallel Planning
- Widths:
 - 66", 72"



Parallel Corridor Credenza for Height-Adjustable Table (UPCC)


- Configurations:
 - Full Drawer
 - File with Hinged Door
- Can be used with:
 - Navigate Height-Adjustable Built-in Base - Perpendicular Planning
 - Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning
 - hiSpace Height-Adjustable Built-in Base Quick Connect - Perpendicular Planning
- Widths:
 - 48", 54", 60"

height-adjustable credenza drawer widths


The following illustrates District height-adjustable credenza drawer and open section widths.

Perpendicular Credenza for Height-Adjustable Table (UPPC)


48" Width - Full Drawer (F)




54" Width - Full Drawer (F)




60" Width - Full Drawer (F)




60" Width - File with Hinged Door (H)




66" Width - Full Drawer (F)




66" Width - File with Hinged Door (H)



72" Width - Full Drawer (F)




72" Width - File with Hinged Door (H)




Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

66" Width



72" Width




height-adjustable credenza drawer widths (continued)


The following illustrates District height-adjustable credenza drawer and open section widths.

Parallel Spine Credenza for Height-Adjustable Table (UPSC)


72" Width - Full Drawer (F)




72" Width - Open with Drawer (P)




78" Width - Full Drawer (F)




78" Width - Open with Drawer (P)



84" Width - Full Drawer (F)




84" Width - Open with Drawer (P)




Parallel Corridor Credenza for Height-Adjustable Table (UPCC)


48" Width - Full Drawer (F)



60" Width - File with Hinged Door (H)



54" Width - Full Drawer (F)




planning with credenzas for height-adjustable tables


When planning with credenzas for height-adjustable tables, the following should be taken into consideration.

planning with credenzas perpendicular to the panel spine


Credenzas and height-adjustable tables can be planned in the following configurations.




Navigate or hiSpace height-adjustable tables with credenzas and freestanding panels along spine.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels along the spine.




Navigate or hiSpace height-adjustable tables with credenzas attached to freestanding panels and fixed return panels.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels and freestanding panels along the corridor.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels.



Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels.




Navigate or hiSpace height-adjustable tables cannot be planned in three-packs of shared credenzas.




This is an alternative planning solution for a run of three height-adjustable workstations and perpendicular credenzas

planning with credenzas for height-adjustable tables (continued)


planning with credenzas parallel to panel spine




Navigate or hiSpace height-adjustable tables wrapped with screens will allow for the required gaps.




Back-to-back Navigate or hiSpace height-adjustable tables wrapped with screens will allow for the required gaps.




Back-to-back Navigate or hiSpace height-adjustable tables with a freestanding panel will allow for the required gaps.



Panels wrapped around Navigate or hiSpace height-adjustable tables will not allow for the required 1" gaps.



Return panels off of the spine cannot attach to a Parallel Corridor Credenza for Height-Adjustable Table (UPCC) or Navigate or hiSpace height-adjustable table.




Freestanding panels are unable to attach to Navigate or hiSpace height-adjustable tables.

planning with credenzas for height-adjustable tables (continued)


stackers

The width of the storage section on a height-adjustable credenza will vary depending on the overall width of the credenza. District stackers are available in widths to match the width of the storage section of each credenza.


The following is recommended if stacker widths are to match with Perpendicular Credenzas for Height-Adjustable Tables (UPPC).



60" wide credenza with 24" wide stacker
(Full drawer right shown)




66" wide credenza with 30" wide stacker
(Full drawer right shown)




72" wide credenza with 36" wide stacker
(Full drawer right shown)

The following is recommended if stacker widths are to match with Shared Perpendicular Credenzas for Height-Adjustable Tables (UPCS).




66" wide credenza with 36" wide stacker
(Full drawer right shown)




72" wide credenza with 36" wide stacker
(File with hinged door right shown)


The following is recommended if stacker widths are to match Parallel Spine Credenzas for Height-Adjustable Tables (UPSC).




72" wide credenza with 36" wide stacker
(Full drawer right shown)



78" wide credenza with 42" wide stacker
(Full drawer right shown)




84" wide credenza and 48" wide stacker
(Full drawer right shown)




Always ensure there is a minimum 1" gap between Height-Adjustable table and stackers to avoid any pinch points.

planning with credenzas for height-adjustable tables (continued)


electrics and credenzas for height-adjustable tables




- Parallel Spine Credenzas for Height-Adjustable Tables (UPSC) are the only credenzas that can be specified with a cut out in the back
- The grommet into the Vertical Wire Carrier and then to the credenza to power box in panel




- Perpendicular Credenzas for Height-Adjustable Tables (UPPC) do not have the option of specifying a cut out
- Wires will be routed through the grommet to the power box in the panel



- Shared Perpendicular Credenzas for Height-Adjustable Tables (UPCS) do not have the option of specifying a cut out
- Wires will be routed through the grommet to the power box in panel



- Parallel Corridor Credenzas for Height-Adjustable Tables (UPCC) do not have the option of specifying a cut out
- There is no option to specify a Vertical Wire Carrier
- Wires will be routed through the grommet through to the Parallel Spine Credenza for Height-Adjustable Table (UPSC)




- If Parallel Corridor Credenzas for Height-Adjustable Tables (UPCC) are specified without a Parallel Spine Credenza for Height-Adjustable Table, a Vertical Wire Carrier (YEEE) should be specified separately
- Vertical Wire Carrier (YEEE) is available in Complements: *Teknion's Ergonomics & Accessories Program*

planning with credenzas for height-adjustable tables (continued)


fascias

When specifying fascias on District panels to accommodate power, it is important to consider the location of the fascia with cut out to avoid interference with the height-adjustable table and/or credenza.




51" high District Panel with Fascias for Freestanding District with Power/Communication cut out bottom.

There is no interference with power cables plugged into the power box on the panel.



51" high District Panel with Fascias for Freestanding District with Power/Communications cut out top.

Location will cause interference with power cables plugged into the power box on the panel.




51" high District Panel with Fascias for Freestanding District with Power/Communications cut out Bottom

Location will cause interference with power cables plugged into the power box on the panel.

height-adjustable tables with screens overview


District Screens can be planned with height-adjustable tables and credenzas in both parallel and perpendicular applications.

perpendicular planning with height-adjustable tables and screens



- 1 Framed Fabric Desk Edge Screen (GYDD)
- 2 Framed Fabric Side Desk Edge Screen (GYSD)
- 3 Infinity Desk Edge Screen (GXDD)
- 4 Infinity Side Desk Edge Screen (GXSD)

parallel planning with height-adjustable tables and screens




- 1 Infinity Side Desk Edge Screen (GXSD)
- 2 Storage Screen (UNSSS)

planning with height-adjustable tables and screens

The following should be considered when planning with navigate height-adjustable tables and screens.


The following chart outlines the screens that can be used with height-adjustable tables when planning perpendicular to the panel spine



Screen Type	Perpendicular Planning
ALL Desk Edge Screens	✓
Curved Desk Edge Screens	✓
Desktop Casual Screen	✓
HAB Study Carrel	
Modesty Screens	✓
ALL Desk Edge Floor Screens	
Storage Screens	
Lateral Floor Screens	
Desktop Lateral Screens	
Glass Desk Edge Screens	

✓ Applicable

The following chart outlines the screens that can be used with height-adjustable tables when planning parallel to the panel spine



Screen Type	Parallel Planning
ALL Desk Edge Screens	
Curved Desk Edge Screens	
Desktop Casual Screen	✓
HAB Study Carrel	
Modesty Screens	
ALL Desk Edge Floor Screens	
Storage Screens	✓
Lateral Floor Screens	
Desktop Lateral Screens	✓
Glass Desk Edge Screens	


✓ Applicable

planning with height-adjustable tables and screens (continued)


gapping

When planning with screens on perpendicular worksurfaces, ensure that there are proper pinch gaps between credenzas and screens.

The cut out is wide enough to accommodate various planning configurations.




Height-adjustable table can shift back 3" to allow for the recommended pinch gap when specifying desk edge screens in face-to-face applications.



Height-adjustable table can shift forward to allow for screen to overlap credenza.

When specifying screens attached to height-adjustable tables, there should always be a 1" gap to avoid pinch points.




planning with navigate height-adjustable tables and screens (continued)

desk edge screens


The following screen types can be specified on height-adjustable tables, either full or partial width:

- Desk Edge Screen (UNSDDE)
- Infinity Desk Edge Screen (GXDD)
- Framed Fabric Desk Edge Screen (GYDD)


Glass screens should not be used on height-adjustable tables.




Desk Edge Screens can span entire width of workspace.



Height-adjustable tables can be pushed back in spine credenza with Desk Edge Screens spanning only part of the width of the workspace.



Infinity Curved Desk Edge Screen (GXCD) can span along the front edge of the workspace.




Height-adjustable tables can be pushed back in spine credenza with Infinity Curved Desk Edge Screen (GXCD) screen spanning only part of the workspace.

side desk edge screens

The following screen types can be specified on height-adjustable tables with T-Legs:

- Framed Fabric Side Desk Edge Screen (GYSD)
- Infinity Side Desk Edge Screen (GXSD)




Side Desk Edge Screen on a Navigate Height-Adjustability Built-in Base - Perpendicular Planning with T-Legs.

planning with navigate height-adjustable tables and screens (continued)


curved infinity desk edge screens

Curved Infinity Desk Edge Screens are available with and without wire management.

The option of no wire management must be specified if there is a Parallel Corridor Credenza for Height-Adjustable Table (UPCC) with a Curved Infinity Desk Edge Screen (GXCD).




No wire management.




Wire management interferes with credenza if Height-adjustable table is moved up/down.

modesty screens




Allow minimum 1" gap between Modesty Screen (UNSM) and credenzas.

When planning with modesty screens, there could be interference with cut outs and credenzas for height-adjustable tables.




Modesty panel interferes with cut out when centered between the edge of the worksurface and credenzas.



There is a 1" pinch gap between the modesty panel and credenza. There is interference between the modesty panel and cut out.

planning with navigate height-adjustable tables and screens (continued)




Modesty panel is centered on the worksurface and does not interfere with cut out.

planning with navigate height-adjustable tables and screens (continued)


lateral screens

All lateral screens can only be planned with height-adjustable worksurfaces that are parallel to the panel spine.


- Lateral screens have nominal depths and can be specified to parallel worksurfaces.
- Actual depths of lateral screens are:
 - 24" deep is 23" deep
 - 30" deep is 29" deep
 - 36" deep is 35" deep



Parallel Rectangular Height-Adjustable Built-In Worksurfaces (WHD) can accommodate all lateral screens.












When specifying a lateral screen on a Height-Adjustable Built-in Gable Base - Parallel Planning (YHD), the screen must be inserted so it does not interfere with the base.



Lateral screen depths are 29" and **cannot** be planned with 30" deep Perpendicular Rectangular Height-Adjustable Built-In Worksurfaces.

height-adjustable credenza lock chart

	number of locks		number of locks		number of locks
Full Drawer  Line 1 File with Hinged Door  UPPC	1 x	 UPCS	2 x	Full Drawer  File with Hinged Door  UPCC	1 x
Full Drawer 72"  Full Drawer 78"  UPSC	2 x		Full Drawer 84"  Open with Drawer  UPSC	1 x	

supports

supports


UNDERSTANDING DISTRICT SUPPORT	226
WORKSURFACE SUPPORT BASICS – HORIZONTAL	227
PLANNING WITH WORKSURFACE SUPPORTS – HORIZONTAL . .	228
WORKSURFACE SUPPORT BASICS – VERTICAL	232
PLANNING WITH PANEL-MOUNTED CANTILEVERED SUPPORTS . .	233
WORKSURFACE SUPPORT, FREESTANDING BASICS	234
PLANNING WITH WORKSURFACE SUPPORTS, FREESTANDING . . .	235
PLANNING WITH SEMI-SUSPENDED SUPPORTS	236
WORKSURFACE-TO-STORAGE SUPPORT BASICS	237
PLANNING WITH WORKSURFACE TO STORAGE SUPPORTS . . .	238
STORAGE-TO-PANEL SUPPORT BASICS	240
SELECTING THE CORRECT STORAGE-TO-PANEL BRACKET . . .	241
PLANNING WITH KEYBOARD TRAYS	243

understanding district support


The following outlines the guidelines for supporting panels and worksurfaces in panel-mounted applications.

- When planning with District panels, the end of run conditions must be supported at 6" and 29" high and at the front of a work-surface or storage. There are different ways of providing support, depending on whether storage or end gables are used
- When properly supported, the method of support forms a triangle


end of run with no storage



end of run with low storage





end of run with high storage




worksurface support basics – horizontal

The following outlines the features of supports that connect horizontally, either below worksurfaces, or for connecting worksurface to panel walls.




Flush Plate (UNRF)

- Used in conjunction with other supports to maintain alignment of worksurfaces
- **Cannot** be used in freestanding applications, is used in panel wall application only
- **Not** required when cantilevers are used




Mid Gable (UNGFMF) and Mid Gable – Height-Adjustable (UNGFMFA)

- Used on worksurface spans larger than 72" to provide additional floor support or to join two worksurfaces, also includes a bracket at the 6" high level to provide support to the panel wall if required
- (UNGFMFA) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)




Flush End Gable (UNGEMF) and Flush End Gable – Height-Adjustable (UNGEMFA)

- Consists of a solid gable and a support to allow it to be attached to the underside of a worksurface and to a panel available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20" 24" 30" and 36" deep worksurfaces
- (UNGEMFA) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)
- Provides floor support to a panel wall at the end of worksurface run and also has a bracket at the 6" high level to provide panel support




End Gable (UNGEM) and End Gable – Height-Adjustable (UNGEMFA)

- Consists of a single leg and a support to allow it to be attached to the underside of a worksurface and to the panel to provide floor support to a panel wall at the end of a worksurface run available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20" 24" 30" and 36" deep worksurfaces
- Available open or with an infill panel
- The infill has a bracket at the 6" high level and is used when panel support is required at the 6" level - the no infill option **cannot** be used for supporting panels as it does **not** include the bracket
- (UNGEMFA) offers a height-adjustable leveling option with a range of 6" (3" above and 3" below worksurface) and is available with or without an infill
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)



Worksurface Panel Wall Brackets (UNBP)

- Off-module connectors that attach the worksurface to a Panel Wall
- Are mounted in the 29" high horizontal rail and can be connected at any point along the width of the worksurface and Panel Wall but must be spaced minimally every 48"
- Are **not** height-adjustable
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)



Worksurface Reinforcement Channel (UNRC)


- Adds rigidity to worksurface to reduce deflection in the worksurface
- Required for all worksurfaces with an unsupported span over 48"

planning with worksurface supports – horizontal


The following should be considered when planning with worksurface horizontal supports.

Worksurface Panel Wall Brackets


- Panel wall brackets mount into the 29" high horizontal rail of the panel wall, to support worksurface on- or off-module



On-Module worksurface shown




Off-Module worksurface shown



- Brackets are required at every 48" along a worksurface
- At least one left and one right bracket should be used for anti-dislodgement – brackets are packaged in pairs, one right and one left

- A corner bracket located at the side edge can support worksurface end when it **cannot** be located along the back edge
- Typically worksurface ends only require one bracket towards the user edge for support




When mounting a worksurface to a freestanding panel with an accessory rail, the Worksurface Panel Wall Bracket (UNBP) must be rotated 180° to have the worksurface reach a 28" datum.

planning with worksurface supports – horizontal (continued)



Mid Gable and Mid Gable – Height-Adjustable

- The 12" deep mid gable is used for 20" and 24" deep worksurfaces and the 18" deep half gable is used for 30" and 36" deep worksurfaces



- The mid gable provides support to the panel by mounting to the 6" rail
- A 22" high and 6" high fascia must be specified for use with the gable (See Fascias section for details)

- Worksurface panel wall brackets are required on either side of the mid gable when connecting two worksurfaces
- A Structural Flush Plate is required at the front of the surfaces to maintain alignment




- If the mid gable is used for additional floor support on worksurface runs over 72" panel wall brackets must still be used every 48"

planning with worksurface supports – horizontal (continued)

End Gable and End Gable – Height-Adjustable

- End gables mount into the 6" and 29" high levels to provide support to the end of a panel run

- A Panel Wall Bracket is included to provide the support at 29" high



- Mounts flush with the outside edge of the worksurface regardless of the worksurface profile


- A 22" and 6" high fascia must be specified with the end gable with infill

- The infill panel option includes a mounting bracket at the 6" high level so must be used when support is required at the 6" horizontal level
- The bottom edge of the infill panel aligns with the 6" high horizontal rail
- On the height-adjustable option, it has a different bracket which attaches to the vertical channel of the frame and travels up and down with the infill


Flush End Gable and Flush End Gable – Height-Adjustable

- Provides the same support as an end gable, but is solid to provide an alternative aesthetic


- A Panel Wall Bracket is included to provide the support at 29" high



- Provides support at the 6" high horizontal rail of the panel wall



Worksurfaces **cannot** be mounted to 29" high Panel Walls with Inset Glass using Worksurface Panel Wall Bracket (UNBP) due to restricted access to the top horizontal rails.




To accommodate 29" high Panels with Inset Glass with a worksurface mounted you must specify a Worksurface Panel Wall Bracket – Height Adjustable (UNBPA) on either end of the worksurface. If the Panel width is greater than 72" a Mid Gable (UNGMF) must also be specified every 72".


planning with worksurface supports – horizontal (continued)

reinforcement channel requirements


- When a worksurface has an unsupported span of a 48" or more reinforcement channels are required
- The unsupported span is the distance between two supports or storage units




For unsupported spans 48" or less, no reinforcement channels are required for all depths of worksurfaces.




For unsupported spans from 49" to 65", one reinforcement channel only is required for all depths of worksurfaces.




- Worksurfaces 30" or 36" deep two reinforcement channels are required
- One reinforcement channel is required on worksurfaces 24" deep




- A deduction allowance can be given for the mounting plates on supports
- Allow 6" for all supports except: for the low credenza worksurface support 10"
- The reconfigurable low credenza worksurface bracket which is either 16" or 19"




- Example: a 78" wide worksurface supported by a pedestal and a 19" deep credenza has an unsupported span of 44"
- No reinforcement channel is required because the unsupported span is less than 48"



- When planning with surfaces wider than 72" that will require secondary floor support, consider placing the support where it will shorten the unsupported distance on each side to 48" or less
- No reinforcement channel will be required, this is important to consider when planning with keyboard trays





- Example: a 78" wide worksurface supported by a pedestal and panel brackets has an unsupported span of 61"
- One reinforcement channel is required



- Example: a 78" wide worksurface supported by a gable and panel brackets has an unsupported span at 66"
- 2 reinforcement channels are required if the surface is 30" or 36" deep


worksurface support basics – vertical

The following outlines the features of vertical supports that allow for height-adjustable worksurface mounting.




Cantilever (UNLVR)

- Mounts into the center vertical channel of a panel wall over 60" wide to provide on module height-adjustable worksurface support at 1" increments available in depths of 11" and 14"
- Available in depths to match 11" and 14"




Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA)

- Mounts into the vertical channel at the end of a Panel Wall to provide on-module height-adjustable support for worksurfaces
- Used with Flush Full-Height Windows – Single and Double Glazed (UNPFWS, UNPFWD) to support worksurfaces as no horizontal channel is available at 29" high



Off-Module Cantilever (UNLVFN)

- Mounts in the 6" and 29" horizontal channels of the Panel Wall to allow for height-adjustable off-module applications
- Can be used in place of the Mid Gable (UNGFMF) and Height-Adjustable Mid Gable (UNGMF), height-adjustable on an elevated panel as it does **not** extend below the 6" horizontal rail available in depths of 11" and 14"
- Available in depths to match 11" and 14"
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)



Off-Module Cantilever for Panels with Accessory Beam (UALVFN)


- Available in depths to match 11" and 14"
- Left or Right handed available
- Mounts to the horizontal channel of the panel to provide on-module height-adjustable worksurface support at 1" increments
- Used only when using a panel frame with accessory rail in order to accommodate the gap from the beam

planning with panel-mounted cantilevered supports


The following should be considered when planning with cantilevered height-adjustable supports.

- On worksurfaces attached to panel walls, support is required every four feet and secondary floor support every six feet
- Cantilevers are **not** considered floor support


Cantilever (UNLVR)





- Cantilevers mount vertically so are used only in the middle of a panel run where there is a vertical break in the panel (including one panel wider than 66" with split fascias)



- **Cannot** be used as an end-of-run support





- **Cannot** be used on panels less than 60" wide because there is no center vertical frame to attach to



Off-Module Cantilever (UNLVF)

- Placed directly below a worksurface or the connection of two worksurfaces and can be mounted anywhere along the length of a panel
- Is mounted into the horizontal rails of the panel (6" and 29")
- The flange is wide enough to span the connection (with or without knife-edge worksurfaces)
- A Flush Plate should be used for added alignment if used at the intersection of two surfaces
- A 22" and 6" lower fascia are required for use with this cantilever if a flush panel is used
- Recommended for use with Elevated Panel Walls because the bracket does **not** extend below the 6" horizontal rail





Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA)

- Hooks into the vertical channel at the end of a panel wall only to provide height-adjustable support
- Is an on-module bracket only
- Can be used for non height-adjustable mounting with Flush Full-Height Windows – Single and Double Glass (UNPEWSR, UNPFWDR) where no horizontal channel is available at 29" high


worksurface support, freestanding basics

The following outlines the features of supports that are typically used in freestanding or semi-supported environments.




Semi-Suspended Gable (UNGSN) and Semi-Suspended Gable – Height-Adjustable (UNGSAN)

- Consists of two legs and a support, and is used at the open end of a panel wall mounted semi-suspended worksurface
- Available with or without an infill, standard or height-adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)



Leg – Single (UNLGN), Leg – Height- Adjustable Single (UNLGA), Leg – Pair (UNLGPN) and Leg – Height-Adjustable Pair (UNLGPA)

- Used primarily in freestanding applications to provide worksurface support but can also be used for intermediate support in panel wall applications
- Available in single or pairs, standard or height-adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)




Structural Flush Plate (UNRFS)


- Used to join two worksurfaces in freestanding application
- Two Structural Flush Plates used with a leg provides the required stability to create freestanding desks

planning with worksurface supports, freestanding


The following should be considered when planning with freestanding supports.




When post legs are used at the end of a worksurface the legs are inset from each end by 3" and the angled face is always on the inside



Freestanding desks can be created using a District worksurface and either two pairs or four single legs.




When an "L" shaped freestanding workstation is created the leg between the two worksurfaces is **not** shared, it mounts to one worksurface and two Structural Flush Plates are used to connect the two surfaces.



Leg as an Intermediate Support

- A leg can be used as an intermediate support to provide floor support
- The position on the leg is the same regardless of the worksurface edge profile, and is always 17" from the user edge of the worksurface




Leg as a Shared Intermediate Support

- When used in a shared position one leg supports both worksurfaces, and the 3" flat worksurface of the Post Leg is oriented toward the user
- A Flush Plate is required to align the two surfaces


planning with semi-suspended supports

The following should be considered when planning with semi-suspended supports.

Semi-Suspended Gable (UNGSN) and Height-Adjustable Semi-Suspended Gable (UNGSAN)




- Has a horizontal bar connecting the two legs for added support in semi panel-mounted applications




- An infill is **not** necessary for rigidity of a Semi-Suspended Gable. It is an aesthetic option for matching panel-mounted gables with infills

mounting semi-suspended surfaces to panel walls


- Two Worksurface Panel Wall Brackets (UNBP) are required on any panel supported worksurface end



- The maximum width of the worksurface is 72" unless additional floor support is added





- The size of the semi-supported worksurface can be increased using a half depth gable to reduce the unsupported span




- Mid Gables (UNGMF) or Cantilevers should be used at connections between panel supported and semi-supported worksurfaces

worksurface-to-storage support basics


The following outlines the features of supports that connect storage to panel walls, worksurfaces and walls.




2 Brackets




2 Brackets/One Hook



1 Bracket/1 Flush Plate



1 Bracket/1 Flush Plate/
One Hook




Worksurface-to-Tower Bracket Kit (UWBT)

- Used to attach worksurfaces to storage components
- Available with four options:
 - (BB) two brackets, which are used with storage with no cubbies – the brackets attach to the underside of the worksurface and the side of the storage
 - (HB) two brackets, one hook, which are used with storage with no cubbies – the brackets attach to the underside of the worksurface and the side of the storage, and the hook attaches to the bracket to hang personal items
 - (BF) one bracket, one flush plate, which are used with storage with cubbies – the bracket attaches to the underside of the worksurface and the side of the storage, and the flush plate attaches the worksurfaces and a shelf in the cubby section of the storage
 - (HF) one bracket, one flush plate, one hook, which are used with storage with cubbies – the bracket attaches to the underside of the worksurface and the side of the storage, the flush plate attaches the worksurfaces and a shelf in the cubby section of the storage, and the hook attaches to the bracket to hang personal items


Height-Adjustable Worksurface-to-Tower Bracket Kit (UWBTH)

- **Cannot** be used on a Pedestal Tower with Cubby Back (UTDC), see the *District Storage Price & Application Guide*.




Mini Leg (UNCLN)

- Used in place of the Low Credenza Worksurface Support (UNCPWN) when panel support and height-adjustability is **not** required because it does **not** attach the storage, it simply rests on it
- **Cannot** be used in freestanding desking applications
- Must be used with Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB). This combination provides support to panels



Fixed-Height




Height-Adjustable

Low Credenza-to-Worksurface Supports (UNCPWN)

- Mount to the underside of a worksurface and to the top of a Low Credenza to provide support to the worksurface
- When used in combination with the Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB), support is provided for panels
- Offer a height-adjustable leveling option with a range of 4" (3" above the fixed height of 7" or 1" below the fixed height of 7")

Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)


- Mounts to the underside of the worksurface, wraps around the top of an open compartment on low storage and attach to the underside of the open section
- Does **not** attach to the top of a storage unit, therefore **not** making it to allow for reconfigurability
- Is **not** height-adjustable



planning with worksurface to storage supports


The following should be considered when planning with worksurface to storage supports.

Low Credenza-to-Worksurface Supports (UNCPWN)




panel-mounted

- Can be used in panel-mounted applications to support the front of the worksurface
- Attaches the bottom of a worksurface to the top of a low credenza
- Does **not** add rigidity to the panel on its own; worksurface and storage supports must be specified at the 6", at 29" to give adequate support




freestanding

- Can be used in freestanding applications to attach the bottom of a worksurface to the top of a low credenza
- Is available in a height-adjustable option





Mini Leg (UNCLN)

- Is an alternative support used to support the front of a worksurface over a low credenza in panel-mounted applications
- **Cannot** be used in freestanding desking applications because the support rests on top of the credenza without being fastened to it
- Is **not** height-adjustable



Worksurface-to-Tower Bracket Kit (UWBTBB) – (2 brackets) Height-Adjustable Worksurface-to-Tower Bracket Kit (UNBTHBB) – (2 brackets)

- When mounting worksurfaces to storage, two brackets are required for support
- **Cannot** be used with storage with cubbies





Worksurface-to-Tower Bracket Kit (UWBTBF) – (1 bracket, flush plate) Height-Adjustable Worksurface-to-Tower Bracket Kit (UNBTHBF) –


- When mounting worksurfaces to storage with cubbies, the option for bracket with flush plate must be selected – the flush plate attaches the worksurface to a shelf in the storage

planning with worksurface to storage support (continued)


Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)




- The brackets are mounted towards the edges of the worksurface
- The open section of the storage below **cannot** be more than 6" wider than the worksurface to which it is attached to provide adequate support, therefore, a 24" deep worksurface **cannot** mount to the 36" wide open cubby of a 72", 84" or 96" wide credenza; the width difference is more than 6"



The sliding door credenza **cannot** be used with the reconfigurable low credenza-to-worksurface support because the track obstructs mounting




- When a high credenza or storage unit is mounted below a worksurface, it does not allow room for a Worksurface Panel Wall Bracket (UNBP) in the same location, therefore, in panel mounted applications (particularly when overhead storage is used) proper panel support is required
- The storage is attached to the underside of the worksurface, the worksurface is attached to the panel as closely as possible to the storage with the Worksurface Panel Wall Bracket (UNBP), and the storage is mounted to the panel with the Storage-to-Panel Bracket (UWSPB). If a return panel is used, the Storage-to-Panel Bracket (UWSPB) is not required, the return panel will support the spine. The storage needs to be attached to the worksurface only



- High storage, mounted to the underside of a worksurface will obstruct the ability to flush plate a return worksurface to the primary worksurface
- In this application the Worksurface-to-Tower Bracket Kit (UWBT), must be used, to mount the return worksurface to the side of the storage, and then the storage is attached to the bottom of the primary worksurface

storage-to-panel support basics

The following outlines the features the supports that connect storage-to-panels.




Centermount Cabinet Support Posts & Top Trim (UNOPT)

- Used to support upmount cabinets on-module
- Include the top trim and posts, so replaces a standard top trim
- Available 9" high or 13" high posts and 30" - 60" wide
- To maintain District datum heights it is recommended on a panel 42" high use a 9" post and a 15" cabinet for 66" high datum, and on a panel 29" high use 13" post and a 9" cabinet for a 51" high datum

Centermount Cabinet Support Brackets & Top Trim (UNOBT)

- Similar to Centermount Cabinet Support Posts & Top Trim (UNOPT) except that there are no posts
- Are available from 30" - 96" wide
- Cannot be used to attach a transaction counter







Storage-to-Panel Bracket (UWSPB)

- Attaches to the back or side of a storage component and mounts into the vertical channel of a District panel, to provide support to a panel wall
- Options are available for parallel and perpendicular mounting at either the front or back of the cabinet, and for elevated and standard credenza heights
- Available with wire gap options
- Must be specified left or right handed, handedness being determined by the side of the panel to which storage is attached





selecting the correct storage-to-panel bracket

All storage units attach to panels with either parallel, perpendicular front or perpendicular back brackets. The following outlines each option, and which cabinets use each individual option.

parallel mounting



		• 3/8" offset (no gap) Elevated Storage	• Used on storage with a closed back that fits flush or parallel to a panel wall • Bracket will attach to the storage unit through the slot located on the back of the unit • Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required • Available for elevated and standard storage heights • Bracket fits into the vertical slots of the District panel wall • Handedness is determined by the side of the panel when facing it onto which the storage is mounted Parallel mounting is used on the following storage units: UBKE, UBKS, UFLS, UKC, UKQ, UTLE, UTLS, UTCE, UTCS, UPFD, UPSE, UPSS, UKSD, UTDD, UTDK all credenzas. These products can be found in the <i>District Storage Price & Application Guide</i>.
		• 1" offset (with gap) Elevated Storage	
		• 3/8" offset (no gap) Standard Storage	
		• 1" offset (with gap) Standard Storage	

perpendicular mounting, front

		• 3/8" offset (no gap) Elevated Storage	• Used when bracket is being attached to the inside of an open cubby space (not through a slot in the back). This mounting option is appropriate for units that have: - open section (open credenzas, bookcases, etc), - cubby back (single lockers, pedestals) and - door in the mounting location (dual lockers etc) • Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required • Available for elevated and standard storage heights • Bracket fits into the vertical slots of the District panel wall • Handedness is determined by the side of the panel when facing it onto which the storage is mounted Perpendicular mounting, front is used on the following storage units: UBKE, UBKS, UHHE, UHHS, UHOE, UHOS, ULHE, ULHS, ULOE, ULOS, UTCE, UTCS, UTDK, UTLE, UTLS. These products can be found in the <i>District Storage Price & Application Guide</i>.
		• 1" offset (with gap) Elevated Storage	
		• 3/8" offset (no gap) Standard Storage	
		• 1" offset (with gap) Standard Storage	

selecting the correct storage-to-panel bracket (continued)


perpendicular mounting, back

		• 3/8" offset (no gap) Elevated Storage	• Used on storage that sits perpendicular to the panel but attachment is through the back of the storage unit through the slots • Available with 3/8" offset only (no gap) • Available for flush and elevated configurations • Bracket fits into the vertical slots of the Leverage panel • Handedness is determined by the side of the panel when facing it onto which the storage is mounted
		• 3/8" offset (no gap) Standard Storage	Perpendicular mounting, back is used on the following storage units: UBKE, UBKS, UFLS, UKQ, UPSE, UPSS, UTCE, UTCS, UTLE, UTLS all credenzas. These products can be found in the <i>District Storage Price & Application Guide</i>.


planning with keyboard trays

The following keyboard trays and components can be used on District worksurfaces with Reinforcement Channels.


- When mounting a keyboard tray to worksurfaces where a support is located, certain conditions apply, consult *Complements: Teknion's Ergonomics & Accessories Program* for details and Application Matrices
- When the unsupported worksurface span is 48" or less, no reinforcement channels are required thus facilitating keyboard tray installation




Tiers "T1" Aluminum
Complete Keyboard Solution (YKT1)




Tiers "T2" HDPE
Complete Keyboard Solution (YKT2)




Tiers "T3" Small Phenolic
Complete Keyboard Solution (YKT3)




Tiers "T4" Large Phenolic
Complete Keyboard Solution (YKT4)



Rectangular Keyboard Tray (YKKW)




Retractable Keyboard Tray (YKRT)



Accessories Offset Mount (YKMT-150)


planning with keyboard trays (continued)

compatibility with cantilevers




Rectangular Keyboard Tray (YKKW)

Fits on worksurface depths 24", 30", 36" and must sit 4" from cantilever



Accessories Offset Mount (YKMT-150)


Compatible with worksurface depths 24", 30", 36"



Retractable Keyboard Tray (YKRT)


Fits on worksurface depths 24" and 30"

worksurfaces supported by a mid-gable




Rectangular Keyboard Tray (YKKW)

Compatible with all worksurface depths when the proper mid gable depth is specified



Accessories Offset Mount (YKMT-150)

- Fits on worksurface depths 30" and 36"
- Fits on 24" worksurface if keyboard tray handle does **not** interfere with half gable



Retractable Keyboard Tray (YKRT)


Fits on worksurface depths 24", 30", 36"

planning with keyboard trays (continued)


The following charts outline keyboard compatibility with reinforcement channels.

Keyboard Tray (YKKW) used on rectangular worksurfaces


10.5" is required to the first reinforcement channel




20" deep Rectangular Worksurface without Worksurface Reinforcement Channels




20" deep Rectangular Worksurface with Worksurface Reinforcement Channels




24" deep Rectangular Worksurface with one Worksurface Reinforcement Channel



30" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




36" deep Rectangular Worksurface with one Reinforcement Channels




36" deep Rectangular Worksurface with two Reinforcement Channels

Keyboard Tray (YKKW) used on angled worksurfaces


Can be used on Wedge, Extended Wedge and Wing Worksurfaces




24" - 30" deep Transition Worksurface with one Worksurface Reinforcement Channel



24" - 30" deep Transition Worksurface with two Worksurface Reinforcement Channels – keyboard tray **cannot** be installed here



30" - 36" deep Transition Worksurface with one Worksurface Reinforcement Channel



30" - 36" deep Transition Worksurface with two Worksurface Reinforcement Channels

planning with keyboard trays (continued)

The following charts outline keyboard compatibility.

Keyboard Tray (YKRT) used on Rectangular Worksurfaces (UNWR)


- Can be used with all worksurface depths regardless of the need for Worksurface Reinforcement Channels
- The brackets extend over the Worksurface Reinforcement Channels




20" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




24" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




30" deep Rectangular Worksurface with one Worksurface Reinforcement Channel



30" deep Rectangular Worksurface with two Worksurface Reinforcement Channels




36" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




36" deep Rectangular Worksurface with two Worksurface Reinforcement Channels

Keyboard Tray (YKRT) used on Transition Worksurface (UNWT)


Can be used on Wedge, Extended Wedge and Wing Worksurfaces




24" - 30" Deep Transition Worksurface with one Worksurface Reinforcement Channel



24" - 30" deep Transition Worksurface with two Worksurface Reinforcement Channels – keyboard tray **cannot** be installed here



30" - 36" deep Transition Worksurface with one Worksurface Reinforcement Channel



30" - 36" deep Transition Worksurface with two Worksurface Reinforcement Channels

accessories

accessories

UNDERSTANDING ACCESSORIES. 251

STORAGE MOUNTED FASCIA BASICS. 252

PLANNING WITH STORAGE MOUNTED FASCIAS 253

SCREEN & PANEL MOUNTED FASCIA BASICS 254

PLANNING WITH SCREEN-MOUNTED & PANEL-MOUNTED
FASCIAS. 255

TOWER & LOCKER INFILL BASICS. 256


PLANNING WITH TOWER & LOCKER INFILLS 257

SEAT CUSHION BASICS. 258

COMPLEMENTS ACCESSORY BASICS 259

understanding accessories


A variety of accessories are available to enhance the functionality to District workstations.



- 1 **Screen- and Panel-Mounted Tackboards** provide additional functionality to screens and panel walls.
The **Tackboard** provides a framed tackable surface and the whiteboard provides an erasable writing surface.
- 2 **Tackable and Whiteboard Storage Fascias** are available for mounting to Standing Storage and Stacking Storage in heights that correspond with Elevated and Standard storage heights.
- 3 **Seat cushions** provide additional guest seating in a workstation and are available for low credenzas or rolling pedestals.
- 4 **Storage Infills** provide the ability to enclose and add functionality to open cubbies with options for solid whiteboard and tackboard depending on format.
- 5 Complements: *Teknion's Ergonomics & Accessories Program* offers additional accessories such as desk pads, binder dividers organizing trays for storing smaller items, and Podium


storage mounted fascia basics

The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.




Finishes

- Frames are available in Clear Anodized and Espresso or Storm White paint finishes
- Brackets are Black
- All standard Teknion panel fabrics are available, however Architectural Fabrics are available on widths up to 48" only



Standing Storage Fascia (UNPSF)

- Mounts to storage units that are freestanding and **not** stacked onto other storage units
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only, and **cannot** span across two units
- Available in heights from 12" to 60" in 1" increments and widths from 12" to 48" in 1" increments
- Whiteboard sizes are restricted to widths of 48"
- Can be mounted to the back or side of units
- Sizes are available to accommodate lockers with open cubbies at the back –the fascia will cover only the closed portion of the cabinet




Stacking Storage Fascia (UNPSS)

- Mounts to storage units that are stacked onto a credenza or other base unit
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only and **cannot** span across two units
- Available in heights from 15" to 45" in 1" increments and width from 24" to 96" in 6" increments
- Whiteboard sizes are restricted to widths of 48"


planning with storage mounted fascias

The following should be taken into consideration when planning with mounted fascias on standing and stacking storage.


determining fascia sizes required for standing storage




- For standard storage, the storage fascias must be ordered 1" shorter than the nominal height of the cabinet to allow for the gap at the base of all cabinets
- The width should match either the width or depth of the cabinet, depending on whether the fascia is being mounted to the back or side of the unit



- For elevated storage, the storage fascias must be ordered 6" shorter than the nominal height of the cabinet to allow for the ht. of the feet
- The width should match either the width or depth of the cabinet, depending on whether the fascia is being mounted to the back or side of the unit




- For standard and elevated storage, where the storage fascia is required to be above the worksurface only, the tackable fascia must be ordered 30" shorter than the nominal height of the cabinet




- For single lockers and pedestal towers with cubbies that are 29" and 35" deep and have an open section at the back, the storage fascia should be ordered 9" narrower than the overall depth of the cabinet

determining mounted fascias for stacking storage



- Mounted fascias for stacking storage are specified the same width and height as the stacking cabinet



whiteboard widths




- Whiteboards widths are restricted to 48"

screen & panel mounted fascia basics


The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.



Tackboard



Whiteboard



Tackboard – Screen Mount (UNTBS) and Whiteboard – Screen Mount (UNTBW)

- Mounts to a floor desk-edge or storage screen
- Can be mounted on- or off-module and can be user relocated
- Covers the mounting rail of a floor screen, so mounting personal accessories **cannot** be used when the tackboard is used
- Available in heights of 13" and 22" to match above worksurface datum heights in
- Tackboards available in widths from 23"- 96" and the Whiteboard available from 23" - 48"
- Mounting brackets are available in the same finishes as the top rail on the floor screen


Tackboard – Panel Wall Mount (UNTBP)

- Mounts to the top rail of a panel wall to provide a panel-mounted tackboard
- Can be mounted anywhere along the panel wall and can be user relocated
- Available in heights of 13", 22" and 37" to match above worksurface datum heights and in widths from 23" to 96" in 1" increments


planning with screen-mounted & panel-mounted fascias

The following should be taken into consideration when planning with tackboards, screen mounted.


screen mount tackboard and whiteboard




- Can be mounted on Floor Screens and Storage Screens
- Actual height will be 1" less than nominal height to allow clearance for cable management
- Nominal widths = actual widths, the tackboard will match that actual width of the screen
- **Cannot** be used with Casual Lateral Screens



panel-mounted tackboard



- The panel wall mounted tackboard is an ideal solution when planning with "D-Style" hard surface fascias and only a small area of tackboard is required
- The tackboard mounts onto the face of a hard surface fascia and can be any width, allowing for on- or off-module planning




- Tackboard panel wall mount is ideal for use when a framed tackboard is required on the back side of a single-sided power application (a standard framed tackable fascia will **not** fit in this application, see Fascia section). The framed tackboard can mount onto a solid fascia, and maintain similar aesthetic to adjoining workstations

tower & locker infill basics

Infills are used with towers and lockers to convert open formats to fully enclosed and secure cabinets. The following outlines the features of each type.

lateral tower, combo tower, pedestal tower with cubby and single locker infills

- Mount into either Elevated or Standard height cabinets
- Available in heights of 36", 42", 51" and 66"
- Height and width is determined by the size of the cabinet, **not** the size of the opening into which it is mounting
- Solid finishes are available in Source Laminate, Flintwood and Natural Veneer




Single Locker with Cubby Infill (UKSCIS)

- A solid finish on the inside and outside to provide a closed back

Pedestal Tower with Cubby Infill (UTDCIS)

- A solid finish on the inside and outside to provide a closed back



Combo Tower Infill (UTCXIS)

Cannot be used on Combo Tower with Source Laminate Case

Source Laminate Combo Tower Infill (UTCXIX)

Can only be used on Combo Tower with Source Laminate Case

Solid Outside


- A solid finish on the inside and outside to provide a closed back

Fabric Outside

- Provides a fabric tackboard on the outside of the cabinet; inside is a painted finish

Whiteboard Outside

- Provides a whiteboard on the outside of the cabinet; inside is a painted finish



Lateral Tower Infill (UTLXIS)

- There is no 35" high elevated option

Solid Outside

- A solid finish on the inside and outside to provide a closed back

Fabric Outside


- Provides a fabric tackboard on the outside of the cabinet; inside is a solid finish

Whiteboard Outside


- Provides a whiteboard on the outside of the cabinet; inside is a solid finish

planning with tower & locker infills

The following should be considered when planning with infills




- All towers and lockers that accommodate infills are handed; handedness being determined by the hinge location of the storage section
- The cubby shelf is inset on the same side to accommodate the infill
- On 36" high cabinets with no storage section, the unit is still considered handed because of the shelf inset



- When specifying the infills the size is determined by the actual size of the cabinet it is being used on, **not** the size of the opening

seat cushion basics

The following options are available for District seat cushions.



Seat Cushion (UWLC)



- Provides space saving casual guest seating in a workstation
- Available in two options:
 - C - used on low credenzas (placed upon but **not** affixed)
 - R - mounted onto rolling pedestals only
- Can be specified on the Rolling Pedestal (UPR) at the time of order, or can be ordered separately and retrofitted onto an existing Rolling Pedestal. For more information, see *District Storage Price & Application Guide*.
- The credenza option is sized to be used on 16" and 19" deep credenzas
- Available in all of Teknion's standard Seating fabrics

Fitted Seat Cushion (UWLF)

- Sized to fit precisely onto credenza tops
- Match depths of credenzas and the widths match drawer widths of credenzas
- Available in all Teknion standard seating fabrics except leather


complements accessory basics

Complements: *Teknion's Ergonomics & Accessories Program*, offers a number of accessories that are designed for use with District.




Desk Pad (YPDP)

- Lays onto any thickness of worksurface with a flat or knife edge style without tools
- Can span the corner between two worksurfaces to create a conventional angled computer corner
- Includes an integral cable management retainer for easy laptop plug in




tn Accessories

- A series of Desktop and Freestanding Storage items that complement any workspace



Podium

- A collection of shelves and accessories to organize laptops, flat screen monitors, and multiple hand-held electronic peripherals



- The desk pad is typically used on the primary worksurface, however it can also span across the corner of two worksurfaces to create a conventional angled computer corner – the steel inner construction provides the stability required to support a keyboard tray – **cannot** be used if the two surfaces are at different heights

electrics

electrics

ELECTRICS & COMMUNICATIONS OVERVIEW 262

POWER ENTRY BASICS – PANEL-MOUNTED WORKSTATIONS . . 265

PLANNING WITH POWER POLES 264

POWER & COMMUNICATIONS BASICS –
PANEL-MOUNTED WORKSTATIONS. 265

PLANNING WITH POWER BOXES & OUTLETS. 266

WIRING SYSTEMS. 268

POWER DISTRIBUTION BASICS –
PANEL-MOUNTED WORKSTATIONS. 269

PLANNING WITH HARNESES 270

DETERMINING HARNESES LENGTHS 271

CASUAL ELECTRICS BASICS –
PANEL-MOUNTED WORKSTATIONS. 272

STORAGE ELECTRICS BASICS 273

PLANNING WITH STORAGE 276


POWER CONSERVATION SYSTEM BASICS. 279

PLANNING WITH POWER CONSERVATION SYSTEM 280


electrics & communications overview

District offers a non-directional wiring system that allows for maximum flexibility and simple reconfiguration.

Power must be turned off during all installations and reconfigurations.





- 1 Power is provided to workstations by either a power pole or through a base feed.
- 2 Power boxes can be mounted above or below worksurface height.
- 3 When panels are **not** available for routing cables, casual wire management is available.
- 4 Power is distributed by harnesses connected by power boxes – the power box can accommodate up to four outlets, two on either side of the box, and the power can run in either direction from the box.
- 5 Power is provided to workstations by either a power pole or through a base feed.



- A compatibility harness is available to connect the new style of power with the previous version of District electrics


power entry basics – panel-mounted workstations

Power and communications cables enter a workstation either through a base feed or a ceiling feed. The options are detailed below. The following outlines the features of the electrical and communication components available for use in District panel environments.




Base Feed (UNQBFR)

- A hard wired connection that supplies power into a panel from the building power source
- Both base feeds and harnesses can be used in the same panel
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Available in options for mounting into either solid fascias or metal or fabric fascias
- Available in a PVC free option
- If a base feed kit is mounted onto an elevated panel, it will be below the rail, therefore will be exposed.




Chicago Base Feed (UNQBFRCH)

- Provides the conduit only for Chicago electricians wiring restrictions that require that all wiring and connections be supplied and connected by a licensed electrician
- Supplied with three wires for a single circuit only
- Available 72" long only
- Box painted Platinum



Split Base Feed (UNQBFSR)

- Same as the base feed except that it is hard wired to the building power supply in two places for New York City wiring restrictions
- Accommodates hard wiring within the floor monument and in the wiring junction box
- Box painted Platinum



(UNQEP)



(UNQEPR)

Power Pole (UNQEP) and End of Run Power Pole (UNQEPR)

- Used to house the ceiling feed and includes a pole divider for separating the ceiling power feed from the communications and data cables
- Available in 48", 72" and 96" heights for up to 10' ceilings
- Available in options for corner mounting and off-module mounting
- End of Run Power Pole (UNQEPR) **cannot** be installed off-module or on a corner



Ceiling Feed (UNQCFR)

- Routes power into the panel from the ceiling through the power pole
- Includes a junction box to connect to the building power supply at the ceiling
- Also connects to a power harness
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Length of the feed represents the length of the harness encased in flexible conduit – an additional 6" of cable is provided for connection the ceiling junction box




Chicago Ceiling Feed (UNQCFRCH)

- Same as ceiling feed except that there is no connector on the bottom end due to Chicago electricians wiring restrictions
- Supplied with three wires for a single circuit only

planning with power poles


The following should be considered when planning with the Ceiling Feed Harness, Power Pole, End of Run Power Pole and Off-Module Power Pole




- The Power Pole can be located at Two and Three-Way 90° corners and at end of run and off-module locations

Power Poles located at corners:

- Always terminates at the top of a corner assembly
- Connectors are specified to the highest height, and then the Power Pole is installed
- **Cannot** extend below highest panel




- Available in 48", 72" and 96" heights, and can be cut on site to required height
- Required height is the distance between finished ceiling height and top of the panel plus 4"
- Ceiling harness (120") is compatible for ceilings up to 10'
- Removable cover on one side gives access to the inside of the pole




ceiling feed

- Available hardwired for building connection
- The other end of the harness is a female connection
- A power harness is required to route ceiling harness to a power box
- Chicago version must connect to a distribution box



end of run power pole

- Is typically used when no corner location is available for the Power Pole
- Available in two heights. 29" high for 29" high Panel Walls or where only below worksurface panel entry for Power Harness is required and 42" high for Panel Walls 42" or higher, entry for Power Harness can be either above or below the worksurface
- An additional Power Pole to ceiling height must be specified above that





off-module power pole

- The Off-Module Power Pole Top Trim (UNTTTP) is complete with a cutout to accommodate the Power Pole (ordered separately) at 9" from any Panel Wall End

power & communications basics – panel-mounted workstations

Power can be accessed at various heights within a panel wall through the use of power boxes and receptacles.




Single Length

Double Length


Power Box (UNQPR)

- A module for mounting receptacles (specified separately)
- Mounts to the panel frame below or above panel wall rails but does **not** clip to light block rails
- Available in single (S) or double (D) lengths – the 24" and 30" wide panels can only accommodate the single box
- Single length power box is 12" long and includes a bezel with one receptacle and one data opening
- Double length power box is 16" long and includes a bezel with two receptacles and one data opening
- Either a one-sided or back-to-back application must be specified (even though it is the same box), so that the proper amount of bezels will be included
- Available in a PVC free option



Data Extender Plate (UNQDE)

- The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements




Single Length

Double Length

Chicago Power Box (UNQPRCH)

- Same as the power box except for Chicago electrics applications
- Includes the outlets and faceplates, but does **not** include any connectors – electrical connections must be done on site by a certified electrician
- Must be specified single or double length, and one-sided or back-to-back
- When placing the Power Box at the Base (Bottom Level 1), the "U" Above Worksurface Height (Upper Fascia) mounting location should be used



Standard 15 Amp T-Slot 20 Amp

Receptacle Outlet (UNQRO)


- A single duplex receptacle that slides onto the power box module to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only) and Circuit B (7K only)

planning with power boxes & outlets

The following should be considered when planning with District power boxes and outlets.



- Panel data capacity: minimum 24 cat. 5 cables at 60% fill
- Power Pole capacity: minimum 24 cat. 5 cables at 60% fill
- Frame openings for vertical routing are present on all panel frames. Each frame opening can accommodate a minimum of two harnesses

above and below worksurface power



power cut out locations


- Power boxes can be placed at the top or bottom of a fascia with electrical cut outs depending on the height of the fascia




- Cut outs are available left, right or centered depending on panel width (See Fascia section)

planning with power boxes & outlets (continued)

data access




- Data access is in the center of the module and symmetrical on both sides of the panel




- Data access is provided in the cut outs on power/communications fascias, and on the faceplates included with power boxes
- Cut Outs will accommodate most standard communication faceplates
- The depth available for data jacks is 1.35" when using data faceplates

single-sided power



- When single-sided electrics are used, the fascia on the back side **cannot** be a D-Style fascia with a frame and clips except for the solid fascia; a slot-mounted fascia must be used to allow sufficient space for the power box



- The depth can be increased to 2" by using the Data Extender Plate (UNQED)


wiring systems

Four wiring systems are available for Interpret 8-Wire Isolated (8T), 7-Wire Non Isolated (7T), 8-Wire Dual Isolated (8K) and 7-Wire Dual Non Isolated (7K). Most common Teknion wiring configurations are achieved with these wiring systems.


For sites where Isolated Ground is not available, Teknion offers Non-Isolated Ground options for furniture wiring. The site electrician or electrical contractor/consultant can identify sites where Isolated Ground is not available. For those sites, specify Teknion 7T or 7K wiring systems.

	No. Regular Circuits	No. Isolated Circuits
8-Wire Isolated (8T) (3+1) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Isolated Circuit 5 (Orange) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	3	1
8-Wire Dual Isolated (8K) (2+2) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Ground (Green) Isolated Circuit 5 (Orange) Isolated Circuit 6 (Blue) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	2	2
7-Wire Non Isolated (7T) (3+1) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Neutral (White/Orange) Circuit A (Orange)	4	0
7-Wire Dual Non Isolated (7K) (2+2) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Isolated Neutral (White/Orange) Circuit A (Orange) Circuit B (Blue) Ground (Green)	4	0

15 Amp



20 Amp



- Outlets are available 15, 20 amp
- The 20 Amp is only available in Black
- Outlets are available with marking indicating it is connected to a control system in both 15 and 20 amp options.

wiring system/receptacles

	Wiring System			
	8T	8K	7T	7K
Regular Ground Receptacles	1, 2, 3	1, 2	1, 2	1, 2, A, B
Isolated Ground Receptacles	5	5, 6	n/a	n/a

- All receptacles except Circuit 6 can be used with the 8T wiring system (**cannot** accept a 2nd Isolated Circuit)
- All receptacles except Circuit 3 can be used with the 8K wiring system (**cannot** accept a 3rd Regular Circuit)
- Circuit A is compatible with 7T and 7K. Circuit B is compatible with 7K only



wiring system/related circuit

	Wiring System			
	8T	8K	7T	7K
Regular Circuit 1 Receptacle	✓	✓	✓	✓
Regular Circuit 2 Receptacle	✓	✓	✓	✓
Regular Circuit 3 Receptacle	✓		✓	
Isolated Circuit 5 IG Receptacle	✓	✓		
Isolated Circuit 6 IG Receptacle		✓		
Regular Circuit A Receptacle			✓	✓
Regular Circuit B Receptacle				✓

✓ Applicable

power distribution basics – panel-mounted workstations

Power is routed through panel walls with harnesses. The options are listed below.



Power Harness (UNQBHR)

- Routes power from one power box to another and is non directional
- Also connects to base feeds and ceiling feeds
- Available in various lengths from 9" to 144" and can be used within any panel
- 9", 12" and 24" conduit is mesh, providing a greater bend radius, and all conduits are oval to be able to pass between panels
- Available in a PVC free option




I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough

planning with harnesses


Power boxes allow for non-directional routing, so power can enter and exit from the same end of the power box. Up to four power harnesses can be used on one power box.



determining harness lengths



The following outlines the harness lengths required for connecting power boxes.

harness length requirements




storage electrics basics

Power can be routed through elevated District storage to provide power to workstations with no panel walls.



Storage Base Feed (EWBF)

- Provides power from the floor to the underside of the storage cabinet and connects to harnesses
- Available in 72" and 144" lengths in 8T, 7T, 8K and 7K wiring systems



Storage Power Harness (EWBH)

- Carries power along the base of the cabinet to power and data box in the storage unit
- Available in lengths of 24", 48", 72", 120" and 144"
- 24" length is mesh, other sizes are a hybrid of mesh and metal conduit




Storage Chicago Base Feed (EWBFCH)

- Same as the Base Feed (EWBF) except for Chicago electrics application
- Only the conduit is provided
- All wiring and connections must be supplied and connected by a certified electrician




I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough



Storage Split Base Feed (EWBFS)

- Same as the Base Feed (EWBF) except it is hard wired to the building power supply in two places in New York wiring restrictions




Four-Way Splitter (EWDB)

- Attaches to a harness to split power in four different directions


storage electrics basics (continued)

Power can be brought into the storage unit from the floor via a Base Feed or from the ceiling via a Power Pole Ceiling Feed. Build in feeds always route power and data to the underside of the elevated storage.



Storage Ceiling Feed (EWCF)

- Routes power to the underside of the storage cabinet from the ceiling through the storage power pole
- Can be directly connected to the Flush Mounted Power and Data (EWQP) unit once I-connector is removed




Storage Power Pole (EWEP)

- The Storage Power Pole (EWEP) can route power and data to two storage units.
- Houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables
- It is used to feed power and data to the underside of the storage units



Storage Chicago Ceiling Feed (EWCFCH)



- Same as Storage Ceiling Feed (EWCF) except for Chicago electrics application
- The Storage Chicago Ceiling Feed (EWCFCH) comes with a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician



Under Cabinet Wire Tray (EWWT)

- A tray for managing wires below the storage cabinet
- Available in lengths of 12", 24", 36", 48", 60", 72" and 84"
- Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted


storage electrics basics (continued)

**Flush Mount Power & Data (EWQP)**


- A module for mounting receptacles (specified separately) to storage
- Mounts to the back of a storage cabinet at either base height or belt-line height
- Each unit supplies power and data access to user on opposite (backside) of cabinet

**Chicago Flush-Mounted Power Box (EWQPCH)**

- Same as Flush Mount Power and Data (EWQP) except for Chicago electrics application
- Data and communications must be sourced separately
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician




Standard 15 Amp




T-Slot 20 Amp

Storage Receptacles Outlet (EWRO)

- A single duplex receptacle that mounts into the Flush Mount Power and Data (EWQP) unit to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only)

2 Data
1 Data, 1 Duplex
2 Duplex**Cubby Power Monument (EWQPM)**

- Provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers
- Cubby Power Monument must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It plugs directly into a Storage Power Harness (EWBH).
- T-Slot 20 amp receptacle style is finished in Ebony


2 Data
1 Data, 1 Duplex
2 Duplex**Chicago Cubby Power Monument (EWQPMCH)**

- Same as Cubby Power Monument (EWQPM) except for Chicago electrics application
- T-Slot 20 amp receptacle style is finished in Ebony

planning with storage


The following should be taken into consideration when planning with spine storage electrics.

electrical capability




Standard, No Feet

- Standard storage has no electrics or cable management capabilities



Elevated, District Feet

- Elevated storage with District feet has no electrics or cable management capabilities



Flush Mount Power and Data (EWQP)


Elevated, Angled Feet

- Angled feet allow for a full electrified system by providing undersurface wire troughs and harnesses for routing power to Flush-Mounted Power and Data Boxes or the Cubby Power Monument
- Also grommets may be specified in the open cubby section for light cable management


planning with storage (continued)

power locations

credenzas




- Flush-Mounted Power and Data modules are always at base height, located behind the drawer when added to credenzas
- Base cut out must be specified when ordering the credenza




- **Cubby Power Monument (EWQPM)** can be located in the open cubby section of a credenza. It will fit into the grommet hole, therefore grommet must be selected when specifying the storage unit



towers and lockers



- For Lateral File, Lateral Tower or Combo Tower application, Flush Mounted Power and Data modules can be mounted at base or belt-line height
- Base or Belt-line back cut out must be specified when ordering the storage unit




Cubby Power Monument can be mounted in grommet hole.




Flush-Mounted Power and Data unit can be mounted into base or belt back cut outs.

- For Single Lockers, Pedestal Towers or Pedestals with Cubby back, several options are available. Grommets can be used for casual power, or Flush-Mounted Power and Data units or Cubby Power Monuments may be used for multi-circuit power and data application

planning with storage (continued)





- Power does **not** have to be on one side only of a storage run – storage can be alternated to allow for maximum planning flexibility
- Flush-Mounted Power and Data (EWQP) module unit is always centered on the back of the drawer section of the unit
- To specify the correct lengths of power harness, determine the distance from the center of one cut out to the center of the next cut out, then add 24"
- Power outlets will be centered behind the filing section of a combo tower



- When planning with a low storage unit in a freestanding environment, Cubby Power Monuments can be mounted into credenzas to provide multi-circuit power and data to the workstation
- Power can be routed from the building to the storage unit through Base or Ceiling Feeds then horizontally routed under the storage units along Under Cabinet Wire Trays
- Cubby Power Monuments must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It **cannot** plug directly into a Storage Power Harness (EWBH).
- Power Poles can feed two storage units

power conservation system basics

Furniture based solution for the controlling function that addresses the ASHRAE/Title 24 electrical requirements.



Power Conservation System (UNQPC)

- Up to two circuits can be controlled by occupancy sensors (included)
- Maximum of four sensors can be connected to each individual controlled circuit
- When using the Power Conservation System, circuits 3, 5, 6, A and B will always stay powered on (uncontrolled)
- To get individually controlled stations, specify the Power Conservation System with two sensors
- Available with option of two, four or eight sensors (Maximum of four sensors per run)
- Sensors mount to the underside of the worksurface
- A hard wired connection supplies power into a panel from the building power source



planning with power conservation system

The following should be considered when planning with the Power Conservation System.



The following are two ways of planning with the Power Conservation System.

scenario A: Multiple sensor planning

The connection between two power modules only applies on the installation for four sensors and eight sensors.



scenario B: Single Sensor planning



- Always specify one sensor per workstation
- Only one controlled circuit per workstation (do not specify two controlled circuits in one single workstation)
- Do not specify mix receptacles for both circuit 1 and 2 in a single workstation
- If the control box and power module are in the same panel, the output arm from the control box can directly connect to the power module, no extra jumper required

international electrics

international electrics



INTERNATIONAL ELECTRICS BASICS283

PLANNING WITH INTERNATIONAL ELECTRICS287

international electrics basics

District is available with electrical components specific to District, including CALA electrics.

- International Electrics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches



CALA Power Module (VBCD)

Provides access to power in CALA applications

-Includes the attachment bracket

Applications:


- DA Double Duplex, One Sided
- DB Double Duplex, Back to Back
- SA Single Duplex, One Sided
- SB Single Duplex, Back to Back

Outlet Configurations


- Single Duplex
 - 003 Three Data
 - 200 Two Power
 - 120 One Power and One USB
- Double Duplex
 - 203 Two Power and Three Data
 - 400 Four Power
 - 320 Three Power and One USB

Country of Installation:


- R Argentina
- N Brazil
- L Chile



Four Shutters




Four Blank Fascias



Voice & Data Box (VVD) and Voice & Data Box Outlets (VDO)

- The voice data box provides the user with access to communications and data cable
- Comes complete with blanks and shutters
- The data box outlets are inserted into the voice and data box
- Mounts to a Power Mounting Bracket (UNXB)



Screen Mounted Outlet Box Bracket (UNXSE)

- Used to casually mount an outlet box to a screen, a modesty panel, storage or underside of worksurface
- Used in combination with an Input Power Cable (VEP)




District CALA Jumper Power Harness (VBPH)

Routes power between CALA power modules

Length



200 mm



Interconnecting Power Cable (VCC)

- Routes power between outlet boxes or distribution block in panel and carries to next panel wall

international electrics basics (continued)




Distribution Block



Cover Cap


Distribution Block (VACEB) and Cover Cap (VACEC)

- The distribution box redirects power distribution in up to three directions
- Complete with one male connector (in) and three female connectors (out)
- Is placed inside panel wall without fasteners
- The Cover Cap is a safety cover for non utilized female terminals on an Outlet Box (VED) or Distribution Block (VAC EB)




Input Power Cable (VEP)

- Brings power from the building or ceiling to either a panel wall where it is routed to an outlet box or to a desk where it is routed through wire managers to casually mounted power
- Available with two cable ends, hardwire or plug



Base Feed Mounting Kit (UNXPFR)

- Includes a strain relief bracket and a cover plate that is attached to the panel and conceals the opening where an Input Power Cable (VEP) or voice/data enters the panel wall




CALA Power In Feed (VBPD)

- Routes power from the building or ceiling in CALA applications

Length:
1800 mm

Country of Installation:
R Argentina
N Brazil
L Chile



CALA Power Station (VBWB)

Mounts to a worksurface to provide power

Outlet Configurations:

- Double duplex
- (202) Two Power and Two Data
- (400) Four Power
- (320) Three Power and One USB

Country of Installation:

- R Argentina
- N Brazil
- L Chile

Cord Length:
1800 mm

Finishes



Receptacle Finish:
Ebony Coordinate
Very White Coordinate

Clamp Finish:
Clear Anodized Aluminum

international electrics basics (continued)


District utilizes standard International Electric components, as well as District specific components

- International Electrics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches




Panel Mount Outlet Box Bracket (UNXBR)

- Used to attach an Outlet Box (VED) and Voice & Data Box (VVD) to a panel wall
- Available in above and below worksurface versions
- Available for two outlets, for four outlets or for two outlets and a data box
- The same bracket allows for single or double-sided mounting of outlet brackets (specify fascias accordingly)
- Compatible with a standard or elevated panel
- A 1" gap along the worksurface and grommets permit component wire passage to outlets below the worksurface



Outlet Box (VED)

- Provides access to power above and below worksurface
- Can be mounted onto a panel with a Power Mounting Bracket (UNXB) or to the edge of a worksurface, see Desk Mounting Clips (VACB6)
- Power outlets have a socket angle of 15°
- Panel mounted access is below worksurface height at 25", flush with the panel wall face
- Faceplates are included with outlets and voice/data boxes
- The bottom of the faceplate aligns with the top of a low credenza
- Outlets are available; 2x power, 4x data or 4x power



Desk-Mounted Clips
for Outlet Box

Desk Mounting Clips (VACB6)









- Used to attach an Outlet Box (VED) or Voice & Data Box (VVD) to the edge of a worksurface
- Fits all sizes of Outlet Boxes (VED) or Voice & Data Boxes (VVD)

planning with international electrics

International power and data has some unique features that are not found in North American electrics. The examples below demonstrate this.





panel wall

- Outlet locations are located in panel wall centers or at panel edges according to size and fascia specifications

Outlet type:	Outlet location:		
	Center	Left or Right Side	Left and Right Side
 2 x Power	 24" - 36"	 42" - 96"	 66" - 96"
 4 x Power	 36"	 42" - 96"	 66" - 96"
 2 x Power + 4x Data/Com	 36"	 42" - 96"	 66" - 96"

mounting to floor screens

- When outlets are mounted to floor screens, they are below worksurface height
- Should be installed 2" below the surface, centered on the floor screen width where possible and **not** wider than a 4x power outlet box
- They are attached with the Screen Mount Outlet Box Brackets (UNXSE) or with screws




planning with international electrics (continued)

International power and data has some unique features that are not found in North American electrics. The examples below demonstrate this.


base feed

- The Input Power Cable (VEP) enters and is secured to a Base Feed Bracket (UNXPF) fastened to the panel wall rail (either standard or elevated)
- On flush panel walls entry is through a cut out to the fascia made on site and finished with the supplied cover plate
- On elevated panel walls the cable enters through an opening in the bottom of the panel wall frame
- Accepts one circuit per cable

Flush Panel Wall




Elevated Panel Wall



ceiling feed

- Is available hard wired or with a plug for building connection
- The other end is a female connection
- Compatible with the Off-Module Power Pole and End of Run Power Pole (See Electrics section for more details)



price & product guide

price & product guide


PANEL WALLS	292
FASCIAS	315
POWER SPINE	417
SCREENS	475
CONNECTIONS & TRIMS	609
WORKSURFACES	633
HEIGHT-ADJUSTABILITY	641
SUPPORTS	681
ACCESSORIES	711
ELECTRICS	747
INTERNATIONAL ELECTRICS	783

panel walls product map

UNPFR Flush Panel Wall

Xpress


Page 294



UYPFR Flush Panel Wall with Inset

Xpress


Page 295



UNPER Elevated Panel Wall

Xpress


Page 296



UYPER Elevated Panel Wall with Inset

Xpress


Page 297



UNPC Convertible Panel Wall

Xpress


Page 298



UYPCR Convertible Panel Wall with Inset


Xpress

Page 299




UNPWSR Add-On Window (D-Style) – Single Glass

Page 300




UNPWDR Add-On Window (D-Style) – Double Glass

Page 302




UNPFWSR Flush Full-Height Window (D-Style) – Single Glass

Page 304




UNPFWDR Flush Full-Height Window (D-Style) – Double Glass

Page 305




UNPEWSR Elevated Full-Height Window (D-Style) – Single Glass

Page 306



UNPEWDR Elevated Full-Height Window (D-Style) – Double Glass

Page 307



panel walls product map

UNPCF Convertible Panel Wall
Base and Foot Trim

Xpress

Page 308



UNPEFR Elevated Panel Wall Foot


Xpress

Page 309



UAFFN Support Foot
for Freestanding District


Page 310



UNPHN Panel Wall Rail

Xpress


Page 311



UNEX Light Block Rail


Xpress

Page 312



Xpress

UNPFR
Flush Panel Wall



The Flush Panel Wall is flush to the floor when finished.

WHAT’S INCLUDED
1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT’S EXCLUDED
Fascia applied to base must be specified separately, see *Fascia* section.

NOTES
Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).
Panel wall frame has a Black finish.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPFR 51	60	PANEL MATRIX
----------	----	--------------

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
29 / 737	24 / 610	242	51 / 1295	24 / 610	342
29 / 737	30 / 762	258	51 / 1295	30 / 762	361
29 / 737	36 / 914	271	51 / 1295	36 / 914	383
29 / 737	42 / 1067	289	51 / 1295	42 / 1067	407
29 / 737	48 / 1219	303	51 / 1295	48 / 1219	426
29 / 737	54 / 1372	320	51 / 1295	54 / 1372	449
29 / 737	60 / 1524	330	51 / 1295	60 / 1524	462
29 / 737	66 / 1676	500	51 / 1295	66 / 1676	701
29 / 737	72 / 1829	518	51 / 1295	72 / 1829	722
29 / 737	78 / 1981	542	51 / 1295	78 / 1981	747
29 / 737	84 / 2134	553	51 / 1295	84 / 2134	775
29 / 737	90 / 2286	566	51 / 1295	90 / 2286	796
29 / 737	96 / 2438	578	51 / 1295	96 / 2438	812
42 / 1067	24 / 610	304	66 / 1676	24 / 610	386
42 / 1067	30 / 762	326	66 / 1676	30 / 762	406
42 / 1067	36 / 914	346	66 / 1676	36 / 914	424
42 / 1067	42 / 1067	363	66 / 1676	42 / 1067	451
42 / 1067	48 / 1219	389	66 / 1676	48 / 1219	472
42 / 1067	54 / 1372	414	66 / 1676	54 / 1372	492
42 / 1067	60 / 1524	425	66 / 1676	60 / 1524	509
42 / 1067	66 / 1676	638	66 / 1676	66 / 1676	781
42 / 1067	72 / 1829	660	66 / 1676	72 / 1829	800
42 / 1067	78 / 1981	682	66 / 1676	78 / 1981	841
42 / 1067	84 / 2134	705	66 / 1676	84 / 2134	855
42 / 1067	90 / 2286	727	66 / 1676	90 / 2286	877
42 / 1067	96 / 2438	747	66 / 1676	96 / 2438	894

The Flush Panel Wall with Inset is designed for Inset Blade add-ons and is flush to the floor when finished.

WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED


Fascia applied to base must be specified separately, see *Fascia* section.

NOTES

Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.



UYPFR Flush Panel Wall with Inset

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UYPFR 51	60	PANEL MATRIX
----------	----	--------------

DIMENSIONS INCHES / MM


H	W	
29 / 737	24 / 610	322
29 / 737	30 / 762	345
29 / 737	36 / 914	360
29 / 737	42 / 1067	390
29 / 737	48 / 1219	414
29 / 737	54 / 1372	440
29 / 737	60 / 1524	456
29 / 737	66 / 1676	681
29 / 737	72 / 1829	706
29 / 737	78 / 1981	728
29 / 737	84 / 2134	753
29 / 737	90 / 2286	778
29 / 737	96 / 2438	803
42 / 1067	24 / 610	366
42 / 1067	30 / 762	394
42 / 1067	36 / 914	423
42 / 1067	42 / 1067	446
42 / 1067	48 / 1219	473
42 / 1067	54 / 1372	502
42 / 1067	60 / 1524	532
42 / 1067	66 / 1676	773
42 / 1067	72 / 1829	801
42 / 1067	78 / 1981	830
42 / 1067	84 / 2134	859
42 / 1067	90 / 2286	887
42 / 1067	96 / 2438	924

DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	402
51 / 1295	30 / 762	430
51 / 1295	36 / 914	460
51 / 1295	42 / 1067	487
51 / 1295	48 / 1219	517
51 / 1295	54 / 1372	548
51 / 1295	60 / 1524	572
51 / 1295	66 / 1676	837
51 / 1295	72 / 1829	869
51 / 1295	78 / 1981	900
51 / 1295	84 / 2134	929
51 / 1295	90 / 2286	960
51 / 1295	96 / 2438	988

Xpress

UNPER
Elevated Panel Wall



The Elevated Panel Wall provides a 6" high opening from floor level at the base when finished with legs.

WHAT'S INCLUDED

1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, base trim with hardware for attachment.

WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES

Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).

Panel wall frame has a Black finish.

Xpress

Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51, 66	24 - 96	AC Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPER 66	96	7	PANEL MATRIX
----------	----	---	--------------

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
29 / 737	24 / 610	258	51 / 1295	24 / 610	350
29 / 737	30 / 762	281	51 / 1295	30 / 762	381
29 / 737	36 / 914	301	51 / 1295	36 / 914	407
29 / 737	42 / 1067	331	51 / 1295	42 / 1067	444
29 / 737	48 / 1219	360	51 / 1295	48 / 1219	478
29 / 737	54 / 1372	390	51 / 1295	54 / 1372	512
29 / 737	60 / 1524	419	51 / 1295	60 / 1524	546
29 / 737	66 / 1676	559	51 / 1295	66 / 1676	745
29 / 737	72 / 1829	575	51 / 1295	72 / 1829	770
29 / 737	78 / 1981	589	51 / 1295	78 / 1981	793
29 / 737	84 / 2134	605	51 / 1295	84 / 2134	817
29 / 737	90 / 2286	620	51 / 1295	90 / 2286	844
29 / 737	96 / 2438	638	51 / 1295	96 / 2438	855
42 / 1067	24 / 610	316	66 / 1676	24 / 610	390
42 / 1067	30 / 762	350	66 / 1676	30 / 762	421
42 / 1067	36 / 914	383	66 / 1676	36 / 914	448
42 / 1067	42 / 1067	407	66 / 1676	42 / 1067	482
42 / 1067	48 / 1219	442	66 / 1676	48 / 1219	516
42 / 1067	54 / 1372	477	66 / 1676	54 / 1372	552
42 / 1067	60 / 1524	510	66 / 1676	60 / 1524	585
42 / 1067	66 / 1676	685	66 / 1676	66 / 1676	819
42 / 1067	72 / 1829	710	66 / 1676	72 / 1829	840
42 / 1067	78 / 1981	734	66 / 1676	78 / 1981	859
42 / 1067	84 / 2134	758	66 / 1676	84 / 2134	878
42 / 1067	90 / 2286	782	66 / 1676	90 / 2286	900
42 / 1067	96 / 2438	793	66 / 1676	96 / 2438	911

Elevated Panel Wall with Inset

The Elevated Panel Wall with Inset is designed for Inset Blade add-ons with a 6" high opening from floor level at the base when finished with legs.

WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED


Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Fascia applied must be specified separately.

NOTES

Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51	24 - 96	AC Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UYPER 51	96	7	PANEL MATRIX
-----------------	-----------	----------	---------------------

**DIMENSIONS
INCHES / MM**

H	W	
29 / 737	24 / 610	336
29 / 737	30 / 762	366
29 / 737	36 / 914	393
29 / 737	42 / 1067	429
29 / 737	48 / 1219	455
29 / 737	54 / 1372	516
29 / 737	60 / 1524	544
29 / 737	66 / 1676	734
29 / 737	72 / 1829	758
29 / 737	78 / 1981	781
29 / 737	84 / 2134	807
29 / 737	90 / 2286	830
29 / 737	96 / 2438	855
42 / 1067	24 / 610	379
42 / 1067	30 / 762	418
42 / 1067	36 / 914	454
42 / 1067	42 / 1067	489
42 / 1067	48 / 1219	518
42 / 1067	54 / 1372	581
42 / 1067	60 / 1524	617
42 / 1067	66 / 1676	828
42 / 1067	72 / 1829	854
42 / 1067	78 / 1981	883
42 / 1067	84 / 2134	912
42 / 1067	90 / 2286	951
42 / 1067	96 / 2438	983

**DIMENSIONS
INCHES / MM**


H	W	
51 / 1295	24 / 610	414
51 / 1295	30 / 762	453
51 / 1295	36 / 914	489
51 / 1295	42 / 1067	525
51 / 1295	48 / 1219	554
51 / 1295	54 / 1372	617
51 / 1295	60 / 1524	653
51 / 1295	66 / 1676	886
51 / 1295	72 / 1829	920
51 / 1295	78 / 1981	953
51 / 1295	84 / 2134	987
51 / 1295	90 / 2286	1020
51 / 1295	96 / 2438	1043

panel walls

Xpress

UNPC

Convertible Panel Wall



The Convertible Panel Wall frame can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).

WHAT'S INCLUDED

1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED

Wall Base and Foot Trim (UNPCF) must be specified separately and can be found in this section.

Clips are not included to mount Wood Fascia and Fascia Clip Kit (UNELK) must be ordered separately as per quantity of the Solid Fascia.

NOTES

Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPC 51	60	PANEL MATRIX
---------	----	--------------

DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
29 / 737	72 / 1829
29 / 737	78 / 1981
29 / 737	84 / 2134
29 / 737	90 / 2286
29 / 737	96 / 2438
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438

PRICING

234
250
262
279
290
306
318
487
500
513
526
541
553
288
302
318
342
360
383
396
601
620
641
657
679
710

DIMENSIONS INCHES / MM

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524
66 / 1676	66 / 1676
66 / 1676	72 / 1829
66 / 1676	78 / 1981
66 / 1676	84 / 2134
66 / 1676	90 / 2286
66 / 1676	96 / 2438

PRICING

319
340
359
374
393
417
430
654
676
694
713
736
745
354
376
392
412
429
453
470
718
740
758
778
797
814

Convertible Panel Wall with Inset

The Convertible Panel Wall with Inset is designed for Inset Blade add-ons and can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).

WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED


Wall Base and Foot Trim (UNPCF) must be specified separately. Fascia applied must be specified separately, see *Fascia* section.

NOTES

Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UYPCR 51	60	PANEL MATRIX
----------	----	--------------

**DIMENSIONS
INCHES / MM****PRICING**

H	W	
29 / 737	24 / 610	320
29 / 737	30 / 762	340
29 / 737	36 / 914	359
29 / 737	42 / 1067	383
29 / 737	48 / 1219	402
29 / 737	54 / 1372	425
29 / 737	60 / 1524	448
29 / 737	66 / 1676	671
29 / 737	72 / 1829	694
29 / 737	78 / 1981	717
29 / 737	84 / 2134	742
29 / 737	90 / 2286	767
29 / 737	96 / 2438	783
42 / 1067	24 / 610	352
42 / 1067	30 / 762	377
42 / 1067	36 / 914	399
42 / 1067	42 / 1067	425
42 / 1067	48 / 1219	455
42 / 1067	54 / 1372	485
42 / 1067	60 / 1524	510
42 / 1067	66 / 1676	743
42 / 1067	72 / 1829	773
42 / 1067	78 / 1981	801
42 / 1067	84 / 2134	830
42 / 1067	90 / 2286	859
42 / 1067	96 / 2438	883

**DIMENSIONS
INCHES / MM****PRICING**

H	W	
51 / 1295	24 / 610	385
51 / 1295	30 / 762	410
51 / 1295	36 / 914	430
51 / 1295	42 / 1067	458
51 / 1295	48 / 1219	488
51 / 1295	54 / 1372	518
51 / 1295	60 / 1524	543
51 / 1295	66 / 1676	798
51 / 1295	72 / 1829	828
51 / 1295	78 / 1981	855
51 / 1295	84 / 2134	884
51 / 1295	90 / 2286	912
51 / 1295	96 / 2438	939

UNPWSR

Add-On Window (D-Style) – Single Glass

The Add-On Window (D-Style) – Single Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

WHAT'S INCLUDED


Structural frame, framed window insert, hardware for attachment, top trim (if specified).

NOTES

Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	5 Clear Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPWSR 22	48	5	AC	1	AC
-----------	----	---	----	---	----

DIMENSIONS INCHES / MM

		NO TOP TRIM (0)			WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7	Standard Glass Clear	Specialty Glass Frost	Gr. 7
9 / 229	24 / 610	769	935	956	846	1012	1032
9 / 229	30 / 762	842	1024	1055	926	1109	1140
9 / 229	36 / 914	915	1112	1155	1008	1206	1248
9 / 229	42 / 1067	990	1205	1251	1093	1307	1353
9 / 229	48 / 1219	1080	1308	1360	1189	1416	1469
9 / 229	54 / 1372	1150	1399	1455	1274	1523	1579
9 / 229	60 / 1524	1227	1492	1556	1359	1623	1688
9 / 229	66 / 1676	1306	1586	1658	1446	1726	1798
9 / 229	72 / 1829	1377	1676	1751	1530	1829	1903
9 / 229	78 / 1981	1459	1772	1855	1620	1933	2017
9 / 229	84 / 2134	1547	1877	1965	1716	2048	2135
9 / 229	90 / 2286	1623	1972	2067	1807	2155	2251
9 / 229	96 / 2438	1698	2062	2165	1887	2251	2353
13 / 330	24 / 610	830	1024	1060	907	1101	1135
13 / 330	30 / 762	908	1125	1168	992	1208	1253
13 / 330	36 / 914	988	1227	1279	1080	1321	1374
13 / 330	42 / 1067	1082	1349	1409	1184	1451	1512
13 / 330	48 / 1219	1180	1467	1542	1288	1575	1650
13 / 330	54 / 1372	1253	1564	1644	1377	1688	1768
13 / 330	60 / 1524	1344	1683	1772	1476	1814	1903
13 / 330	66 / 1676	1462	1824	1924	1603	1965	2065
13 / 330	72 / 1829	1547	1932	2041	1698	2085	2193
13 / 330	78 / 1981	1620	2029	2147	1782	2191	2309
13 / 330	84 / 2134	1742	2169	2298	1911	2338	2468
13 / 330	90 / 2286	1823	2277	2414	2007	2460	2598
13 / 330	96 / 2438	1907	2389	2532	2095	2578	2721

UNPWSR

Add-On Window (D-Style) – Single Glass (Continued)


DIMENSIONS INCHES / MM

PRICING

		NO TOP TRIM (0)			WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7	Standard Glass Clear	Specialty Glass Frost	Gr. 7
15 / 381	24 / 610	845	1055	1097	921	1132	1174
15 / 381	30 / 762	924	1163	1214	1008	1247	1299
15 / 381	36 / 914	1004	1268	1331	1096	1360	1424
15 / 381	42 / 1067	1102	1395	1464	1205	1498	1566
15 / 381	48 / 1219	1199	1517	1601	1308	1626	1710
15 / 381	54 / 1372	1269	1619	1712	1392	1743	1836
15 / 381	60 / 1524	1359	1733	1839	1491	1866	1972
15 / 381	66 / 1676	1484	1887	1999	1623	2028	2140
15 / 381	72 / 1829	1564	1996	2118	1716	2148	2269
15 / 381	78 / 1981	1640	2099	2233	1803	2261	2396
15 / 381	84 / 2134	1757	2246	2390	1927	2417	2561
15 / 381	90 / 2286	1841	2355	2512	2026	2540	2696
15 / 381	96 / 2438	1924	2468	2633	2114	2657	2822
22 / 559	24 / 610	975	1222	1278	1052	1300	1356
22 / 559	30 / 762	1062	1353	1420	1147	1437	1504
22 / 559	36 / 914	1149	1480	1564	1242	1574	1658
22 / 559	42 / 1067	1278	1646	1748	1381	1749	1851
22 / 559	48 / 1219	1383	1788	1901	1492	1897	2010
22 / 559	54 / 1372	1477	1924	2052	1601	2048	2175
22 / 559	60 / 1524	1566	2053	2196	1698	2185	2328
22 / 559	66 / 1676	1666	2195	2353	1806	2335	2493
22 / 559	72 / 1829	1757	2322	2497	1910	2475	2650
22 / 559	78 / 1981	1844	2451	2634	2007	2613	2796
22 / 559	84 / 2134	2010	2652	2851	2179	2822	3021
22 / 559	90 / 2286	2100	2780	2996	2284	2965	3180
22 / 559	96 / 2438	2188	2908	3138	2378	3097	3327
24 / 610	24 / 610	990	1254	1317	1067	1331	1392
24 / 610	30 / 762	1076	1389	1463	1160	1472	1548
24 / 610	36 / 914	1165	1517	1611	1259	1610	1703
24 / 610	42 / 1067	1296	1690	1798	1399	1790	1900
24 / 610	48 / 1219	1394	1835	1956	1502	1943	2065
24 / 610	54 / 1372	1494	1975	2115	1618	2099	2238
24 / 610	60 / 1524	1582	2108	2260	1714	2239	2392
24 / 610	66 / 1676	1686	2254	2424	1827	2395	2564
24 / 610	72 / 1829	1772	2385	2572	1924	2538	2723
24 / 610	78 / 1981	1860	2516	2717	2022	2680	2880
24 / 610	84 / 2134	2024	2718	2940	2194	2889	3111
24 / 610	90 / 2286	2118	2857	3091	2302	3041	3275
24 / 610	96 / 2438	2207	2991	3241	2397	3180	3430
37 / 940	24 / 610	1201	1566	1666	1277	1643	1743
37 / 940	30 / 762	1304	1742	1863	1389	1826	1948
37 / 940	36 / 914	1408	1918	2063	1501	2011	2156
37 / 940	42 / 1067	1580	2153	2325	1683	2255	2427
37 / 940	48 / 1219	1701	2350	2547	1810	2459	2656
37 / 940	54 / 1372	1812	2530	2749	1936	2653	2874
37 / 940	60 / 1524	1923	2707	2955	2054	2840	3087
37 / 940	66 / 1676	2044	2900	3169	2185	3041	3310
37 / 940	72 / 1829	2150	3080	3374	2302	3232	3527
37 / 940	78 / 1981	2254	3254	3574	2417	3416	3735
37 / 940	84 / 2134	2438	3500	3846	2609	3671	4015
37 / 940	90 / 2286	2551	3689	4057	2736	3872	4240
37 / 940	96 / 2438	2661	3865	4258	2850	4055	4447

UNPWDR

Add-On Window (D-Style) – Double Glass



The Add-On Window (D-Style) – Double Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

WHAT'S INCLUDED

Structural frame, framed window insert, hardware for attachment, top trim (if specified).

NOTES

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	5 Clear Standard Glass 6 Frost Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPWDR 15	60	5	AC	1	AC
-----------	----	---	----	---	----

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

NO TOP TRIM (0)

Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
924	949	1073	1097
1021	1047	1182	1213
1114	1147	1292	1325
1211	1247	1399	1445
1317	1359	1520	1569
1412	1461	1635	1690
1506	1559	1743	1805
1604	1664	1855	1923
1698	1763	1964	2041
1799	1869	2079	2161
1907	1982	2198	2290
2004	2087	2314	2408
2100	2188	2424	2523
1000	1032	1171	1211
1102	1140	1299	1343
1203	1248	1418	1470
1323	1373	1562	1621
1447	1504	1703	1774
1536	1604	1818	1901
1656	1730	1957	2046
1813	1893	2137	2230
1919	2004	2260	2366
2014	2112	2380	2493
2165	2271	2552	2673
2273	2385	2678	2811
2378	2498	2808	2948

WITH TOP TRIM (1)

Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
1000	1024	1150	1174
1105	1132	1267	1296
1207	1239	1384	1418
1311	1349	1501	1548
1424	1468	1629	1677
1535	1584	1757	1813
1638	1692	1874	1938
1744	1805	1996	2063
1851	1915	2116	2193
1961	2031	2241	2322
2077	2153	2369	2459
2188	2271	2497	2593
2290	2378	2613	2713
1077	1109	1248	1287
1187	1223	1382	1428
1295	1342	1512	1564
1424	1474	1664	1724
1556	1613	1813	1884
1661	1727	1942	2026
1787	1861	2089	2178
1954	2034	2277	2371
2070	2156	2412	2518
2177	2275	2542	2656
2334	2441	2722	2843
2457	2569	2861	2995
2566	2688	2997	3138

UNP W D R


Add-On Window (D-Style) –
Double Glass (Continued)DIMENSIONS
INCHES / MM

PRICING

		NO TOP TRIM (0)				WITH TOP TRIM (1)			
H	W	Standard Glass Clear	Frost	Specialty Glass Frost	Gr. 7	Standard Glass Clear	Frost	Specialty Glass Frost	Gr. 7
15 / 381	24 / 610	1019	1050	1204	1247	1095	1127	1279	1324
15 / 381	30 / 762	1117	1161	1331	1384	1201	1246	1415	1469
15 / 381	36 / 914	1219	1268	1459	1517	1311	1360	1551	1610
15 / 381	42 / 1067	1344	1402	1607	1675	1446	1503	1710	1778
15 / 381	48 / 1219	1462	1533	1751	1835	1571	1642	1860	1943
15 / 381	54 / 1372	1555	1632	1869	1959	1678	1756	1994	2084
15 / 381	60 / 1524	1672	1759	2013	2115	1804	1891	2145	2246
15 / 381	66 / 1676	1832	1924	2196	2306	1973	2065	2337	2445
15 / 381	72 / 1829	1936	2035	2322	2443	2087	2187	2475	2595
15 / 381	78 / 1981	2033	2143	2449	2576	2195	2307	2610	2738
15 / 381	84 / 2134	2183	2303	2619	2760	2353	2474	2789	2930
15 / 381	90 / 2286	2290	2417	2755	2905	2474	2600	2938	3089
15 / 381	96 / 2438	2393	2530	2884	3045	2581	2718	3074	3235
22 / 559	24 / 610	1179	1224	1406	1461	1254	1302	1482	1536
22 / 559	30 / 762	1295	1356	1555	1621	1380	1439	1639	1706
22 / 559	36 / 914	1407	1477	1701	1788	1500	1571	1796	1883
22 / 559	42 / 1067	1578	1663	1910	2004	1679	1766	2012	2107
22 / 559	48 / 1219	1706	1799	2074	2185	1814	1908	2183	2293
22 / 559	54 / 1372	1832	1938	2241	2357	1956	2061	2365	2483
22 / 559	60 / 1524	1947	2063	2390	2524	2079	2195	2522	2656
22 / 559	66 / 1676	2082	2209	2561	2707	2222	2349	2701	2848
22 / 559	72 / 1829	2195	2338	2707	2873	2347	2490	2859	3024
22 / 559	78 / 1981	2307	2457	2858	3034	2468	2619	3020	3196
22 / 559	84 / 2134	2520	2683	3105	3296	2689	2852	3274	3465
22 / 559	90 / 2286	2636	2813	3258	3466	2821	2997	3443	3650
22 / 559	96 / 2438	2754	2942	3411	3627	2942	3131	3600	3817
24 / 610	24 / 610	1196	1247	1437	1494	1272	1324	1515	1571
24 / 610	30 / 762	1307	1371	1588	1663	1391	1453	1672	1748
24 / 610	36 / 914	1418	1499	1743	1835	1512	1591	1836	1927
24 / 610	42 / 1067	1589	1683	1950	2054	1692	1785	2053	2156
24 / 610	48 / 1219	1718	1818	2117	2236	1827	1926	2226	2345
24 / 610	54 / 1372	1844	1959	2284	2420	1969	2084	2408	2544
24 / 610	60 / 1524	1957	2087	2438	2590	2089	2220	2571	2721
24 / 610	66 / 1676	2095	2236	2616	2777	2236	2377	2756	2917
24 / 610	72 / 1829	2209	2364	2769	2952	2362	2515	2920	3104
24 / 610	78 / 1981	2320	2485	2917	3116	2483	2648	3080	3280
24 / 610	84 / 2134	2533	2714	3167	3380	2704	2883	3337	3551
24 / 610	90 / 2286	2660	2850	3331	3562	2844	3034	3514	3746
24 / 610	96 / 2438	2769	2973	3484	3727	2957	3163	3674	3916
37 / 940	24 / 610	1494	1574	1826	1923	1571	1650	1902	1999
37 / 940	30 / 762	1632	1732	2029	2149	1717	1817	2114	2233
37 / 940	36 / 914	1774	1893	2241	2379	1868	1986	2334	2473
37 / 940	42 / 1067	2006	2150	2534	2702	2108	2253	2636	2804
37 / 940	48 / 1219	2172	2338	2762	2952	2281	2446	2872	3059
37 / 940	54 / 1372	2322	2506	2975	3192	2446	2629	3099	3315
37 / 940	60 / 1524	2470	2670	3191	3425	2602	2802	3322	3556
37 / 940	66 / 1676	2634	2857	3419	3678	2775	2997	3559	3818
37 / 940	72 / 1829	2777	3024	3631	3918	2930	3176	3782	4069
37 / 940	78 / 1981	2917	3185	3836	4146	3080	3347	3999	4309
37 / 940	84 / 2134	3162	3447	4146	4471	3332	3617	4315	4641
37 / 940	90 / 2286	3315	3619	4359	4712	3499	3803	4543	4895
37 / 940	96 / 2438	3458	3783	4569	4948	3647	3972	4757	5137

UNPFSR

Flush Full-Height Window (D-Style) – Single Glass



The Flush Full-Height Window (D-Style) – Single Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

WHAT'S EXCLUDED

Fascia applied to base must be specified separately, see *Fascia* section.

NOTES

The 66" height is available up to 48" in width only.

Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPFSR 51	60	5	AC	1	AC
-----------	----	---	----	---	----

DIMENSIONS INCHES / MM

		NO TOP TRIM (0)			WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7	Standard Glass Clear	Specialty Glass Frost	Gr. 7
29 / 737	24 / 610	1533	1883	1964	1610	1958	2041
29 / 737	30 / 762	1645	2022	2114	1730	2107	2197
29 / 737	36 / 914	1762	2165	2260	1855	2258	2353
29 / 737	42 / 1067	1879	2308	2408	1981	2409	2510
29 / 737	48 / 1219	1996	2449	2558	2105	2557	2666
29 / 737	54 / 1372	2145	2634	2750	2268	2758	2875
29 / 737	60 / 1524	2294	2814	2942	2426	2946	3074
42 / 1067	24 / 610	1750	2261	2382	1827	2338	2459
42 / 1067	30 / 762	1885	2435	2563	1969	2520	2648
42 / 1067	36 / 914	2013	2602	2739	2107	2696	2832
42 / 1067	42 / 1067	2142	2768	2912	2244	2869	3014
42 / 1067	48 / 1219	2271	2935	3088	2380	3043	3196
42 / 1067	54 / 1372	2204	2846	2996	2328	2970	3120
42 / 1067	60 / 1524	2484	3211	3379	2616	3342	3511
51 / 1295	24 / 610	2063	2761	2920	2140	2837	2997
51 / 1295	30 / 762	2218	2965	3138	2300	3050	3222
51 / 1295	36 / 914	2373	3176	3360	2467	3269	3452
51 / 1295	42 / 1067	2525	3382	3578	2628	3483	3679
51 / 1295	48 / 1219	2681	3588	3797	2789	3697	3905
51 / 1295	54 / 1372	2814	3769	3987	2938	3894	4112
51 / 1295	60 / 1524	2952	3951	4199	3082	4082	4329
66 / 1676	24 / 610	2185	2964	3178	2261	3041	3254
66 / 1676	30 / 762	2366	3212	3444	2451	3297	3529
66 / 1676	36 / 914	2548	3458	3708	2643	3552	3802
66 / 1676	42 / 1067	2728	3705	3972	2829	3808	4074
66 / 1676	48 / 1219	2908	3950	4230	3017	4058	4339

The Flush Full-Height Window (D-Style) – Double Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

WHAT'S EXCLUDED

Fascia applied to base must be specified separately, see *Fascia* section.

NOTES


The 66" height is available up to 48" in width only.

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

UNPFWDR Flush Full-Height Window (D-Style) – Double Glass



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass 6 Frost Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE


UNPFWDR 42	60	5	AC	1	AC
------------	----	---	----	---	----

DIMENSIONS INCHES / MM

		PRICING			
		NO TOP TRIM (0)			
H	W	Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1735	1824	2086	2167
29 / 737	30 / 762	1877	1972	2253	2342
29 / 737	36 / 914	2018	2118	2420	2516
29 / 737	42 / 1067	2171	2281	2602	2702
29 / 737	48 / 1219	2313	2427	2768	2875
29 / 737	54 / 1372	2491	2617	2984	3097
29 / 737	60 / 1524	2666	2801	3191	3313
42 / 1067	24 / 610	2066	2211	2577	2700
42 / 1067	30 / 762	2236	2392	2790	2913
42 / 1067	36 / 914	2403	2572	2992	3128
42 / 1067	42 / 1067	2593	2771	3218	3362
42 / 1067	48 / 1219	2761	2954	3424	3578
42 / 1067	54 / 1372	2741	2929	3382	3530
42 / 1067	60 / 1524	3056	3271	3782	3951
51 / 1295	24 / 610	2474	2670	3169	3331
51 / 1295	30 / 762	2674	2892	3425	3598
51 / 1295	36 / 914	2884	3112	3689	3870
51 / 1295	42 / 1067	3113	3361	3969	4163
51 / 1295	48 / 1219	3320	3586	4224	4438
51 / 1295	54 / 1372	3512	3792	4465	4684
51 / 1295	60 / 1524	3696	3991	4695	4941
66 / 1676	24 / 610	2769	2992	3551	3762
66 / 1676	30 / 762	3023	3264	3868	4101
66 / 1676	36 / 914	3274	3536	4185	4438
66 / 1676	42 / 1067	3566	3853	4541	4807
66 / 1676	48 / 1219	3822	4122	4861	5145
		WITH TOP TRIM (1)			
H	W	Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1813	1901	2163	2243
29 / 737	30 / 762	1962	2055	2337	2426
29 / 737	36 / 914	2112	2211	2513	2610
29 / 737	42 / 1067	2273	2382	2705	2804
29 / 737	48 / 1219	2421	2537	2876	2984
29 / 737	54 / 1372	2616	2740	3107	3220
29 / 737	60 / 1524	2797	2932	3322	3444
42 / 1067	24 / 610	2142	2289	2653	2776
42 / 1067	30 / 762	2320	2476	2875	2997
42 / 1067	36 / 914	2496	2665	3085	3220
42 / 1067	42 / 1067	2693	2874	3321	3465
42 / 1067	48 / 1219	2869	3062	3532	3687
42 / 1067	54 / 1372	2865	3052	3505	3654
42 / 1067	60 / 1524	3187	3402	3914	4082
51 / 1295	24 / 610	2549	2746	3247	3408
51 / 1295	30 / 762	2758	2976	3510	3681
51 / 1295	36 / 914	2978	3204	3782	3962
51 / 1295	42 / 1067	3216	3464	4070	4265
51 / 1295	48 / 1219	3427	3695	4332	4546
51 / 1295	54 / 1372	3636	3916	4590	4807
51 / 1295	60 / 1524	3828	4122	4826	5072
66 / 1676	24 / 610	2845	3069	3626	3839
66 / 1676	30 / 762	3107	3347	3953	4185
66 / 1676	36 / 914	3368	3631	4279	4532
66 / 1676	42 / 1067	3668	3955	4642	4910
66 / 1676	48 / 1219	3930	4232	4969	5254

UNPEWSR

Elevated Full-Height Window (D-Style) – Single Glass



The Elevated Full-Height Window – Single Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).

WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES

The 66" height is available up to 48" in width only.

Standard Glass is a clear tempered glass finish.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	AC Clear Anodized Foundation Mica	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPEWSR 29	48	5	AC	AC	1	AC
------------	----	---	----	----	---	----

DIMENSIONS INCHES / MM

		PRICING		
		NO TOP TRIM (0)		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
29 / 737	24 / 610	1574	1923	2003
29 / 737	30 / 762	1693	2067	2158
29 / 737	36 / 914	1818	2220	2316
29 / 737	42 / 1067	1945	2371	2474
29 / 737	48 / 1219	2067	2522	2632
29 / 737	54 / 1372	2228	2717	2836
29 / 737	60 / 1524	2387	2908	3034
42 / 1067	24 / 610	1795	2307	2424
42 / 1067	30 / 762	1926	2477	2608
42 / 1067	36 / 914	2067	2657	2795
42 / 1067	42 / 1067	2207	2834	2976
42 / 1067	48 / 1219	2343	3005	3161
42 / 1067	54 / 1372	2289	2931	3080
42 / 1067	60 / 1524	2574	3303	3470
51 / 1295	24 / 610	2106	2803	2963
51 / 1295	30 / 762	2261	3011	3185
51 / 1295	36 / 914	2427	3234	3417
51 / 1295	42 / 1067	2593	3447	3643
51 / 1295	48 / 1219	2756	3663	3871
51 / 1295	54 / 1372	2900	3854	4073
51 / 1295	60 / 1524	3044	4040	4289
66 / 1676	24 / 610	2226	3005	3220
66 / 1676	30 / 762	2412	3256	3491
66 / 1676	36 / 914	2605	3515	3766
66 / 1676	42 / 1067	2796	3769	4035
66 / 1676	48 / 1219	2984	4022	4306
		WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
29 / 737	24 / 610	1650	1999	2080
29 / 737	30 / 762	1778	2151	2243
29 / 737	36 / 914	1911	2313	2409
29 / 737	42 / 1067	2046	2474	2576
29 / 737	48 / 1219	2175	2630	2740
29 / 737	54 / 1372	2352	2842	2961
29 / 737	60 / 1524	2518	3040	3165
42 / 1067	24 / 610	1870	2382	2501
42 / 1067	30 / 762	2011	2562	2691
42 / 1067	36 / 914	2161	2750	2889
42 / 1067	42 / 1067	2310	2937	3079
42 / 1067	48 / 1219	2452	3114	3269
42 / 1067	54 / 1372	2412	3055	3203
42 / 1067	60 / 1524	2706	3434	3602
51 / 1295	24 / 610	2181	2880	3040
51 / 1295	30 / 762	2346	3096	3269
51 / 1295	36 / 914	2521	3327	3511
51 / 1295	42 / 1067	2693	3549	3746
51 / 1295	48 / 1219	2864	3771	3979
51 / 1295	54 / 1372	3024	3978	4198
51 / 1295	60 / 1524	3176	4171	4421
66 / 1676	24 / 610	2302	3082	3298
66 / 1676	30 / 762	2496	3340	3575
66 / 1676	36 / 914	2700	3609	3859
66 / 1676	42 / 1067	2899	3872	4138
66 / 1676	48 / 1219	3091	4130	4415

The Elevated Full-Height Window – Double Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).

WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES

The 66" height is available up to 48" in width only.


Standard Glass is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

UNPEWDR

Elevated Full-Height Window (D-Style) – Double Glass



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass 6 Frost Standard Glass Specialty Glass Frost	AC Clear Anodized BP Espresso Painted BH Storm White Painted	AC Clear Anodized Foundation Mica	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPEWDR 42	60	5	AC	AC	1	AC
------------	----	---	----	----	---	----

DIMENSIONS INCHES / MM

		PRICING			
		NO TOP TRIM (0)			
H	W	Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1778	1867	2126	2211
29 / 737	30 / 762	1923	2018	2297	2388
29 / 737	36 / 914	2073	2174	2475	2572
29 / 737	42 / 1067	2236	2345	2665	2764
29 / 737	48 / 1219	2388	2505	2843	2949
29 / 737	54 / 1372	2576	2702	3067	3180
29 / 737	60 / 1524	2758	2892	3281	3404
42 / 1067	24 / 610	2110	2253	2619	2743
42 / 1067	30 / 762	2283	2438	2834	2960
42 / 1067	36 / 914	2458	2626	3048	3185
42 / 1067	42 / 1067	2660	2841	3284	3427
42 / 1067	48 / 1219	2836	3027	3498	3651
42 / 1067	54 / 1372	2820	3013	3467	3615
42 / 1067	60 / 1524	3146	3360	3872	4040
51 / 1295	24 / 610	2516	2714	3215	3372
51 / 1295	30 / 762	2721	2938	3472	3643
51 / 1295	36 / 914	2939	3167	3743	3925
51 / 1295	42 / 1067	3178	3426	4031	4227
51 / 1295	48 / 1219	3394	3660	4303	4509
51 / 1295	54 / 1372	3596	3874	4548	4766
51 / 1295	60 / 1524	3787	4082	4785	5031
66 / 1676	24 / 610	2811	3034	3592	3806
66 / 1676	30 / 762	3068	3308	3916	4147
66 / 1676	36 / 914	3331	3592	4244	4494
66 / 1676	42 / 1067	3632	3919	4606	4873
66 / 1676	48 / 1219	3893	4200	4932	5219
		WITH TOP TRIM (1)			
H	W	Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1854	1943	2204	2289
29 / 737	30 / 762	2007	2102	2381	2473
29 / 737	36 / 914	2167	2267	2568	2665
29 / 737	42 / 1067	2338	2446	2768	2867
29 / 737	48 / 1219	2496	2613	2952	3058
29 / 737	54 / 1372	2700	2826	3191	3304
29 / 737	60 / 1524	2890	3024	3412	3535
42 / 1067	24 / 610	2187	2329	2696	2820
42 / 1067	30 / 762	2367	2523	2919	3043
42 / 1067	36 / 914	2551	2718	3140	3279
42 / 1067	42 / 1067	2762	2942	3387	3530
42 / 1067	48 / 1219	2945	3137	3607	3760
42 / 1067	54 / 1372	2944	3137	3591	3738
42 / 1067	60 / 1524	3279	3492	4004	4171
51 / 1295	24 / 610	2594	2790	3291	3449
51 / 1295	30 / 762	2805	3023	3555	3728
51 / 1295	36 / 914	3033	3260	3835	4017
51 / 1295	42 / 1067	3280	3529	4133	4329
51 / 1295	48 / 1219	3503	3768	4411	4616
51 / 1295	54 / 1372	3721	3999	4671	4889
51 / 1295	60 / 1524	3920	4214	4917	5163
66 / 1676	24 / 610	2887	3111	3670	3882
66 / 1676	30 / 762	3152	3393	4000	4232
66 / 1676	36 / 914	3424	3687	4338	4588
66 / 1676	42 / 1067	3733	4021	4709	4975
66 / 1676	48 / 1219	4002	4309	5039	5328

Xpress

UNPCF

Convertible Panel Wall Base and Foot Trim

The Convertible Panel Wall Base and Foot Trim is used with Convertible Panel Walls to finish elevated applications.

WHAT’S INCLUDED

- 1 base trim and trim for 2 feet (60" and less)
- 2 base trims and trims for 4 feet (66" and wider)

NOTES

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Foot Finish
24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNPCF 60	N
----------	---

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

100
103
106
110
121
131
136
216
218
225
229
233
242



UNPEFR

Elevated Panel Wall Foot

The Elevated Panel Wall Foot provides support with leveling capability to Elevated Panel Walls and Elevated Full-Height Windows.

WHAT'S INCLUDED

1 foot, leveler, hardware for connection.

NOTES

The Elevated Panel Wall Foot is used in two-way 180° (no spacer), end of panel wall run applications or when added support is required for 66"-96" panels.

Xpress

 Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Foot Finish
AC Clear Anodized
Foundation
Mica


SAMPLE ORDER CODE

UNPEFR AC

PRICING

100

U A F F N
Support Foot for Freestanding
District



The Support Foot is added to flush or convertible District panels to allow them to become freestanding.

WHAT’S INCLUDED
1 double-sided metal freestanding foot and panel attachment brackets.

NOTES
Freestanding Foot can be applied to both the Flush or Convertible Panels either with or without Accessory Beam.
The unique element program required when foot is added. See Application Guide for more details.

PRODUCT OPTIONS

Orientation	Foot Finish
D Double	Foundation Mica

SAMPLE ORDER CODE

UAFFN D	60
---------	----

PRICING

526

Xpress

UNPHN

Panel Wall Rail

The Panel Wall Rail provides horizontal support when additional segmentation is required above worksurface level.


WHAT'S INCLUDED

Panel wall rail, fascia clips and attachment hardware.

NOTES

Finished in Black to match the panel wall frame.

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Width (6" increments)
24 - 60

SAMPLE ORDER CODE

UNPHN 60

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
54 / 1372
60 / 1524

PRICING

60
78
88
95
103
107
118
129
142
162

Xpress


U N E X
Light Block Rail

The Light Block Rail provides light block above the worksurface for fascias without clips.

WHAT'S INCLUDED
Rail and attachment hardware.

NOTES
Finished in Black to match the panel wall frame.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)
24 - 60

SAMPLE ORDER CODE

UNEX 60

DIMENSIONS INCHES / MM
W
24 / 610
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
54 / 1372
60 / 1524

PRICING
53
61
67
83
87
92
95
103
120
135


fascias

fascias product map

UNESD Solid Fascia (Clip Mount)

Xpress


Page 318



UAESD Solid Fascia for Freestanding District (Clip Mount)

Xpress


Page 320



UNYSD Stretch Solid Fascia

Xpress


Page 322



UAYSD Stretch Solid Fascia for Freestanding District

Xpress


Page 324



UNESF Solid Fascia – Full-Height

Xpress


Page 326



UNELM Metal Fascia (Slot Mount)

Xpress


Page 328



UAELM Metal Fascia for Freestanding District (Slot Mount)

Xpress


Page 330



UNELF Tackable Fabric Fascia (Slot Mount)

Xpress


Page 332



UAELF Tackable Fabric Fascia for Freestanding District (Slot Mount)

Xpress


Page 336



UNEMB Whiteboard Fascia (Slot Mount)

Xpress


Page 338



UNELA Accessory Fascia (Slot Mount)

Xpress


Page 339



UNECL Solid Power/ Communications Fascia (Clip Mount)

Xpress

Page 340




fascias product map

UAECL Solid Power/
Communications Fascia
for Freestanding District
(Clip Mount)

Xpress


Page 344



UNEIL Solid International Power/
Communications Fascia
(Clip Mount)

Xpress


Page 346



UAEIL Solid International Power/
Communications Fascia for
Freestanding District (Clip
Mount)

Xpress


Page 356



UNELCM Metal Power/
Communications Fascia
(Slot Mount)

Xpress


Page 360



UAELCM Metal Power/
Communications Fascia
for Freestanding District
(Slot Mount)

Xpress


Page 364



UNELIM Metal International
Power/Communications
Fascia (Slot Mount)

Xpress


Page 366



UAELIM Metal International
Power/Communications
Fascia for Freestanding
District (Slot Mount)

Xpress


Page 374



UNELCF Tackable Fabric Power/
Communications Fascia
(Slot Mount)

Xpress


Page 378



UAELCF Tackable Fabric Power/
Communications Fascia
for Freestanding District
(Slot Mount)

Xpress


Page 384



UNELIF Tackable Fabric
International Power/
Communications Fascia
(Slot Mount)

Xpress


Page 386



UAELIF Tackable Fabric
International Power/
Communications Fascia
for Freestanding District
(Slot Mount)

Xpress


Page 404



UNELMB Metal Base Feed Fascia
(Slot Mount)

Xpress

Page 410




fascias product map

**UAELMB Metal Base Feed Fascia
for Freestanding District
(Slot Mount)**

Xpress


Page 411



**UNELFB Fabric Base Feed Fascia
(Slot Mount)**

Xpress


Page 412



**UAELFB Fabric Base Feed Fascia
for Freestanding District
(Slot Mount)**

Xpress


Page 413



UNELK Fascia Clip Kit

Xpress


Page 414



Xpress

UNESD

Solid Fascia (Clip Mount)



The Solid Fascia provides a solid panel wall finish above worksurface height.

WHAT’S INCLUDED

1 fascia, fascia connectors.

WHAT’S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 22, 24, 26, 28, 30, 37	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UNESD 28	60	FX
----------	----	----

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
90	190	198
100	207	220
106	223	231
119	234	249
134	257	266
142	279	289
152	288	302
163	304	320
170	318	333
189	345	359
194	355	372
201	367	386
209	381	398
92	198	206
100	214	223
107	226	234
120	242	254
137	270	285
148	285	298
157	298	313
169	321	336
177	335	352
192	354	370
199	367	386
214	390	410
222	402	423

DIMENSIONS
INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
102	215	224
110	229	239
125	255	265
137	273	286
158	296	313
169	321	336
181	338	355
193	358	374
205	384	399
222	404	423
231	421	442
242	437	457
254	454	477
121	249	259
135	269	284
154	301	317
169	326	342
194	365	384
207	387	406
224	412	428
239	434	455
261	476	496
281	501	525
294	525	549
310	546	573
325	569	594

UNESD

Solid Fascia (Clip Mount)
(Continued)DIMENSIONS
INCHES / MM

PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
15 / 381	24 / 610	128	259	270
15 / 381	30 / 762	148	293	306
15 / 381	36 / 914	163	319	333
15 / 381	42 / 1067	186	355	370
15 / 381	48 / 1219	207	389	406
15 / 381	54 / 1372	225	414	430
15 / 381	60 / 1524	248	455	478
15 / 381	66 / 1676	264	482	508
15 / 381	72 / 1829	282	509	532
15 / 381	78 / 1981	302	537	564
15 / 381	84 / 2134	319	564	589
15 / 381	90 / 2286	334	588	616
15 / 381	96 / 2438	352	615	644
22 / 559	24 / 610	165	318	331
22 / 559	30 / 762	191	361	379
22 / 559	36 / 914	216	398	417
22 / 559	42 / 1067	245	453	476
22 / 559	48 / 1219	275	495	518
22 / 559	54 / 1372	296	532	557
22 / 559	60 / 1524	320	566	591
22 / 559	66 / 1676	350	608	638
22 / 559	72 / 1829	384	677	709
22 / 559	78 / 1981	412	717	750
22 / 559	84 / 2134	431	753	788
22 / 559	90 / 2286	462	812	848
22 / 559	96 / 2438	487	846	886
24 / 610	24 / 610	171	330	348
24 / 610	30 / 762	199	377	394
24 / 610	36 / 914	226	417	436
24 / 610	42 / 1067	258	476	495
24 / 610	48 / 1219	289	519	545
24 / 610	54 / 1372	316	558	584
24 / 610	60 / 1524	338	597	623
24 / 610	66 / 1676	653	912	956
24 / 610	72 / 1829	705	973	1020
24 / 610	78 / 1981	726	1009	1060
24 / 610	84 / 2134	781	1092	1143
24 / 610	90 / 2286	828	1149	1204
24 / 610	96 / 2438	837	1171	1230
26 / 660	24 / 610	181	345	364
26 / 660	30 / 762	209	388	404
26 / 660	36 / 914	242	444	463
26 / 660	42 / 1067	272	490	514
26 / 660	48 / 1219	300	531	559
26 / 660	54 / 1372	570	808	844
26 / 660	60 / 1524	624	870	912
26 / 660	66 / 1676	654	913	958
26 / 660	72 / 1829	710	995	1046
26 / 660	78 / 1981	770	1068	1119
26 / 660	84 / 2134	790	1118	1171
26 / 660	90 / 2286	840	1180	1237
26 / 660	96 / 2438	853	1195	1252

DIMENSIONS
INCHES / MM


PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 710	24 / 610	191	361	381
28 / 710	30 / 762	220	407	425
28 / 710	36 / 914	254	469	489
28 / 710	42 / 1067	287	517	543
28 / 710	48 / 1219	316	560	588
28 / 710	54 / 1372	615	869	908
28 / 710	60 / 1524	673	937	983
28 / 710	66 / 1676	705	984	1032
28 / 710	72 / 1829	765	1073	1127
28 / 710	78 / 1981	830	1152	1206
28 / 710	84 / 2134	851	1205	1264
28 / 710	90 / 2286	904	1270	1331
28 / 710	96 / 2438	920	1287	1348
30 / 762	24 / 610	199	377	394
30 / 762	30 / 762	234	442	461
30 / 762	36 / 914	265	488	512
30 / 762	42 / 1067	299	537	564
30 / 762	48 / 1219	336	591	620
30 / 762	54 / 1372	656	919	961
30 / 762	60 / 1524	719	992	1040
30 / 762	66 / 1676	759	1065	1116
30 / 762	72 / 1829	817	1136	1191
30 / 762	78 / 1981	847	1199	1259
30 / 762	84 / 2134	904	1269	1330
30 / 762	90 / 2286	920	1286	1345
30 / 762	96 / 2438	949	1350	1414
37 / 965	24 / 610	236	444	461
37 / 965	30 / 762	275	500	522
37 / 965	36 / 914	316	559	585
37 / 965	42 / 1067	633	887	932
37 / 965	48 / 1219	717	988	1036
37 / 965	54 / 1372	767	1072	1124
37 / 965	60 / 1524	801	1128	1181
37 / 965	66 / 1676	880	1238	1299
37 / 965	72 / 1829	887	1270	1330
37 / 965	78 / 1981	956	1357	1420
37 / 965	84 / 2134	973	1407	1472
37 / 965	90 / 2286	991	1415	1482
37 / 965	96 / 2438	1008	1487	1557

Xpress

U A E S D

Solid Fascia for Freestanding District (Clip Mount)



The Solid Fascia provides a solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

WHAT'S INCLUDED

1 fascia, fascia connectors.

NOTES

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 22, 28, 35, 41	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UAESD 28	60	FX
----------	----	----

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
78	177	189
90	197	206
96	209	220
106	224	232
117	233	247
122	248	258
130	264	280
142	284	295
152	294	306
162	312	325
171	330	346
181	342	358
189	354	368
158	312	325
184	354	370
205	390	410
245	453	476
265	487	511
289	522	548
314	559	585
333	590	618
366	660	689
393	703	736
425	744	780
455	803	841
480	840	878

DIMENSIONS
INCHES / MM

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
184	355	370
214	398	418
248	458	481
280	509	532
304	551	577
601	851	894
656	921	966
718	992	1040
747	1053	1103
812	1131	1183
825	1163	1217
883	1247	1307
901	1264	1324
223	412	428
263	482	508
299	541	564
613	861	902
684	948	992
722	1006	1053
800	1112	1165
830	1164	1219
903	1267	1326
909	1296	1358
926	1324	1384
975	1429	1495
992	1445	1513

Pricing is continued on the following page.

U A E S D

Solid Fascia for Freestanding
District (Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
255	464	488
296	529	554
338	594	622
689	956	1001
747	1048	1100
829	1148	1203
876	1232	1291
896	1277	1338
913	1308	1371
983	1435	1501
1001	1448	1517
1020	1468	1535
1039	1527	1600

Xpress

UNYSD

Stretch Solid Fascia

The Stretch Solid Fascia provides a extended solid panel wall finish on panel.

WHAT'S INCLUDED


1 fascia, fascia connectors.

NOTES

Stretch Solid Fascia is only designed for in line applications.

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 22, 28, 35, 41	24 - 96	L Left R Right B Both	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UNYSD 28	60	B	FX
----------	----	---	----

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
22 / 559	24 / 6101
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
88	195	202
95	206	218
103	220	230
112	232	247
124	254	265
130	265	280
138	280	290
152	295	310
160	306	321
173	333	350
184	346	360
191	358	374
198	368	387
177	345	359
200	379	396
225	416	434
255	470	490
286	513	537
310	548	575
331	584	613
368	656	687
392	694	726
421	736	769
451	792	829
476	829	868
496	864	904

DIMENSIONS
INCHES / MM

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
198	379	396
231	442	460
262	485	510
294	534	559
322	578	606
640	900	940
696	968	1014
731	1034	1082
784	1101	1153
812	1143	1198
871	1231	1291
886	1246	1306
911	1306	1365
253	460	482
288	517	542
325	575	599
647	903	944
727	999	1045
773	1077	1129
803	1129	1182
883	1242	1300
902	1269	1328
949	1345	1409
967	1360	1424
1006	1467	1535
1023	1484	1554

Pricing is continued on the following page.

Stretch Solid Fascia (Continued)

DIMENSIONS
INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438


PRICING

Element Source Laminate	Flintwood	Natural Veneer
275	500	522
318	565	590
649	908	951
708	987	1034
796	1107	1160
844	1193	1248
861	1236	1294
939	1332	1395
949	1394	1460
967	1420	1487
1006	1501	1571
1024	1519	1589
1043	1536	1607

Xpress

UAYS D

Stretch Solid Fascia for Freestanding District



The Stretch Solid Fascia provides an extended solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

WHAT’S INCLUDED

1 fascia, fascia connectors.

WHAT’S EXCLUDED

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN)

NOTES

Stretch Solid Fascia is only designed for in line applications.

The 22” fascia must be ordered with a 6” high fascia as Elevated panels are not applicable in a freestanding application.

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 22, 28, 35, 41	24 - 96	L Left R Right B Both	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UAYS D 28	60	B	FX
-----------	----	---	----

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
85	186	193
93	201	215
100	216	225
109	229	237
119	239	252
128	259	271
135	270	285
148	287	301
154	298	314
166	317	330
174	334	351
186	348	361
192	358	376
177	345	359
200	379	396
225	416	434
255	470	490
286	513	537
310	548	575
331	584	613
368	656	687
392	694	726
421	736	769
451	792	829
476	829	868
496	864	904

DIMENSIONS
INCHES / MM

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
195	376	392
229	436	456
259	481	502
290	528	553
319	573	598
629	886	929
686	955	1001
719	1020	1070
774	1085	1138
800	1129	1182
856	1215	1274
873	1227	1287
900	1288	1349
253	460	482
288	517	542
325	575	599
647	903	944
727	999	1045
773	1077	1129
803	1129	1182
883	1242	1300
902	1269	1328
949	1345	1409
967	1360	1424
1006	1467	1535
1023	1484	1554

Pricing is continued on the following page.

U A Y S D

Stretch Solid Fascia for Freestanding District (Continued)

DIMENSIONS INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
273	496	519
317	560	586
644	901	942
701	977	1024
785	1097	1149
828	1161	1215
851	1226	1283
932	1323	1383
948	1349	1412
967	1408	1474
997	1488	1557
1015	1504	1575
1034	1524	1594

Xpress

UNESF

Solid Fascia – Full-Height

The Solid Fascia – Full-Height provides a solid monolithic look from the base of the panel to a height of 42".


WHAT'S INCLUDED

1 fascia with connectors.

NOTES

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
35, 41	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UNESF 35	60	FX
----------	----	----

DIMENSIONS
INCHES / MM

H	W
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
230	419	437
270	490	513
310	546	573
614	863	903
694	958	1004
736	1015	1065
810	1124	1177
846	1180	1235
919	1283	1343
932	1318	1380
948	1333	1397
988	1439	1507
1006	1459	1525

DIMENSIONS
INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
261	476	496
302	541	564
614	863	903
706	971	1017
761	1065	1116
807	1132	1185
891	1248	1308
911	1296	1358
932	1326	1389
1005	1460	1526
1023	1472	1543
1041	1492	1559
1060	1554	1626

Xpress

UNELM

Metal Fascia (Slot Mount)

The Metal Fascia provides a metal panel wall finish.


WHAT'S INCLUDED

1 fascia and attachment hardware.

NOTES

30", 35" and 37" heights can be specified to a maximum of 60" width only.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 22, 24, 26, 28, 30, 35, 37	24 - 96	Foundation Mica Accent

SAMPLE ORDER CODE

UNELM 28	60	14
----------	----	----

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
6 / 152	24 / 610	95	9 / 229	24 / 610	103
6 / 152	30 / 762	102	9 / 229	30 / 762	109
6 / 152	36 / 914	106	9 / 229	36 / 914	119
6 / 152	42 / 1067	112	9 / 229	42 / 1067	125
6 / 152	48 / 1219	119	9 / 229	48 / 1219	130
6 / 152	54 / 1372	124	9 / 229	54 / 1372	137
6 / 152	60 / 1524	129	9 / 229	60 / 1524	144
6 / 152	66 / 1676	139	9 / 229	66 / 1676	158
6 / 152	72 / 1829	152	9 / 229	72 / 1829	169
6 / 152	78 / 1981	162	9 / 229	78 / 1981	184
6 / 152	84 / 2134	173	9 / 229	84 / 2134	195
6 / 152	90 / 2286	187	9 / 229	90 / 2286	207
6 / 152	96 / 2438	197	9 / 229	96 / 2438	223
7 / 178	24 / 610	96	13 / 330	24 / 610	122
7 / 178	30 / 762	103	13 / 330	30 / 762	131
7 / 178	36 / 914	109	13 / 330	36 / 914	139
7 / 178	42 / 1067	118	13 / 330	42 / 1067	151
7 / 178	48 / 1219	122	13 / 330	48 / 1219	159
7 / 178	54 / 1372	126	13 / 330	54 / 1372	166
7 / 178	60 / 1524	131	13 / 330	60 / 1524	175
7 / 178	66 / 1676	144	13 / 330	66 / 1676	193
7 / 178	72 / 1829	158	13 / 330	72 / 1829	209
7 / 178	78 / 1981	167	13 / 330	78 / 1981	227
7 / 178	84 / 2134	181	13 / 330	84 / 2134	245
7 / 178	90 / 2286	192	13 / 330	90 / 2286	261
7 / 178	96 / 2438	201	13 / 330	96 / 2438	280

Pricing is continued on the following page.

UNELM


Metal Fascia (Slot Mount)
(Continued)

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
15 / 381	24 / 610	130	28 / 711	24 / 610	184
15 / 381	30 / 762	139	28 / 711	30 / 762	199
15 / 381	36 / 914	152	28 / 711	36 / 914	218
15 / 381	42 / 1067	161	28 / 711	42 / 1067	232
15 / 381	48 / 1219	170	28 / 711	48 / 1219	250
15 / 381	54 / 1372	182	28 / 711	54 / 1372	264
15 / 381	60 / 1524	192	28 / 711	60 / 1524	284
15 / 381	66 / 1676	209	28 / 711	66 / 1676	314
15 / 381	72 / 1829	229	28 / 711	72 / 1829	345
15 / 381	78 / 1981	249	28 / 711	78 / 1981	374
15 / 381	84 / 2134	266	28 / 711	84 / 2134	404
15 / 381	90 / 2286	287	28 / 711	90 / 2286	434
15 / 381	96 / 2438	304	28 / 711	96 / 2438	463
22 / 559	24 / 610	157	30 / 762	24 / 610	190
22 / 559	30 / 762	169	30 / 762	30 / 762	206
22 / 559	36 / 914	186	30 / 762	36 / 914	225
22 / 559	42 / 1067	197	30 / 762	42 / 1067	242
22 / 559	48 / 1219	209	30 / 762	48 / 1219	259
22 / 559	54 / 1372	224	30 / 762	54 / 1372	279
22 / 559	60 / 1524	234	30 / 762	60 / 1524	294
22 / 559	66 / 1676	261			
22 / 559	72 / 1829	286	35 / 889	24 / 610	214
22 / 559	78 / 1981	312	35 / 889	30 / 762	232
22 / 559	84 / 2134	334	35 / 889	36 / 914	254
22 / 559	90 / 2286	359	35 / 889	42 / 1067	271
22 / 559	96 / 2438	385	35 / 889	48 / 1219	293
			35 / 889	54 / 1372	311
24 / 610	24 / 610	165	35 / 889	60 / 1524	336
24 / 610	30 / 762	181			
24 / 610	36 / 914	195	37 / 965	24 / 610	229
24 / 610	42 / 1067	209	37 / 965	30 / 762	252
24 / 610	48 / 1219	225	37 / 965	36 / 914	273
24 / 610	54 / 1372	237	37 / 965	42 / 1067	294
24 / 610	60 / 1524	254	37 / 965	48 / 1219	317
24 / 610	66 / 1676	281	37 / 965	54 / 1372	336
24 / 610	72 / 1829	304	37 / 965	60 / 1524	360
24 / 610	78 / 1981	331			
24 / 610	84 / 2134	359			
24 / 610	90 / 2286	386			
24 / 610	96 / 2438	413			
26 / 660	24 / 610	184			
26 / 660	30 / 762	199			
26 / 660	36 / 914	218			
26 / 660	42 / 1067	232			
26 / 660	48 / 1219	250			
26 / 660	54 / 1372	264			
26 / 660	60 / 1524	284			
26 / 660	66 / 1676	314			
26 / 660	72 / 1829	345			
26 / 660	78 / 1981	374			
26 / 660	84 / 2134	404			
26 / 660	90 / 2286	434			
26 / 660	96 / 2438	463			

Xpress

U A E L M

Metal Fascia for Freestanding District (Slot Mount)



The Metal Fascia provides a metal panel wall finish.

WHAT'S INCLUDED

1 fascia and attachment hardware.

NOTES

Not all height/width combinations are available, 35" heights can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 22, 28, 35	24 - 96	Foundation Mica Accent

SAMPLE ORDER CODE

UAELM 28	60	14
----------	----	----

DIMENSIONS
INCHES / MM

PRICING

H	W	
6 / 152	24 / 610	110
6 / 152	30 / 762	120
6 / 152	36 / 914	126
6 / 152	42 / 1067	134
6 / 152	48 / 1219	138
6 / 152	54 / 1372	148
6 / 152	60 / 1524	154
6 / 152	66 / 1676	205
6 / 152	72 / 1829	214
6 / 152	78 / 1981	218
6 / 152	84 / 2134	224
6 / 152	90 / 2286	229
6 / 152	96 / 2438	233
22 / 559	24 / 610	157
22 / 559	30 / 762	169
22 / 559	36 / 914	186
22 / 559	42 / 1067	197
22 / 559	48 / 1219	209
22 / 559	54 / 1372	224
22 / 559	60 / 1524	234
22 / 559	66 / 1676	304
22 / 559	72 / 1829	321
22 / 559	78 / 1981	336
22 / 559	84 / 2134	352
22 / 559	90 / 2286	367
22 / 559	96 / 2438	385

DIMENSIONS
INCHES / MM

PRICING

H	W	
28 / 711	24 / 610	181
28 / 711	30 / 762	197
28 / 711	36 / 914	216
28 / 711	42 / 1067	231
28 / 711	48 / 1219	249
28 / 711	54 / 1372	263
28 / 711	60 / 1524	281
28 / 711	66 / 1676	383
28 / 711	72 / 1829	396
28 / 711	78 / 1981	414
28 / 711	84 / 2134	428
28 / 711	90 / 2286	445
28 / 711	96 / 2438	460
35 / 889	24 / 610	205
35 / 889	30 / 762	226
35 / 889	36 / 914	249
35 / 889	42 / 1067	266
35 / 889	48 / 1219	288
35 / 889	54 / 1372	312
35 / 889	60 / 1524	330

Xpress

UNELF

Tackable Fabric Fascia (Slot Mount)

The Tackable Fabric Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED

1 fascia.

WHAT'S EXCLUDED


Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

6" and 7" height fascias are not tackable.

Xpress

Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 22, 24, 26, 28, 30, 35, 37, 41	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UNELF 21	72	L341
----------	----	------

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
128	131	136	141	148	152	158	161
139	144	162	167	174	182	191	197
154	160	173	181	189	193	200	207
166	171	186	191	198	206	217	225
177	187	194	202	215	224	232	242
192	197	206	218	229	236	249	258
202	209	223	232	245	255	265	279
218	225	234	250	262	271	286	296
230	236	252	264	280	289	303	318
245	252	264	282	296	310	322	336
257	264	281	296	313	326	342	357
269	280	294	314	330	345	360	377
284	293	312	329	348	361	381	396
134	137	141	151	158	160	165	170
149	153	170	175	186	193	200	209
162	169	184	191	197	202	216	224
174	184	194	201	214	223	232	242
191	197	205	220	231	239	253	262
201	209	224	233	248	258	269	282
218	225	237	252	264	279	289	302
231	239	255	269	284	296	313	325
248	255	271	287	302	318	333	349
261	270	288	303	320	335	354	370
275	286	303	321	338	357	376	392
289	299	321	340	360	377	396	417
303	317	336	358	379	396	419	437

Pricing is continued on the following page.

UNELF

Tackable Fabric Fascia (Slot Mount)
(Continued)DIMENSIONS
INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
93	96	103	110	120	125	131	137
103	107	131	138	149	159	167	177
117	124	139	149	159	166	175	189
125	134	149	159	169	182	194	205
135	142	157	170	186	195	209	224
144	157	170	184	197	209	226	237
158	165	186	197	214	227	245	259
167	181	199	216	231	249	264	282
182	193	217	230	248	265	287	303
194	206	230	249	266	287	306	328
206	222	248	263	284	304	329	350
222	232	262	282	303	326	350	372
232	249	280	296	319	346	370	393
105	110	121	129	138	148	158	163
120	128	160	169	181	193	206	223
134	144	169	181	193	202	220	232
148	159	181	191	202	220	233	252
160	171	191	205	223	237	257	271
171	187	209	223	236	255	273	290
187	198	227	239	257	279	296	317
200	217	248	262	281	301	322	346
218	231	265	284	302	325	350	372
232	250	287	302	322	350	377	399
250	265	304	325	349	374	402	428
264	284	326	346	369	398	428	456
281	299	346	366	392	423	455	485
118	122	126	142	158	165	175	189
131	138	169	182	194	206	225	237
149	160	182	194	208	227	247	262
162	173	192	215	233	252	269	288
177	191	201	232	257	271	295	316
194	202	217	253	281	296	321	345
207	222	233	273	304	322	350	374
227	239	255	299	333	354	384	412
247	261	275	322	359	384	416	445
262	281	295	349	387	413	446	478
282	298	317	372	416	442	478	512
298	318	335	394	442	470	510	545
318	336	357	421	465	497	542	578
142	153	160	187	205	217	232	250
165	174	218	231	250	269	293	314
190	202	231	257	282	303	330	355
207	225	247	284	314	336	366	392
230	248	259	312	349	368	400	430
253	266	287	340	383	406	444	477
273	289	313	368	414	444	482	518
298	319	338	406	456	487	529	572
321	346	367	442	495	527	576	620
348	370	394	476	532	568	620	669
370	396	423	509	569	611	666	716
394	423	453	543	610	650	710	764
421	451	480	576	647	689	753	812

Pricing is continued on the following page.

U N E L F

Tackable Fabric Fascia (Slot Mount)
(Continued)

DIMENSIONS
INCHES / MM

H	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
24 / 610	90 / 2286
24 / 610	96 / 2438
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	90 / 2286
30 / 762	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
149	158	163	191	208	223	237	255
170	182	229	247	264	286	312	333
193	209	247	263	287	314	340	365
217	232	259	293	321	348	377	404
236	255	273	320	357	381	414	445
259	279	294	350	391	417	453	485
284	299	320	381	424	453	492	528
306	329	350	417	464	496	542	582
331	355	379	451	505	537	585	630
358	384	407	484	543	581	631	678
384	410	434	518	582	621	677	727
407	436	462	553	620	661	721	776
431	461	492	588	657	705	767	824
159	174	191	214	231	248	264	285
184	202	254	271	294	318	346	368
206	237	285	303	328	355	386	416
231	263	302	326	355	387	422	453
255	288	320	357	391	424	461	495
281	314	390	419	454	490	536	577
302	338	428	461	500	545	594	642
330	370	473	511	553	601	656	710
357	400	516	557	603	656	719	776
385	430	549	590	641	696	764	823
413	461	591	640	693	754	825	891
440	492	636	685	744	812	887	958
463	522	678	734	797	869	951	1025
159	174	191	214	231	248	264	285
184	202	254	271	294	318	346	368
206	237	285	303	328	355	386	416
231	263	302	326	355	387	422	453
255	288	320	357	391	424	461	495
281	314	390	419	454	490	536	577
302	338	428	461	500	545	594	642
330	370	473	511	553	601	656	710
357	400	516	557	603	656	719	776
385	430	549	590	641	696	764	823
413	461	591	640	693	754	825	891
440	492	636	685	744	812	887	958
463	522	678	734	797	869	951	1025
162	182	198	218	236	254	271	290
190	214	265	286	306	333	361	390
216	248	298	319	345	372	404	434
237	271	318	338	367	398	431	462
263	298	335	367	401	436	476	510
288	322	398	426	461	500	545	586
314	351	440	473	512	554	606	652
340	383	484	519	562	614	669	719
368	414	527	569	618	671	732	788
396	446	560	605	654	710	775	837
424	477	606	652	706	769	840	904
453	509	649	701	759	824	902	972
481	541	694	747	810	881	966	1041

Pricing is continued on the following page.

UNELF

Tackable Fabric Fascia (Slot Mount)
(Continued)DIMENSIONS
INCHES / MM


PRICING

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
35 / 889	24 / 610	166	188	204	224	244	261	278	299
35 / 889	30 / 762	195	219	273	294	315	341	371	401
35 / 889	36 / 914	228	261	314	337	364	393	426	458
35 / 889	42 / 1067	254	289	340	363	393	425	462	496
35 / 889	48 / 1219	283	319	360	394	430	470	511	548
35 / 889	54 / 1372	313	349	430	461	500	542	590	634
35 / 889	60 / 1524	337	376	472	507	549	595	651	700
35 / 889	66 / 1676	369	414	526	564	610	666	725	780
35 / 889	72 / 1829	399	448	570	617	670	727	793	852
35 / 889	78 / 1981	431	484	608	658	711	772	843	909
35 / 889	84 / 2134	462	519	661	711	770	838	915	986
35 / 889	90 / 2286	497	558	711	767	831	903	988	1066
35 / 889	96 / 2438	527	590	758	817	884	962	1055	1136
37 / 940	24 / 610	224	233	250	298	334	358	391	421
37 / 940	30 / 762	261	279	326	365	404	445	485	522
37 / 940	36 / 914	299	325	351	423	479	514	565	613
37 / 940	42 / 1067	336	360	386	473	536	576	630	682
37 / 940	48 / 1219	376	398	424	519	590	636	696	753
37 / 940	54 / 1372	414	440	482	585	661	716	785	851
37 / 940	60 / 1524	451	480	527	640	725	783	863	934
37 / 940	66 / 1676	490	534	576	709	808	871	958	1039
37 / 940	72 / 1829	533	578	622	769	877	943	1039	1128
37 / 940	78 / 1981	575	622	673	828	942	1017	1121	1215
37 / 940	84 / 2134	615	669	719	887	1013	1092	1203	1304
37 / 940	90 / 2286	654	712	769	948	1079	1165	1284	1392
37 / 940	96 / 2438	696	756	815	1007	1148	1238	1364	1480
41 / 1041	24 / 610	227	236	258	283	307	331	351	376
41 / 1041	30 / 762	267	285	355	384	410	445	482	520
41 / 1041	36 / 914	325	354	425	456	492	532	577	620
41 / 1041	42 / 1067	369	395	464	495	535	581	631	675
41 / 1041	48 / 1219	419	442	498	545	596	649	707	758
41 / 1041	54 / 1372	461	489	603	647	700	758	827	888
41 / 1041	60 / 1524	496	528	660	710	770	832	912	979
41 / 1041	66 / 1676	541	589	747	801	867	947	1031	1109
41 / 1041	72 / 1829	591	641	815	882	957	1039	1134	1219
41 / 1041	78 / 1981	647	700	878	951	1026	1114	1216	1312
41 / 1041	84 / 2134	693	754	959	1031	1116	1215	1326	1429
41 / 1041	90 / 2286	750	816	1041	1125	1218	1322	1447	1560
41 / 1041	96 / 2438	796	864	1108	1195	1293	1408	1543	1662

Xpress

U A E L F

Tackable Fabric Fascia for
Freestanding District (Slot Mount)



The Tackable Fabric Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" and 35" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress

Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 22, 35	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UAELF 22	60	L341
----------	----	------

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
135	137	141	149	154	158	162	166
148	152	167	173	181	189	194	201
159	163	177	186	192	197	205	215
169	175	189	194	201	209	220	227
182	190	197	206	217	226	233	247
193	199	207	222	231	237	252	259
205	214	223	233	247	255	265	280
220	226	236	252	263	273	287	298
232	239	254	266	282	293	306	319
248	255	266	285	299	313	326	340
261	269	285	299	316	330	348	360
273	285	299	318	334	350	366	384
288	298	316	333	351	367	386	402

Pricing is continued on the following page.

U A E L F

Tackable Fabric Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM


H	W
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
142	153	160	187	205	217	232	250
165	174	218	231	250	269	293	314
190	202	231	257	282	303	330	355
207	225	247	284	314	336	366	392
230	248	259	312	349	368	400	430
253	266	287	340	383	406	444	477
273	289	313	368	414	444	482	518
298	319	338	406	456	487	529	572
321	346	367	442	495	527	576	620
348	370	394	476	532	568	620	669
370	396	423	509	569	611	666	716
394	423	453	543	610	650	710	764
421	451	480	576	647	689	753	812
218	229	245	290	328	351	385	414
254	269	314	357	396	431	477	513
293	317	335	414	470	505	553	598
329	351	376	460	525	564	618	671
365	389	416	510	578	621	684	741
402	428	473	575	652	705	775	841
442	469	516	625	712	772	848	921
480	520	564	696	796	856	944	1027
519	565	611	754	861	932	1025	1114
559	610	656	814	932	1005	1107	1201
599	653	706	872	996	1076	1187	1291
640	696	752	933	1065	1149	1268	1376
679	741	800	990	1132	1221	1348	1464

Xpress

U N E M B
Whiteboard Fascia
(Slot Mount)



The Whiteboard Fascia provides an erasable message board surface.

WHAT'S INCLUDED
1 fascia.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
The width of the tray equals the width of the fascia.
Two trays **cannot** be used side-by-side in a 90° configuration.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Tray	Height	Width	Tray Finish (If applicable)
N No Tray	22, 24, 30, 37	36, 42, 48	Foundation
T With Tray			Mica

SAMPLE ORDER CODE

UNEMB T	22	48	P
---------	----	----	---

DIMENSIONS
INCHES / MM

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
37 / 940	36 / 914
37 / 940	42 / 1067
37 / 940	48 / 1219

PRICING

NO TRAY (N)	WITH TRAY (T)
372	449
398	478
641	717
457	534
484	560
1167	1244
463	543
492	569
1174	1253
673	749
703	778
1219	1295

The Accessory Fascia provides support for Personal Organizers (PAX) and fx Accessories to facilitate organization of the workspace.

WHAT'S INCLUDED

1 fascia and attachment hardware.

WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.


NOTES

Personal Organizers (PAX) and fx Accessories are available in Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program*.

UNELA

Accessory Fascia (Slot Mount)

**PRODUCT OPTIONS**

Height	Width (6" increments)	Fascia Finish
06, 13, 15	24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNELA 15	24	E
----------	----	---

**DIMENSIONS
INCHES / MM****PRICING**


H	W	
6 / 152	24 / 610	253
6 / 152	30 / 762	285
6 / 152	36 / 914	321
6 / 152	42 / 1067	350
6 / 152	48 / 1219	376
6 / 152	54 / 1372	399
6 / 152	60 / 1524	424
6 / 152	66 / 1676	461
6 / 152	72 / 1829	505
6 / 152	78 / 1981	546
6 / 152	84 / 2134	548
6 / 152	90 / 2286	549
6 / 152	96 / 2438	551
13 / 330	24 / 610	334
13 / 330	30 / 762	377
13 / 330	36 / 914	456
13 / 330	42 / 1067	502
13 / 330	48 / 1219	514
13 / 330	54 / 1372	672
13 / 330	60 / 1524	673
13 / 330	66 / 1676	711
13 / 330	72 / 1829	743
13 / 330	78 / 1981	845
13 / 330	84 / 2134	846
13 / 330	90 / 2286	847
13 / 330	96 / 2438	849

**DIMENSIONS
INCHES / MM****PRICING**

H	W	
15 / 381	24 / 610	361
15 / 381	30 / 762	414
15 / 381	36 / 914	500
15 / 381	42 / 1067	553
15 / 381	48 / 1219	565
15 / 381	54 / 1372	754
15 / 381	60 / 1524	756
15 / 381	66 / 1676	796
15 / 381	72 / 1829	823
15 / 381	78 / 1981	939
15 / 381	84 / 2134	941
15 / 381	90 / 2286	942
15 / 381	96 / 2438	944

UNECL

Solid Power/Communications Fascia (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Panel Wall Rail (UNPHN) required for application to Panel Frame for Wood and/or Framed Fascias, ordered separately.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM (available on 24" and 30" widths)	B Left and Right (available on 66" width and wider for one and two duplex outlets)	B Bottom or Lower section of Fascia (available on 7", 13", 22", 26", 35", 37" heights)	07, 13, 22, 26, 28, 35, 37, 41	24 - 96	Element Source Laminate Flintwood Natural Veneer
4 Two duplex outlets plus VDM (available on 36" widths and wider)	C Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet)	F Flush (applies to 28", 41" height only for base fascias flush to floor. Cut out will be at bottom)			
	L Left (not available on widths below 42")	T Top or Upper section of Fascia (available on 13", 22", 28" heights)			
	R Right (not available on widths below 42")				
	E Left Center (available on 66" widths or wider for both one and two duplex options)				
	F Right Center (available on 66" widths or wider for both one and two duplex options)				
	D Centered Left and Right (available on 66" widths or wider for both one and two duplex options)				

SAMPLE ORDER CODE

UNECL 2	B	B	22	72	FX
---------	---	---	----	----	----

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)		
Element Source Laminate	Flintwood	Natural Veneer
250	402	422
258	417	436
270	434	455
281	448	470
290	470	492
299	484	508
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971

DIMENSIONS INCHES / MM

H	W
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)		
Element Source Laminate	Flintwood	Natural Veneer
732	1002	1049
791	1085	1137
849	1156	1213
871	1206	1265
919	1267	1328
934	1282	1344
913	1258	1319
921	1289	1349
986	1371	1434
1002	1418	1486
1019	1435	1503
1037	1496	1567
960	1319	1382
968	1350	1414
1037	1436	1503
1053	1487	1557
1071	1503	1575
1089	1567	1642

Pricing is continued on the following page.

UNEC L

Solid Power/Communications Fascia
(Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431
1055	1441	1512
1063	1476	1545
1138	1571	1643
1156	1626	1702
1176	1642	1720
1194	1713	1795

HORIZONTAL (B, D, E, F) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431

DIMENSIONS
INCHES / MM

H	W
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914

H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
170	280	290
181	290	304
190	304	320
199	328	345
217	351	366
232	383	399
247	396	417
269	444	461
294	479	500
260	428	447
286	470	492
319	526	551
308	506	530
343	563	588
379	618	648
318	520	546
355	582	608
393	640	671

HORIZONTAL (C) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
269	444	462
298	487	511
333	548	575
338	554	581
377	621	649
421	685	718

HORIZONTAL (C) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
199	328	345
217	351	366
232	383	399
247	396	417
269	444	461
294	479	500
269	444	462
298	487	511
333	548	575

Pricing is continued on the following page.

UNEC L

Solid Power/Communications Fascia
(Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

HORIZONTAL (L or R) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
198	321	335
220	351	367
226	365	384
233	379	394
250	402	422
258	417	436
270	434	455
281	448	470
290	470	492
299	484	508
250	406	425
275	446	464
289	469	489
303	489	513
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
325	532	558
355	576	603
379	613	641
399	647	677
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
350	571	597
377	615	644
651	893	935
703	956	1004
732	1002	1049
791	1085	1137
849	1156	1213
871	1206	1265
919	1267	1328
934	1282	1344
678	925	969
760	1021	1068
806	1100	1152
837	1151	1207
913	1258	1319
921	1289	1349
986	1371	1434
1002	1418	1486
1019	1435	1503
1037	1496	1567

DIMENSIONS
INCHES / MM

H	W
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

HORIZONTAL (L or R) & VERTICAL (B)
(CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
712	968	1014
797	1068	1118
846	1152	1206
880	1206	1265
960	1319	1382
968	1350	1414
1037	1436	1503
1053	1487	1557
1071	1503	1575
1089	1567	1642

HORIZONTAL (L or R) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
366	597	624
393	642	673
695	948	992
752	1017	1067
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431
782	1055	1106
875	1164	1218
930	1258	1317
967	1317	1381
1055	1441	1512
1063	1476	1545
1138	1571	1643
1156	1626	1702
1176	1642	1720
1194	1713	1795

Pricing is continued on the following page.

UNEC L

Solid Power/Communications Fascia
(Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING


HORIZONTAL (L or R) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
250	406	425
275	446	464
289	469	489
303	489	513
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
325	532	558
355	576	603
379	613	641
399	647	677
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
366	597	624
393	642	673
695	948	992
752	1017	1067
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431

Xpress

UAECL

Solid Power/Communications Fascia for Freestanding District (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communication Orientation	Vertical Power/Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	22, 28	36 - 96	Element Source Laminate
4 Cut Out for four outlets (available on 36" widths and wider)	LC Left Center	B Bottom			Flintwood (Standard)
	RC Right Center				Natural Veneer
	RR Right				
	LR Left & Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAECL 2	CR	B	22	72	FX
---------	----	---	----	----	----

**DIMENSIONS
INCHES / MM**

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING**HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)**

Element Source Laminate	Flintwood	Natural Veneer
414	672	704
447	741	775
476	781	816
508	824	864
536	881	924
559	919	961
798	1072	1125
828	1134	1188
891	1211	1268
905	1242	1301
966	1327	1391
981	1343	1407

**DIMENSIONS
INCHES / MM**


H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING**HORIZONTAL (LL or RR) & VERTICAL (B or T)**

Element Source Laminate	Flintwood	Natural Veneer
286	470	492
325	532	558
348	568	593
368	603	631
392	640	671
414	672	704
447	741	775
476	781	816
508	824	864
536	881	924
559	919	961
326	541	565
358	586	616
387	630	660
681	933	976
740	1001	1048
798	1072	1125
828	1134	1188
891	1211	1268
905	1242	1301
966	1327	1391
981	1343	1407

Xpress

UNEIL

Solid International Power/
Communications Fascia
(Clip Mount)

The Solid International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	B Left and Right (available on 66" width and wider)	B Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Element Source Laminate Flintwood Natural Veneer	Black 74 Storm White
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	C Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	F Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)				
4 Cut Out for four outlets (available on 36" widths and wider)	L Left (not available on widths below 42")	T Top or upper section of Fascia (available on 13", 22", 28" heights)				
5 Call Cut Out for two outlets	R Right (not available on widths below 42")					
6 Call Cut Out for four outlets						

SAMPLE ORDER CODE

UNEIL 3	R	T	22	60	FX	74
---------	---	---	----	----	----	----

**DIMENSIONS
INCHES / MM**

		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (B) & VERTICAL (B)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	66 / 1676	250	402	422
7 / 178	72 / 1829	258	417	436
7 / 178	78 / 1981	270	434	455
7 / 178	84 / 2134	281	448	470
7 / 178	90 / 2286	290	470	492
7 / 178	96 / 2438	299	484	508
13 / 330	66 / 1676	320	514	541
13 / 330	72 / 1829	340	553	582
13 / 330	78 / 1981	359	582	610
13 / 330	84 / 2134	374	605	633
13 / 330	90 / 2286	390	625	655
13 / 330	96 / 2438	404	649	679
21 / 533	66 / 1676	419	673	704
21 / 533	72 / 1829	453	740	774
21 / 533	78 / 1981	479	778	815
21 / 533	84 / 2134	501	813	851
21 / 533	90 / 2286	522	847	887
21 / 533	96 / 2438	553	904	948

**DIMENSIONS
INCHES / MM**

		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (B) & VERTICAL (B)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
22 / 559	66 / 1676	428	686	719
22 / 559	72 / 1829	461	756	792
22 / 559	78 / 1981	489	797	836
22 / 559	84 / 2134	513	834	872
22 / 559	90 / 2286	544	891	934
22 / 559	96 / 2438	566	928	971
37 / 940	66 / 1676	960	1319	1382
37 / 940	72 / 1829	968	1350	1414
37 / 940	78 / 1981	1037	1436	1503
37 / 940	84 / 2134	1053	1487	1557
37 / 940	90 / 2286	1071	1503	1575
37 / 940	96 / 2438	1089	1567	1642

PRICING

		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (B) & VERTICAL (B)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
22 / 559	66 / 1676	428	686	719
22 / 559	72 / 1829	461	756	792
22 / 559	78 / 1981	489	797	836
22 / 559	84 / 2134	513	834	872
22 / 559	90 / 2286	544	891	934
22 / 559	96 / 2438	566	928	971
37 / 940	66 / 1676	960	1319	1382
37 / 940	72 / 1829	968	1350	1414
37 / 940	78 / 1981	1037	1436	1503
37 / 940	84 / 2134	1053	1487	1557
37 / 940	90 / 2286	1071	1503	1575
37 / 940	96 / 2438	1089	1567	1642

Pricing is continued on the following page.

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (B) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
793	1067	1118
824	1128	1181
886	1203	1261
902	1233	1293
959	1319	1382
975	1333	1397
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431

HORIZONTAL (B) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
419	673	704
453	740	774
479	778	815
501	813	851
522	847	887
553	904	948
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
793	1067	1118
824	1128	1181
886	1203	1261
902	1233	1293
959	1319	1382
975	1333	1397
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431

DIMENSIONS INCHES / MM

H	W
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
170	280	290
181	290	304
190	304	320
199	328	345
217	351	366
232	383	399
239	391	412
264	434	455
288	470	490
247	396	417
269	444	461
294	479	500
318	520	546
355	582	608
393	640	671

HORIZONTAL (C) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
264	436	456
294	480	501
328	541	565
269	444	462
298	487	511
333	548	575

HORIZONTAL (C) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
199	328	345
217	351	366
232	383	399
239	391	412
264	434	455
288	470	490
247	396	417
269	444	461
294	479	500
264	436	456
294	480	501
328	541	565
269	444	462
298	487	511
333	548	575

Pricing is continued on the following page.

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)		
HORIZONTAL (L or R) & VERTICAL (B)		
Element Source Laminate	Flintwood	Natural Veneer
198	321	335
220	351	367
226	365	384
233	379	394
250	402	422
258	417	436
270	434	455
281	448	470
290	470	492
299	484	508
250	406	425
275	446	464
289	469	489
303	489	513
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
314	508	528
349	564	590
368	598	624
391	631	661
419	673	704
453	740	774
479	778	815
501	813	851
522	847	887
553	904	948
325	532	558
355	576	603
379	613	641
399	647	677
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
712	968	1014
797	1068	1118
846	1152	1206
880	1206	1265
960	1319	1382
968	1350	1414
1037	1436	1503
1053	1487	1557
1071	1503	1575
1089	1567	1642

DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)		
HORIZONTAL (L or R) & VERTICAL (F)		
Element Source Laminate	Flintwood	Natural Veneer
359	586	615
387	630	657
416	673	705
734	993	1041
793	1067	1118
824	1128	1181
886	1203	1261
902	1233	1293
959	1319	1382
975	1333	1397
366	597	624
393	642	673
695	948	992
752	1017	1067
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431
HORIZONTAL (L or R) & VERTICAL (T)		
Element Source Laminate	Flintwood	Natural Veneer
250	406	425
275	446	464
289	469	489
303	489	513
320	514	541
340	553	582
359	582	610
374	605	633
390	625	655
404	649	679
314	508	528
349	564	590
368	598	624
391	631	661
419	673	704
453	740	774
479	778	815
501	813	851
522	847	887
553	904	948

Pricing is continued on the following page.

UN EIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (L or R) & VERTICAL (T)
(CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
325	532	558
355	576	603
379	613	641
399	647	677
428	686	719
461	756	792
489	797	836
513	834	872
544	891	934
566	928	971
359	586	615
387	630	657
416	673	705
734	993	1041
793	1067	1118
824	1128	1181
886	1203	1261
902	1233	1293
959	1319	1382
975	1333	1397
366	597	624
393	642	673
695	948	992
752	1017	1067
783	1065	1116
846	1155	1211
909	1232	1292
933	1286	1348
984	1350	1415
1000	1365	1431

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (B) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
285	437	456
293	451	472
304	470	489
316	482	505
326	505	527
334	518	542
355	549	575
376	588	616
393	616	644
410	640	669
424	661	689
440	684	713
454	708	738
487	774	809
513	813	849
536	847	886
558	881	923
588	939	983
462	721	754
496	791	828
525	832	870
548	869	907
578	926	968
601	961	1006
996	1353	1416
1004	1384	1448
1071	1470	1538
1089	1522	1591
1105	1538	1610
1124	1603	1676

HORIZONTAL (B) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
829	1101	1153
859	1163	1215
921	1237	1295
936	1268	1327
993	1353	1416
1009	1371	1434
817	1100	1150
880	1189	1244
943	1267	1326
967	1320	1382
1019	1384	1450
1036	1402	1467

Pricing is continued on the following page.

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)		
HORIZONTAL (B) & VERTICAL (T)		
Element Source Laminate	Flintwood	Natural Veneer
355	549	575
376	588	616
393	616	644
410	640	669
424	661	689
440	684	713
454	708	738
487	774	809
513	813	849
536	847	886
558	881	923
588	939	983
462	721	754
496	791	828
525	832	870
548	869	907
578	926	968
601	961	1006
829	1101	1153
859	1163	1215
921	1237	1295
936	1268	1327
993	1353	1416
1009	1371	1434
817	1100	1150
880	1189	1244
943	1267	1326
967	1320	1382
1019	1384	1450
1036	1402	1467

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
205	314	326
216	326	340
224	340	355
233	361	379
252	386	400
266	417	434
275	425	446
299	470	489
322	505	526
281	430	451
303	478	496
329	513	534
352	557	582
390	616	642
428	674	705

DIMENSIONS INCHES / MM

H	W
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)		
HORIZONTAL (C) & VERTICAL (F)		
Element Source Laminate	Flintwood	Natural Veneer
299	472	490
329	514	536
361	575	599
303	478	497
333	520	545
367	583	610
233	361	379
252	386	400
266	417	434
275	425	446
299	470	489
322	505	526
281	430	451
303	478	496
329	513	534
299	472	490
329	514	536
361	575	599
303	478	497
333	520	545
367	583	610

HORIZONTAL (L or R) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
232	357	370
254	386	402
261	399	418
269	414	429
285	437	456
293	451	472
304	470	489
316	482	505
326	505	527
334	518	542

Pricing is continued on the following page.

UN EIL

Solid International
Power/Communications Fascia
(Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (B)
(CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
285	442	460
312	480	501
325	502	525
338	525	548
355	549	575
376	588	616
393	616	644
410	640	669
424	661	689
440	684	713
349	542	564
384	598	624
404	633	660
425	668	696
454	708	738
487	774	809
513	813	849
536	847	886
558	881	923
588	939	983
359	566	591
390	611	639
414	647	676
434	681	711
462	721	754
496	791	828
525	832	870
548	869	907
578	926	968
601	961	1006
747	1004	1048
832	1102	1153
880	1187	1242
915	1242	1300
996	1353	1416
1004	1384	1448
1071	1470	1538
1089	1522	1591
1105	1538	1610
1124	1603	1676

DIMENSIONS
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
393	621	649
422	666	694
449	708	740
769	1029	1076
829	1101	1153
859	1163	1215
921	1237	1295
936	1268	1327
993	1353	1416
1009	1371	1434
400	631	660
428	677	708
731	983	1027
785	1052	1101
817	1100	1150
880	1189	1244
943	1267	1326
967	1320	1382
1019	1384	1450
1036	1402	1467
HORIZONTAL (L or R) & VERTICAL (T)		
Element Source Laminate	Flintwood	Natural Veneer
285	442	460
312	480	501
325	502	525
338	525	548
355	549	575
376	588	616
393	616	644
410	640	669
424	661	689
440	684	713
349	542	564
384	598	624
404	633	660
425	668	696
454	708	738
487	774	809
513	813	849
536	847	886
558	881	923
588	939	983
359	566	591

Pricing is continued on the following page.

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5) HORIZONTAL (L or R) & VERTICAL (T) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
390	611	639
414	647	676
434	681	711
462	721	754
496	791	828
525	832	870
548	869	907
578	926	968
601	961	1006
393	621	649
422	666	694
449	708	740
769	1029	1076
829	1101	1153
859	1163	1215
921	1237	1295
936	1268	1327
993	1353	1416
1009	1371	1434
400	631	660
428	677	708
731	983	1027
785	1052	1101
817	1100	1150
880	1189	1244
943	1267	1326
967	1320	1382
1019	1384	1450
1036	1402	1467

CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (B) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
293	447	463
301	458	480
316	479	497
322	490	513
334	513	536
345	527	549
363	558	583
385	597	623
402	623	652
418	648	677
431	672	701
448	693	722

DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (B) & VERTICAL (B) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
461	716	745
495	782	816
520	822	859
545	855	896
566	891	933
597	948	991
473	731	764
508	800	837
533	841	878
557	877	915
586	935	976
611	971	1014
1005	1362	1427
1011	1394	1459
1079	1479	1548
1097	1531	1601
1114	1548	1619
1132	1611	1685

HORIZONTAL (B) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
838	1109	1163
869	1170	1224
932	1246	1304
943	1276	1335
1004	1362	1427
1019	1377	1441
828	1108	1160
888	1198	1253
953	1275	1333
975	1328	1391
1027	1394	1460
1043	1409	1474
363	558	583
385	597	623
402	623	652
418	648	677
431	672	701
448	693	722
461	716	745
495	782	816
520	822	859
545	855	896
566	891	933
597	948	991

Pricing is continued on the following page.

UN EIL

Solid International
Power/Communications Fascia
(Clip Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	36 / 914
13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
37 / 940	36 / 914

27 / 686	36 / 914
28 / 711	36 / 914

13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
27 / 686	36 / 914
28 / 711	36 / 914

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
473	731	764
508	800	837
533	841	878
557	877	915
586	935	976
611	971	1014
838	1109	1163
869	1170	1224
932	1246	1304
943	1276	1335
1004	1362	1427
1019	1377	1441
828	1108	1160
888	1198	1253
953	1275	1333
975	1328	1391
1027	1394	1460
1043	1409	1474

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
231	350	363
279	424	445
331	513	534
336	520	544
437	682	712

HORIZONTAL (C) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
370	583	610
377	80	617

HORIZONTAL (C) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
279	424	445
331	513	534
336	520	544
370	583	610
377	590	617

DIMENSIONS
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (L or R) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
242	365	381
262	393	413
269	410	425
280	422	440
293	447	463
301	458	480
316	479	497
322	490	513
334	513	536
345	527	549
293	449	470
319	488	511
333	512	533
349	533	557
363	558	583
385	597	623
402	623	652
418	648	677
431	672	701
448	693	722

357	549	573
391	608	636
414	642	671
434	676	706
461	716	745
495	782	816
520	822	859
545	855	896
566	891	933
597	948	991

367	576	601
398	618	647
422	654	684
445	688	719
473	731	764
508	800	837
533	841	878
557	877	915
586	935	976
611	971	1014

756	1011	1057
841	1111	1163
888	1196	1251
924	1251	1308
1005	1362	1427
1011	1394	1459
1079	1479	1548
1097	1531	1601
1114	1548	1619
1132	1611	1685

Pricing is continued on the following page.

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (L or R) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
402	630	656
429	674	704
457	716	747
776	1038	1084
838	1109	1163
869	1170	1224
932	1246	1304
943	1276	1335
1004	1362	1427
1019	1377	1441
412	641	671
437	685	716
740	991	1037
796	1062	1109
828	1108	1160
888	1198	1253
953	1275	1333
975	1328	1391
1027	1394	1460
1043	1409	1474

HORIZONTAL (L or R) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
293	449	470
319	488	511
333	512	533
349	533	557
363	558	583
385	597	623
402	623	652
418	648	677
431	672	701
448	693	722
357	549	573
391	608	636
414	642	671
434	676	706
461	716	745
495	782	816
520	822	859
545	855	896
566	891	933
597	948	991

DIMENSIONS INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)


HORIZONTAL (L or R) & VERTICAL (T) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
367	576	601
398	618	647
422	654	684
445	688	719
473	731	764
508	800	837
533	841	878
557	877	915
586	935	976
611	971	1014
402	630	656
429	674	704
457	716	747
776	1038	1084
838	1109	1163
869	1170	1224
932	1246	1304
943	1276	1335
1004	1362	1427
1019	1377	1441
412	641	671
437	685	716
740	991	1037
796	1062	1109
828	1108	1160
888	1198	1253
953	1275	1333
975	1328	1391
1027	1394	1460
1043	1409	1474

Xpress

UAEIL

Solid International Power/
Communications Fascia for
Freestanding District (Clip Mount)



The Solid International Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress

Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 27, 28, 35	36 - 96	Element Source Laminate Flintwood Natural Veneer	Black
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	LC Left Center	B Bottom				74 Storm White
	RC Right Center					
	RR Right					
	LR Left & Right					
	CR Left Center and Right					
4 Cut Out for four outlets (available on 36" widths and wider)	CL Right Center and Left					
5 Cala Cut Out for two outlets						
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UAEIL 3	CR	T	22	60	FX	74
---------	----	---	----	----	----	----

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4) HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)		
Element Source Laminate	Flintwood	Natural Veneer
402	655	686
436	722	758
461	761	798
492	807	844
516	841	879
545	897	939
414	672	704
447	741	775
476	781	816
508	824	864
536	881	924
559	919	961
776	1047	1097
807	1107	1161
869	1181	1237
881	1212	1269
939	1295	1358
988	1358	1423

DIMENSIONS
INCHES / MM

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4) HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T) (Continued)		
Element Source Laminate	Flintwood	Natural Veneer
798	1072	1125
828	1134	1188
891	1211	1268
905	1242	1301
966	1327	1391
981	1343	1407
909	1243	1302
983	1345	1409
990	1376	1441
1007	1394	1460
1056	1507	1579
1072	1525	1597

Pricing is continued on the following page.

UAEIL

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) &
VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
282	460	482
314	508	528
338	557	583
361	589	618
385	623	653
402	655	686
436	722	758
461	761	798
492	807	844
516	841	879
545	897	939
286	470	492
325	532	558
348	568	593
368	603	631
392	640	671
414	672	704
447	741	775
476	781	816
508	824	864
536	881	924
559	919	961
320	529	557
352	578	605
381	620	649
406	661	693
718	977	1024
776	1047	1097
807	1107	1161
869	1181	1237
881	1212	1269
939	1295	1358
988	1358	1423
326	541	565
358	586	616
387	630	660
681	933	976
740	1001	1048
798	1072	1125
828	1134	1188
891	1211	1268
905	1242	1301
966	1327	1391
981	1343	1407

DIMENSIONS INCHES / MM

H	W
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) &
VERTICAL (B or T) (Continued)

Element Source Laminate	Flintwood	Natural Veneer
381	618	648
689	940	985
764	1027	1076
806	1085	1136
879	1193	1248
909	1243	1302
983	1345	1409
990	1376	1441
1007	1394	1460
1056	1507	1579
1072	1525	1597

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LC, RC, LR, CR or CL) &
VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
437	689	721
472	758	792
496	797	834
527	841	878
551	876	913
581	933	973

448	706	738
481	775	810
510	815	851
542	859	900
572	916	959
593	953	997

812	1082	1132
841	1141	1196
903	1215	1272
916	1246	1304
973	1330	1392
1023	1392	1459

834	1107	1160
863	1168	1222
926	1244	1302
940	1276	1335
1000	1362	1427
1015	1377	1441

943	1277	1338
1017	1381	1445
1024	1412	1477
1041	1429	1494
1092	1543	1613
1107	1559	1631

Pricing is continued on the following page.

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)		
HORIZONTAL (LL or RR) & VERTICAL (B or T)		
Element Source Laminate	Flintwood	Natural Veneer
317	495	517
349	542	564
374	590	617
396	623	653
419	657	687
437	689	721
472	758	792
496	797	834
527	841	878
551	876	913
581	933	973
320	505	527
359	566	591
383	603	629
404	639	668
426	674	705
448	706	738
481	775	810
510	815	851
542	859	900
572	916	959
593	953	997
355	565	590
387	614	640
416	654	684
442	696	727
753	1012	1060
812	1082	1132
841	1141	1196
903	1215	1272
916	1246	1304
973	1330	1392
1023	1392	1459
360	575	599
392	621	650
422	666	695
716	967	1011
774	1037	1083
834	1107	1160
863	1168	1222
926	1244	1302
940	1276	1335
1000	1362	1427
1015	1377	1441

DIMENSIONS INCHES / MM

H	W
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)		
HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)		
Element Source Laminate	Flintwood	Natural Veneer
416	653	682
726	975	1020
798	1063	1111
840	1121	1171
913	1227	1284
943	1277	1338
1017	1381	1445
1024	1412	1477
1041	1429	1494
1092	1543	1613
1107	1559	1631
CALA CUT OUT FOR FOUR OUTLETS (6)		
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)		
Element Source Laminate	Flintwood	Natural Veneer
447	701	731
480	767	801
508	807	842
536	848	886
559	883	923
588	940	983
456	713	745
489	783	817
517	824	861
549	869	907
581	926	968
603	961	1006
819	1092	1140
848	1150	1204
911	1224	1279
926	1254	1311
983	1339	1402
1032	1402	1467
842	1116	1167
871	1179	1232
935	1253	1310
949	1286	1344
1008	1372	1435
1024	1388	1450
953	1287	1345
1025	1390	1453
1034	1420	1486
1050	1437	1502
1100	1552	1622
1116	1569	1640

Pricing is continued on the following page.

UAEIL

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (LL or RR) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
325	505	526
357	549	573
384	599	624
406	633	661
426	669	696
447	701	731
480	767	801
508	807	842
536	848	886
559	883	923
588	940	983
329	513	536
367	576	601
390	613	639
414	647	676
436	682	712
456	713	745
489	783	817
517	824	861
549	869	907
581	926	968
603	961	1006
363	575	599
394	621	648
423	663	693
449	706	737
761	1021	1068
819	1092	1140
848	1150	1204
911	1224	1279
926	1254	1311
983	1339	1402
1032	1402	1467
368	583	610
400	630	657
429	674	705
725	975	1020
782	1044	1093
842	1116	1167
871	1179	1232
935	1253	1310
949	1286	1344
1008	1372	1435
1024	1388	1450

DIMENSIONS INCHES / MM

H	W
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING


CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)

Element Source Laminate	Flintwood	Natural Veneer
423	661	689
736	984	1029
808	1071	1120
847	1131	1181
923	1236	1293
953	1287	1345
1025	1390	1453
1034	1420	1486
1050	1437	1502
1100	1552	1622
1116	1569	1640

Xpress

UNELCM

Metal Power/Communications
Fascia (Slot Mount)



The Metal Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT’S INCLUDED

1 fascia with cut out as specified.

WHAT’S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

37" high fascia can be specified to a maximum of 60" width only.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation		Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM (available on 24" and 30" widths)	B	Left and Right (available on 66" width and wider for one and two duplex outlets)	B	07, 13, 22, 26, 28, 35, 37	24 - 96	Foundation
	C	Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet)	F			Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)
4 Two duplex outlets plus VDM (available on 36" widths and wider)	L	Left (not available on widths below 42")	T	Top or Upper section of Fascia (available on 13", 22", 28" heights)		
	R	Right (not available on widths below 42")				
	E	Left Center (available on 66" widths or higher for both one and two duplex options)				
	F	Right Center (available on 66" widths or higher for both one and two duplex options)				
	D	Centered Left and Right (available on 66" widths or higher for both one and two duplex options)				

SAMPLE ORDER CODE

UNELCM 2	B	B	22	72	14
----------	---	---	----	----	----

DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)
181
187
191
194
198
201
237
248
255
262
269
280

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)
321
333
348
359
370
385
377
391
407
423
437
454

Pricing is continued on the following page.

UNELCM

Metal Power/Communications
Fascia (Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

H	W
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914

26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914

35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914

37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (F)
377
391
407
423
437
454

HORIZONTAL (B, D, E, F) & VERTICAL (T)
237
248
255
262
269
280

321
333
348
359
370
385

377
391
407
423
437
454

HORIZONTAL (C) & VERTICAL (B)
96
103
107

122
131
139

157
169
186

175
194
214

201
225
250

220
237
261

DIMENSIONS
INCHES / MM

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

HORIZONTAL (C) & VERTICAL (F)
175
194
214

HORIZONTAL (C) & VERTICAL (T)
122
131
139

157
169
186

175
194
214

HORIZONTAL (L or R) & VERTICAL (B)
117
121
126
131
181
187
191
194
198
201

151
159
167
175
237
248
255
262
269
280

197
209
224
234
321
333
348
359
370
385

Pricing is continued on the following page.

UNELCM

Metal Power/Communications

Fascia (Slot Mount) (Continued)

DIMENSIONS

INCHES / MM

H	W
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

H	W
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (L or R) & VERTICAL (B)
(CONTINUED)

227	
245	
259	
275	
377	
391	
407	
423	
437	
454	
264	
286	
303	
322	
284	
302	
325	
348	

HORIZONTAL (L or R) & VERTICAL (F)

227
245
259
275
377
391
407
423
437
454

DIMENSIONS

INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING


HORIZONTAL (L or R) & VERTICAL (T)

151
159
167
175
237
248
255
262
269
280
197
209
224
234
321
333
348
359
370
385
227
245
259
275
377
391
407
423
437
454

Xpress

U A E L C M

Metal Power/Communications
Fascia for Freestanding District
(Slot Mount)



The Metal Power/Communications Fascia (Slot Mount) provides face-mounted access to power/communications.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM	LL Left	T Top	22, 28, 35	36 - 96	Foundation
4 Two duplex outlets plus VDM	LC Left Center	B Bottom			Mica
	RC Right Center				Accent
	RR Right				
	LR Left and Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAELCM 2	LC	B	22	66	14
----------	----	---	----	----	----

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)

328
338
354
365
377
390
368
385
400
417
430
447

Pricing is continued on the following page.

U A E L C M

**Metal Power/Communications
Fascia for Freestanding District
(Slot Mount) (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524


PRICING

HORIZONTAL (LL or RR) & VERTICAL (B or T)	
195	
206	
220	
230	
242	
328	
338	
354	
365	
377	
390	
217	
230	
247	
259	
273	
368	
385	
400	
417	
430	
447	
252	
269	
288	
306	
326	

Xpress

UNELIM

Metal International Power/Communications Fascia (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT’S INCLUDED

1 fascia with cut out as specified.

WHAT’S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

37" high fascia can be specified to a maximum of 60" width only.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	B Left and Right (available on 66" width and wider)	B Bottom or lower section of fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation Mica Accent	Black 74 Storm White
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	C Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	F Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)				
4 Cut Out for four outlets (available on 36" widths and wider)	L Left (not available on widths below 42")	T Top or upper section of fascia (available on 13", 22", 28" heights)				
5 Cala Cut Out for two outlets	R Right (not available on widths below 42")					
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UNELIM 3	R	T	22	60	14	74
----------	---	---	----	----	----	----

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B)
181
187
191
194
198
201
237
248
255
262
269
280
318
329
342
354
365
379

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B) (Continued)
321
333
348
359
370
385
372
387
400
418
430
448
377
391
407
423
437
454

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

PRICING

		CUT OUT OUTLET (2, 3, 4)
		HORIZONTAL (B) & VERTICAL (T)
H	W	
13 / 330	66 / 1676	237
13 / 330	72 / 1829	248
13 / 330	78 / 1981	255
13 / 330	84 / 2134	262
13 / 330	90 / 2286	269
13 / 330	96 / 2438	280
21 / 533	66 / 1676	318
21 / 533	72 / 1829	329
21 / 533	78 / 1981	342
21 / 533	84 / 2134	354
21 / 533	90 / 2286	365
21 / 533	96 / 2438	379
22 / 559	66 / 1676	321
22 / 559	72 / 1829	333
22 / 559	78 / 1981	348
22 / 559	84 / 2134	359
22 / 559	90 / 2286	370
22 / 559	96 / 2438	385
27 / 686	66 / 1676	372
27 / 686	72 / 1829	387
27 / 686	78 / 1981	400
27 / 686	84 / 2134	418
27 / 686	90 / 2286	430
27 / 686	96 / 2438	448
28 / 711	66 / 1676	377
28 / 711	72 / 1829	391
28 / 711	78 / 1981	407
28 / 711	84 / 2134	423
28 / 711	90 / 2286	437
28 / 711	96 / 2438	454
		HORIZONTAL (C) & VERTICAL (B)
7 / 178	24 / 610	96
7 / 178	30 / 762	103
7 / 178	36 / 914	107
13 / 330	24 / 610	122
13 / 330	30 / 762	131
13 / 330	36 / 914	139
21 / 533	24 / 610	154
21 / 533	30 / 762	166
21 / 533	36 / 914	182
22 / 559	24 / 610	157
22 / 559	30 / 762	169
22 / 559	36 / 914	186
37 / 940	24 / 610	220
37 / 940	30 / 762	237
37 / 940	36 / 914	261

DIMENSIONS
INCHES / MM

PRICING

		CUT OUT OUTLET (2, 3, 4)
		HORIZONTAL (C) & VERTICAL (F)
H	W	
27 / 686	24 / 610	174
27 / 686	30 / 762	192
27 / 686	36 / 914	207
28 / 711	24 / 610	175
28 / 711	30 / 762	194
28 / 711	36 / 914	214
		HORIZONTAL (C) & VERTICAL (T)
13 / 330	24 / 610	122
13 / 330	30 / 762	131
13 / 330	36 / 914	139
21 / 533	24 / 610	154
21 / 533	30 / 762	166
21 / 533	36 / 914	182
22 / 559	24 / 610	157
22 / 559	30 / 762	169
22 / 559	36 / 914	186
27 / 686	24 / 610	174
27 / 686	30 / 762	192
27 / 686	36 / 914	207
28 / 711	24 / 610	175
28 / 711	30 / 762	194
28 / 711	36 / 914	214
		HORIZONTAL (L or R) & VERTICAL (B)
7 / 178	42 / 1067	117
7 / 178	48 / 1219	121
7 / 178	54 / 1372	126
7 / 178	60 / 1524	131
7 / 178	66 / 1676	181
7 / 178	72 / 1829	187
7 / 178	78 / 1981	191
7 / 178	84 / 2134	194
7 / 178	90 / 2286	198
7 / 178	96 / 2438	201
13 / 330	42 / 1067	151
13 / 330	48 / 1219	159
13 / 330	54 / 1372	167
13 / 330	60 / 1524	175
13 / 330	66 / 1676	237
13 / 330	72 / 1829	248
13 / 330	78 / 1981	255
13 / 330	84 / 2134	262
13 / 330	90 / 2286	269
13 / 330	96 / 2438	280

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)	
HORIZONTAL (L or R) & VERTICAL (B) (Continued)	
194	
206	
222	
232	
318	
329	
342	
354	
365	
379	
197	
209	
224	
234	
321	
333	
348	
359	
370	
385	
284	
302	
325	
348	

HORIZONTAL (L or R) & VERTICAL (F)	
225	
239	
255	
270	
372	
387	
400	
418	
430	
448	
227	
245	
259	
275	
377	
391	
407	
423	
437	
454	

DIMENSIONS
INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)	
HORIZONTAL (L or R) & VERTICAL (T)	
151	
159	
167	
175	
237	
248	
255	
262	
269	
280	
194	
206	
222	
232	
318	
329	
342	
354	
365	
379	
197	
209	
224	
234	
321	
333	
348	
359	
370	
385	
225	
239	
255	
270	
372	
387	
400	
418	
430	
448	
227	
245	
259	
275	
377	
391	
407	
423	
437	
454	

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (B) & VERTICAL (B)

216
222
225
229
232
236

273
282
289
296
303
314

352
363
377
389
399
414

357
367
383
393
406
419

HORIZONTAL (B) & VERTICAL (F)

407
422
436
453
464
482

413
425
444
457
473
488

HORIZONTAL (B) & VERTICAL (T)

273
282
289
296
303
314

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914

22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914

37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (B) & VERTICAL (T)
(Continued)

352
363
377
389
399
414

357
367
383
393
406
419

407
422
436
453
464
482

413
425
444
457
473
488

HORIZONTAL (C) & VERTICAL (B)

131
137
142

158
166
174

190
200
217

191
202
220

254
273
295

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914

22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914

27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (C) & VERTICAL (F)
209
226
245

HORIZONTAL (C) & VERTICAL (T)
214
229
248

158
166
174

190
200
217

191
202
220

209
226
245

214
229
248

HORIZONTAL (L or R) & VERTICAL (B)
151
157
161
166
216
222
225
229
232
236

186
193
201
214
273
282
289
296
303
314

DIMENSIONS
INCHES / MM

H	W
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (B) (Continued)
229
242
255
266
352
363
377
389
399
414

231
247
258
270
357
367
383
393
406
419

318
336
359
383

HORIZONTAL (L or R) & VERTICAL (F)
259
275
289
304
407
422
436
453
464
482

262
280
294
312
413
425
444
457
473
488

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (T)

186	
193	
201	
214	
273	
282	
289	
296	
303	
314	
229	
242	
255	
266	
352	
363	
377	
389	
399	
414	
231	
247	
258	
270	
357	
367	
383	
393	
406	
419	
259	
275	
289	
304	
407	
422	
436	
453	
464	
482	
262	
280	
294	
312	
413	
425	
444	
457	
473	
488	

DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (B)

224
229
232
236
242
248
284
289
298
304
314
321
360
372
386
396
410
422
365
377
390
402
416
426
HORIZONTAL (B) & VERTICAL (F)
417
429
446
460
477
490
421
434
451
464
481
496
HORIZONTAL (B) & VERTICAL (T)
284
289
298
304
314
321

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	36 / 914
13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
37 / 940	36 / 914

13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
27 / 686	36 / 914
28 / 711	36 / 914

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (T)
(Continued)

360
372
386
396
410
422

365
377
390
402
416
426

417
429
446
460
477
490

421
434
451
464
481
496

HORIZONTAL (C) & VERTICAL (B)

153
186
225
227
303

HORIZONTAL (C) & VERTICAL (T)

186
225
227
253
255

DIMENSIONS
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (L or R) & VERTICAL (B)

159
163
169
174
224
229
232
236
242
248

193
200
214
222
284
289
298
304
314
321

236
252
263
279
360
372
386
396
410
422

239
254
265
281
365
377
390
402
416
426

326
348
367
390

Pricing is continued on the following page.

UNELIM

Metal International Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)	
HORIZONTAL (L or R) & VERTICAL (F)	
266	
285	
298	
316	
417	
429	
446	
460	
477	
490	
270	
287	
302	
319	
421	
434	
451	
464	
481	
496	
HORIZONTAL (L or R) & VERTICAL (T)	
193	
200	
214	
222	
284	
289	
298	
304	
314	
321	
236	
252	
263	
279	
360	
372	
386	
396	
410	
422	

DIMENSIONS
INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438


PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)	
HORIZONTAL (L or R) & VERTICAL (T) (Continued)	
239	
254	
265	
281	
365	
377	
390	
402	
416	
426	
266	
285	
298	
316	
417	
429	
446	
460	
477	
490	
270	
287	
302	
319	
421	
434	
451	
464	
481	
496	

Xpress

U A E L I M

Metal International Power/
Communications Fascia for
Freestanding District (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED

1 fascia with Cut Out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 27, 28, 35	36 - 96	Foundation	Black
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	LC Left Center	B Bottom			Mica	74 Storm White
	RC Right Center				Accent	
	RR Right					
	LR Left & Right					
	CR Left Center & Right					
4 Cut Out for four outlets (available on 36" widths and wider)	CL Right Center & Left					
5 Cala Cut Out for two outlets						
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UAELIM 2	LC	B	22	66	14	74
----------	----	---	----	----	----	----

DIMENSIONS
INCHES / MM

H		W	
21 / 533	66 / 1676	21 / 533	72 / 1829
21 / 533	78 / 1981	21 / 533	84 / 2134
21 / 533	90 / 2286	21 / 533	96 / 2438
22 / 559	66 / 1676	22 / 559	72 / 1829
22 / 559	78 / 1981	22 / 559	84 / 2134
22 / 559	90 / 2286	22 / 559	96 / 2438

PRICING

H		W	
21 / 533	66 / 1676	21 / 533	72 / 1829
21 / 533	78 / 1981	21 / 533	84 / 2134
21 / 533	90 / 2286	21 / 533	96 / 2438
22 / 559	66 / 1676	22 / 559	72 / 1829
22 / 559	78 / 1981	22 / 559	84 / 2134
22 / 559	90 / 2286	22 / 559	96 / 2438

DIMENSIONS
INCHES / MM

H		W	
27 / 686	66 / 1676	27 / 686	72 / 1829
27 / 686	78 / 1981	27 / 686	84 / 2134
27 / 686	90 / 2286	27 / 686	96 / 2438
28 / 711	66 / 1676	28 / 711	72 / 1829
28 / 711	78 / 1981	28 / 711	84 / 2134
28 / 711	90 / 2286	28 / 711	96 / 2438

PRICING

H		W	
27 / 686	66 / 1676	27 / 686	72 / 1829
27 / 686	78 / 1981	27 / 686	84 / 2134
27 / 686	90 / 2286	27 / 686	96 / 2438
28 / 711	66 / 1676	28 / 711	72 / 1829
28 / 711	78 / 1981	28 / 711	84 / 2134
28 / 711	90 / 2286	28 / 711	96 / 2438

Pricing is continued on the following page.

U A E L I M

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) &
VERTICAL (B or T)

193
202
217
227
237
322
334
349
359
370
385
195
206
220
230
242
328
338
354
365
377
390
215
227
239
255
269
365
381
396
413
425
442
217
230
247
259
273
368
385
400
417
430
447
252
269
288
306
326

DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LC, RC, LR, CR or CL) &
VERTICAL (B or T)

358
368
384
393
406
419
361
374
389
399
413
424
399
416
430
447
460
477
404
419
436
451
464
481
HORIZONTAL (LL or RR) & VERTICAL (B or T)
227
237
252
262
273
358
368
384
393
406
419

Pricing is continued on the following page.

U A E L I M

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS

INCHES / MM

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) &
VERTICAL (B or T) (Continued)

230
242
254
264
279
361
374
389
399
413
424
249
262
275
289
303
399
416
430
447
460
477
252
264
281
294
310
404
419
436
451
464
481
286
303
322
342
360

DIMENSIONS

INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LC, RC, LR, CR or CL) &
VERTICAL (B or T)

366
379
391
402
416
426
370
384
396
410
421
431
410
423
442
455
470
484
414
426
446
458
477
489
HORIZONTAL (LL or RR) & VERTICAL (B or T)
234
249
259
270
284
366
379
391
402
416
426

Pricing is continued on the following page.

U A E L I M

**Metal International Power/
Communications Fascia for
Freestanding District (Slot Mount)
(Continued)**

DIMENSIONS
INCHES / MM

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)	
HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)	
	237
	252
	262
	273
	286
	370
	384
	396
	410
	421
	431
	257
	270
	285
	298
	314
	410
	423
	442
	455
	470
	484

DIMENSIONS
INCHES / MM

H	W
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524


PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)	
HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)	
259	
273	
288	
302	
318	
414	
426	
446	
458	
477	
489	
294	
314	
331	
351	
368	

Xpress

UNELCF

Tackable Fabric Power/
Communications Fascia
(Slot Mount)



The Tackable Fabric Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia.

WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

7" high fascia is **not** tackable.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM	L Left (not available on widths below 42")	B Bottom or Lower section of Fascia (available on 7", 13", 22", 26", 35", 37" heights)	07, 13, 22, 26, 28, 35, 37, 41	24 - 96	Panel Fabric
4 Two duplex outlets plus VDM (available on 36" widths and wider)	R Right (not available on widths below 42")	F Flush (applies to 28", 41" height only for base fascias flush to floor. Cut out will be at bottom)			
	B Both Left and Right (available on 66" width and wider for one and two duplex outlets)	T Top or Upper section of Fascia (available on 13", 22", 28" heights)			
	C Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet)				
	E Left Center (available on 66" widths or higher for both one and two duplex options)				
	F Right Center (available on 66" widths or higher for both one and two duplex options)				
	D Centered Left and Right (available on 66" widths or higher for both one and two duplex options)				

SAMPLE ORDER CODE

UNELCF 2	B	B	13	72	L341
----------	---	---	----	----	------

DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
249	257	271	286	299	314	329	342
262	271	288	302	318	333	350	365
279	287	304	321	337	354	370	387
290	302	321	338	358	374	392	412
304	318	336	357	376	393	414	430
320	331	355	374	393	414	434	455
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829

Pricing is continued on the following page.

UNELCF

Tackable Fabric Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043
395	448	593	639	697	762	838	907
428	487	650	705	765	840	921	996
458	526	689	745	810	884	975	1056
491	565	745	803	877	960	1055	1143
527	602	801	869	943	1036	1136	1233
560	642	856	928	1010	1106	1220	1322
510	551	591	726	824	886	975	1056
549	594	641	784	891	960	1056	1145
589	641	687	845	960	1036	1136	1233
631	684	737	904	1029	1108	1219	1323
673	728	784	965	1097	1182	1301	1409
712	774	834	1024	1166	1256	1382	1499

HORIZONTAL (B, D, E, F) & VERTICAL (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043
578	619	643	792	897	958	1047	1132
621	660	693	853	968	1034	1133	1220
665	713	741	916	1038	1113	1215	1310
707	756	792	978	1112	1187	1300	1407
747	806	837	1042	1182	1262	1383	1488
793	848	891	1101	1251	1340	1466	1586

HORIZONTAL (B, D, E, F) & VERTICAL (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

Pricing is continued on the following page.

Xpress

UNELCF

Tackable Fabric Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914

H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
152	154	159	165	171	175	184	190
163	169	190	194	200	207	220	227
177	187	199	205	215	223	230	237
122	129	136	148	158	163	171	182
136	144	174	187	198	209	225	236
151	162	189	195	206	222	234	250
161	167	174	200	222	232	250	264
184	193	232	250	266	286	310	330
202	222	249	271	296	321	349	370
174	193	205	227	248	263	284	299
199	223	270	288	310	333	360	387
225	255	301	321	346	370	402	429
186	211	227	257	285	305	333	350
217	249	308	334	361	392	427	462
248	288	349	377	408	441	483	520
237	253	264	316	352	376	407	437
279	293	345	383	421	458	501	542
317	340	366	442	496	532	582	625

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
174	193	205	227	248	263	284	299
199	223	270	288	310	333	360	387
225	255	301	321	346	370	402	429
283	296	305	356	392	418	453	478
326	337	384	417	453	490	534	572
367	389	401	484	544	575	623	665

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
122	129	136	148	158	163	171	182
136	144	174	187	198	209	225	236
151	162	189	195	206	222	234	250
161	167	174	200	222	232	250	264
184	193	232	250	266	286	310	330
202	222	249	271	296	321	349	370
174	193	205	227	248	263	284	299
199	223	270	288	310	333	360	387
225	255	301	321	346	370	402	429

Pricing is continued on the following page.

UNELCF

Tackable Fabric Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
193	199	214	222	230	237	250	259
205	215	224	234	248	257	266	280
222	227	237	252	263	273	287	298
233	242	255	266	281	293	306	319
249	257	271	286	299	314	329	342
262	271	288	302	318	333	350	365
279	287	304	321	337	354	370	387
290	302	321	338	358	374	392	412
304	318	336	357	376	393	414	430
320	331	355	374	393	414	434	455
162	174	195	206	222	234	253	265
175	190	205	224	239	255	271	288
191	200	227	237	254	271	290	310
201	217	245	258	273	294	316	333
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
249	282	319	342	370	404	437	469
271	304	336	374	412	444	479	513
295	330	406	434	470	510	552	593
320	357	447	480	518	561	613	656
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043
277	321	370	401	437	483	527	567
303	347	390	442	490	533	581	624
331	378	487	520	567	622	677	732
363	412	538	582	632	688	758	816
395	448	593	639	697	762	838	907
428	487	650	705	765	840	921	996
458	526	689	745	810	884	975	1056
491	565	745	803	877	960	1055	1143
527	602	801	869	943	1036	1136	1233
560	642	856	928	1010	1106	1220	1322

Pricing is continued on the following page.

Xpress

U N E L C F

Tackable Fabric Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

H	W
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B) (CONTINUED)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
354	379	400	488	552	590	648	701
391	416	444	537	610	652	713	772
429	456	497	601	681	734	806	870
469	495	545	655	742	800	878	951
510	551	591	726	824	886	975	1056
549	594	641	784	891	960	1056	1145
589	641	687	845	960	1036	1136	1233
631	684	737	904	1029	1108	1219	1323
673	728	784	965	1097	1182	1301	1409
712	774	834	1024	1166	1256	1382	1499

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
249	282	319	342	370	404	437	469
271	304	336	374	412	444	479	513
295	330	406	434	470	510	552	593
320	357	447	480	518	561	613	656
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043
411	432	446	542	604	642	697	753
451	472	495	590	668	706	769	828
492	516	544	665	746	797	871	933
536	557	597	718	813	868	942	1020
578	619	643	792	897	958	1047	1132
621	660	693	853	968	1034	1133	1220
665	713	741	916	1038	1113	1215	1310
707	756	792	978	1112	1187	1300	1407
747	806	837	1042	1182	1262	1383	1488
793	848	891	1101	1251	1340	1466	1586

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
162	174	195	206	222	234	253	265
175	190	205	224	239	255	271	288
191	200	227	237	254	271	290	310
201	217	245	258	273	294	316	333
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501

Pricing is continued on the following page.

UNELCF

Tackable Fabric Power/
Communications Fascia
(Slot Mount) (Continued)DIMENSIONS
INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING


HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (CONTINUED)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
249	282	319	342	370	404	437	469
271	304	336	374	412	444	479	513
295	330	406	434	470	510	552	593
320	357	447	480	518	561	613	656
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

Xpress

U A E L C F

Tackable Fabric Power/
Communications Fascia for
Freestanding District (Slot Mount)



The Tackable Fabric Power/Communications Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED
1 fascia.

NOTES
Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	22, 35	36 - 96	Panel Fabric
4 Cut Out for four outlets (available on 36" widths and wider)	LC Left Center	B Bottom			
	RC Right Center				
	RR Right				
	LR Left & Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAELCF 2	RR	B	22	60	C503
----------	----	---	----	----	------

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)								
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
316	335	357	423	473	505	548	588	
338	361	385	456	511	545	591	638	
363	389	414	489	548	585	639	684	
389	416	442	525	586	624	681	734	
413	442	469	558	623	668	726	781	
436	464	496	590	660	708	772	829	
496	541	581	712	812	876	961	1043	
536	583	625	773	879	948	1043	1132	
577	624	676	830	944	1020	1124	1219	
616	671	721	888	1014	1095	1204	1306	
655	712	770	948	1079	1166	1286	1394	
695	756	815	1007	1148	1238	1364	1480	

Pricing is continued on the following page.

U A E L C F

**Tackable Fabric Power/
Communications Fascia for
Freestanding District (Slot Mount)
(Continued)**

**DIMENSIONS
INCHES / MM**

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING


HORIZONTAL (LL or RR) & VERTICAL (B or T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
202	222	249	271	296	321	349	370
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
310	331	354	429	485	519	572	616
346	367	391	479	543	581	636	686
384	406	430	526	594	640	701	756
419	446	488	590	669	721	792	856
456	485	533	646	728	788	868	937
496	541	581	712	812	876	961	1043
536	583	625	773	879	948	1043	1132
577	624	676	830	944	1020	1124	1219
616	671	721	888	1014	1095	1204	1306
655	712	770	948	1079	1166	1286	1394
695	756	815	1007	1148	1238	1364	1480

Xpress

UNELIF

Tackable Fabric International
Power/Communications Fascia
(Slot Mount)



The Tackable Fabric International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia.

WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

7" high fascia is **not** tackable.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	B Left and Right (available on 66" width and wider)	B Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation Mica	~ Black 74 Storm White
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	C Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	F Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)				
4 Cut Out for four outlets (available on 36" widths and wider)	L Left (not available on widths below 42")	T Top or upper section of Fascia (available on 13", 22", 28" heights)				
5 Cala Cut Out for two outlets	R Right (not available on widths below 42")					
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UNELIF 2	LC	B	22	66	E	74
----------	----	---	----	----	---	----

DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)								
HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)								
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
249	257	271	286	299	314	329	342	
262	271	288	302	318	333	350	365	
279	287	304	321	337	354	370	387	
290	302	321	338	358	374	392	412	
304	318	336	357	376	393	414	430	
320	331	355	374	393	414	434	455	
220	231	263	280	296	318	340	360	
233	250	285	298	318	342	366	390	
250	265	302	320	342	366	392	418	
264	284	322	340	365	391	419	446	
282	299	342	361	387	416	446	476	
296	318	361	384	410	440	473	501	
313	331	352	419	469	500	545	584	
334	358	383	453	508	542	588	631	
359	385	410	487	545	582	633	679	
384	412	436	519	583	621	677	727	
407	436	462	553	620	661	721	775	
429	460	490	586	656	704	765	823	

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B) (Continued)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
510	551	591	726	824	886	975	1056
549	594	641	784	891	960	1056	1145
589	641	687	845	960	1036	1136	1233
631	684	737	904	1029	1108	1219	1323
673	728	784	965	1097	1182	1301	1409
712	774	834	1024	1166	1256	1382	1499

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
345	385	485	522	565	615	672	722
368	416	528	569	618	672	734	790
396	445	560	605	654	710	775	837
423	476	605	650	705	767	838	903
451	505	648	700	758	823	901	971
478	534	688	744	809	879	961	1038
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
313	331	352	419	469	500	545	584
334	358	383	453	508	542	588	631
359	385	410	487	545	582	633	679
384	412	436	519	583	621	677	727
407	436	462	553	620	661	721	775
429	460	490	586	656	704	765	823
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
345	385	485	522	565	615	672	722

Pricing is continued on the following page.

UNELIF

Tackable Fabric International
Power/Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914

22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914

37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T) (Continued)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
368	416	528	569	618	672	734	790
396	445	560	605	654	710	775	837
423	476	605	650	705	767	838	903
451	505	648	700	758	823	901	971
478	534	688	744	809	879	961	1038
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
152	154	159	165	171	175	184	190
163	169	190	194	200	207	220	227
177	187	199	205	215	223	230	237
122	129	136	148	158	163	171	182
136	144	174	187	198	209	225	236
151	162	189	195	206	222	234	250
160	166	173	199	220	230	249	263
182	192	229	245	262	281	301	321
201	218	242	269	294	318	345	367
161	167	174	200	222	232	250	264
184	193	232	250	266	286	310	330
202	222	249	271	296	321	349	370
237	253	264	316	352	376	407	437
279	293	345	383	421	458	501	542
317	340	366	442	496	532	582	625

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
173	191	201	226	247	261	281	298
197	222	264	284	303	326	354	379
223	253	295	316	337	363	393	422
174	193	205	227	248	263	284	299
199	223	270	288	310	333	360	387
225	255	301	321	346	370	402	429

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
122	129	136	148	158	163	171	182
136	144	174	187	198	209	225	236
151	162	189	195	206	222	234	250
160	166	173	199	220	230	249	263
182	192	229	245	262	281	301	321
201	218	242	269	294	318	345	367
161	167	174	200	222	232	250	264
184	193	232	250	266	286	310	330
202	222	249	271	296	321	349	370
173	191	201	226	247	261	281	298
197	222	264	284	303	326	354	379
223	253	295	316	337	363	393	422
174	193	205	227	248	263	284	299
199	223	270	288	310	333	360	387
225	255	301	321	346	370	402	429

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
193	199	214	222	230	237	250	259
205	215	224	234	248	257	266	280
222	227	237	252	263	273	287	298
233	242	255	266	281	293	306	319
249	257	271	286	299	314	329	342
262	271	288	302	318	333	350	365
279	287	304	321	337	354	370	387
290	302	321	338	358	374	392	412
304	318	336	357	376	393	414	430
320	331	355	374	393	414	434	455
162	174	195	206	222	234	253	265
175	190	205	224	239	255	271	288
191	200	227	237	254	271	290	310
201	217	245	258	273	294	316	333
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
224	237	257	295	328	350	379	406
247	259	271	322	360	384	416	445
264	282	299	354	393	421	455	488
287	302	325	384	426	455	495	532
313	331	352	419	469	500	545	584
334	358	383	453	508	542	588	631
359	385	410	487	545	582	633	679
384	412	436	519	583	621	677	727
407	436	462	553	620	661	721	775
429	460	490	586	656	704	765	823

Pricing is continued on the following page.

U N E L I F

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B) (Continued)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
354	379	400	488	552	590	648	701
391	416	444	537	610	652	713	772
429	456	497	601	681	734	806	870
469	495	545	655	742	800	878	951
510	551	591	726	824	886	975	1056
549	594	641	784	891	960	1056	1145
589	641	687	845	960	1036	1136	1233
631	684	737	904	1029	1108	1219	1323
673	728	784	965	1097	1182	1301	1409
712	774	834	1024	1166	1256	1382	1499

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
248	280	314	338	368	399	431	462
269	302	330	368	404	437	476	509
293	328	402	430	464	508	549	590
317	352	445	478	516	558	610	654
345	385	485	522	565	615	672	722
368	416	528	569	618	672	734	790
396	445	560	605	654	710	775	837
423	476	605	650	705	767	838	903
451	505	648	700	758	823	901	971
478	534	688	744	809	879	961	1038
249	282	319	342	370	404	437	469
271	304	336	374	412	444	479	513
295	330	406	434	470	510	552	593
320	357	447	480	518	561	613	656
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
162	174	195	206	222	234	253	265
175	190	205	224	239	255	271	288
191	200	227	237	254	271	290	310
201	217	245	258	273	294	316	333
220	231	263	280	296	318	340	360
233	250	285	298	318	342	366	390
250	265	302	320	342	366	392	418
264	284	322	340	365	391	419	446
282	299	342	361	387	416	446	476
296	318	361	384	410	440	473	501
224	237	257	295	328	350	379	406
247	259	271	322	360	384	416	445
264	282	299	354	393	421	455	488
287	302	325	384	426	455	495	532
313	331	352	419	469	500	545	584
334	358	383	453	508	542	588	631
359	385	410	487	545	582	633	679
384	412	436	519	583	621	677	727
407	436	462	553	620	661	721	775
429	460	490	586	656	704	765	823
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
248	280	314	338	368	399	431	462
269	302	330	368	404	437	476	509
293	328	402	430	464	508	549	590
317	352	445	478	516	558	610	654
345	385	485	522	565	615	672	722
368	416	528	569	618	672	734	790
396	445	560	605	654	710	775	837
423	476	605	650	705	767	838	903
451	505	648	700	758	823	901	971
478	534	688	744	809	879	961	1038

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)							
HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
249	282	319	342	370	404	437	469
271	304	336	374	412	444	479	513
295	330	406	434	470	510	552	593
320	357	447	480	518	561	613	656
348	387	489	526	568	618	674	726
374	418	533	575	621	676	737	793
400	448	565	610	657	713	780	841
426	480	610	654	709	772	842	907
455	511	652	704	761	828	904	975
482	542	695	749	812	883	967	1043

CALA CUT OUT FOR TWO OUTLETS (5)							
HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
284	290	306	320	334	349	363	377
296	306	322	336	352	367	385	399
313	321	340	357	372	389	406	422
326	336	357	374	392	410	426	446
340	352	372	391	412	428	448	464
355	366	390	410	428	448	470	489
254	265	298	314	331	352	376	394
269	285	319	333	352	377	400	424
285	301	336	355	377	400	426	453
299	318	358	376	399	425	454	480
317	334	377	396	422	449	480	510
331	352	396	418	445	476	509	536
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864
544	585	625	760	859	921	1009	1092
584	630	676	819	926	996	1092	1180
623	676	722	879	996	1070	1171	1268
668	718	772	939	1064	1143	1253	1357
708	764	819	999	1132	1217	1335	1445
747	809	869	1060	1201	1292	1416	1533

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
379	419	519	558	599	649	706	758
404	449	564	605	652	706	769	824
430	479	594	640	688	744	810	871
457	510	640	685	740	801	872	937
485	541	682	734	792	856	935	1006
512	569	725	780	844	913	997	1072
383	422	525	560	603	653	709	760
410	453	568	610	655	710	772	829
436	482	599	644	693	749	814	876
461	514	644	688	743	807	877	941
489	545	686	738	797	863	939	1009
517	576	731	783	847	919	1001	1077

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
254	265	298	314	331	352	376	394
269	285	319	333	352	377	400	424
285	301	336	355	377	400	426	453
299	318	358	376	399	425	454	480
317	334	377	396	422	449	480	510
331	352	396	418	445	476	509	536
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864
379	419	519	558	599	649	706	758
404	449	564	605	652	706	769	824
430	479	594	640	688	744	810	871
457	510	640	685	740	801	872	937
485	541	682	734	792	856	935	1006
512	569	725	780	844	913	997	1072
383	422	525	560	603	653	709	760
410	453	568	610	655	710	772	829
436	482	599	644	693	749	814	876
461	514	644	688	743	807	877	941
489	545	686	738	797	863	939	1009
517	576	731	783	847	919	1001	1077

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)							
HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
187	190	193	199	206	214	218	224
198	202	224	229	234	245	254	262
215	222	233	239	249	257	264	273
158	163	170	182	192	198	206	217
170	181	209	222	232	247	259	271
186	197	223	230	241	255	270	285
194	200	207	233	254	264	284	298
217	226	263	280	296	316	335	357
236	253	279	303	329	352	379	402
195	201	209	234	255	266	285	299
218	227	266	285	302	320	345	365
237	255	284	306	333	357	384	406
273	287	299	350	387	412	444	473
313	328	379	417	455	493	536	576
351	376	400	477	530	566	616	661

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
207	225	236	261	281	295	316	333
231	255	299	318	337	360	389	414
257	287	330	350	372	398	428	456
209	227	239	262	282	298	318	334
233	257	304	322	345	367	394	422
259	289	335	357	381	406	437	463

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
158	163	170	182	192	198	206	217
170	181	209	222	232	247	259	271
186	197	223	230	241	255	270	285
194	200	207	233	254	264	284	298
217	226	263	280	296	316	335	357
236	253	279	303	329	352	379	402
195	201	209	234	255	266	285	299
218	227	266	285	302	320	345	365
237	255	284	306	333	357	384	406
207	225	236	261	281	295	316	333
231	255	299	318	337	360	389	414
257	287	330	350	372	398	428	456
209	227	239	262	282	298	318	334
233	257	304	322	345	367	394	422
259	289	335	357	381	406	437	463

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
227	233	248	255	264	273	285	294
239	249	258	270	282	290	302	314
255	262	273	286	298	310	321	333
269	279	289	302	316	328	342	354
284	290	306	320	334	349	363	377
296	306	322	336	352	367	385	399
313	321	340	357	372	389	406	422
326	336	357	374	392	410	426	446
340	352	372	391	412	428	448	464
355	366	390	410	428	448	470	489
197	209	230	242	257	270	287	301
214	224	239	258	273	289	306	322
225	234	262	273	289	306	326	345
236	252	280	293	310	329	350	367
254	265	298	314	331	352	376	394
269	285	319	333	352	377	400	424
285	301	336	355	377	400	426	453
299	318	358	376	399	a425	454	480
317	334	377	396	422	449	480	510
331	352	396	418	445	476	509	536
258	273	290	330	361	385	414	442
281	294	306	358	394	418	449	479
299	317	334	389	428	455	489	522
321	336	359	418	461	489	529	566
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856
261	279	296	334	365	389	418	446
284	296	313	360	398	422	454	482
303	319	336	391	430	457	493	527
325	340	363	422	464	493	533	569
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864
389	414	436	522	586	624	682	736
425	449	478	573	644	686	749	807
463	490	533	638	716	769	840	904
502	529	581	689	776	836	912	985
544	585	625	760	859	921	1009	1092
584	630	676	819	926	996	1092	1180
623	676	722	879	996	1070	1171	1268
668	718	772	939	1064	1143	1253	1357
708	764	819	999	1132	1217	1335	1445
747	809	869	1060	1201	1292	1416	1533

Pricing is continued on the following page.

Xpress

U N E L I F

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)
HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
282	314	349	374	402	434	469	497
303	336	365	404	442	473	510	543
328	361	437	464	500	542	584	624
351	387	479	512	551	591	644	688
379	419	519	558	599	649	706	758
404	449	564	605	652	706	769	824
430	479	594	640	688	744	810	871
457	510	640	685	740	801	872	937
485	541	682	734	792	856	935	1006
512	569	725	780	844	913	997	1072
284	317	354	377	406	440	473	502
306	340	372	410	445	478	513	548
330	365	442	470	505	544	586	629
355	391	481	514	553	597	647	693
383	422	525	560	603	653	709	760
410	453	568	610	655	710	772	829
436	482	599	644	693	749	814	876
461	514	644	688	743	807	877	941
489	545	686	738	797	863	939	1009
517	576	731	783	847	919	1001	1077

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
197	209	230	242	257	270	287	301
214	224	239	258	273	289	306	322
225	234	262	273	289	306	326	345
236	252	280	293	310	329	350	367
254	265	298	314	331	352	376	394
269	285	319	333	352	377	400	424
285	301	336	355	377	400	426	453
299	318	358	376	399	425	454	480
317	334	377	396	422	449	480	510
331	352	396	418	445	476	509	536
258	273	290	330	361	385	414	442
281	294	306	358	394	418	449	479
299	317	334	389	428	455	489	522
321	336	359	418	461	489	529	566
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856

Pricing is continued on the following page.

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
261	279	296	334	365	389	418	446
284	296	313	360	398	422	454	482
303	319	336	391	430	457	493	527
325	340	363	422	464	493	533	569
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864

282	314	349	374	402	434	469	497
303	336	365	404	442	473	510	543
328	361	437	464	500	542	584	624
351	387	479	512	551	591	644	688
379	419	519	558	599	649	706	758
404	449	564	605	652	706	769	824
430	479	594	640	688	744	810	871
457	510	640	685	740	801	872	937
485	541	682	734	792	856	935	1006
512	569	725	780	844	913	997	1072

284	317	354	377	406	440	473	502
306	340	372	410	445	478	513	548
330	365	442	470	505	544	586	629
355	391	481	514	553	597	647	693
383	422	525	560	603	653	709	760
410	453	568	610	655	710	772	829
436	482	599	644	693	749	814	876
461	514	644	688	743	807	877	941
489	545	686	738	797	863	939	1009
517	576	731	783	847	919	1001	1077

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
290	299	317	329	342	357	372	386
304	317	331	348	361	377	392	410
320	330	350	365	383	396	416	429
334	348	365	384	400	418	436	454
350	360	383	399	419	437	456	477
363	376	398	418	436	456	479	497
262	275	306	321	338	360	385	404
280	293	328	342	361	386	412	431
293	312	348	363	386	412	436	460
310	326	366	385	407	434	461	488
325	345	386	406	430	457	488	517
340	360	406	425	453	482	516	545

Pricing is continued on the following page.

U N E L I F

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)							
HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B) (Continued)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
552	593	638	770	869	932	1019	1100
591	640	684	829	936	1005	1100	1188
633	684	732	887	1005	1077	1181	1276
676	727	780	948	1072	1152	1262	1364
716	773	829	1007	1140	1226	1344	1453
756	816	877	1068	1208	1300	1427	1542

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
387	426	528	566	611	656	713	767
414	457	573	614	659	713	776	834
442	487	605	648	696	753	817	879
464	517	648	694	749	810	880	944
493	548	689	742	801	868	942	1014
519	578	734	788	851	923	1006	1080
390	429	533	569	614	661	717	770
418	460	577	617	663	718	780	838
446	490	610	652	703	758	823	883
472	522	652	700	753	814	884	951
497	553	695	745	806	871	948	1019
526	584	740	792	855	928	1009	1085

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
262	275	306	321	338	360	385	404
280	293	328	342	361	386	412	431
293	312	348	363	386	412	436	460
310	326	366	385	407	434	461	488
325	345	386	406	430	457	488	517
340	360	406	425	453	482	516	545
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

7 / 178	36 / 914
13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
37 / 940	36 / 914

27 / 686	36 / 914
28 / 711	36 / 914

13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
27 / 686	36 / 914
28 / 711	36 / 914

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T) (Continued)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
387	426	528	566	611	656	713	767
414	457	573	614	659	713	776	834
442	487	605	648	696	753	817	879
464	517	648	694	749	810	880	944
493	548	689	742	801	868	942	1014
519	578	734	788	851	923	1006	1080
390	429	533	569	614	661	717	770
418	460	577	617	663	718	780	838
446	490	610	652	703	758	823	883
472	522	652	700	753	814	884	951
497	553	695	745	806	871	948	1019
526	584	740	792	855	928	1009	1085

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
165	171	189	193	199	206	218	226
193	205	230	237	250	263	281	293
248	261	286	314	337	360	387	413
249	263	290	317	340	365	391	416
359	385	412	484	541	576	623	672

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
264	295	338	358	383	407	437	463
266	298	346	365	389	416	447	476

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
193	205	230	237	250	263	281	293
248	261	286	314	337	360	387	413
249	263	290	317	340	365	391	416
264	295	338	358	383	407	437	463
266	298	346	365	389	416	447	476

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
234	245	255	263	272	284	293	302
250	257	265	281	290	299	313	321
263	270	284	294	305	318	330	342
280	286	298	313	325	335	351	361
290	299	317	329	342	357	372	386
304	317	331	348	361	377	392	410
320	330	350	365	383	396	416	429
334	348	365	384	400	418	436	454
350	360	383	399	419	437	456	477
363	376	398	418	436	456	479	497
205	220	237	252	264	281	295	312
222	231	250	265	284	298	317	331
232	247	270	284	298	317	334	352
248	259	287	301	318	336	358	377
262	275	306	321	338	360	385	404
280	293	328	342	361	386	412	431
293	312	348	363	386	412	436	460
310	326	366	385	407	434	461	488
325	345	386	406	430	457	488	517
340	360	406	425	453	482	516	545
265	284	299	338	370	392	422	449
288	302	317	366	402	425	457	487
310	325	345	396	436	462	497	532
330	348	367	425	470	497	541	576
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868
269	286	304	345	374	396	425	454
290	304	320	368	406	429	461	490
314	328	348	399	440	464	502	536
333	350	372	429	476	502	543	578
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
396	422	446	532	596	636	689	743
434	457	485	582	652	695	758	814
476	500	543	646	724	776	847	912
512	541	588	701	785	844	921	993
552	593	638	770	869	932	1019	1100
591	640	684	829	936	1005	1100	1188
633	684	732	887	1005	1077	1181	1276
676	727	780	948	1072	1152	1262	1364
716	773	829	1007	1140	1226	1344	1453
756	816	877	1068	1208	1300	1427	1542

Pricing is continued on the following page.

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
289	321	357	384	413	445	478	509
314	348	374	414	449	481	517	551
335	370	447	477	511	549	591	636
359	394	487	519	559	601	652	700
387	426	528	566	611	656	713	767
414	457	573	614	659	713	776	834
442	487	605	648	696	753	817	879
464	517	648	694	749	810	880	944
493	548	689	742	801	868	942	1014
519	578	734	788	851	923	1006	1080
290	325	361	386	416	448	481	512
317	350	383	418	453	485	520	557
338	374	449	479	513	552	594	639
363	399	489	522	561	606	654	703
390	429	533	569	614	661	717	770
418	460	577	617	663	718	780	838
446	490	610	652	703	758	823	883
472	522	652	700	753	814	884	951
497	553	695	745	806	871	948	1019
526	584	740	792	855	928	1009	1085

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
205	220	237	252	264	281	295	312
222	231	250	265	284	298	317	331
232	247	270	284	298	317	334	352
248	259	287	301	318	336	358	377
262	275	306	321	338	360	385	404
280	293	328	342	361	386	412	431
293	312	348	363	386	412	436	460
310	326	366	385	407	434	461	488
325	345	386	406	430	457	488	517
340	360	406	425	453	482	516	545
265	284	299	338	370	392	422	449
288	302	317	366	402	425	457	487
310	325	345	396	436	462	497	532
330	348	367	425	470	497	541	576
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868

Pricing is continued on the following page.

U N E L I F

Tackable Fabric International Power/
Communications Fascia
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438


PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)							
HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
269	286	304	345	374	396	425	454
290	304	320	368	406	429	461	490
314	328	348	399	440	464	502	536
333	350	372	429	476	502	543	578
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
289	321	357	384	413	445	478	509
314	348	374	414	449	481	517	551
335	370	447	477	511	549	591	636
359	394	487	519	559	601	652	700
387	426	528	566	611	656	713	767
414	457	573	614	659	713	776	834
442	487	605	648	696	753	817	879
464	517	648	694	749	810	880	944
493	548	689	742	801	868	942	1014
519	578	734	788	851	923	1006	1080
290	325	361	386	416	448	481	512
317	350	383	418	453	485	520	557
338	374	449	479	513	552	594	639
363	399	489	522	561	606	654	703
390	429	533	569	614	661	717	770
418	460	577	617	663	718	780	838
446	490	610	652	703	758	823	883
472	522	652	700	753	814	884	951
497	553	695	745	806	871	948	1019
526	584	740	792	855	928	1009	1085

Xpress

U A E L I F

Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount)



The Tackable International Fabric Power/Communications Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED

1 fascia.

NOTES

7" height fascias are not tackable.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 24" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communication Orientation	Vertical Power/Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 35	24 - 96	Panel Fabric	Black
	LC Left Center	B Bottom				74 Storm White
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	RC Right Center					
	RR Right					
	LR Left and Right					
	CR Left Center and Right					
4 Cut Out for four outlets (available on 36" widths and wider)	CL Right Center and Left					
5 Cala Cut Out for two outlets						
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UAELIF 3	LR	T	22	66	C503	74
----------	----	---	----	----	------	----

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
313	331	352	419	469	500	545	584
334	358	383	453	508	542	588	631
359	385	410	487	545	582	633	679
384	412	436	519	583	621	677	727
407	436	462	553	620	661	721	775
429	460	490	586	656	704	765	823
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
496	541	581	712	812	876	961	1043
536	583	625	773	879	948	1043	1132
577	624	676	830	944	1020	1124	1219
616	671	721	888	1014	1095	1204	1306
655	712	770	948	1079	1166	1286	1394
695	756	815	1007	1148	1238	1364	1480

Pricing is continued on the following page.

U A E L I F

**Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) & VERTICAL (B or T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
201	218	242	269	294	318	345	367
224	237	257	295	328	350	379	406
247	259	271	322	360	384	416	445
264	282	299	354	393	421	455	488
287	302	325	384	426	455	495	532
313	331	352	419	469	500	545	584
334	358	383	453	508	542	588	631
359	385	410	487	545	582	633	679
384	412	436	519	583	621	677	727
407	436	462	553	620	661	721	775
429	460	490	586	656	704	765	823
202	222	249	271	296	321	349	370
226	242	262	299	330	354	384	412
249	262	279	326	363	387	419	448
269	285	302	357	396	423	458	492
289	304	329	387	430	458	497	534
316	335	357	423	473	505	548	588
338	361	385	456	511	545	591	638
363	389	414	489	548	585	639	684
389	416	442	525	586	624	681	734
413	442	469	558	623	668	726	781
436	464	496	590	660	708	772	829
310	331	354	429	485	519	572	616
346	367	391	479	543	581	636	686
384	406	430	526	594	640	701	756
419	446	488	590	669	721	792	856
456	485	533	646	728	788	868	937
496	541	581	712	812	876	961	1043
536	583	625	773	879	948	1043	1132
577	624	676	830	944	1020	1124	1219
616	671	721	888	1014	1095	1204	1306
655	712	770	948	1079	1166	1286	1394
695	756	815	1007	1148	1238	1364	1480

Pricing is continued on the following page.

U A E L I F

Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864
532	575	615	747	846	909	997	1077
572	617	661	808	913	983	1077	1166
613	660	710	866	981	1055	1158	1253
650	705	756	924	1048	1129	1238	1340
689	747	806	983	1116	1201	1320	1429
731	791	849	1041	1182	1274	1399	1516

HORIZONTAL (LL or RR) & VERTICAL (B or T)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
236	253	279	303	329	352	379	402
258	273	290	330	361	385	414	442
281	294	306	358	394	418	449	479
299	317	334	389	428	455	489	522
321	336	359	418	461	489	529	566
348	366	387	454	502	534	581	618
368	392	417	487	542	576	622	668
393	419	445	520	581	616	669	713
418	446	472	554	617	655	711	761
444	472	497	588	654	696	756	810
463	495	526	621	691	738	800	856
237	255	284	306	333	357	384	406
261	279	296	334	365	389	418	446
284	296	313	360	398	422	454	482
303	319	336	391	430	457	493	527
325	340	363	422	464	493	533	569
350	370	391	457	509	541	583	622
374	396	419	490	545	581	625	672
398	423	448	525	583	620	673	718
423	449	477	559	621	660	716	769
447	477	502	591	657	703	760	815
472	501	532	624	695	742	807	864

Pricing is continued on the following page.

U A E L I F

**Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) & VERTICAL (B or T) (CONTINUED)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
345	366	389	463	519	554	606	650
381	402	425	513	577	615	671	721
418	442	464	560	629	674	736	791
454	480	522	624	704	756	828	894
490	519	568	679	765	823	902	972
532	575	615	747	846	909	997	1077
572	617	661	808	913	983	1077	1166
613	660	710	866	981	1055	1158	1253
650	705	756	924	1048	1129	1238	1340
689	747	806	983	1116	1201	1320	1429
731	791	849	1041	1182	1274	1399	1516

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
542	583	622	756	854	919	1006	1085
581	624	672	815	921	991	1085	1174
620	671	718	873	988	1064	1166	1262
657	712	765	934	1057	1136	1247	1349
701	756	813	991	1125	1211	1328	1437
740	800	859	1050	1193	1283	1408	1524

Pricing is continued on the following page.

U A E L I F

Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)							
HORIZONTAL (LL or RR) & VERTICAL (B or T)							
Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
248	261	286	314	337	360	387	413
265	284	299	338	370	392	422	449
288	302	317	366	402	425	457	487
310	325	345	396	436	462	497	532
330	348	367	425	470	497	541	576
355	376	394	461	512	544	588	625
379	400	424	495	549	584	631	676
402	426	453	529	588	623	677	722
425	454	480	564	625	666	719	772
451	480	509	597	663	706	765	817
476	505	534	630	703	745	809	868
249	263	290	317	340	365	391	416
269	286	304	345	374	396	425	454
290	304	320	368	406	429	461	490
314	328	348	399	440	464	502	536
333	350	372	429	476	502	543	578
358	381	399	464	516	548	590	631
384	406	426	500	554	588	638	679
407	430	456	533	591	629	681	727
430	457	484	568	630	671	725	776
455	484	512	601	669	710	770	824
480	511	542	636	706	750	814	872
352	376	396	476	530	564	615	657
389	413	434	520	584	622	678	731
425	449	477	569	640	682	743	800
461	488	532	636	712	765	837	902
500	528	577	687	774	832	909	981
542	583	622	756	854	919	1006	1085
581	624	672	815	921	991	1085	1174
620	671	718	873	988	1064	1166	1262
657	712	765	934	1057	1136	1247	1349
701	756	813	991	1125	1211	1328	1437
740	800	859	1050	1193	1283	1408	1524

Xpress

U N E L M B

Metal Base Feed Fascia
(Slot Mount)

The Metal Base Feed Fascia provides an opening for mounting of the base feed.

WHAT’S INCLUDED


1 fascia with cut out, as specified.

NOTES

The Center (C) Cut Out Location is available from 42" to 60" widths only.

The Left Center (E) Cut Out Location is available on 66" widths or higher only.

Xpress Available through Teknion’s Xpress Program.



PRODUCT OPTIONS

Cut Out Location (If applicable)	Height	Width (6" increments)	Fascia Finish
L Left Side R Right Side C Center E Left Center F Right Center	6	24 - 96	Foundation Mica Accent

SAMPLE ORDER CODE

UNELMB L	6	72	14
----------	---	----	----

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

139
144
151
154
158
161
165
169
173
177
184
189
192

Xpress

The Metal Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED

1 fascia with cut out, as specified.

NOTES


Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the center of the fascia on the side selected.

Xpress Available through *Teknion's Xpress Program*.

U A E L M B

Metal Base Feed Fascia for Freestanding District (Slot Mount)

**PRODUCT OPTIONS**

Cut Out Location	Height	Width (6" increments)	Frame Finish
L Left Side	6	36 - 96	Foundation
R Right Side			Mica Accent

SAMPLE ORDER CODE

UAELMB L	6	72	60
-----------------	----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

122
126
131
137
141
149
153
158
161
165
169

Xpress

U N E L F B

Fabric Base Feed Fascia
(Slot Mount)

The Fabric Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED

1 fascia with cut out, as specified.


NOTES

Fabric Base Feed Fascia is not tackable.

The Center (C) Cut Out Location is available from 42" to 60" widths only.

NOTES

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Cut Out Location (If applicable)	Height	Width (6" increments)	Fascia Finish
L Left Side R Right Side C Center (available on 42", 60" widths) E Left Center (available on 66" widths or higher) F Right Center (available on 66" widths or higher)	6	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UNELFB L	6	72	L341
----------	---	----	------

DIMENSIONS

INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
144	149	153	159	163	167	171	177
159	162	181	187	193	198	206	216
170	175	191	195	201	207	218	226
184	191	200	206	216	224	232	239
195	200	214	223	231	237	250	258
207	216	224	233	247	254	264	275
222	227	236	250	261	270	284	294
232	239	253	264	279	289	301	314
248	255	266	282	295	306	320	333
259	266	284	296	312	325	340	354
271	282	296	314	330	345	359	374
286	295	313	329	346	360	379	393
298	310	326	346	363	379	396	416

The Fabric Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED

1 fascia with cut out, as specified.

NOTES

Fabric Base Feed Fascia is not tackable.


Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the center of the fascia on the side selected.

Xpress Available through *Teknion's Xpress Program*.

U A E L F B

Fabric Base Feed Fascia for Freestanding District (Slot Mount)



PRODUCT OPTIONS

Cut Out Location	Height	Width (6" increments)	Fascia Finish
L Left Side R Right Side	6	36 - 96	Panel Fabric

SAMPLE ORDER CODE

UAELFB L	6	72	L341
----------	---	----	------

DIMENSIONS

INCHES / MM

H	W
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
174	182	194	199	206	215	223	230
189	193	202	209	220	227	234	247
198	202	216	225	233	242	253	261
209	217	226	234	248	257	265	279
223	227	237	252	262	271	285	294
234	242	255	266	281	290	303	317
250	257	269	285	298	312	322	335
263	270	286	301	317	329	345	357
279	286	301	318	333	348	363	379
290	299	317	333	350	365	384	398
303	316	331	351	368	385	402	419

Xpress

U N E L K
Fascia Clip Kit


The Fascia Clip Kit is required to attach clip-mounted fascias to a Convertible Wall Frame.

WHAT’S INCLUDED

Package of 25 or 100 clips, as specified.

NOTES

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Quantity	
25	25 clips
100	100 clips

SAMPLE ORDER CODE

UNELK 100

QUANTITY	PRICING
25	124
100	448


power spine

power spine product map

UNFF Floor Flush Power Spine

Xpress


Page 421



UYFF Floor Flush Inset Power Spine

Xpress


Page 422



UZFF Floor Flush Power Spine Support Kit

Xpress


Page 424



UNPZ Power Spine Panel

Xpress


Page 426



UYPZ Power Spine Inset Panel

Xpress


Page 428



UZPK Power Spine Support Kit

Xpress


Page 430



UNZZ Zig Zag Power Spine Panel

Xpress

Page 434



UYZZ Zig Zag Power Spine Inset Panel

Xpress


Page 435



UZZK Zig Zag Support Kit

Xpress


Page 436



UNYH Power Spine 120 Hub Panel

Xpress


Page 438



UZYH Power Spine 120 Hub Inset Panel

Xpress


Page 439



UZYK Power Spine 120 Hub Support Kit

Xpress


Page 440



power spine product map (continued)


UNAF Open Frame 29" High Panel,
Xpress Standard

Page 442




UYAF Open Frame 29" High Panel,
Xpress Inset

Page 443



UNXF Sliding Fabric Screen for
Xpress Open Frame

Page 444




UNZF Sliding Smooth Felt Screen for
Open Frame

Page 446



UZBC Power Spine Base Feed
Xpress Cover

Page 447



UZAS Anchor for Height-
Xpress Adjustable Table

Page 448




UZBS Bracket for Height-Adjustable
Xpress Table

Page 449




YSZ hiSpace Quick Connect
Xpress Height-Adjustable
Freestanding Table
Mechanism for District Power
Spine

Page 450




WBZ Rectangular Height-
Xpress Adjustable Worksurface with
Connection Kit for hiSpace
Quick Connect with District
Power Spine

Page 451




YSB hiSpace Quick Connect
Xpress Parallelogram Height-
Adjustable Freestanding Table
Mechanism for District Power
Spine

Page 452




WBP Parallelogram Height-
Xpress Adjustable Worksurface with
Connection Kit for District
Power Spine

Page 453



YST hiSpace 120 Height-Adjustable
Xpress Freestanding Table


Page 454



power spine product map (continued)


WBT 120Hub Height-Adjustable
Worksurface for hiSpace
Quick Connect with District
Power Spine

Page 456




UZWE Power Spine Rectangle
Worksurface

Page 458




UZWC Power Spine Rectangle
Worksurface Support
Bundle

Page 460




UZWP Power Spine Parallelogram
Worksurface

Page 462




UZWK Power Spine Parallelogram
Worksurface Support
Bundle

Page 464




UZWA Power Spine Angled
Worksurface

Page 466




UZWB Power Spine Angled
Worksurface Support Bundle

Page 468




UZWD Power Spine Dual 120
Angled Worksurface

Page 469




UZDK Power Spine Dual Angled
Worksurface Support
Bundle

Page 470




UZWT Power Spine 120 Hub
Worksurface

Page 471



UZWW Power Spine 120 HUB
Worksurface Support
Bundle

Page 472



Floor Flush Power Spine

The Floor Flush Power Spine Panel Wall is flush to the ground and requires a support kit to complete the assembly.

WHAT'S INCLUDED

2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.


WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Width	Panel Type
29	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UNFF 29	120	
---------	-----	--

**DIMENSIONS
INCHES / MM**

H	W	PANEL WIDTHS
29 / 737	96 / 2438	one 96" panel
29 / 737	120 / 3048	two 60" panels
29 / 737	132 / 3352	two 66" panels
29 / 737	144 / 3658	two 72" panels
29 / 737	144 (A) / 3658	three 48" panels
29 / 737	168 / 4267	two 84" panels
29 / 737	180 / 4572	three 60" panels
29 / 737	192 / 4572	four 48" panels
29 / 737	198 / 5029	three 66" panels
29 / 737	216 / 5486	three 72" panels
29 / 737	240 / 6096	four 60" panels
29 / 737	252 / 6400	three 84" panels
29 / 737	264 / 6706	four 66" panels
29 / 737	288 / 7315	four 72" panels
29 / 737	336 / 8534	four 84" panels


PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
536	559
696	752
806	860
913	968
739	822
1036	1091
1044	1127
1072	1182
1209	1292
1374	1456
1392	1502
1553	1636
1611	1721
1831	1941
2035	2145

Xpress

UYFF

Floor Flush Inset Power Spine



The Inset Panel Wall is designed to be used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT’S INCLUDED

2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

WHAT’S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Height	Width	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UYFF 29	120	
---------	-----	--

DIMENSIONS
INCHES / MM

H	W	PANEL WIDTHS
29 / 737	96 / 2438	one 96" panel
29 / 737	120 / 3048	two 60" panels
29 / 737	132 / 3352	two 66" panels
29 / 737	144 / 3658	two 72" panels
29 / 737	144 A / 3658	three 48" panels
29 / 737	168 / 4267	two 84" panels
29 / 737	180 / 4572	three 60" panels
29 / 737	192 / 4572	four 48" panels
29 / 737	198 / 5029	three 66" panels
29 / 737	216 / 5486	three 72" panels
29 / 737	240 / 6096	four 60" panels
29 / 737	252 / 6400	three 84" panels
29 / 737	264 / 6706	four 66" panels
29 / 737	288 / 7315	four 72" panels
29 / 737	336 / 8534	four 84" panels

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
620	642
870	925
917	972
965	1020
989	1072
1220	1275
1303	1385
1333	1444
1375	1458
1445	1527
1738	1848
1832	1914
1832	1942
1925	2035
2443	2552

Pricing is continued on the following page.

U Y F F

Floor Flush Inset Power Spine
(Continued)DIMENSIONS
INCHES / MM

H	W	PANEL WIDTHS
42 / 1067	96 / 2438	one 96" panel
42 / 1067	120 / 3048	two 60" panels
42 / 1067	132 / 3352	two 66" panels
42 / 1067	144 / 3658	two 72" panels
42 / 1067	144 A / 3658	three 48" panels
42 / 1067	168 / 4267	two 84" panels
42 / 1067	180 / 4572	three 60" panels
42 / 1067	192 / 4572	four 48" panels
42 / 1067	198 / 5029	three 66" panels
42 / 1067	216 / 5486	three 72" panels
42 / 1067	240 / 6096	four 60" panels
42 / 1067	252 / 6400	three 84" panels
42 / 1067	264 / 6706	four 66" panels
42 / 1067	288 / 7315	four 72" panels
42 / 1067	336 / 8534	four 84" panels


PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
679	702
957	1012
1009	1064
1060	1114
1091	1173
1342	1396
1435	1518
1467	1577
1514	1596
1590	1673
1914	2025
2014	2097
2016	2126
2119	2229
2687	2797

Xpress

U Z F F

Floor Flush Power Spine
Support Kit



The Floor Flush Power Spine Support Kit is paired with the Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF) to create a Floor Flush Power Spine.

WHAT'S INCLUDED

See below.

WHAT'S EXCLUDED

Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Support Kit only can be combined with the Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF).

Combined height with Power Spine is 29" or 42" from the finished floor to the top of the finished worksurface with a leveling range of 3" ..

Xpress

Available through *Teknion's Xpress Program.*

					
HEIGHT	WIDTH	LARGE FOOT	MEDIUM FOOT	POST FOOT	LEVELER
29"	096"	2	-	-	1
29"	120"	2	-	1	-
29"	132"	2	-	1	2
29"	144"	2	-	1	2
29"	14A	2	-	2	-
29"	168"	2	-	1	2
29"	180"	2	-	2	-
29"	192"	2	1	2	-
29"	198"	2	-	2	3
29"	216"	2	-	2	3
29"	240"	2	1	2	-
29"	252"	2	2	-	3
29"	264"	2	1	2	4
29"	288"	2	1	2	4
29"	336"	2	2	1	4
42"	096"	2	-	-	1
42"	120"	2	1	-	-
42"	132"	2	1	-	2
42"	144"	2	1	-	2
42"	14A	2	2	-	-
42"	168"	2	1	-	2
42"	180"	2	2	-	-
42"	192"	2	1	2	-
42"	198"	2	2	-	3
42"	216"	2	2	-	3
42"	240"	2	1	2	-
42"	252"	2	2	-	3
42"	264"	2	3	-	4
42"	288"	2	3	-	4
42"	336"	2	3	-	4

See Options and Pricing on the following page.

U Z F F

Floor Flush Power Spine
Support Kit (Continued)

PRODUCT OPTIONS

Height	Width	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Foundation Mica Accent

SAMPLE ORDER CODE

UZFF 29	120	74
---------	-----	----

DIMENSIONS
INCHES / MM

H	W
29 / 737	96 / 2438
29 / 737	120 / 3048
29 / 737	132 / 3352
29 / 737	144 / 3658
29 / 737	144 A / 3658
29 / 737	168 / 4267
29 / 737	180 / 4572
29 / 737	192 / 4572
29 / 737	198 / 5029
29 / 737	216 / 5486
29 / 737	240 / 6096
29 / 737	252 / 6400
29 / 737	264 / 6706
29 / 737	288 / 7315
29 / 737	336 / 8534

PRICING

220
220
301
301
381
301
381
476
381
381
476
410
476
476
490

DIMENSIONS
INCHES / MM

H	W
42 / 1067	96 / 2438
42 / 1067	120 / 3048
42 / 1067	132 / 3352
42 / 1067	144 / 3658
42 / 1067	144 A / 3658
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4572
42 / 1067	198 / 5029
42 / 1067	216 / 5486
42 / 1067	240 / 6096
42 / 1067	252 / 6400
42 / 1067	264 / 6706
42 / 1067	288 / 7315
42 / 1067	336 / 8534

PRICING


220
315
315
315
410
315
410
476
410
410
410
410
505
505
505

power spine

Xpress

UNPZ

Power Spine Panel



The Power Spine Panel Wall is elevated when finished with required Support Kit.

WHAT'S INCLUDED

2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

The Female Fascia clips will be attached when a Frame for Solid Fascia (S) Panel Type is ordered.

WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately

NOTES

Panel wall frame has a Black finish.

Clips are not included.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	N No Post C Center Post F Offset Post	F Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UNPZ 29	120	N	
---------	-----	---	--

DIMENSIONS INCHES / MM

H	W	SUPPORT
29 / 737	96 / 2438	No Post (one 96" panel)
29 / 737	120 / 3048	No Post (one 120" panel)
29 / 737	192 / 4572	No Post (two 96" panels)
29 / 737	240 / 6096	No Post (two 120" panels)
29 / 737	120 / 3048	Center Post (two 60" panels)
29 / 737	132 / 3352	Center Post (two 66" panels)
29 / 737	144 / 3658	Center Post (two 72" panels)
29 / 737	144 A / 3658	Center Post (three 48" panels)
29 / 737	168 / 4267	Center Post (two 84" panels)
29 / 737	180 / 4572	Center Post (three 60" panels)
29 / 737	192 / 4572	Center Post (four 48" panels)
29 / 737	198 / 5029	Center Post (three 66" panels)
29 / 737	216 / 5486	Center Post (three 72" panels)
29 / 737	240 / 6096	Center Post (four 60" panels)
29 / 737	252 / 6400	Center Post (three 84" panels)
29 / 737	264 / 6706	Center Post (four 66" panels)
29 / 737	288 / 7315	Center Post (four 72" panels)
29 / 737	336 / 8534	Center Post (four 84" panels)
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)


PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
447	470
633	655
810	865
1267	1322
581	636
671	726
761	816
616	699
863	917
870	953
894	1004
1008	1091
1145	1226
1160	1270
1294	1377
1343	1452
1525	1636
1696	1806
671	726
783	838
829	912
1247	1329

Xpress

UYPZ

Power Spine Inset Panel



The Inset Panel Wall is designed to be used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED

2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levers.

The Female Fascia clips will be attached when a Frame for Solid Fascia (S) Panel Type is ordered.

WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress

Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	N No Post C Center Post F Offset Post	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UYPZ 29	120	N	
---------	-----	---	--

DIMENSIONS
INCHES / MM

H	W	SUPPORT
29 / 737	96 / 2438	No Post (one 96" panel)
29 / 737	120 / 3048	No Post (one 120" panel)
29 / 737	192 / 4572	No Post (two 96" panels)
29 / 737	240 / 6096	No Post (two 120" panels)
29 / 737	120 / 3048	Center Post (two 60" panels)
29 / 737	132 / 3352	Center Post (two 66" panels)
29 / 737	144 / 3658	Center Post (two 72" panels)
29 / 737	144 A / 3658	Center Post (three 48" panels)
29 / 737	168 / 4267	Center Post (two 84" panels)
29 / 737	180 / 4572	Center Post (three 60" panels)
29 / 737	192 / 4572	Center Post (four 48" panels)
29 / 737	198 / 5029	Center Post (three 66" panels)
29 / 737	216 / 5486	Center Post (three 72" panels)
29 / 737	240 / 6096	Center Post (four 60" panels)
29 / 737	252 / 6400	Center Post (three 84" panels)
29 / 737	264 / 6706	Center Post (four 66" panels)
29 / 737	288 / 7315	Center Post (four 72" panels)
29 / 737	336 / 8534	Center Post (four 84" panels)
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
516	538
744	766
1032	1087
1490	1545
725	780
764	819
803	859
824	906
1017	1072
1085	1168
1111	1221
1146	1227
1204	1287
1448	1558
1526	1609
1526	1637
1605	1715
2035	2145
757	812
1107	1162
1082	1165
1469	1552

Pricing is continued on the following page.

U Y P Z


Power Spine Inset Panel
(Continued)DIMENSIONS
INCHES / MM

H	W	SUPPORT
42 / 1067	96 / 2438	No Post (one 96" panel)
42 / 1067	120 / 3048	No Post (one 120" panel)
42 / 1067	192 / 4572	No Post (two 96" panels)
42 / 1067	240 / 6096	No Post (two 120" panels)
42 / 1067	120 / 3048	Center Post (two 60" panels)
42 / 1067	132 / 3352	Center Post (two 66" panels)
42 / 1067	144 / 3658	Center Post (two 72" panels)
42 / 1067	144 A / 3658	Center Post (three 48" panels)
42 / 1067	168 / 4267	Center Post (two 84" panels)
42 / 1067	180 / 4572	Center Post (three 60" panels)
42 / 1067	192 / 4572	Center Post (four 48" panels)
42 / 1067	198 / 5029	Center Post (three 66" panels)
42 / 1067	216 / 5486	Center Post (three 72" panels)
42 / 1067	240 / 6096	Center Post (four 60" panels)
42 / 1067	252 / 6400	Center Post (three 84" panels)
42 / 1067	264 / 6706	Center Post (four 66" panels)
42 / 1067	288 / 7315	Center Post (four 72" panels)
42 / 1067	336 / 8534	Center Post (four 84" panels)
42 / 1067	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
42 / 1067	180 / 4572	Offset Post (one 60" panel, one 120" panel)
42 / 1067	192 / 4572	Offset Post (two 48" panels, one 96" panels)
42 / 1067	240 / 6096	Offset Post (two 60" panels, one 120" panel)

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
566	588
841	896
1325	1408
2239	2349
797	852
883	938
908	991
834	888
1196	1278
1222	1332
1134	1189
1594	1704
1678	1761
1681	1790
1294	1377
1343	1452
1525	1636
1696	1806
1118	1173
1191	1274
1261	1344
1766	1875

Power Spine Support Kit



The Power Spine Support Kit is paired with the Power Spine or Power Spine Inset panel (UNPZ or UYPZ) to create a District Power Spine

WHAT'S INCLUDED

See below.

WHAT'S EXCLUDED

Power Spine or Power Spine Inset panel (UNPZ or UYPZ), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Support Kit only can be combined with the Power Spine specific panel type (UNPZ & UYPZ). Combined height with Power Spine panel (UNPZ or UYPZ) is 29" or 42" from the finished floor to the top of the finished worksurface with a leveling range of 3".

Xpress Available through *Teknion's Xpress Program*.

							
HEIGHT	WIDTH	SUPPORT TYPE	LRG FOOT	MED FOOT	POST FOOT	LEG COVER	TRIM
29"	96"	No Post (N)	2	-	-	2	2
29"	120"	No Post (N)	2	-	-	2	2
29"	192"	No Post (N)	2	1	-	4	2
29"	240"	No Post (N)	2	1	-	4	4
42"	96"	No Post (N)	2	-	-	2	2
42"	192"	No Post (N)	2	1	-	4	2
29"	120"	Center Post (C)	2	-	1	4	2
29"	132"	Center Post (C)	2	-	1	4	2
29"	14A	Center Post (C)	2	-	2	6	3
29"	144"	Center Post (C)	2	-	1	4	2
29"	168"	Center Post (C)	2	-	1	4	2
29"	180"	Center Post (C)	2	-	2	6	3
29"	192"	Center Post (C)	2	1	2	8	4
29"	198"	Center Post (C)	2	-	2	6	3
29"	216"	Center Post (C)	2	-	2	6	3
29"	192"	Center Post (C)	2	1	2	8	4
29"	252"	Center Post (C)	2	2	-	6	3
29"	264"	Center Post (C)	2	1	2	8	4
29"	288"	Center Post (C)	2	1	2	8	4
29"	336"	Center Post (C)	2	2	1	8	4
42"	120"	Center Post (C)	2	1	-	4	2
42"	132"	Center Post (C)	2	1	-	4	2
42"	14A	Center Post (C)	2	2	-	6	3
42"	144"	Center Post (C)	2	1	-	4	2
42"	168"	Center Post (C)	2	1	-	4	2
42"	180"	Center Post (C)	2	2	-	6	3
42"	192"	Center Post (C)	2	1	2	8	4
42"	198"	Center Post (C)	2	2	-	6	3
42"	216"	Center Post (C)	2	2	-	6	3
42"	192"	Center Post (C)	2	1	2	8	4
42"	252"	Center Post (C)	2	2	-	6	3
42"	264"	Center Post (C)	2	3	-	8	4
42"	288"	Center Post (C)	2	3	-	8	4
42"	336"	Center Post (C)	2	3	-	8	4
29"	14A	Offset Post (F)	2	-	1	4	2
29"	14A	Offset Post (F)	2	-	1	-	-
29"	180"	Offset Post (F)	2	-	1	4	3
29"	180"	Offset Post (F)	2	-	1	-	-
29"	192"	Offset Post (F)	2	2	-	6	3
29"	192"	Offset Post (F)	2	2	-	-	-
29"	240"	Offset Post (F)	2	2	-	6	4
42"	14A	Offset Post (F)	2	-	1	4	2
42"	14A	Offset Post (F)	2	-	1	-	-
42"	192"	Offset Post (F)	2	2	-	6	3
42"	192"	Offset Post (F)	2	2	-	-	-

U Z P K

Power Spine Support Kit
(Continued)

PRODUCT OPTIONS

Height	Width	Support	Top Trim Finish
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	N No Post C Center Post F Offset Post	Foundation Mica Accent

SAMPLE ORDER CODE

UZPK 29	120	N	74
---------	-----	---	----

DIMENSIONS
INCHES / MM

H	W	SUPPORT
29 / 737	96 / 2438	No Post (one 96" panel)
29 / 737	120 / 3048	No Post (one 120" panel)
29 / 737	192 / 4572	No Post (two 96" panels)
29 / 737	240 / 6096	No Post (two 120" panels)
29 / 737	120 / 3048	Center Post (two 60" panels)
29 / 737	132 / 3352	Center Post (two 66" panels)
29 / 737	144 / 3658	Center Post (two 72" panels)
29 / 737	144 A / 3658	Center Post (three 48" panels)
29 / 737	168 / 4267	Center Post (two 84" panels)
29 / 737	180 / 4572	Center Post (three 60" panels)
29 / 737	192 / 4572	Center Post (four 48" panels)
29 / 737	198 / 5029	Center Post (three 66" panels)
29 / 737	216 / 5486	Center Post (three 72" panels)
29 / 737	240 / 6096	Center Post (four 60" panels)
29 / 737	252 / 6400	Center Post (three 84" panels)
29 / 737	264 / 6706	Center Post (four 66" panels)
29 / 737	288 / 7315	Center Post (four 72" panels)
29 / 737	336 / 8534	Center Post (four 84" panels)
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)

PRICING

390
401
617
676
571
591
591
771
602
788
995
817
817
1018
863
1057
1057
1094
591
617
816
861

Pricing is continued on the following page.

Xpress

U Z P K

Power Spine Support Kit
(Continued)

DIMENSIONS
INCHES / MM

H	W	PANEL WIDTHS
42 / 1067	96 / 2438	No Post (one 96" panel)
42 / 1067	192 / 4572	No Post (two 96" panels)
42 / 1067	120 / 3048	Center Post (two 60" panels)
42 / 1067	132 / 3352	Center Post (two 66" panels)
42 / 1067	144 / 3658	Center Post (two 72" panels)
42 / 1067	144 A / 3658	Center Post (three 48" panels)
42 / 1067	168 / 4267	Center Post (two 84" panels)
42 / 1067	180 / 4572	Center Post (three 60" panels)
42 / 1067	192 / 4572	Center Post (four 48" panels)
42 / 1067	198 / 5029	Center Post (three 66" panels)
42 / 1067	216 / 5486	Center Post (three 72" panels)
42 / 1067	240 / 6096	Center Post (four 60" panels)
42 / 1067	252 / 6400	Center Post (three 84" panels)
42 / 1067	264 / 6706	Center Post (four 66" panels)
42 / 1067	288 / 7315	Center Post (four 72" panels)
42 / 1067	336 / 8534	Center Post (four 84" panels)
42 / 1067	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
42 / 1067	192 / 4572	Offset Post (two 48" panels, one 96" panels)


PRICING

390
617
586
605
605
799
617
816
995
846
846
1018
863
1085
1085
1108
591
816

Xpress

UNZZ

Zig Zag Power Spine Panel



The Power Spine Panel Wall is elevated when finished with required Support Kit.

WHAT’S INCLUDED

3 frames (144 (A), 180", 216", 252" widths), 4 frames (192", 240", 288", 336"widths), 5 frames (240 (A)", 300", 360", 420"widths), hardware for straight connections and levelers.

WHAT’S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress

Available through *Teknion’s Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	14A, 180, 192, 216, 240, 24A, 252, 288, 300, 336, 360, 420	Z Zig Zag	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UNZZ 29	120	Z	
---------	-----	---	--

DIMENSIONS
INCHES / MM

H	W
29 / 737	14 (A) / 356
29 / 737	180 / 4572
29 / 737	192 / 4877
29 / 737	216 / 5486
29 / 737	240 / 6096
29 / 737	24 (A) / 610
29 / 737	252 / 6400
29 / 737	288 / 7315
29 / 737	300 / 7620
29 / 737	336 / 8534
29 / 737	360 / 9144
29 / 737	420 / 10668

PRICING

616
870
894
1145
1160
1116
1294
1525
1450
1696
1908
2121

The Zig Zag Inset Panel Wall is designed to be used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED

3 frames (144 (A), 180", 216", 252" widths), 4 frames (192", 240", 288", 336" widths), 5 frames (240 (A)", 300", 360", 420" widths), hardware for straight connections and levelers.


WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

Zig Zag Power Spine Inset Panel**PRODUCT OPTIONS**

Height	Width	Support	Panel Type
29, 42	14 A, 180, 192, 216, 240, 24A, 252, 288, 300, 336, 360, 420	Z Zig Zag	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UYZZ 29	120	Z	
----------------	------------	----------	--

**DIMENSIONS
INCHES / MM**


H	W
29 / 737	14 (A) / 356
29 / 737	180 / 4572
29 / 737	192 / 4877
29 / 737	216 / 5486
29 / 737	240 / 6096
29 / 737	24 (A) / 610
29 / 737	252 / 6400
29 / 737	288 / 7315
29 / 737	300 / 7620
29 / 737	336 / 8534
29 / 737	360 / 9144
29 / 737	420 / 10668
42 / 1067	14 (A) / 356
42 / 1067	180 / 4572
42 / 1067	192 / 4877
42 / 1067	216 / 5486
42 / 1067	240 / 6096
42 / 1067	24 (A) / 610
42 / 1067	252 / 6400
42 / 1067	288 / 7315
42 / 1067	300 / 7620
42 / 1067	336 / 8534
42 / 1067	360 / 9144
42 / 1067	420 / 10668

PRICING

757
1085
1111
1204
1448
1390
1526
1605
1810
2035
2007
2542
834
1196
1222
1325
1594
1527
1678
1766
1994
2239
2207
2799

Xpress

U Z Z K
Zig Zag Support Kit



The Zig Zag Power Spine Support Kit is paired with the Zig Zag Power Spine or the Zig Zag Power Spine Inset panel (UNZZ or UYZZ) to create a Zig Zag District Power Spine.

WHAT’S INCLUDED
See chart below.

WHAT’S EXCLUDED
Zig Zag Power Spine or Zig Zag Power Spine Inset Panel (UNZZ or UYZZ), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Xpress Available through *Teknion’s Xpress Program*.

					
HEIGHT	WIDTH	LARGE FOOT	DOUBLE FOOT	LEG COVER	TRIM
29" & 42"	14A	2	2	6	3
29" & 42"	180"	2	2	6	3
29" & 42"	192"	2	3	8	4
29" & 42"	216"	2	2	6	3
29" & 42"	240"	2	3	8	4
29" & 42"	24A	2	4	10	5
29" & 42"	252"	2	2	6	3
29" & 42"	288"	2	3	8	4
29" & 42"	300"	2	4	10	5
29" & 42"	336"	2	3	8	4
29" & 42"	360"	2	4	10	5
29" & 42"	240"	2	4	10	5

See Options and Pricing on the following page.

U Z Z K

Zig Zag Support Kit (Continued)

PRODUCT OPTIONS

Height	Width	Support	Trim Finish
29, 42	14 A, 180, 192, 216, 240, 24 A, 252, 288, 300, 336, 360, 420	Z Zig Zag	Foundation Mica Accent

SAMPLE ORDER CODE

UZZK 29	120	Z	~
---------	-----	---	---

DIMENSIONS
INCHES / MM

H	W
29 / 737	14 (A) / 356
29 / 737	180 / 4572
29 / 737	192 / 4877
29 / 737	216 / 5486
29 / 737	240 / 6096
29 / 737	24 (A) / 610
29 / 737	252 / 6400
29 / 737	288 / 7315
29 / 737	300 / 7620
29 / 737	336 / 8534
29 / 737	360 / 9144
29 / 737	420 / 10668
42 / 1067	14 (A) / 356
42 / 1067	180 / 4572
42 / 1067	192 / 4877
42 / 1067	216 / 5486
42 / 1067	240 / 6096
42 / 1067	24 (A) / 610
42 / 1067	252 / 6400
42 / 1067	288 / 7315
42 / 1067	300 / 7620
42 / 1067	336 / 8534
42 / 1067	360 / 9144
42 / 1067	420 / 10668


PRICING

1125
1131
1805
1136
1780
2187
1143
1806
2228
1931
2259
2413
1224
1238
1985
1252
1957
2406
1265
1986
2555
2174
2569
2734

Xpress

U N Y H

Power Spine 120 Hub Panel



The Power Spine 120 Hub Panel is elevated when finished with required Support Kit.

WHAT’S INCLUDED

3 frames in (48" or 60" widths), hardware for 120" connections and levelers.

WHAT’S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	48, 60	P 120 Power Spine	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UNYH 29	60	N	
---------	----	---	--

DIMENSIONS
INCHES / MM

H	W
29 / 737	48 / 1219
29 / 737	60 / 1524

PRICING

671
870

Xpress

U Z Y H

Power Spine 120 Hub Inset Panel

The Inset 120 Hub Panel Wall is designed to be used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED

3 frames in (48" or 60" widths), hardware for 120° connections and levelers.


WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width	Support	Panel Type
29, 42	48, 60	P 120 Power Spine	Frame for Metal/Fabric S Frame for Solid Fascia

SAMPLE ORDER CODE

UZYH 29	60	P	
----------------	-----------	----------	--

DIMENSIONS INCHES / MM

H	W
29 / 737	48 / 1219
29 / 737	60 / 1524
42 / 1067	48 / 1219
42 / 1067	60 / 1524


PRICING

824
1085
908
1196

Xpress

U Z Y K

Power Spine 120 Hub Support Kit



The Power Spine 120 Hub Support Kit is paired with the Power Spine 120 Hub Panel or the Power Spine 120 Hub Inset Panel (UNYH or UZYH) to create a Zig Zag District Power Spine.

WHAT'S INCLUDED

See chart below

WHAT'S EXCLUDED

Power Spine 120 Hub Panel or Power Spine 120 Hub Inset Panel (UNYH or UZYH), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Xpress Available through Teknion's Xpress Program.

				
HEIGHT	WIDTH	LARGE FOOT	LEG COVER	TRIM
29" & 42"	48"	3	3	3
29" & 42"	60"	3	3	3

See Options and Pricing on the following page.

Xpress

UZYK

Power Spine 120 Hub Support Kit

PRODUCT OPTIONS

Height	Width	Support	Top Trim Finish
29, 42	48, 60	P 120 Power Spine	Foundation Mica Accent

SAMPLE ORDER CODE

UZYK 29	60	P	74
---------	----	---	----

DIMENSIONS
INCHES / MM

H	W
29 / 737	48 / 1219
29 / 737	60 / 1524
42 / 1067	48 / 1219
42 / 1067	60 / 1524


PRICING

830
915
929
1009

Xpress

UNAF

Open Frame 29" High Panel,
Standard



The Open Frame 29" High Panel, Standard is compatible with Linear (UNPZ) or Floor Flush (UNFF) Power Spine Panels at 29" high or District Panels (UNPFR, UNPER, UNPC) at 29" high.

WHAT'S INCLUDED

1 open frame for standard panel (widths 48"-96"), top trim and hardware

NOTES

Actual Height 22" (51 datum), 28" (57 datum).

The following configurations include:

- Beginning (B): end cap and one connector
- Middle (M): one connector
- Finish (F): one end cap
- Complete (C): two d caps

Xpress

Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Datum Height	Width	Configuration	Finish
51, 57	48, 54, 60, 66, 72, 78, 84, 90, 96	B Beginning M Middle F Finish C Complete	Foundation Mica Accent

SAMPLE ORDER CODE

UNAF 51	48	B	20
---------	----	---	----

DIMENSIONS
INCHES / MM

H	W
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
57 / 1448	90 / 2286
57 / 1448	96 / 2438

PRICING

527
626
601
651
660
672
682
691
702
551
651
660
676
686
696
706
716
727

Open Frame 29" High Panel, Inset

The Open Frame 29" High Panel, Inset is compatible with Linear (UYPPZ) or Floor Flush (UYFF) Power Spine Panels at 29" high or District Panels (UYPPR, UYPER, UYPCR) at 29" high.

WHAT'S INCLUDED

1 open frame for inset panel (widths 48"-96"), top trim and hardware


NOTES

Actual Height 22" (51 datum), 28" (57 datum).

The following configurations include:

- Beginning (B): end cap and one connector
- Middle (M): one connector
- Finish (F): one end cap
- Complete (C): two end caps

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Width	Configuration	Finish
51, 57	48, 54, 60, 66, 72, 78, 84, 90, 96	B Beginning M Middle F Finish C Complete	Foundation Mica Accent

SAMPLE ORDER CODE

UYAF 51	48	B	20
----------------	-----------	----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
57 / 1448	90 / 2286
57 / 1448	96 / 2438

PRICING

527
626
601
651
660
672
682
691
702
551
651
660
676
686
696
706
716
727

Xpress

UNXF

Sliding Fabric Screen for Open Frame

The Sliding Fabric Screen for Open Frame is compatible with the Open Frame 29" High Panel, Standard (UNAF) and Open Frame 29" High Panel, Inset (UYAF).


WHAT'S INCLUDED

1 sliding screen.

NOTES

Hardware is preassembled.

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Height	Actual Width	Screen Finish
14, 20, 26	23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53	Panel Fabrics Upholstery Fabrics

SAMPLE ORDER CODE

UNXF 20	35	B204
---------	----	------

DIMENSIONS
INCHES / MM

H	D
14 / 356	23 / 584
14 / 356	26 / 660
14 / 356	29 / 737
14 / 356	32 / 813
14 / 356	35 / 889
14 / 356	38 / 965
14 / 356	41 / 1041
14 / 356	44 / 1118
14 / 356	47 / 1194
14 / 356	50 / 1270
14 / 356	53 / 1346
20 / 508	23 / 584
20 / 508	26 / 660
20 / 508	29 / 737
20 / 508	32 / 813
20 / 508	35 / 889
20 / 508	38 / 965
20 / 508	41 / 1041
20 / 508	44 / 1118
20 / 508	47 / 1194
20 / 508	50 / 1270
20 / 508	53 / 1346

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
370	375	385	413	434	454		372	396	406	422	444	457	471	497	525	535
420	426	436	470	492	515		422	449	461	478	502	517	533	563	594	606
469	476	487	524	548	575		472	502	515	534	562	578	595	629	663	677
518	527	538	580	606	637		520	554	569	590	621	639	657	695	732	749
567	576	589	633	665	696		569	605	622	646	678	699	719	760	800	818
617	626	641	689	723	757		620	659	677	703	739	760	783	827	872	891
666	676	691	743	780	817		669	713	732	760	800	825	849	899	949	969
716	727	744	800	842	882		718	766	789	818	863	890	916	970	1024	1047
763	776	795	856	901	944		769	820	845	878	926	956	986	1043	1103	1129
812	826	846	913	961	1009		817	876	901	936	989	1021	1053	1117	1181	1209
861	877	899	971	1023	1076		868	930	958	996	1054	1090	1124	1193	1264	1294
420	426	436	470	492	515		422	449	461	478	502	517	533	563	594	606
469	476	487	524	548	575		471	501	514	533	561	577	594	628	661	676
518	527	538	580	606	637		520	554	569	590	621	639	657	695	732	749
567	576	589	633	665	696		569	605	622	646	678	699	719	760	800	818
617	626	641	689	723	757		620	659	677	703	739	760	783	827	872	891
666	676	691	743	780	817		670	712	731	759	797	820	845	894	941	962
714	727	743	799	838	878		719	767	788	817	861	886	914	966	1020	1043
764	776	795	855	899	942		769	820	844	876	923	953	982	1039	1096	1123
812	826	846	912	958	1006		817	872	898	933	985	1017	1047	1109	1173	1199
863	877	898	969	1020	1071		868	930	956	994	1050	1083	1118	1186	1254	1284
909	926	950	1025	1081	1136		916	983	1012	1053	1113	1150	1186	1259	1333	1366

Pricing is continued on the following page.

UNXF

Sliding Fabric Screen for Open Frame

DIMENSIONS INCHES / MM

H	D
26 / 660	23 / 584
26 / 660	26 / 660
26 / 660	29 / 737
26 / 660	32 / 813
26 / 660	35 / 889
26 / 660	38 / 965
26 / 660	41 / 1041
26 / 660	44 / 1118
26 / 660	47 / 1194
26 / 660	50 / 1270
26 / 660	53 / 1346

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
567	576	589	630	660	689
617	626	641	686	718	750
667	676	691	740	775	810
716	727	742	795	834	870
764	776	793	849	890	930
814	826	844	904	948	989
864	877	896	959	1005	1049
912	926	947	1014	1063	1111
960	977	997	1071	1124	1174
1010	1026	1049	1129	1184	1240
1060	1077	1103	1187	1248	1307

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
570	605	621	643	675	695	713	754	792	810
620	658	675	700	734	755	775	818	860	879
670	711	729	755	792	815	838	884	930	950
719	763	783	811	850	876	900	950	997	1020
769	816	837	867	908	936	961	1014	1067	1091
817	868	890	921	966	994	1022	1078	1134	1159
868	923	947	981	1029	1058	1091	1150	1209	1237
916	973	999	1036	1090	1121	1152	1217	1280	1309
967	1029	1056	1096	1155	1189	1223	1293	1362	1393
1015	1082	1112	1154	1216	1253	1291	1365	1441	1473
1066	1136	1168	1214	1279	1320	1359	1439	1519	1554

UNZF
Sliding Smooth Felt Screen for Open
Frame



The Sliding Smooth Felt Screen for Open Frame is compatible with the Open Frame 29" High Panel, Standard (UNAF) and Open Frame 29" High Panel, Inset (UYAF).

WHAT'S INCLUDED
1 sliding screen.

NOTES
The pattern faces away from the centerline.
Available in all Smooth Felt colors.
Hardware is preassembled.

PRODUCT OPTIONS

Height	Actual Width	Pattern	Smooth Felt Finish
14, 20, 26	23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53	N No Pattern P Diagonal Pattern	Smooth Felt Colors

SAMPLE ORDER CODE

UNZF 20	35	N	QT
---------	----	---	----

DIMENSIONS INCHES / MM	
H	W
14 / 356	23 / 584
14 / 356	26 / 660
14 / 356	29 / 737
14 / 356	32 / 813
14 / 356	35 / 889
14 / 356	38 / 965
14 / 356	41 / 1041
14 / 356	44 / 1118
14 / 356	47 / 1194
14 / 356	50 / 1270
14 / 356	53 / 1346
20 / 508	23 / 584
20 / 508	26 / 660
20 / 508	29 / 737
20 / 508	32 / 813
20 / 508	35 / 889
20 / 508	38 / 965
20 / 508	41 / 1041
20 / 508	44 / 1118
20 / 508	47 / 1194
20 / 508	50 / 1270
20 / 508	53 / 1346

PRICING	
No Pattern	Diagonal Pattern
301	401
351	452
401	501
452	551
501	601
551	651
601	702
651	752
702	801
752	851
801	902
351	476
401	527
452	576
501	626
551	676
601	727
651	776
702	826
752	877
801	926
851	977

DIMENSIONS INCHES / MM	
H	W
26 / 660	23 / 584
26 / 660	26 / 660
26 / 660	29 / 737
26 / 660	32 / 813
26 / 660	35 / 889
26 / 660	38 / 965
26 / 660	41 / 1041
26 / 660	44 / 1118
26 / 660	47 / 1194
26 / 660	50 / 1270
26 / 660	53 / 1346

PRICING	
No Pattern	Diagonal Pattern
501	651
551	702
601	752
651	801
702	851
752	902
801	952
851	1002
902	1052
952	1101
1002	1152

Xpress

U Z B C

Power Spine Base Feed Cover

Power Spine Base Feed Cover is a metal cover mounted to the bottom portion of Linear, 120 or Zig Zag Power Spine spans to conceal the basefeed.


WHAT'S INCLUDED

1 Based feed cover, mounting hardware.

NOTES

Only compatible with Power Spine Panel (UNPZ), Power Spine Support Kit (UZPK), Power Spine 120 Hub Inset Panel (UZYH), Power Spine 120 Hub Panel (UNYH), Zig Zag Power Spine Panel (UNZZ), Zig Zag Power Spine Inset Panel (UYZZ) Power Spine Spans.

Xpress

 Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Top Trim Finish
Foundation
Mica
Accent

SAMPLE ORDER CODE

UZBC 20

PRICING

160

Xpress

U Z A S

Anchor for Height-Adjustable Table

Anchor is a bracket that wraps around the leg of a Height Adjustable Table, allowing the table to be tethered to a lateral floor screen.

WHAT’S INCLUDED

1 anchor, mounting hardware.

NOTES

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Table Style		Screen Option	Finish
H hiSpace S hiSpace Slide F hiSpace (6" frame reduction) G hiSpace Slide (6" frame reduction) N Navigate		A No Desk Mounted Screen	Foundation
		B With Desk Mounted Screen	Mica
			Accent

SAMPLE ORDER CODE

UZAS H	A	20
--------	---	----

PRICING

100

Xpress

Bracket Support is a bracket that is mounted to the foot of a Height Adjustable Table, allowing the table to be tethered to a lateral floor screen.

WHAT'S INCLUDED

1 bracket, mounting hardware.

NOTES

Xpress Available through *Teknion's Xpress Program*.

U Z B S**Bracket for Height-Adjustable Table****PRODUCT OPTIONS**

Table Style	Screen Option	Finish
H hiSpace	A No Desk Mounted Screen	Foundation
S hiSpace Slide	B With Desk Mounted Screen	Mica
R hiSpace Round Leg		Accent
N Navigate (23" - 29" depth)		
P Navigate (35" depth)		

SAMPLE ORDER CODE

UZBS H	A	20
---------------	----------	-----------

PRICING


100

power spine

Xpress

Y S Z

hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine



hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism must be paired with Rectangular Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBZ) to create a complete table solution.

WHAT'S INCLUDED

1 pair of feet, 1 pair of leg columns, 1 power pack (includes 1 cable organizer with felt cover, pre-installed control box, 1 switch, 1 15' power cord, 2 motor cables)

WHAT'S EXCLUDED

This is not a complete Base Only product. The Connection Kit Top Frame is required and is included with Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBZ).

NOTES

Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22.6" to 48.7" from the top of a 1" thick worksurface.

Includes a 240V universal control box.

Standby power consumption of 0.2W.

Power cord is 15' long.

Xpress

Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Power Spine Orientation	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	52, 58, 64, 70	C Spine Front & Centered for Parallel L Spine Left for Perpendicular R Spine Right for Perpendicular	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE

YSZ 9E	29	58	R	52
---------------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch	Power Pack	Wire Management	Wire Management Finish
D Display with Up/Down Memory A Toggle Display with Memory	1 Cable Organizer with Felt Cover	N None C With Vertical Wire Carrier	E Ebony Coordinate 7 Platinum Coordinate V Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

D	1	C	E
----------	----------	----------	----------

PRICING

2172

If Vertical Wire Carrier is specified, add 352

Xpress

WBZ

Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSZ) to create a complete table solution.

WHAT'S INCLUDED

1 worksurface with factory installed connection kit.


NOTES

Dimension are actual width and actual depth.

Power Spine provision will reduce the distance between leg columns for the selected width by 6".

Xpress Available through *Teknion's Xpress Program*.

Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine

**PRODUCT OPTIONS**

Base Mechanism	Actual Depth	Actual Width	Power Spine Orientation	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	52, 58, 64, 70	C Spine Front & Centered for Parallel L Spine Left for Perpendicular R Spine Right for Perpendicular	N None R Rectangular (Diamond Shaped Cutout) G Round (2.75" Diameter)

SAMPLE ORDER CODE

WBZ 9	29	58	C	G
--------------	-----------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Worksurface Finish	Edge Trim	Edge Trim Finish	Connection Kit Finish
N None C Center	Foundation Laminate	2 Bullnose (with Foundation) 6 Straight (with Foundation) 8 Flat (with Foundation)	Edge Trim Colors	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST	52
----------	-----------	----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778

PRICING


Flat Trim	Straight Trim	Bullnose Trim
801	812	903
812	824	921
823	837	940
836	848	960
822	834	933
836	847	952
848	861	972
861	877	993

If one Cut Out is specified, add 46

Xpress

Y S B

hiSpace Quick Connect
Parallelogram Height-Adjustable
Freestanding Table Mechanism for
District Power Spine



hiSpace Quick Connect Height-Adjustable Freestanding Parallelogram Table Mechanism must be paired with Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBP) to create a complete table solution.

WHAT'S INCLUDED

1 pair of feet, 1 pair of leg columns, 1 power pack (includes 1 cable organizer with felt cover, pre-installed control box, 1 switch, 1 15' power cord, 2 motor cables).

WHAT'S EXCLUDED

This is not a complete Base Only product. The Connection Kit Top Frame is required and is included with Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBP).

NOTES

Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22.6" to 48.7" from the top of a 1" thick worksurface.

Includes a 240V universal control box. Standby power consumption of 0.2W.

Power cord is 15' long.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Handedness	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	60, 72	L Left Hand R Right Hand	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE

YSB 9E	29	72	R	52
---------------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch	Power Pack	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
D Display with Up/Down Memory A Toggle Display with Memory	1 Cable Organizer with Felt Cover	N None 4 Dual Plastic Tray	N None ~ With Vertical Wire Carrier	E Ebony Coordinate 7 Platinum Coordinate V Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

D	1	4	N	7
----------	----------	----------	----------	----------

PRICING

Power Pack Cable Organizer with Felt Cover
2480

If Cable Management, Dual Plastic Tray (4) is specified, add 61

If Vertical Wire Carrier is specified, add 354

Parallelogram Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace Quick Connect Height-Adjustable Parallelogram Freestanding Table Mechanism for District Power Spine (YSB) to create a complete table solution.

WHAT'S INCLUDED


1 worksurface with factory installed connection kit.

NOTES

Dimension are actual width and actual depth. Power Spine provision will reduce the distance between leg columns for the selected width by 6".

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program*.

Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine

**PRODUCT OPTIONS**

Base Mechanism	Actual Depth	Actual Width	Handedness	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	60, 72	LH Left Hand RH Right Hand	N None G Round (2.75" Diameter)

SAMPLE ORDER CODE

WBP 9E	29	60	LH	G
---------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Corner Condition	Surface Finish	Edge Trim Styles	Edge Trim Finish	Connection Kit Finish
N None C Center	A Four Radius Corners	Foundation Laminate	8 Flat Trim 6 Straight Trim 2 Bullnose Trim H Full Knife Trim	Edge Trim Colors	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE (CONTINUED)

C	R	LW	8	ST	52
----------	----------	-----------	----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	60 / 1524
23 / 584	72 / 1829
29 / 737	60 / 1524
29 / 737	72 / 1829


PRICING

NO CUT OUT (N)				ROUND CUT OUT (G) / CENTER CUT OUT (C)			
Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim	Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
565	577	628	736	611	622	673	781
591	604	656	770	638	649	703	815
844	861	936	1096	887	905	982	1141
855	873	951	1112	902	919	996	1159

Xpress

Y S T

hiSpace 120 Height-Adjustable Freestanding Table



hiSpace 120 Height-Adjustable Freestanding Table must be paired with 120 Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBT) to create a complete table solution.

WHAT'S INCLUDED

1 3-point extended corner electric height-adjustable mechanism, quick connect kit, all assembly hardware, shipped knocked down.

WHAT'S EXCLUDED

This is not a complete Base Only product. Paired with 120 Hub Height -Adjustable with Connection Kit (WBT).

NOTES

Always uses a C-Leg Application. Table frame and surface orientation are field reversible. Orientation Left (L) and Right (R) refers to placement of the primary surface. Surface dimensions are actual width and actual depth.

Xpress

Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	46, 58	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE

YST 9E	29	70	52
--------	----	----	----

PRODUCT OPTIONS CONTINUED

Switch	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
D Display with Up/Down Memory A Toggle Display with Memory	N None 1 Cable Organizer with Felt Cover 4 Dual Plastic Tray	N None - With Vertical Wire Carrier	E Ebony Coordinate 7 Platinum Coordinate V Very White Coordinate

SAMPLE ORDER CODE CONTINUED

D	4	N	E
---	---	---	---


PRICING

No Vertical Wire Carrier	With Vertical Wire Carrier
2909	3264

Xpress

W B T

hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine



120 Hub Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace 120 Height-Adjustable Freestanding Table (YST) to create a complete table solution.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Grommet (UNDG) for each cut out style must be ordered separately.

NOTES

Worksurface includes only specified cut outs.

Xpress

Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	46, 58	N None G Round (2.75" Diameter)

SAMPLE ORDER CODE

WBT 9E	29	60	G
--------	----	----	---

PRODUCT OPTIONS CONTINUED

Cut Out Location	Surface Finish	Edge Trim Styles	Edge Trim Finish
N None C Center L Left R Right B Left & Right A Center & Left D Center & Right E Center, Left & Right	Foundation Laminate	8 Flat Trim 6 Straight Trim 2 Bullnose Trim H Full Knife Trim	Edge Trim Colors

SAMPLE ORDER CODE CONTINUED

N	LW	LW	ST
---	----	----	----

See Pricing on the following page.

W B T

hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine (Continued)

DIMENSIONS INCHES / MM

D	W
23 / 584	46 / 1168
23 / 584	58 / 1473
29 / 737	46 / 1168
29 / 737	58 / 1473

D	W
23 / 584	46 / 1168
23 / 584	58 / 1473
29 / 737	46 / 1168
29 / 737	58 / 1473

23 / 584	46 / 1168
23 / 584	58 / 1473
29 / 737	46 / 1168
29 / 737	58 / 1473

23 / 584	46 / 1168
23 / 584	58 / 1473
29 / 737	46 / 1168
29 / 737	58 / 1473

PRICING

NO CUT OUT (N)

NONE (N)

Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
886	904	984	1153
1558	1589	1730	2027
901	919	999	1170
1572	1604	1746	2044

ROUND CUT OUT (G)

LEFT (L), RIGHT (R)

Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
933	950	1029	1198
1604	1635	1776	2072
944	965	1044	1215
1618	1649	1789	2089

CENTER (C), CENTER & LEFT (A), LEFT & RIGHT (B), CENTER & RIGHT (D)

Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
977	995	1075	1243
1649	1679	1820	2117
991	1009	1090	1261
1662	1694	1836	2135


CENTER, LEFT & RIGHT (E)

Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
1023	1040	1120	1289
1694	1725	1867	2163
1037	1055	1134	1306
1708	1741	1882	2179

Xpress

U Z W E

Power Spine Rectangle Worksurface



The Rectangle Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress

Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Application	Worksurface Finish
24, 30	48, 54, 60, 66, 72	A Freestanding - 4 Legs B Perpendicular - 2 Legs	Foundation Laminate Flintwood Natural Veneer

SAMPLE ORDER CODE

UZWE 24	48	A	LW
---------	----	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Profile	Edge Trim Finish	Grommet (optional)	Grommet Finish
8 Flat H Full Knife	PVC Acrylic	N No Grommet 2 Centered Grommet	Foundation Mica P Storm White Q Espresso 7 Platinum V Very White

SAMPLE ORDER CODE CONTINUED

8	ST	2	7
---	----	---	---

See Pricing on the following page.

Power Spine Rectangle Worksurface (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING


Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
526	677	1304	1503	1365	1576
693	897	1392	1600	1459	1676
704	913	1503	1727	1576	1809
713	932	1590	1823	1667	1911
726	948	1678	1919	1759	2010
576	738	1455	1677	1525	1759
712	924	1554	1785	1629	1870
726	942	1650	1893	1730	1983
741	965	1798	2065	1885	2165
752	981	1894	2172	1985	2277

If Grommet is specified, add 46

Xpress

U Z W C

Power Spine Rectangle Worksurface Support Bundle



The Rectangle Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S INCLUDED

2 worksurface panel wall brackets (one left oriented, one right oriented), 2 legs with attachment hardware.

WHAT'S EXCLUDED

Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES

Panel wall frame has a Black finish.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
24, 30	48, 54, 60, 66, 72	L Standard Leg	A Freestanding - 4 Legs B Perpendicular - 2 Legs	Foundation Mica Accent

SAMPLE ORDER CODE

UZWC 24	48	L	A	74
---------	----	---	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829


PRICING

PERPENDICULAR - 2 LEGS (B)		FREESTANDING - 4 LEGS (A)	
Foundation	Mica/Accent	Foundation	Mica/Accent
540	582	990	1032
578	621	1047	1092
618	660	1062	1103
657	702	1075	1117
700	741	1089	1131
540	582	990	1032
578	621	1047	1092
618	660	1062	1103
657	702	1075	1117
700	741	1089	1131

Xpress

U Z W P

Power Spine Parallelogram
Worksurface



The Parallel Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress

Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Handedness	Application
24, 30	48, 54, 60, 66, 72	LH Left Hand RH Right Hand	A Freestanding - 4 Legs C Parallel - 2 Legs D Parallel - 1 Leg

SAMPLE ORDER CODE

UZWP 24	48	LH	A
---------	----	----	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Styles	Edge Trim Finishes	Grommet (Optional)	Grommet Finish
Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood / Veneer) H Full Knife	PVC Acrylic	N No Grommet 2 Centered	Foundation Mica P Storm White Q Espresso 7 Platinum V Very White

SAMPLE ORDER CODE CONTINUED

LW	8	ST	2	7
----	---	----	---	---

See Pricing on the following page.

U Z W P

Power Spine Parallelogram
Worksurface (Continued)DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING


Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
540	702	1348	1482	1415	1556
552	718	1381	1519	1450	1594
565	736	1414	1555	1485	1631
578	753	1447	1591	1519	1672
591	770	1582	1741	1660	1826
605	788	1515	1664	1589	1749
618	806	1548	1700	1623	1786
844	1096	2108	2320	2212	2435
849	1105	2125	2338	2232	2456
855	1112	2141	2355	2249	2474

If Grommet is specified, add 46

Xpress

U Z W K

Power Spine Parallelogram
Worksurface Support Bundle



The Parallel Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S EXCLUDED

Parallel Worksurface (UZWP) must be ordered separately.

NOTES

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Handedness	Support Finish
24, 30	48, 54, 60, 66, 72	C Standard Leg for Curved Radius	A Freestanding - 4 Legs C Parallel - 2 Legs D Parallel - 1 Leg	LH Left RH Right	Foundation Mica Accent

SAMPLE ORDER CODE

UZWK 24	48	L	A	LH	74
---------	----	---	---	----	----

DIMENSIONS
INCHES / MM


		PRICING					
D	W	PARALLEL - 1 LEG (D)		PARALLEL - 2 LEG (C)		FREESTANDING - 4 LEGS (A)	
		Foundation	Mica/Accent	Foundation	Mica/Accent	Foundation	Mica/Accent
24 / 610	48 / 1219	282	325	501	544	924	967
24 / 610	54 / 1372	282	325	501	544	924	967
24 / 610	60 / 1524	295	337	514	558	937	981
24 / 610	66 / 1676	295	337	514	558	937	981
24 / 610	72 / 1829	321	365	542	584	965	1007
30 / 762	48 / 1219	282	325	501	544	924	967
30 / 762	54 / 1372	282	325	501	544	924	967
30 / 762	60 / 1524	295	337	514	558	937	981
30 / 762	66 / 1676	295	337	514	558	937	981
30 / 762	72 / 1829	321	365	542	584	965	1007

power spine

Xpress

U Z W A

Power Spine Angled Worksurface



The Angled Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

120 Angled Worksurface Support Bundle (UZWB) must be ordered separately.

NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress

Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Handedness	Application
24, 30	48, 54, 60, 66, 72	LH Left Hand RH Right Hand	B Perpendicular - 2 Legs D Parallel - 1 Leg

SAMPLE ORDER CODE

UZWA 24	48	LH	B
---------	----	----	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Styles	Edge Trim Finishes	Grommet (Optional)	Grommet Finish
Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood / Veneer) H Full Knife	PVC Acrylic	N No Grommet 2 Centered	Foundation Mica P Storm White Q Espresso 7 Platinum V Very White

SAMPLE ORDER CODE CONTINUED

LW	8	ST	2	7
----	---	----	---	---

See Pricing on the following page.

U Z W A

Power Spine Angled Worksurface (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING


Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
537	721	1236	1659	1296	1742
548	732	1261	1683	1324	1766
559	742	1286	1707	1349	1790
569	753	1308	1731	1374	1818
581	760	1333	1750	1400	1838
590	792	1358	1823	1427	1915
603	806	1386	1852	1455	1945
790	1071	1817	2462	1908	2587
800	1080	1842	2488	1933	2613
812	1093	1867	2510	1958	2635

If Grommet is specified, add 46

Xpress

U Z W B

Power Spine Angled Worksurface
Support Bundle



The 120 Angled Worksurface Support bundle mounts to the underside of a worksurface and to the 120 Power Spine Hub to provide support for the worksurface.

WHAT’S INCLUDED

Brackets, as specified and attachment hardware. This support kit is designed to accompany 120 Angled Worksurface

WHAT’S EXCLUDED

120 Angled Worksurface (UZWA) must be ordered separately.

NOTES

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Handedness	Support Finish
24, 30	48, 54, 60, 66, 72	L Standard Leg	B Perpendicular - 2 Legs D Parallel - 1 Leg	LH Left RH Right	Foundation Mica Accent

SAMPLE ORDER CODE

UZWB 24	48	L	B	LH	74
---------	----	---	---	----	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

PARALLEL - 1 LEG (D)		PERPENDICULAR - 2 LEG (B)	
Foundation	Mica/Accent	Foundation	Mica/Accent
299	342	540	582
352	394	591	636
406	448	646	687
458	501	672	713
512	554	685	727
329	370	591	636
387	429	650	693
446	488	709	752
505	546	738	781
562	605	753	796

Dual 120 Angled Worksurface provides two face to face worksurfaces in a range of depths to support both primary worksurface applications.

WHAT'S INCLUDED

2 worksurfaces with connection supports.

WHAT'S EXCLUDED

Dual 120 Angled Worksurface Support Bundle (UZDK) must be ordered separately.


NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Natural Veneer (9) are excluded from *Teknion's Xpress Program*.

U Z W D

Power Spine Dual 120 Angled Worksurface

**PRODUCT OPTIONS**

Depth	Width	Application	Worksurface Finish	Edge Trim Styles	Edge Trim Finish	Grommet (Optional)	Grommet Finish
48, 60	48, 54, 60, 66, 72	B Perpendicular - 2 Legs	Foundation Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Natural Veneer)	PVC Acrylic	N No Grommet 2 Centered	Foundation Mica P Storm White Q Espresso 7 Platinum V Very White

SAMPLE ORDER CODE

UZWD 24	48	B	LW	8	ST	2	7
----------------	-----------	----------	-----------	----------	-----------	----------	----------

**DIMENSIONS
INCHES / MM**

D	W
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
48 / 1219	66 / 1676
48 / 1219	72 / 1829
60 / 1524	48 / 1219
60 / 1524	54 / 1372
60 / 1524	60 / 1524
60 / 1524	66 / 1676
60 / 1524	72 / 1829

PRICING


Foundation	Flintwood	Veneer
1075	2470	2595
1096	2630	2762
1117	2682	2816
1138	2732	2868
1160	2899	3044
1181	2953	3101
1205	3013	3162
1580	3634	3816
1601	3682	3866
1622	3731	3919

If Grommet is specified, add 90

Xpress

U Z D K

Power Spine Dual Angled
Worksurface Support Bundle



The Dual 120 Angled Worksurface Support bundle mounts to the underside of a worksurface and to the Zig Zag Power Spine Hub to provide support for the worksurface

WHAT’S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT’S EXCLUDED

Dual 120 Angled Worksurface (UZWD) must be ordered separately.

NOTES

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
48, 60	48, 54, 60, 66, 72	L Standard Leg	B Perpendicular - 2 legs	Foundation Mica Accent

SAMPLE ORDER CODE

UZDK 48	48	L	B	LW
----------------	-----------	----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
48 / 1219	66 / 1676
48 / 1219	72 / 1829
60 / 1524	48 / 1219
48 / 1524	54 / 1372
48 / 1524	60 / 1524
48 / 1524	66 / 1676
48 / 1524	72 / 1829

PRICING

Foundation	Mica/Accent
792	823
901	932
1008	1039
1028	1060
1046	1077
872	903
991	1021
1109	1140
1131	1161
1152	1182

U Z W T

Power Spine 120 Hub Worksurface

The 120 Hub Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED

1 worksurface.


WHAT'S EXCLUDED

The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Natural Veneer (9) are excluded from *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Depth	Width	Application	Worksurface Finish	Edge Trim Styles	Edge Trim Finish	Grommet (Optional)
24, 30	48, 60	E Semi Supported - 2 Legs	Foundation Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Natural Veneer)	PVC Acrylic	N No Grommet C Centered L Left R Right B Left & Right A Center & Left D Center & Right E Center, Left & Right

SAMPLE ORDER CODE

UZWT 24	48	E	LW	8	ST	C
----------------	-----------	----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

D	W
24 / 610	48 / 1219
24 / 610	60 / 1524
30 / 762	48 / 1219
30 / 762	60 / 1524

PRICING

Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
886	1153	2628	2882	2760	3025
1558	2027	3586	3945	3765	4142
901	1170	2761	3016	2899	3165
1572	2044	3616	3978	3797	4177

If Grommet (C), (L), (R) is specified, add 46


If Grommet (A), (B), (D) is specified, add 90

If Grommet (E) is specified, add 136

Xpress

U Z W W

Power Spine 120 HUB Worksurface Support Bundle



The 120 Hub Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT’S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT’S EXCLUDED

120 Hub Worksurface (UZWT) must be ordered separately.

NOTES

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
24, 30	48, 60	L Standard Leg	E Semi Supported - 2 Legs	Foundation Mica Accent

SAMPLE ORDER CODE

UZWW 24	48	L	E	74
---------	----	---	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	60 / 1524
30 / 762	48 / 1219
30 / 762	60 / 1524

PRICING

Foundation	Mica/Accent
648	689
648	689
648	689
648	689


screens

screens product map

UNSDT Desk Top Casual Screen

Xpress


Page 480



UNSE Desk Edge Screen

Xpress

Page 481




UNSEDEG Desk Edge Screen

Xpress

– Glass

Page 482




UNSFDE Desk Edge Screen

Xpress

– Full-Height

Page 484




UNSFDEG Desk Edge Screen

Xpress

– Full-Height Glass


Page 486



GXCD Infinity Curved Desk Edge Screen

Xpress


Page 488



GXDD Infinity Desk Edge Screen


Xpress

Page 492



GQDD Quilted Infinity Desk Edge Screen


Page 498



GXSD Infinity Side Desk Edge Screen


Xpress

Page 502




GXFD Infinity Desk Edge Floor Screen

Page 504



GXED Infinity Side Desk Edge Floor Screen

Page 506



GXCC Infinity Screen Alignment Clip

Xpress


Page 507



screens product map


GYDD Framed Fabric Desk Edge
Screen

Page 508




GYSD Framed Fabric Side Desk
Edge Screen

Page 512




GYFD Framed Fabric Desk Edge
Floor Screen

Page 516




GYED Framed Fabric Side Desk
Edge Floor Screen

Page 518




GVGD Desk Edge Screen with
Glass

Page 520




GNGD Glass 6mm Lateral Screen

Page 522




GNTD Glass 10mm Lateral Screen
Xpress

Page 523




GNWD Writable Glass Lateral
Screen

Page 524




GNSD Solid Lateral Screen

Page 525




GNLD Writable Laminate Lateral
Screen

Page 526




GNXD Infinity Lateral Screen
Xpress

Page 527



GNZD Smooth Felt Lateral Screen
Xpress

Page 528




screens product map

GNYD Framed Fabric Lateral Screen

Xpress


Page 529



GNMD Metal Lateral Screen

Xpress


Page 530



UNSM Modesty Screen

Xpress


Page 531



UNSF Floor Screen

Xpress

Page 532



UNSFXL Floor Screen Extended Leveling Kit


Page 534



UNSSS Storage Screen

Xpress


Page 536



UZSS Lateral Floor Screen Solid

Xpress


Page 538



UZSG Lateral Floor Screen with Glass


Xpress

Page 540




UZRG Lateral Floor Screen with Glass, with Return

Page 548




UZRS Lateral Floor Screen with Solid, with Return

Page 560




UZCG Lateral Floor Screen with Glass, with Shared Return

Page 566



UZCS Spine Lateral Floor Screen with Solid, with Shared Return


Page 572



screens product map


UGSSS Gallery Screen

Page 596




UGSGS Gallery Screen with Glass

Page 597




UGSSL Gallery Screen with Return

Page 598




UGSGL Gallery Screen with Glass with Return

Page 599




UGSST Gallery Screen with Shared Return

Page 600




UGSGT Gallery Screen with Glass with Shared Return

Page 601




UNSPS Panel Wall Add-On Screen – Solid

Page 596




UNSPG Panel Wall 10mm Add-On Screen – Glass
Xpress

Page 597




UNSPF Panel Wall Add-On Screen – 6mm Glass
Xpress

Page 598




UYSPG Panel Glass Blade for Panels with 10mm Inset Glass

Page 599




UYSPF Panel Glass Blade for Panels with 6mm Inset Glass
Xpress

Page 600



UYSCG Bridged Glass Blade for Panels with 10mm Inset Glass


Page 601



screens product map


UYSCF Bridged Glass Blade for
Panels with 6mm Inset
Xpress

Page 602




UNSPZ Smooth Felt Add-On
Xpress

Page 603




UYSPZ Smooth Felt Blade for
Panels with Inset
Xpress

Page 604



UYXD Infinity Blade for Panels
with Inset

Page 606



Xpress

UNSDT
Desk Top Casual Screen

The Desk Top Screen is freestanding, providing space division and territorial desktop privacy.


WHAT’S INCLUDED

1 desk top screen with base support.

NOTES

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Height	Width	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Base Finish
13	24	Source Laminate Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSDT 13	24	FX		AC
----------	----	----	--	----

DIMENSIONS
INCHES / MM

H	W
13 / 330	24 / 610

PRICING

Source Laminate	Flintwood	Natural Veneer
223	253	451

The Desk Edge Screen attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT'S INCLUDED


1 desk edge screen, attachment brackets.

NOTES

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Actual width is nominal (specified) width.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.



UNSD Desk Edge Screen

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13 (42" datum height)	23 - 96	Source Laminate Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica

SAMPLE ORDER CODE

UNSD E 13	24	FX		E
------------------	-----------	-----------	--	----------


DIMENSIONS FOR MM X BY 25.4

		PRICING		
H	W	Source Laminate	Flintwood	Natural Veneer
13	23 - 24	282	357	368
13	25 - 27	288	365	383
13	28 - 30	295	372	390
13	31 - 33	302	384	399
13	34 - 36	312	390	407
13	37 - 39	318	399	417
13	40 - 42	325	412	424
13	43 - 45	392	492	512
13	46 - 48	458	578	603
13	49 - 51	464	588	614
13	52 - 54	473	598	621
13	55 - 57	481	606	630
13	58 - 60	488	614	640
13	61 - 63	496	620	647
13	64 - 66	501	629	654
13	67 - 69	510	640	666
13	70 - 72	513	646	672
13	73 - 75	520	656	685
13	76 - 78	527	666	693
13	79 - 81	591	750	782
13	82 - 84	660	836	870
13	85 - 87	668	846	883
13	88 - 90	672	853	888
13	91 - 93	679	861	897
13	94 - 96	686	868	902

Xpress

UNSD E G

Desk Edge Screen – Glass



The Desk Edge Screen – Glass attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT’S INCLUDED

1 screen, attachment brackets.

NOTES

This Desk Edge Screen can only be applied to 30" and 36" deep worksurfaces in freestanding applications.

Actual screen height is 19" in total; 6" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13	23 - 96	FT Frost Standard Glass	Foundation Mica

SAMPLE ORDER CODE

UNSD E G 13	24	FT	Q
-------------	----	----	---

DIMENSIONS
FOR MM X BY 25.4

H	W
13	23 - 24
13	25 - 27
13	28 - 30
13	31 - 33
13	34 - 36
13	37 - 39
13	40 - 42
13	43 - 45
13	46 - 48
13	49 - 51
13	52 - 54
13	55 - 57
13	58 - 60
13	61 - 63
13	64 - 66
13	67 - 69
13	70 - 72
13	73 - 75
13	76 - 78
13	79 - 81
13	82 - 84
13	85 - 87
13	88 - 90
13	91 - 93
13	94 - 96


PRICING

642
710
775
842
907
973
1038
1108
1215
1284
1356
1435
1507
1588
1667
1747
1824
1902
1981
2061
2139
2214
2294
2373
2451

Xpress

UNSFDE

Desk Edge Screen – Full-Height



The Desk Edge Screen – Full-Height attaches to the worksurface to provide space division and privacy. Particularly suited for height-adjustable tables.

WHAT’S INCLUDED

1 screen, attachment brackets.

NOTES

Actual screen height are 28" and 37" in total; 15" below the worksurface and 13" and 22" above the worksurface.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish	Bracket Finish
13, 22, 28	23 - 96	Source Laminate Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica

SAMPLE ORDER CODE

UNSFDE 13	48	AV	SM	7
-----------	----	----	----	---

DIMENSIONS
FOR MM X BY 25.4

H	W
13	23 - 24
13	25 - 27
13	28 - 30
13	31 - 33
13	34 - 36
13	37 - 39
13	40 - 42
13	43 - 45
13	46 - 48
13	49 - 51
13	52 - 54
13	55 - 57
13	58 - 60
13	61 - 63
13	64 - 66
13	67 - 69
13	70 - 72
13	73 - 75
13	76 - 78
13	79 - 81
13	82 - 84
13	85 - 87
13	88 - 90
13	91 - 93
13	94 - 96

PRICING

Source Laminate	Flintwood	Natural Veneer
472	873	911
488	924	965
502	975	1009
518	1025	1062
533	1076	1114
552	1120	1161
572	1164	1206
620	1244	1287
671	1317	1362
689	1364	1413
713	1414	1462
736	1468	1519
759	1523	1574
782	1578	1629
808	1631	1683
832	1685	1742
856	1743	1798
884	1799	1858
911	1859	1918
969	1951	2014
1031	2044	2112
1060	2114	2180
1092	2177	2247
1125	2246	2320
1160	2316	2390

Pricing is continued on the following page.

UNSFDE

Desk Edge Screen – Full-Height (Continued)

DIMENSIONS FOR MM X BY 25.4


PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
22	23 - 24	566	961	1004
22	25 - 27	586	1020	1060
22	28 - 30	603	1073	1112
22	31 - 33	621	1129	1167
22	34 - 36	641	1183	1224
22	37 - 39	661	1231	1275
22	40 - 42	685	1277	1327
22	43 - 45	744	1365	1415
22	46 - 48	806	1447	1499
22	49 - 51	829	1501	1554
22	52 - 54	855	1555	1608
22	55 - 57	883	1618	1670
22	58 - 60	911	1674	1728
22	61 - 63	940	1732	1789
22	64 - 66	969	1796	1853
22	67 - 69	999	1855	1914
22	70 - 72	1031	1915	1978
22	73 - 75	1062	1979	2042
22	76 - 78	1093	2046	2110
22	79 - 81	1164	2147	2214
22	82 - 84	1235	2249	2322
22	85 - 87	1270	2324	2397
22	88 - 90	1309	2393	2473
22	91 - 93	1350	2470	2552
22	94 - 96	1390	2548	2630
28	23 - 24	622	1057	1102
28	25 - 27	647	1121	1165
28	28 - 30	663	1181	1224
28	31 - 33	684	1242	1286
28	34 - 36	705	1302	1348
28	37 - 39	728	1353	1403
28	40 - 42	753	1406	1461
28	43 - 45	817	1502	1557
28	46 - 48	884	1591	1646
28	49 - 51	911	1651	1708
28	52 - 54	941	1710	1770
28	55 - 57	972	1780	1837
28	58 - 60	1004	1841	1901
28	61 - 63	1036	1907	1969
28	64 - 66	1067	1975	2036
28	67 - 69	1099	2041	2106
28	70 - 72	1133	2107	2177
28	73 - 75	1166	2178	2246
28	76 - 78	1201	2250	2321
28	79 - 81	1278	2361	2437
28	82 - 84	1358	2474	2554
28	85 - 87	1397	2555	2637
28	88 - 90	1439	2633	2718
28	91 - 93	1486	2717	2808
28	94 - 96	1527	2803	2893

Xpress

UNSF D G

Desk Edge Screen – Full-Height Glass



The Desk Edge Screen – Full-Height Glass attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT’S INCLUDED

1 screen, attachment brackets.

NOTES

This Desk Edge Screen can only be applied to 30" and 36" wide worksurfaces in freestanding applications.

Actual screen height is 28" in total; 15" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13, 22, 28	23 - 72	FT Frost Standard Glass	Foundation Mica

SAMPLE ORDER CODE

UNSF D G 13	23	FT	Q
-------------	----	----	---

DIMENSIONS
FOR MM X BY 25.4

H	W
13	23
13	24
13	25
13	26
13	27
13	28
13	29
13	30
13	31
13	32
13	33
13	34
13	35
13	36
13	37
13	38
13	39
13	40
13	41
13	42
13	43
13	44
13	45
13	46
13	47

PRICING

836
836
920
920
920
1006
1006
1006
1095
1095
1095
1095
1179
1179
1179
1267
1267
1267
1267
1350
1350
1350
1438
1438
1438
1580
1580

DIMENSIONS
FOR MM X BY 25.4

H	W
13	48
13	49
13	50
13	51
13	52
13	53
13	54
13	55
13	56
13	57
13	58
13	59
13	60
13	61
13	62
13	63
13	64
13	65
13	66
13	67
13	68
13	69
13	70
13	71
13	72

PRICING

1580
1672
1672
1672
1759
1759
1759
1861
1861
1861
1964
1964
1964
2066
2066
2066
2169
2169
2169
2268
2268
2268
2373
2373
2373

Pricing is continued on the following page.

UNSF DG


Desk Edge Screen – Full-Height
Glass (Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING	DIMENSIONS FOR MM X BY 25.4		PRICING
H	W		H	W	
22	23	971	28	23	1063
22	24	976	28	24	1072
22	25	1068	28	25	1166
22	26	1073	28	26	1177
22	27	1077	28	27	1183
22	28	1168	28	28	1278
22	29	1174	28	29	1288
22	30	1181	28	30	1299
22	31	1274	28	31	1394
22	32	1278	28	32	1405
22	33	1286	28	33	1413
22	34	1375	28	34	1506
22	35	1380	28	35	1515
22	36	1384	28	36	1524
22	37	1479	28	37	1621
22	38	1486	28	38	1631
22	39	1490	28	39	1639
22	40	1579	28	40	1731
22	41	1586	28	41	1742
22	42	1589	28	42	1749
22	43	1684	28	43	1847
22	44	1690	28	44	1856
22	45	1695	28	45	1867
22	46	1841	28	46	2015
22	47	1847	28	47	2026
22	48	1854	28	48	2034
22	49	1950	28	49	2135
22	50	1955	28	50	2143
22	51	1959	28	51	2153
22	52	2053	28	52	2249
22	53	2059	28	53	2259
22	54	2063	28	54	2265
22	55	2172	28	55	2379
22	56	2178	28	56	2388
22	57	2181	28	57	2396
22	58	2290	28	58	2507
22	59	2294	28	59	2516
22	60	2300	28	60	2524
22	61	2408	28	61	2636
22	62	2413	28	62	2646
22	63	2420	28	63	2654
22	64	2530	28	64	2768
22	65	2533	28	65	2776
22	66	2539	28	66	2785
22	67	2645	28	67	2896
22	68	2650	28	68	2904
22	69	2653	28	69	2912
22	70	2764	28	70	3025
22	71	2770	28	71	3035
22	72	2775	28	72	3043

Xpress

G X C D

Infinity Curved Desk Edge Screen



The Infinity Curved Desk Edge Screen attaches to the worksurface on both on the back and lateral edge to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES

The screen depth is 20" with a 1/2" wire gap around the screen.

Screen is designed to accompany the District Rectangle with Radius Corners Worksurface (UNWC).

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Modesty Base Height		Height	Depth	Width	Orientation	Screen Finish	Hardware Finish
S	Partial Modesty Height (23")	42	20	24, 30, 36, 42, 48, 54, 60	NL Left	Panel Fabrics	Foundation
		51			NR Right	Upholstery Fabrics	Mica
M	Modesty Height (15")	57			WL Left with Wire Manager		Accent
					WR Right with Wire Manager		

SAMPLE ORDER CODE

GXCD S	42	20	54	WL	B204	74
--------	----	----	----	----	------	----

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524

PRICING

PARTIAL MODESTY HEIGHT (S)															
LEFT/RIGHT (NL/NR)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1131	1143	1164	1236	1287	1338	1134	1193	1219	1254	1309	1342	1374	1439	1506	1535
1197	1214	1236	1318	1374	1430	1203	1269	1299	1338	1397	1436	1470	1547	1620	1651
1264	1283	1307	1396	1461	1522	1270	1343	1374	1420	1488	1526	1566	1649	1731	1767
1406	1424	1451	1551	1619	1686	1412	1491	1525	1575	1649	1693	1735	1827	1918	1955
1464	1486	1517	1621	1696	1771	1470	1557	1596	1649	1728	1776	1824	1923	2021	2063
1542	1565	1597	1712	1795	1871	1551	1643	1684	1742	1829	1882	1929	2036	2143	2188
1591	1618	1651	1774	1861	1947	1601	1700	1744	1806	1900	1955	2010	2122	2239	2285
1552	1578	1612	1735	1824	1911	1559	1662	1706	1770	1861	1919	1973	2087	2202	2251
1622	1651	1692	1831	1926	2024	1632	1748	1797	1863	1971	2033	2094	2223	2350	2406
1727	1759	1803	1956	2063	2171	1739	1862	1918	1996	2112	2179	2249	2390	2532	2593
2131	2166	2213	2381	2501	2616	2143	2279	2339	2424	2551	2626	2701	2858	3011	3079
2223	2260	2311	2493	2620	2749	2233	2385	2449	2540	2680	2761	2842	3011	3180	3252
2320	2362	2417	2614	2750	2890	2334	2493	2565	2665	2813	2900	2991	3172	3355	3434
2408	2452	2509	2724	2869	3020	2421	2596	2670	2777	2937	3031	3125	3322	3519	3603
1724	1753	1797	1949	2053	2158	1732	1858	1910	1986	2101	2169	2237	2377	2516	2576
1823	1860	1905	2077	2195	2314	1836	1975	2035	2119	2249	2324	2401	2557	2714	2780
1936	1977	2027	2218	2346	2477	1950	2101	2167	2261	2404	2489	2573	2746	2921	2993
2378	2421	2478	2684	2828	2971	2392	2561	2633	2737	2892	2984	3074	3266	3456	3536
2488	2537	2598	2821	2976	3133	2505	2685	2766	2877	3048	3146	3245	3451	3662	3750
2639	2690	2760	3000	3169	3339	2654	2852	2939	3060	3245	3354	3464	3689	3910	4008
2743	2797	2869	3129	3314	3496	2761	2972	3067	3197	3393	3511	3626	3868	4111	4212

If Accent/Mica Hardware Finish is specified for 24" - 36", add 15

If Accent/Mica Hardware Finish is specified for 42" - 60", add 31

Pricing is continued on the following page.

G X C D

Infinity Curved Desk Edge Screen
(Continued)DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524

PRICING

PARTIAL MODESTY HEIGHT (\$ (CONTINUED))

LEFT/RIGHT WITH WIRE MANAGER (WL/WR)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1138	1152	1171	1246	1296	1345
1205	1222	1246	1327	1383	1439
1274	1292	1317	1407	1469	1531
1414	1435	1462	1558	1629	1695
1472	1495	1525	1631	1706	1780
1552	1575	1607	1721	1803	1883
1603	1628	1662	1783	1870	1956
1559	1587	1621	1747	1832	1920
1632	1662	1699	1839	1938	2033
1735	1770	1812	1966	2073	2179
2140	2175	2223	2390	2508	2622
2230	2271	2320	2505	2632	2760
2329	2371	2425	2621	2761	2898
2417	2460	2520	2733	2880	3027
1731	1764	1805	1957	2063	2167
1832	1869	1915	2085	2204	2324
1946	1985	2036	2226	2355	2486
2388	2428	2488	2693	2836	2981
2502	2547	2609	2833	2989	3145
2649	2700	2768	3009	3179	3349
2754	2804	2878	3140	3322	3503

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1143	1201	1227	1264	1319	1352	1383	1448	1517	1547
1213	1277	1307	1345	1408	1445	1479	1555	1630	1662
1278	1353	1383	1429	1496	1535	1576	1660	1742	1776
1420	1500	1534	1584	1660	1700	1747	1836	1925	1965
1479	1566	1605	1660	1739	1785	1832	1932	2030	2073
1558	1651	1693	1750	1837	1890	1940	2048	2151	2197
1610	1711	1753	1815	1910	1965	2020	2133	2247	2296
1569	1670	1716	1778	1870	1926	1982	2097	2212	2260
1642	1756	1805	1873	1979	2042	2102	2230	2361	2414
1748	1871	1925	2003	2119	2188	2258	2401	2540	2602
2151	2289	2347	2435	2561	2635	2711	2865	3021	3088
2244	2393	2457	2549	2689	2770	2851	3021	3191	3261
2343	2505	2574	2673	2825	2910	2999	3180	3363	3443
2428	2604	2680	2787	2945	3040	3135	3331	3529	3611
1743	1867	1919	1996	2112	2179	2246	2385	2525	2586
1844	1982	2043	2128	2258	2332	2408	2566	2722	2792
1958	2112	2178	2273	2413	2501	2581	2756	2929	3003
2402	2569	2642	2745	2900	2992	3084	3274	3466	3546
2515	2699	2777	2891	3058	3159	3256	3466	3673	3761
2666	2861	2948	3072	3255	3362	3472	3697	3920	4017
2769	2982	3076	3208	3404	3519	3636	3877	4118	4221

MODESTY HEIGHT (M)

LEFT/RIGHT (NL/NR)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1399	1424	1461	1584	1668	1754
1520	1548	1586	1725	1822	1918
1621	1651	1695	1847	1954	2061
1812	1844	1891	2059	2175	2291
1901	1939	1989	2171	2297	2424
1998	2036	2091	2289	2425	2563
2084	2126	2185	2395	2541	2689
1643	1672	1712	1858	1957	2059
1733	1770	1813	1975	2087	2201
1841	1879	1926	2108	2230	2355
2260	2300	2355	2551	2686	2825
2364	2409	2469	2681	2829	2976
2497	2544	2608	2836	2997	3157
2593	2643	2713	2957	3131	3303
1760	1790	1830	1971	2069	2169
1849	1883	1926	2087	2196	2308
1959	1997	2048	2221	2343	2466
2544	2586	2645	2844	2986	3123
2651	2699	2758	2976	3128	3282
2869	2923	2991	3235	3405	3576
2988	3043	3113	3380	3562	3746

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1408	1507	1552	1613	1707	1762	1817	1932	2048	2095
1526	1640	1690	1759	1862	1924	1985	2115	2242	2296
1631	1756	1809	1887	2002	2068	2139	2279	2420	2480
1823	1957	2017	2101	2227	2303	2378	2532	2685	2750
1913	2061	2123	2218	2354	2436	2516	2684	2852	2925
2010	2171	2241	2339	2486	2574	2662	2843	3025	3102
2097	2268	2343	2449	2608	2702	2796	2992	3186	3271
1651	1771	1822	1893	2003	2067	2133	2265	2401	2456
1747	1877	1936	2017	2139	2211	2282	2434	2581	2646
1855	1999	2062	2151	2285	2369	2446	2613	2777	2846
2275	2434	2503	2601	2748	2834	2923	3104	3284	3361
2379	2552	2629	2734	2896	2991	3085	3282	3479	3563
2510	2699	2778	2896	3069	3172	3274	3484	3697	3790
2608	2809	2897	3021	3208	3316	3426	3656	3884	3981
1771	1887	1936	2009	2114	2178	2241	2370	2501	2554
1860	1990	2048	2125	2246	2316	2387	2533	2681	2743
1975	2116	2177	2264	2396	2475	2552	2714	2874	2942
2558	2721	2793	2896	3048	3135	3225	3412	3594	3675
2666	2845	2923	3031	3196	3293	3391	3592	3794	3882
2890	3088	3175	3298	3481	3591	3699	3925	4152	4248
3004	3220	3314	3447	3643	3761	3879	4121	4368	4471

If Accent/Mica Hardware Finish is specified for 24" - 36", add 15

If Accent/Mica Hardware Finish is specified for 42" - 60", add 31

Pricing is continued on the following page.

Xpress

G X C D

Infinity Curved Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524


PRICING

MODESTY HEIGHT (M) (CONTINUED)													
LEFT/RIGHT WITH WIRE MANAGER (WL/WR)													
1409	1435	1469	1591	1677	1763	1416	1519	1559	1622	1717	1772	1827	1942
1527	1556	1594	1732	1830	1925	1535	1649	1698	1770	1871	1933	1996	2122
1631	1662	1703	1858	1964	2068	1640	1766	1818	1894	2011	2080	2148	2289
1822	1855	1900	2067	2185	2300	1831	1967	2026	2112	2236	2311	2387	2540
1911	1947	1998	2179	2308	2435	1922	2068	2134	2226	2363	2444	2524	2693
2006	2048	2101	2297	2436	2572	2020	2179	2249	2347	2497	2583	2670	2852
2091	2135	2194	2405	2551	2699	2107	2278	2353	2457	2617	2713	2804	3000
1651	1683	1721	1867	1967	2067	1662	1780	1830	1902	2013	2079	2142	2276
1744	1778	1823	1983	2097	2211	1754	1887	1945	2026	2148	2220	2291	2441
1853	1888	1938	2117	2242	2364	1862	2009	2070	2162	2296	2378	2456	2620
2271	2310	2364	2561	2698	2832	2282	2441	2510	2609	2758	2844	2931	3112
2378	2421	2480	2693	2842	2991	2390	2565	2639	2746	2908	3002	3096	3296
2506	2552	2617	2845	3005	3165	2521	2706	2788	2905	3079	3180	3283	3497
2602	2651	2721	2967	3140	3310	2617	2819	2907	3028	3217	3327	3437	3664
1770	1799	1838	1981	2080	2178	1780	1894	1946	2017	2121	2185	2247	2378
1859	1892	1936	2095	2207	2315	1869	1999	2055	2133	2254	2325	2395	2541
1969	2009	2054	2230	2353	2474	1983	2123	2185	2275	2405	2485	2563	2722
2552	2596	2651	2852	2993	3131	2568	2731	2801	2905	3055	3144	3235	3419
2661	2707	2766	2987	3138	3288	2675	2856	2930	3041	3208	3304	3400	3602
2880	2931	2999	3243	3414	3583	2898	3096	3184	3306	3492	3599	3708	3932
2996	3053	3125	3388	3570	3756	3014	3231	3322	3456	3652	3769	3888	4130

If Accent/Mica Hardware Finish is specified for 24" - 36", add 15
If Accent/Mica Hardware Finish is specified for 42" - 60", add 31

Xpress

G X D D
Infinity Desk Edge Screen



The Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES

Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, Refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Modesty Base Height		Height	Width (1" increments)	Wire Manager		Screen Finish	Hardware Finish
S	Partial Modesty Height (23")	42	36 - 72	Y	Yes	Panel Fabrics	Foundation
	M Modesty Height (15")	51		N	No	Upholstery Fabrics	Mica
	E Elevated Height (6")	57					Accent

SAMPLE ORDER CODE

GXDD S	42	60	Y	B204	74
--------	----	----	---	------	----

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S)															
WITHOUT WIRE MANAGER (N)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
942	955	972	1032	1073	1114	948	997	1017	1047	1092	1118	1145	1199	1254	1278
985	999	1017	1080	1125	1168	990	1043	1064	1096	1145	1171	1201	1261	1319	1344
1025	1039	1060	1128	1173	1221	1031	1084	1109	1145	1196	1226	1256	1319	1382	1409
1071	1083	1103	1177	1227	1277	1075	1133	1160	1196	1251	1283	1315	1381	1447	1477
1112	1129	1149	1226	1278	1332	1117	1180	1206	1246	1304	1338	1373	1443	1513	1544
1148	1165	1188	1269	1326	1382	1155	1220	1248	1288	1350	1388	1421	1496	1572	1604
1183	1199	1224	1309	1366	1428	1188	1259	1287	1331	1395	1434	1470	1551	1629	1662
1248	1268	1292	1382	1445	1504	1254	1328	1359	1406	1471	1512	1552	1635	1717	1751
1315	1332	1359	1453	1519	1584	1323	1396	1429	1477	1548	1589	1631	1717	1804	1839
1340	1360	1389	1486	1555	1621	1345	1427	1462	1509	1586	1629	1672	1762	1854	1891
1366	1389	1416	1520	1589	1662	1374	1456	1494	1547	1621	1667	1715	1806	1901	1942
1394	1415	1445	1549	1620	1693	1402	1486	1523	1575	1651	1698	1747	1839	1938	1978
1420	1441	1471	1579	1656	1730	1427	1516	1554	1607	1688	1735	1783	1886	1983	2027

If Accent/Mica Hardware Finish is specified for 36" - 43", add 15
If Accent/Mica Hardware Finish is specified for 42" - 72", add 31

Pricing is continued on the following page.

G X D D

Infinity Desk Edge Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72
57	36 - 38
57	39 - 41
57	42 - 44
57	45 - 47
57	48 - 50
57	51 - 53
57	54 - 56
57	57 - 59
57	60 - 62
57	63 - 65
57	66 - 68
57	69
57	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1197	1219	1247	1350	1421	1492
1252	1275	1306	1415	1492	1567
1307	1331	1363	1480	1562	1644
1377	1403	1438	1562	1649	1735
1446	1472	1509	1642	1732	1826
1494	1523	1559	1700	1798	1893
1538	1569	1611	1757	1859	1961
1630	1662	1703	1859	1966	2073
1719	1753	1798	1959	2070	2183
1774	1809	1858	2026	2143	2259
1829	1863	1914	2089	2212	2334
1869	1907	1955	2134	2258	2381
1908	1946	1998	2183	2313	2441

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1204	1287	1325	1376	1453	1499	1544	1639	1732	1774
1260	1350	1389	1443	1525	1575	1622	1726	1827	1870
1315	1412	1451	1512	1600	1651	1703	1812	1920	1967
1388	1488	1532	1594	1688	1744	1799	1914	2029	2079
1455	1562	1610	1675	1774	1835	1892	2014	2135	2187
1502	1618	1666	1733	1839	1902	1965	2091	2221	2277
1551	1668	1719	1796	1905	1971	2034	2171	2307	2363
1640	1766	1818	1895	2013	2083	2150	2293	2435	2493
1730	1861	1919	1999	2121	2194	2265	2413	2563	2626
1786	1923	1982	2067	2195	2271	2345	2502	2654	2722
1839	1983	2046	2134	2266	2345	2422	2585	2748	2816
1883	2027	2089	2178	2313	2392	2473	2636	2802	2873
1920	2070	2137	2229	2370	2452	2537	2706	2878	2952

WITH WIRE MANAGER (Y)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
952	966	981	1040	1082	1124
996	1007	1025	1090	1134	1179
1036	1048	1068	1135	1183	1231
1079	1093	1112	1187	1236	1287
1121	1136	1160	1235	1288	1342
1158	1173	1197	1277	1333	1391
1193	1211	1233	1319	1377	1437
1259	1276	1301	1391	1453	1516
1325	1342	1366	1463	1526	1591
1350	1371	1396	1495	1564	1631
1377	1396	1427	1527	1600	1670
1403	1424	1453	1557	1630	1700
1429	1450	1480	1588	1664	1741

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
956	1006	1025	1056	1101	1129	1155	1211	1264	1288
999	1052	1073	1105	1155	1182	1212	1270	1328	1356
1039	1095	1118	1155	1204	1235	1267	1328	1391	1418
1083	1141	1167	1204	1260	1292	1325	1390	1456	1486
1128	1189	1217	1254	1311	1345	1382	1451	1523	1554
1164	1230	1259	1299	1359	1395	1430	1504	1580	1612
1197	1268	1296	1340	1406	1441	1479	1558	1637	1670
1264	1338	1366	1414	1480	1522	1559	1643	1726	1760
1330	1407	1438	1486	1556	1600	1640	1726	1813	1851
1357	1436	1470	1520	1594	1637	1683	1772	1861	1900
1383	1467	1502	1555	1631	1676	1724	1815	1911	1950
1412	1495	1532	1584	1662	1707	1754	1851	1946	1988
1436	1524	1562	1615	1696	1747	1795	1893	1994	2035

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15

If Accent/Mica Hardware Finish is specified for 42. - 72., add 31

Pricing is continued on the following page.

G X D D

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72
57	36 - 38
57	39 - 41
57	42 - 44
57	45 - 47
57	48 - 50
57	51 - 53
57	54 - 56
57	57 - 59
57	60 - 62
57	63 - 65
57	66 - 68
57	69
57	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

WITH WIRE MANAGER (Y) (CONTINUED)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1205	1227	1256	1359	1430	1501
1261	1284	1315	1424	1501	1578
1317	1340	1373	1491	1572	1655
1388	1413	1447	1572	1660	1747
1455	1482	1520	1650	1743	1835
1502	1532	1569	1711	1806	1902
1549	1579	1620	1767	1868	1971
1639	1670	1715	1868	1975	2083
1728	1762	1806	1969	2082	2193
1783	1818	1867	2034	2151	2268
1837	1873	1923	2099	2221	2343
1879	1915	1965	2143	2266	2390
1918	1955	2006	2193	2322	2451

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1214	1296	1332	1384	1463	1506	1554	1646	1743	1783
1269	1359	1396	1451	1534	1584	1632	1733	1836	1882
1325	1420	1462	1522	1608	1662	1715	1822	1927	1977
1395	1496	1540	1604	1696	1753	1807	1923	2036	2086
1464	1572	1619	1685	1783	1842	1901	2024	2145	2196
1512	1628	1675	1744	1851	1913	1973	2101	2229	2284
1558	1677	1728	1804	1914	1979	2044	2179	2314	2372
1649	1774	1829	1907	2022	2090	2161	2303	2443	2505
1741	1870	1926	2009	2131	2202	2276	2422	2572	2635
1797	1932	1992	2079	2204	2279	2354	2509	2665	2732
1851	1994	2054	2143	2277	2354	2434	2595	2758	2827
1891	2035	2099	2187	2322	2402	2480	2646	2811	2882
1927	2082	2147	2241	2379	2460	2545	2716	2889	2962

1199	1220	1248	1350	1421	1492
1254	1276	1307	1416	1492	1567
1308	1331	1363	1480	1562	1642
1380	1403	1438	1562	1646	1732
1448	1474	1512	1643	1732	1826
1494	1522	1558	1698	1796	1891
1535	1565	1607	1751	1854	1954
1628	1658	1699	1854	1957	2065
1716	1748	1790	1951	2063	2175
1771	1804	1851	2018	2134	2250
1824	1859	1908	2083	2204	2325
1861	1898	1947	2123	2249	2371
1900	1939	1989	2174	2303	2428

1205	1288	1326	1376	1453	1499	1544	1637	1731	1772
1261	1350	1390	1443	1525	1575	1622	1725	1826	1868
1317	1412	1450	1509	1597	1649	1700	1807	1918	1964
1388	1488	1531	1591	1686	1742	1797	1911	2026	2074
1456	1564	1610	1675	1774	1832	1891	2011	2134	2185
1501	1613	1663	1732	1837	1898	1959	2087	2214	2271
1547	1663	1716	1788	1898	1964	2029	2162	2296	2354
1636	1760	1814	1891	2006	2074	2143	2283	2424	2485
1725	1856	1913	1992	2114	2185	2257	2403	2551	2616
1781	1918	1975	2061	2186	2260	2337	2490	2645	2711
1835	1977	2036	2126	2258	2337	2413	2574	2736	2804
1873	2018	2082	2169	2306	2381	2460	2622	2788	2859
1913	2062	2128	2221	2361	2441	2523	2693	2864	2937

MODESTY HEIGHT (M)

WITHOUT WIRE MANAGER (N)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1191	1212	1240	1340	1413	1482
1246	1268	1299	1408	1482	1558
1300	1324	1356	1471	1554	1632
1371	1394	1429	1554	1639	1725
1439	1467	1502	1635	1725	1815
1484	1512	1551	1690	1785	1883
1526	1556	1597	1743	1842	1945
1618	1646	1692	1842	1949	2055
1706	1739	1782	1943	2054	2166
1760	1796	1839	2009	2123	2242
1814	1851	1898	2073	2195	2315
1854	1890	1939	2116	2241	2362
1891	1927	1979	2165	2293	2421

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1197	1278	1317	1365	1445	1490	1534	1629	1724	1762
1252	1340	1381	1435	1517	1565	1613	1716	1815	1859
1307	1402	1441	1501	1588	1640	1693	1799	1908	1954
1377	1478	1522	1584	1676	1731	1786	1901	2017	2065
1447	1555	1601	1666	1766	1824	1883	2002	2123	2175
1492	1605	1655	1725	1829	1890	1950	2080	2205	2260
1535	1655	1706	1780	1890	1954	2020	2151	2285	2345
1628	1751	1805	1883	1998	2065	2134	2276	2414	2476
1716	1845	1902	1982	2102	2175	2247	2393	2541	2605
1772	1908	1966	2052	2177	2251	2326	2480	2635	2701
1826	1967	2029	2117	2249	2326	2405	2565	2728	2796
1863	2009	2070	2161	2294	2372	2452	2616	2778	2850
1902	2053	2118	2212	2350	2434	2513	2684	2857	2928

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15

If Accent/Mica Hardware Finish is specified for 42. - 72., add 31

Pricing is continued on the following page

G X D D

Infinity Desk Edge Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72
57	36 - 38
57	39 - 41
57	42 - 44
57	45 - 47
57	48 - 50
57	51 - 53
57	54 - 56
57	57 - 59
57	60 - 62
57	63 - 65
57	66 - 68
57	69
57	70 - 72

PRICING

MODESTY HEIGHT (M) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1427	1450	1484	1604	1686	1770
1486	1512	1548	1675	1763	1854
1547	1574	1611	1748	1841	1938
1608	1637	1676	1823	1923	2024
1668	1699	1743	1894	2002	2110
1719	1753	1798	1959	2073	2186
1771	1805	1854	2024	2142	2259
1983	2021	2068	2250	2373	2498
2197	2236	2289	2476	2605	2736
2254	2294	2349	2545	2681	2816
2311	2353	2409	2614	2756	2898
2356	2401	2457	2665	2809	2954
2402	2445	2506	2721	2873	3023

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1435	1532	1574	1635	1724	1776	1830	1940	2051	2097
1494	1600	1643	1707	1804	1860	1919	2035	2153	2204
1555	1664	1715	1782	1886	1946	2004	2133	2258	2311
1618	1733	1785	1859	1969	2033	2097	2229	2364	2421
1677	1804	1858	1936	2051	2118	2187	2328	2470	2531
1730	1861	1920	2001	2122	2195	2266	2417	2566	2632
1781	1920	1979	2066	2195	2271	2346	2505	2662	2730
1997	2142	2204	2294	2427	2509	2589	2755	2920	2991
2211	2363	2427	2523	2665	2748	2831	3003	3178	3251
2266	2425	2497	2595	2743	2829	2916	3096	3280	3355
2324	2490	2563	2666	2820	2910	3002	3191	3380	3458
2371	2539	2613	2716	2874	2965	3058	3250	3441	3523
2414	2590	2667	2776	2938	3034	3131	3331	3530	3615

1502	1526	1559	1678	1762	1844
1584	1610	1644	1773	1861	1950
1663	1692	1728	1863	1959	2054
1719	1749	1788	1933	2034	2135
1776	1806	1851	2002	2110	2218
1839	1873	1919	2082	2194	2308
1907	1942	1989	2161	2278	2395
2133	2169	2219	2397	2522	2646
2357	2396	2449	2636	2768	2897
2414	2454	2509	2705	2842	2976
2470	2510	2568	2772	2915	3057
2521	2564	2620	2828	2972	3116
2569	2614	2673	2890	3040	3191

1509	1608	1649	1711	1799	1854	1907	2017	2126	2174
1590	1696	1742	1805	1901	1957	2017	2134	2251	2303
1672	1782	1831	1900	2002	2063	2122	2250	2374	2427
1728	1845	1895	1971	2082	2145	2209	2342	2476	2533
1785	1911	1965	2042	2157	2226	2294	2436	2577	2636
1853	1982	2041	2121	2244	2315	2388	2538	2686	2750
1918	2055	2116	2202	2331	2406	2483	2639	2797	2864
2145	2290	2353	2443	2577	2660	2738	2901	3068	3138
2371	2523	2589	2684	2826	2909	2992	3164	3338	3412
2426	2586	2657	2755	2901	2991	3077	3256	3440	3515
2483	2649	2721	2826	2979	3069	3161	3351	3537	3618
2534	2702	2776	2880	3037	3129	3222	3414	3606	3689
2583	2760	2834	2944	3106	3201	3299	3499	3697	3783

WITH WIRE MANAGER (Y)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1199	1220	1248	1350	1421	1492
1254	1276	1307	1416	1492	1567
1308	1331	1363	1480	1562	1642
1380	1403	1438	1562	1646	1732
1448	1474	1512	1643	1732	1826
1494	1522	1558	1698	1796	1891
1535	1565	1607	1751	1854	1954
1628	1658	1699	1854	1957	2065
1716	1748	1790	1951	2063	2175
1771	1804	1851	2018	2134	2250
1824	1859	1908	2083	2204	2325
1861	1898	1947	2123	2249	2371
1900	1939	1989	2174	2303	2428

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1205	1288	1326	1376	1453	1499	1544	1637	1731	1772
1261	1350	1390	1443	1525	1575	1622	1725	1826	1868
1317	1412	1450	1509	1597	1649	1700	1807	1918	1964
1388	1488	1531	1591	1686	1742	1797	1911	2026	2074
1456	1564	1610	1675	1774	1832	1891	2011	2134	2185
1501	1613	1663	1732	1837	1898	1959	2087	2214	2271
1547	1663	1716	1788	1898	1964	2029	2162	2296	2354
1636	1760	1814	1891	2006	2074	2143	2283	2424	2485
1725	1856	1913	1992	2114	2185	2257	2403	2551	2616
1781	1918	1975	2061	2186	2260	2337	2490	2645	2711
1835	1977	2036	2126	2258	2337	2413	2574	2736	2804
1873	2018	2082	2169	2306	2381	2460	2622	2788	2859
1913	2062	2128	2221	2361	2441	2523	2693	2864	2937

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15

If Accent/Mica Hardware Finish is specified for 42. - 72., add 31

Pricing is continued on the following page.

Xpress

G X D D

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

PRICING

MODESTY HEIGHT (M) (CONTINUED)											
WITH WIRE MANAGER (Y) (CONTINUED)											
PANEL FABRIC							UPHOLSTERY FABRIC				
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 10
51	36 - 38	1436	1461	1494	1612	1695	1443	1540	1582	1643	2107
51	39 - 41	1495	1522	1556	1685	1773	1502	1608	1651	1717	2213
51	42 - 44	1555	1582	1620	1756	1853	1564	1674	1724	1790	2320
51	45 - 47	1618	1645	1686	1831	1932	1628	1744	1796	1868	2428
51	48 - 50	1677	1708	1751	1905	2011	1688	1813	1867	1945	2539
51	51 - 53	1728	1762	1806	1969	2083	1741	1870	1927	2010	2639
51	54 - 56	1780	1814	1861	2033	2150	1789	1927	1989	2077	2738
51	57 - 59	1994	2030	2080	2259	2382	2004	2150	2213	2306	2999
51	60 - 62	2207	2246	2297	2485	2616	2220	2372	2438	2533	3258
51	63 - 65	2262	2306	2357	2554	2690	2277	2436	2506	2603	3363
51	66 - 68	2320	2362	2419	2621	2764	2332	2501	2572	2674	3468
51	69	2366	2409	2468	2673	2819	2380	2548	2620	2726	3532
51	70 - 72	2410	2454	2513	2731	2882	2424	2601	2675	2785	3624
57	36 - 38	1512	1535	1569	1690	1772	1520	1618	1660	1719	2183
57	39 - 41	1591	1619	1655	1782	1870	1601	1706	1750	1814	2311
57	42 - 44	1672	1699	1739	1873	1969	1683	1790	1839	1910	2438
57	45 - 47	1728	1757	1798	1943	2044	1739	1856	1907	1979	2541
57	48 - 50	1785	1815	1859	2011	2118	1796	1920	1973	2052	2646
57	51 - 53	1851	1885	1926	2089	2202	1860	1992	2051	2131	2761
57	54 - 56	1915	1950	1998	2169	2285	1925	2065	2123	2212	2874
57	57 - 59	2142	2178	2227	2408	2532	2153	2298	2362	2452	3146
57	60 - 62	2369	2406	2457	2646	2776	2380	2533	2600	2693	3420
57	63 - 65	2424	2466	2520	2715	2851	2437	2596	2666	2763	3525
57	66 - 68	2478	2521	2577	2780	2925	2491	2660	2731	2833	3627
57	69	2531	2573	2632	2836	2982	2544	2713	2785	2890	3696
57	70 - 72	2578	2621	2683	2898	3051	2593	2769	2844	2954	3792
ELEVATED HEIGHT (E)											
WITHOUT WIRE MANAGER (N)											
PANEL FABRIC							UPHOLSTERY FABRIC				
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 10
42	36 - 38	1427	1450	1484	1604	1686	1435	1532	1574	1635	2097
42	39 - 41	1488	1513	1549	1676	1766	1495	1601	1644	1708	2205
42	42 - 44	1549	1576	1613	1750	1844	1557	1667	1717	1785	2314
42	45 - 47	1610	1639	1677	1824	1924	1619	1735	1786	1860	2422
42	48 - 50	1668	1699	1743	1894	2002	1677	1804	1858	1936	2531
42	51 - 53	1718	1751	1797	1957	2070	1728	1860	1919	1999	2630
42	54 - 56	1767	1803	1851	2021	2139	1778	1918	1977	2063	2726
42	57 - 59	1982	2020	2067	2249	2372	1996	2140	2202	2293	2989
42	60 - 62	2197	2236	2289	2476	2605	2211	2363	2427	2523	3251
42	63 - 65	2254	2294	2349	2545	2681	2266	2425	2497	2595	3355
42	66 - 68	2311	2353	2409	2614	2756	2324	2490	2563	2666	3458
42	69	2356	2401	2457	2665	2809	2371	2539	2613	2716	3523
42	70 - 72	2402	2445	2506	2721	2873	2414	2590	2667	2776	3615

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15
If Accent/Mica Hardware Finish is specified for 42. - 72., add 31

Pricing is continued on the following page.

G X D D

Infinity Desk Edge Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72

PRICING

ELEVATED HEIGHT (E) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)

PANEL FABRIC

COM/

Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1502	1526	1559	1678	1762	1844
1584	1610	1644	1773	1861	1950
1663	1692	1728	1863	1959	2054
1719	1749	1788	1933	2034	2135
1776	1806	1851	2002	2110	2218
1839	1873	1919	2082	2194	2308
1907	1942	1989	2161	2278	2395
2133	2169	2219	2397	2522	2646
2357	2396	2449	2636	2768	2897
2414	2454	2509	2705	2842	2976
2470	2510	2568	2772	2915	3057
2521	2564	2620	2828	2972	3116
2569	2614	2673	2890	3040	3191

UPHOLSTERY FABRIC

COM/

Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1509	1608	1649	1711	1799	1854	1907	2017	2126	2174
1590	1696	1742	1805	1901	1957	2017	2134	2251	2303
1672	1782	1831	1900	2002	2063	2122	2250	2374	2427
1728	1845	1895	1971	2082	2145	2209	2342	2476	2533
1785	1911	1965	2042	2157	2226	2294	2436	2577	2636
1853	1982	2041	2121	2244	2315	2388	2538	2686	2750
1918	2055	2116	2202	2331	2406	2483	2639	2797	2864
2145	2290	2353	2443	2577	2660	2738	2901	3068	3138
2371	2523	2589	2684	2826	2909	2992	3164	3338	3412
2426	2586	2657	2755	2901	2991	3077	3256	3440	3515
2483	2649	2721	2826	2979	3069	3161	3351	3537	3618
2534	2702	2776	2880	3037	3129	3222	3414	3606	3689
2583	2760	2834	2944	3106	3201	3299	3499	3697	3783

WITH WIRE MANAGER (Y)

PANEL FABRIC

COM/

Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1436	1461	1494	1612	1695	1778
1496	1523	1557	1686	1774	1862
1557	1586	1622	1759	1855	1949
1619	1646	1688	1832	1933	2034
1677	1708	1751	1905	2011	2118
1727	1760	1805	1967	2082	2194
1776	1812	1859	2030	2148	2265
1992	2029	2079	2258	2381	2506
2207	2246	2297	2485	2616	2745
2262	2306	2357	2554	2690	2827
2320	2362	2419	2621	2764	2908
2366	2409	2468	2673	2819	2963
2410	2454	2513	2731	2882	3031

UPHOLSTERY FABRIC

COM/

Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1443	1540	1582	1643	1731	1785	1838	1949	2059	2107
1503	1610	1655	1718	1814	1870	1927	2048	2165	2214
1566	1676	1726	1796	1895	1957	2018	2145	2271	2324
1629	1747	1797	1869	1979	2044	2108	2242	2374	2434
1688	1813	1867	1945	2059	2128	2196	2338	2478	2539
1739	1869	1926	2009	2131	2202	2276	2424	2574	2637
1786	1925	1985	2073	2201	2277	2353	2509	2667	2734
2003	2149	2212	2303	2437	2518	2597	2762	2928	2997
2220	2372	2438	2533	2673	2758	2841	3013	3187	3258
2277	2436	2506	2603	2750	2837	2926	3106	3287	3363
2332	2501	2572	2674	2829	2920	3011	3199	3388	3468
2380	2548	2620	2726	2883	2973	3068	3257	3449	3532
2424	2601	2675	2785	2947	3044	3140	3339	3537	3624


1512	1535	1569	1690	1772	1855
1591	1619	1655	1782	1870	1959
1672	1699	1739	1873	1969	2063
1728	1757	1798	1943	2044	2145
1785	1815	1859	2011	2118	2226
1851	1885	1926	2089	2202	2315
1915	1950	1998	2169	2285	2405
2142	2178	2227	2408	2532	2654
2369	2406	2457	2646	2776	2907
2424	2466	2520	2715	2851	2987
2478	2521	2577	2780	2925	3067
2531	2573	2632	2836	2982	3125
2578	2621	2683	2898	3051	3199

1520	1618	1660	1719	1807	1861	1915	2026	2135	2183
1601	1706	1750	1814	1911	1967	2026	2143	2260	2311
1683	1790	1839	1910	2011	2073	2133	2259	2385	2438
1739	1856	1907	1979	2089	2153	2219	2350	2485	2541
1796	1920	1973	2052	2166	2233	2306	2444	2586	2646
1860	1992	2051	2131	2253	2325	2396	2547	2698	2761
1925	2065	2123	2212	2340	2414	2491	2649	2807	2874
2153	2298	2362	2452	2586	2667	2746	2912	3077	3146
2380	2533	2600	2693	2833	2917	3000	3173	3347	3420
2437	2596	2666	2763	2912	2999	3087	3267	3448	3525
2491	2660	2731	2833	2989	3079	3169	3359	3548	3627
2544	2713	2785	2890	3048	3138	3231	3421	3612	3696
2593	2769	2844	2954	3114	3212	3307	3508	3706	3792

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15

If Accent/Mica Hardware Finish is specified for 42. - 72., add 31

G Q D D
Quilted Infinity Desk Edge Screen



The Quilted fabrics provide a textured aesthetic, elevating the overall feel of an area creating a tactile user experience. Both the Teknion Quilted patterns Pico and Diode, designed by Suzanne Tick, soften the surface of textiles and elevate the user experience in the workplace with textured, quilted designs that add depth and perspective to a space. The Quilted Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT’S INCLUDED
1 quilted infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES
Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*. The pattern thread is designed to accompany the color way of the fabric selected.

PRODUCT OPTIONS

Quilted Pattern		Modesty Base Height	Height	Width (6" increments)	Wire Manager	Quilted Screen Finish	Hardware Finish
D Diode P Pico		S Partial Modesty Height (23")	42 for 42" datum height	44, 51, 58, 65, 73, 80, 87	Y Yes	P Panel Fabrics	Foundation
		M Modesty Height (15")	51 for 51" datum height		N No	U Upholstery Fabrics	Mica Accent

SAMPLE ORDER CODE

GQDD P	S	42	60	Y	B204	74
---------------	----------	-----------	-----------	----------	-------------	-----------

DIMENSIONS
INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

PRICING

PARTIAL MODESTY HEIGHT (S)																
WITHOUT WIRE MANAGER (N)																
PANEL FABRIC						UPHOLSTERY FABRIC										
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	
1164	1173	1191	1247	1287	1326	1166	1213	1232	1262	1304	1330	1356	1408	1461	1482	
1270	1283	1301	1365	1413	1459	1274	1327	1350	1383	1434	1462	1491	1551	1611	1637	
1382	1397	1418	1492	1544	1596	1389	1447	1472	1512	1567	1600	1632	1699	1770	1798	
1484	1500	1523	1605	1663	1719	1490	1556	1586	1628	1688	1725	1762	1837	1914	1946	
1655	1674	1699	1789	1854	1918	1662	1733	1766	1813	1882	1923	1961	2046	2130	2166	
1732	1753	1781	1882	1950	2020	1739	1820	1856	1905	1981	2026	2068	2162	2253	2291	
1826	1847	1877	1983	2057	2131	1831	1919	1957	2011	2090	2137	2185	2284	2381	2425	
1501	1522	1549	1645	1715	1782	1506	1587	1621	1670	1744	1788	1831	1922	2011	2051	
1658	1682	1712	1824	1902	1981	1664	1757	1797	1854	1938	1988	2037	2140	2244	2290	
1836	1861	1895	2024	2114	2201	1844	1947	1992	2055	2151	2210	2265	2382	2501	2549	
1971	1999	2041	2181	2281	2378	1981	2097	2147	2218	2324	2387	2451	2580	2711	2768	
2207	2239	2282	2438	2547	2654	2218	2345	2401	2478	2597	2665	2736	2878	3023	3087	
2355	2390	2438	2609	2730	2845	2366	2506	2566	2652	2780	2858	2933	3090	3249	3316	
2484	2521	2572	2755	2882	3011	2493	2645	2709	2801	2939	3021	3102	3272	3441	3513	

If Accent/Mica Hardware Finish is specified for widths 36" - 42", add 15
If Accent/Mica Hardware Finish is specified for widths 48" - 72", add 31

Pricing is continued on the following page.

G Q D D

Quilted Infinity Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

PRICING

PARTIAL MODESTY HEIGHT (S)

WITH WIRE MANAGER (Y)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1171	1182	1199	1256	1295	1333
1278	1292	1309	1375	1421	1467
1391	1407	1428	1501	1554	1604
1492	1507	1532	1613	1672	1728
1663	1683	1708	1798	1861	1925
1742	1762	1789	1890	1958	2029
1835	1856	1887	1992	2066	2140

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1174	1221	1240	1270	1311	1339	1363	1416	1469	1491
1283	1335	1359	1392	1441	1470	1500	1558	1620	1645
1396	1456	1482	1520	1576	1608	1642	1708	1778	1806
1499	1565	1594	1636	1696	1732	1771	1845	1923	1955
1670	1743	1774	1822	1890	1931	1971	2054	2139	2175
1748	1829	1863	1914	1989	2034	2079	2171	2261	2298
1839	1926	1966	2020	2099	2147	2194	2293	2390	2435

1509	1531	1557	1655	1724	1790
1666	1690	1721	1832	1911	1989
1844	1870	1905	2033	2121	2210
1979	2009	2050	2191	2290	2387
2214	2247	2291	2446	2555	2665
2364	2401	2446	2618	2737	2856
2491	2531	2580	2763	2891	3020

1516	1596	1630	1678	1753	1797	1839	1929	2020	2059
1674	1766	1805	1861	1946	1997	2048	2149	2253	2297
1854	1956	2001	2065	2161	2219	2276	2392	2508	2558
1989	2106	2154	2226	2332	2395	2458	2589	2718	2776
2226	2353	2408	2488	2604	2673	2744	2889	3031	3095
2374	2513	2574	2662	2792	2865	2942	3099	3256	3325
2505	2652	2717	2809	2948	3028	3111	3281	3449	3522

MODESTY HEIGHT (M)

WITHOUT WIRE MANAGER (N)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1494	1515	1542	1637	1706	1773
1650	1674	1703	1817	1892	1971
1836	1861	1895	2024	2112	2197
1971	1999	2037	2179	2278	2377
2205	2239	2281	2437	2545	2651
2362	2397	2444	2614	2733	2851
2491	2530	2578	2762	2889	3016

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1500	1579	1612	1662	1735	1780	1823	1911	2001	2037
1658	1748	1788	1844	1927	1979	2027	2130	2233	2278
1844	1947	1990	2054	2150	2205	2261	2378	2497	2544
1979	2094	2145	2214	2321	2382	2445	2576	2705	2762
2218	2343	2396	2476	2593	2662	2732	2874	3019	3079
2374	2512	2572	2657	2787	2860	2937	3093	3250	3319
2503	2651	2715	2807	2944	3025	3106	3274	3443	3514

1955	1978	2010	2122	2202	2281
2154	2180	2218	2347	2438	2530
2361	2390	2434	2580	2683	2785
2539	2572	2618	2783	2898	3013
3051	3087	3137	3320	3446	3570
3240	3282	3337	3535	3674	3812
3417	3464	3522	3734	3884	4031

1964	2054	2094	2151	2239	2289	2339	2444	2548	2595
2162	2268	2314	2380	2477	2537	2597	2715	2834	2889
2371	2490	2542	2617	2730	2795	2860	2996	3132	3191
2548	2683	2741	2825	2947	3021	3095	3248	3399	3465
3060	3210	3273	3363	3502	3583	3664	3831	3999	4071
3254	3415	3483	3586	3734	3823	3914	4096	4280	4357
3433	3607	3680	3790	3950	4045	4139	4336	4535	4616

If Accent/Mica Hardware Finish is specified for widths 36. - 42., add 15

If Accent/Mica Hardware Finish is specified for widths 48. - 72., add 31

Pricing is continued on the following page.

G Q D D
Quilted Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

PRICING


MODESTY HEIGHT (M)															
WITH WIRE MANAGER (Y)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1502	1523	1551	1645	1715	1782	1507	1588	1621	1670	1744	1788	1831	1920	2010	2048
1660	1683	1712	1826	1901	1979	1666	1756	1797	1854	1938	1988	2035	2139	2243	2285
1844	1870	1905	2033	2119	2207	1854	1956	1999	2063	2158	2213	2271	2387	2506	2552
1979	2009	2048	2187	2285	2385	1988	2101	2153	2225	2329	2392	2454	2585	2714	2770
2213	2247	2290	2445	2554	2661	2226	2350	2405	2485	2601	2670	2739	2882	3026	3088
2371	2406	2453	2621	2741	2860	2382	2521	2580	2666	2795	2868	2945	3102	3257	3327
2502	2538	2587	2770	2897	3024	2510	2661	2724	2814	2954	3034	3114	3283	3450	3523
1964	1986	2018	2131	2211	2290	1972	2063	2101	2161	2247	2296	2347	2453	2557	2602
2163	2188	2226	2355	2446	2538	2171	2278	2322	2389	2486	2544	2604	2724	2844	2897
2370	2401	2441	2589	2692	2794	2379	2501	2551	2626	2737	2803	2868	3004	3141	3199
2547	2580	2628	2793	2907	3021	2557	2692	2749	2832	2956	3028	3104	3255	3408	3473
3058	3095	3145	3328	3452	3580	3070	3218	3282	3372	3511	3592	3673	3839	4008	4080
3249	3289	3345	3545	3682	3821	3264	3424	3493	3594	3744	3832	3921	4104	4288	4367
3426	3472	3531	3744	3891	4040	3441	3615	3691	3797	3957	4053	4147	4344	4542	4628

If Accent/Mica Hardware Finish is specified for widths 36. - 42., add 15
If Accent/Mica Hardware Finish is specified for widths 48. - 72., add 31

Xpress

G X S D

Infinity Side Desk Edge Screen



The Infinity Side Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and lateral desktop privacy in varying levels.

WHAT'S INCLUDED

1 infinity side desk edge screen, attachment brackets.

NOTES

Infinity side screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Modesty Base Height		Height	Depth	Screen Finish	Hardware Finish
S M E	Partial Modesty Height	42 for 42" datum height	18, 24, 30, 36	Panel Fabrics Upholstery Fabrics	Foundation
	Modesty Height (15")	51 for 51" datum height			Mica
	Elevated Height (6")	57 for 57" datum height			Accent

SAMPLE ORDER CODE

GXSD S	42	24	B204	74
--------	----	----	------	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 457
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

PRICING

PARTIAL MODESTY HEIGHT																
PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
705	711	719	752	774	796		708	732	743	759	782	797	810	840	869	880
784	793	807	845	872	901		788	822	836	854	884	902	920	956	993	1008
868	877	888	939	972	1006		870	909	926	951	988	1008	1031	1075	1118	1136
943	955	972	1029	1068	1107		948	993	1012	1043	1084	1111	1135	1189	1242	1264
848	859	873	928	967	1004		851	896	913	941	983	1006	1031	1079	1131	1150
967	979	1000	1067	1116	1164		971	1025	1050	1084	1136	1166	1197	1261	1325	1352
1082	1100	1121	1205	1262	1323		1089	1156	1185	1226	1288	1327	1363	1439	1517	1549
1198	1219	1246	1343	1412	1479		1204	1284	1319	1366	1441	1486	1527	1619	1708	1748
880	894	907	961	1004	1039		884	932	951	976	1019	1041	1068	1117	1168	1191
1019	1034	1053	1124	1173	1222		1024	1080	1107	1141	1197	1226	1259	1324	1390	1418
1166	1185	1211	1301	1363	1424		1171	1246	1277	1324	1391	1430	1470	1552	1636	1670
1191	1212	1240	1340	1413	1482		1197	1278	1317	1365	1445	1490	1534	1629	1724	1762

If Accent/Mica Hardware Finish is specified, add 15

Pricing is continued on the following page.

G X S D

Infinity Side Desk Edge Screen
(Continued)DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 457
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

PRICING

MODESTY HEIGHT

PANEL FABRIC

COM/

Gr. A

Gr. 1

Gr. 2

Gr. 3

Gr. 4

Gr. 5

846

856

872

926

965

1001

961

975

996

1063

1109

1158

1077

1095

1117

1199

1259

1315

1191

1212

1238

1333

1403

1470

1083

1096

1114

1177

1220

1262

1199

1215

1238

1318

1373

1428

1315

1333

1362

1459

1525

1591

1428

1450

1482

1596

1675

1753

1116

1129

1148

1212

1256

1299

1252

1269

1293

1374

1430

1487

1397

1420

1448

1554

1626

1698

1532

1556

1589

1708

1791

1874

UPHOLSTERY FABRIC

COM/

Gr. 1

Gr. 2

Gr. 3

Gr. 4

Gr. 5

Gr. 6

Gr. 7

Gr. 8

Gr. 9

Gr. 10

849

895

912

940

979

1005

1027

1076

1128

1148

967

1021

1045

1079

1132

1163

1191

1253

1317

1343

1083

1150

1180

1221

1284

1323

1358

1434

1507

1542

1197

1276

1309

1359

1434

1477

1520

1608

1698

1735

1089

1138

1161

1193

1240

1268

1295

1353

1412

1436

1204

1269

1299

1338

1396

1434

1468

1540

1613

1645

1323

1399

1435

1482

1556

1600

1642

1730

1818

1858

1436

1526

1566

1623

1711

1760

1812

1918

2021

2066

1121

1173

1197

1227

1276

1304

1332

1391

1450

1477

1259

1325

1356

1394

1456

1492

1527

1603

1678

1712

1407

1490

1526

1580

1658

1703

1750

1845

1942

1981

1542

1637

1677

1739

1830

1883

1936

2048

2155

2204

ELEVATED MODESTY HEIGHT

PANEL FABRIC

COM/

Gr. A

Gr. 1

Gr. 2

Gr. 3

Gr. 4

Gr. 5

1090

1102

1120

1183

1226

1269

1204

1220

1243

1324

1377

1434

1318

1338

1364

1462

1527

1596

1428

1450

1482

1596

1675

1753

1117

1131

1148

1212

1253

1296

1251

1267

1288

1366

1423

1478

1382

1402

1429

1525

1591

1661

1503

1526

1558

1672

1751

1830

UPHOLSTERY FABRIC

COM/

Gr. 1

Gr. 2

Gr. 3

Gr. 4

Gr. 5

Gr. 6

Gr. 7

Gr. 8

Gr. 9

Gr. 10

1095

1145

1166

1198

1246

1274

1301

1359

1416

1441

1211

1274

1302

1342

1402

1437

1471

1547

1619

1650

1325

1403

1437

1486

1558

1603

1644

1732

1823

1860

1436

1526

1566

1623

1711

1760

1812

1918

2021


2066

1121

1171

1195

G X F D
Infinity Desk Edge Floor Screen



The Infinity Desk Edge Floor Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy down to the floor level.

WHAT'S INCLUDED

1 infinity desk edge floor screen, attachment brackets, wire manger (if specified).

NOTES

Infinity Floor screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

The screen is available in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" datum height 51 for 51" datum height	36 - 72	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GXFD F	42	60	B204	74
--------	----	----	------	----

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1643	1667	1700	1822	1902	1985		1650	1749	1789	1853	1940	1994	2048	2157	2266	2314
1707	1732	1770	1895	1985	2074		1716	1822	1863	1927	2026	2083	2140	2258	2374	2425
1772	1799	1837	1973	2067	2163		1781	1891	1940	2009	2112	2172	2230	2357	2484	2538
1835	1862	1902	2050	2149	2250		1842	1961	2011	2085	2195	2259	2324	2456	2590	2648
1895	1926	1971	2122	2229	2338		1907	2031	2085	2163	2278	2346	2414	2555	2699	2758
1950	1983	2029	2191	2306	2417		1961	2091	2150	2230	2354	2425	2498	2648	2797	2861
2004	2041	2087	2259	2378	2493		2017	2155	2214	2303	2428	2506	2581	2739	2897	2964
2257	2293	2342	2522	2646	2770		2268	2413	2476	2566	2701	2780	2861	3026	3192	3261
2506	2544	2596	2783	2913	3044		2518	2670	2736	2831	2971	3056	3138	3310	3483	3559
2566	2605	2662	2858	2993	3129		2578	2738	2808	2907	3055	3141	3228	3410	3591	3667
2626	2667	2724	2929	3070	3215		2637	2804	2877	2981	3135	3225	3316	3504	3695	3775
2673	2716	2775	2981	3125	3271		2686	2857	2929	3032	3191	3282	3374	3566	3758	3839
2721	2764	2826	3040	3192	3340		2734	2910	2987	3095	3256	3354	3449	3650	3849	3935

If Accent/Mica Hardware Finish is specified for 36" - 43", add 15
If Accent/Mica Hardware Finish is specified for 44" - 72", add 31

Pricing is continued on the following page.

G X F D

Infinity Desk Edge Floor Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1730	1754	1788	1908	1990	2073
1813	1838	1873	2002	2090	2179
1894	1923	1961	2097	2193	2285
1955	1983	2024	2169	2271	2371
2013	2044	2086	2241	2346	2453
2083	2116	2161	2322	2436	2548
2151	2187	2233	2406	2523	2642
2414	2452	2502	2681	2804	2929
2678	2716	2769	2956	3087	3217
2736	2776	2831	3026	3162	3299
2795	2834	2892	3096	3240	3382
2850	2892	2949	3157	3303	3446
2905	2948	3008	3223	3374	3525


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1739	1836	1877	1939	2027	2082	2134	2244	2354	2402
1822	1925	1971	2034	2131	2187	2246	2363	2480	2532
1905	2014	2063	2133	2233	2296	2355	2483	2608	2662
1965	2083	2133	2205	2315	2380	2444	2577	2713	2769
2022	2148	2201	2279	2393	2465	2532	2672	2813	2874
2091	2225	2282	2363	2485	2557	2630	2778	2929	2993
2163	2303	2362	2449	2577	2651	2730	2885	3044	3111
2426	2573	2635	2726	2860	2940	3021	3186	3352	3420
2690	2843	2909	3003	3144	3228	3310	3482	3659	3730
2748	2908	2976	3076	3223	3310	3398	3579	3760	3836
2807	2972	3045	3149	3304	3393	3483	3673	3863	3943
2863	3031	3105	3209	3367	3457	3551	3743	3934	4015
2917	3093	3169	3280	3441	3536	3634	3834	4032	4118

If Accent/Mica Hardware Finish is specified for 36" - 43", add 15

If Accent/Mica Hardware Finish is specified for 44" - 72", add 31

G X E D
Infinity Side Desk Edge Floor Screen



The Infinity Side Desk Edge Floor Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and lateral desktop privacy down to the floor level.

WHAT’S INCLUDED

1 infinity fabric side desk edge floor screen, attachment brackets.

NOTES

Infinity side floor screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" datum height 51 for 51" datum height	24, 30, 36	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GXED F	42	24	B204	74
--------	----	----	------	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1407	1421	1445	1524	1579	1635		1412	1474	1503	1544	1604	1639	1674	1748	1822	1854
1526	1548	1575	1670	1739	1805		1533	1612	1645	1695	1770	1812	1855	1943	2031	2068
1644	1667	1699	1813	1892	1971		1651	1744	1783	1841	1926	1978	2029	2134	2239	2283
1467	1480	1503	1584	1639	1694		1470	1534	1564	1604	1663	1698	1732	1806	1882	1913
1604	1622	1650	1748	1814	1883		1610	1690	1724	1772	1844	1888	1929	2020	2108	2147
1731	1754	1786	1900	1979	2057		1741	1831	1870	1927	2014	2065	2116	2221	2325	2371

If Accent/Mica Hardware Finish is specified, add 15

Xpress

G X C C

Infinity Screen Alignment Clip

The Infinity Screen Alignment Clip can be placed to align two Infinity screens.

WHAT'S INCLUDED

1 alignment clip.

NOTES

Xpress

 Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Finish
Foundation
Mica
Accent


SAMPLE ORDER CODE

GXCC 74

PRICING

Foundation	Mica/Accent
46	53

GYDD
Framed Fabric Desk Edge Screen



The Framed Fabric Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT’S INCLUDED
1 fabric desk edge screen, attachment brackets.

NOTES
Framed screens match the width of the worksurface for tight fit applications.
Recommended to have 1/2" wire gap between screen and worksurface.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height		Height	Width (1" increments)	Screen Finish	Hardware Finish
S M E	Partial Modesty Height (23")	42 for 42" datum height	36 - 72	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent
	Modesty Height (15")	51 for 51" datum height			
	Elevated Height (6")	57 for 57" datum height			

SAMPLE ORDER CODE

GYDD S	42	60	B204	74
--------	----	----	------	----

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
844	855	872	934	973	1015	848	897	916	948	992	1020	1045	1101	1156	1180
896	908	926	991	1036	1079	900	952	973	1006	1055	1082	1111	1170	1230	1254
943	958	977	1045	1093	1140	949	1005	1029	1064	1114	1145	1174	1238	1301	1328
960	973	993	1067	1117	1167	966	1023	1048	1084	1140	1171	1204	1270	1338	1365
972	988	1008	1084	1138	1193	976	1039	1067	1105	1164	1197	1232	1302	1373	1403
1043	1060	1082	1164	1220	1276	1048	1114	1143	1183	1244	1279	1317	1391	1467	1499
1114	1132	1156	1242	1300	1359	1118	1189	1219	1262	1327	1363	1402	1480	1558	1591
1124	1141	1166	1256	1319	1381	1131	1203	1233	1278	1345	1388	1427	1507	1590	1628
1133	1150	1177	1272	1335	1402	1138	1215	1247	1295	1364	1408	1448	1534	1621	1660
1171	1193	1220	1318	1388	1453	1179	1259	1294	1342	1416	1461	1503	1594	1685	1724
1214	1233	1262	1364	1436	1506	1220	1302	1339	1391	1468	1513	1558	1651	1748	1786
1224	1246	1275	1380	1450	1523	1232	1317	1353	1406	1482	1527	1576	1670	1767	1807
1235	1256	1287	1394	1470	1547	1242	1330	1366	1421	1502	1552	1600	1699	1799	1841

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15
If Accent/Mica Hardware Finish is specified for 44. - 72., add 31

Pricing is continued on the following page.

GYDD

Framed Fabric Desk Edge Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72
57	36 - 38
57	39 - 41
57	42 - 44
57	45 - 47
57	48 - 50
57	51 - 53
57	54 - 56
57	57 - 59
57	60 - 62
57	63 - 65
57	66 - 68
57	69
57	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

PANEL FABRIC

COM/

Gr. A

Gr. 1

Gr. 2

Gr. 3

Gr. 4

Gr. 5

Gr. 6

Gr. 7

Gr. 8

Gr. 9

Gr. 10

Gr. 11

Gr. 12

Gr. 13

Gr. 14

Gr. 15

Gr. 16

Gr. 17

Gr. 18

Gr. 19

Gr. 20

Gr. 21

Gr. 22

Gr. 23

Gr. 24

Gr. 25

Gr. 26

Gr. 27

Gr. 28

Gr. 29

Gr. 30

Gr. 31

Gr. 32

Gr. 33

Gr. 34

Gr. 35

Gr. 36

Gr. 37

Gr. 38

Gr. 39

Gr. 40

Gr. 41

Gr. 42

Gr. 43

Gr. 44

Gr. 45

Gr. 46

Gr. 47

Gr. 48

Gr. 49

Gr. 50

Gr. 51

Gr. 52

Gr. 53

Gr. 54

Gr. 55

Gr. 56

Gr. 57

Gr. 58

Gr. 59

Gr. 60

Gr. 61

Gr. 62

Gr. 63

Gr. 64

Gr. 65

Gr. 66

Gr. 67

Gr. 68

Gr. 69

Gr. 70

Gr. 71

Gr. 72

Gr. 73

Gr. 74

Gr. 75

Gr. 76

Gr. 77

Gr. 78

Gr. 79

Gr. 80

Gr. 81

Gr. 82

Gr. 83

Gr. 84

Gr. 85

Gr. 86

Gr. 87

Gr. 88

Gr. 89

Gr. 90

Gr. 91

Gr. 92

Gr. 93

Gr. 94

Gr. 95

Gr. 96

Gr. 97

Gr. 98

Gr. 99

Gr. 100

Gr. 101

Gr. 102

Gr. 103

Gr. 104

Gr. 105

Gr. 106

Gr. 107

Gr. 108

Gr. 109

Gr. 110

Gr. 111

Gr. 112

Gr. 113

Gr. 114

Gr. 115

Gr. 116

Gr. 117

Gr. 118

Gr. 119

Gr. 120

Gr. 121

Gr. 122

Gr. 123

Gr. 124

Gr. 125

Gr. 126

Gr. 127

Gr. 128

Gr. 129

Gr. 130

Gr. 131

Gr. 132

Gr. 133

Gr. 134

Gr. 135

Gr. 136

Gr. 137

Gr. 138

Gr. 139

Gr. 140

Gr. 141

Gr. 142

Gr. 143

Gr. 144

Gr. 145

Gr. 146

Gr. 147

Gr. 148

Gr. 149

Gr. 150

Gr. 151

Gr. 152

Gr. 153

Gr. 154

Gr. 155

Gr. 156

Gr. 157

Gr. 158

Gr. 159

Gr. 160

Gr. 161

Gr. 162

Gr. 163

Gr. 164

Gr. 165

Gr. 166

Gr. 167

Gr. 168

Gr. 169

Gr. 170

Gr. 171

Gr. 172

Gr. 173

Gr. 174

Gr. 175

Gr. 176

Gr. 177

Gr. 178

Gr. 179

Gr. 180

Gr. 181

Gr. 182

Gr. 183

Gr. 184

Gr. 185

Gr. 186

Gr. 187

Gr. 188

Gr. 189

Gr. 190

Gr. 191

Gr. 192

Gr. 193

Gr. 194

Gr. 195

Gr. 196

Gr. 197

Gr. 198

Gr. 199

Gr. 200

Gr. 201

Gr. 202

Gr. 203

Gr. 204

Gr. 205

Gr. 206

Gr. 207

Gr. 208

Gr. 209

Gr. 210

Gr. 211

Gr. 212

Gr. 213

Gr. 214

Gr. 215

Gr. 216

Gr. 217

Gr. 218

Gr. 219

Gr. 220

Gr. 221

Gr. 222

Gr. 223

Gr. 224

Gr. 225

Gr. 226

Gr. 227

Gr. 228

Gr. 229

Gr. 230

Gr. 231

Gr. 232

Gr. 233

Gr. 234

Gr. 235

Gr. 236

Gr. 237

Gr. 238

Gr. 239

Gr. 240

Gr. 241

Gr. 242

Gr. 243

Gr. 244

Gr. 245

Gr. 246

Gr. 247

Gr. 248

Gr. 249

Gr. 250

Gr. 251

Gr. 252

Gr. 253

Gr. 254

Gr. 255

Gr. 256

Gr. 257

Gr. 258

Gr. 259

Gr. 260

Gr. 261

Gr. 262

Gr. 263

Gr. 264

Gr. 265

Gr. 266

Gr. 267

Gr. 268

Gr. 269

Gr. 270

Gr. 271

Gr. 272

Gr. 273

Gr. 274

Gr. 275

Gr. 276

Gr. 277

Gr. 278

Gr. 279

Gr. 280

Gr. 281

Gr. 282

Gr. 283

Gr. 284

Gr. 285

Gr. 286

Gr. 287

Gr. 288

Gr. 289

GYDD

Framed Fabric Desk Edge Screen
(Continued)

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72
57	36 - 38
57	39 - 41
57	42 - 44
57	45 - 47
57	48 - 50
57	51 - 53
57	54 - 56
57	57 - 59
57	60 - 62
57	63 - 65
57	66 - 68
57	69
57	70 - 72

PRICING

MODESTY HEIGHT (M) (CONTINUED)															
PANEL FABRIC								UPHOLSTERY FABRIC							
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5									COM/ Gr. 1	Gr. 2
1161	1185	1219	1338	1420	1502	1267	1307	1366	1456	1509	1564	1674	1783	1831	1831
1242	1268	1302	1430	1520	1608	1356	1397	1463	1558	1615	1674	1790	1910	1959	1959
1323	1349	1388	1523	1618	1712	1439	1490	1557	1661	1721	1781	1908	2033	2086	2086
1343	1373	1413	1557	1660	1759	1470	1522	1594	1703	1770	1832	1966	2100	2157	2157
1364	1395	1438	1590	1698	1805	1500	1554	1631	1747	1814	1885	2024	2166	2226	2226
1463	1496	1540	1701	1815	1927	1605	1663	1744	1867	1939	2010	2161	2310	2373	2373
1559	1596	1643	1814	1932	2051	1711	1771	1858	1985	2061	2137	2294	2452	2520	2520
1578	1613	1663	1842	1967	2090	1733	1798	1888	2022	2102	2183	2347	2512	2583	2583
1594	1632	1685	1871	2002	2133	1759	1826	1920	2061	2145	2227	2401	2574	2648	2648
1663	1701	1757	1954	2089	2226	1835	1905	2002	2150	2239	2325	2506	2686	2763	2763
1731	1773	1830	2034	2177	2317	1911	1982	2086	2242	2331	2422	2610	2801	2880	2880
1750	1795	1853	2057	2202	2346	1932	2004	2110	2266	2357	2452	2643	2833	2916	2916
1767	1812	1870	2086	2239	2388	1956	2033	2142	2306	2401	2497	2698	2896	2981	2981
1286	1309	1343	1463	1547	1629	1391	1434	1494	1582	1636	1690	1799	1910	1956	1956
1391	1416	1451	1580	1668	1757	1503	1549	1612	1708	1766	1824	1942	2059	2110	2110
1495	1523	1559	1696	1790	1887	1613	1663	1731	1835	1894	1955	2083	2207	2260	2260
1519	1548	1587	1731	1832	1933	1644	1695	1770	1879	1943	2006	2140	2276	2331	2331
1540	1572	1613	1767	1873	1981	1675	1728	1806	1922	1990	2059	2198	2342	2402	2402
1639	1672	1717	1879	1992	2106	1781	1838	1920	2042	2115	2186	2337	2485	2549	2549
1739	1773	1822	1992	2110	2227	1888	1947	2034	2163	2239	2314	2473	2630	2698	2698
1754	1790	1839	2021	2145	2268	1913	1975	2065	2198	2281	2361	2524	2690	2761	2761
1772	1809	1861	2051	2179	2310	1938	2002	2097	2239	2322	2405	2577	2750	2826	2826
1854	1892	1947	2143	2279	2414	2024	2094	2193	2340	2426	2513	2696	2877	2954	2954
1932	1973	2030	2233	2378	2520	2112	2183	2285	2441	2532	2621	2811	3000	3080	3080
1950	1994	2052	2258	2403	2547	2133	2205	2310	2468	2558	2651	2843	3034	3116	3116
1967	2011	2070	2285	2438	2587	2157	2232	2342	2505	2601	2698	2897	3095	3180	3180

ELEVATED HEIGHT (E)															
PANEL FABRIC								UPHOLSTERY FABRIC							
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5									COM/ Gr. 1	Gr. 2
1165	1189	1222	1342	1424	1506	1270	1310	1373	1462	1516	1567	1677	1788	1836	1836
1246	1272	1307	1436	1524	1612	1359	1403	1468	1564	1620	1677	1797	1914	1965	1965
1326	1353	1391	1526	1621	1717	1445	1494	1562	1664	1726	1785	1913	2036	2090	2090
1349	1377	1416	1562	1663	1763	1474	1525	1600	1708	1773	1837	1971	2106	2162	2162
1371	1399	1443	1596	1701	1809	1503	1557	1636	1750	1818	1888	2029	2171	2229	2229
1468	1501	1547	1707	1822	1933	1610	1667	1749	1870	1943	2014	2165	2314	2379	2379
1566	1603	1649	1822	1939	2055	1717	1776	1862	1992	2066	2143	2300	2457	2524	2524
1584	1620	1668	1851	1973	2097	1742	1804	1893	2029	2110	2188	2354	2520	2589	2589
1600	1637	1690	1877	2006	2137	1763	1830	1924	2065	2149	2230	2405	2578	2651	2651
1667	1707	1762	1957	2094	2229	1838	1910	2006	2155	2243	2329	2509	2692	2769	2769
1735	1778	1835	2037	2180	2324	1915	1988	2090	2246	2337	2426	2616	2804	2884	2884
1754	1798	1856	2062	2207	2350	1938	2010	2115	2273	2363	2456	2648	2837	2921	2921
1772	1815	1874	2090	2243	2392	1961	2036	2147	2309	2405	2502	2701	2899	2986	2986

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15
If Accent/Mica Hardware Finish is specified for 44. - 72., add 31

Pricing is continued on the following page.

GYDD

Framed Fabric Desk Edge Screen
(Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72

PRICING

ELEVATED HEIGHT (E) (CONTINUED)

PANEL FABRIC

COM/

Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1286	1309	1343	1463	1547	1629
1391	1416	1451	1580	1668	1757
1495	1523	1559	1696	1790	1887
1519	1548	1587	1731	1832	1933
1540	1572	1613	1767	1873	1981
1639	1672	1717	1879	1992	2106
1739	1773	1822	1992	2110	2227
1754	1790	1839	2021	2145	2268
1772	1809	1861	2051	2179	2310
1854	1892	1947	2143	2279	2414
1932	1973	2030	2233	2378	2520
1950	1994	2052	2258	2403	2547
1967	2011	2070	2285	2438	2587

UPHOLSTERY FABRIC


COM/

Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1294	1391	1434	1494	1582	1636	1690	1799	1910	1956
1397	1503	1549	1612	1708	1766	1824	1942	2059	2110
1503	1613	1663	1731	1835	1894	1955	2083	2207	2260
1526	1644	1695	1770	1879	1943	2006	2140	2276	2331
1551	1675	1728	1806	1922	1990	2059	2198	2342	2402
1649	1781	1838	1920	2042	2115	2186	2337	2485	2549
1749	1888	1947	2034	2163	2239	2314	2473	2630	2698
1767	1913	1975	2065	2198	2281	2361	2524	2690	2761
1783	1938	2002	2097	2239	2322	2405	2577	2750	2826
1863	2024	2094	2193	2340	2426	2513	2696	2877	2954
1945	2112	2183	2285	2441	2532	2621	2811	3000	3080
1965	2133	2205	2310	2468	2558	2651	2843	3034	3116
1981	2157	2232	2342	2505	2601	2698	2897	3095	3180

If Accent/Mica Hardware Finish is specified for 36. - 43., add 15

If Accent/Mica Hardware Finish is specified for 44. - 72., add 31

GYSD
Framed Fabric Side Desk Edge
Screen



The Framed Fabric Side Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT’S INCLUDED
1 framed fabric side desk edge screen, attachment brackets, corner connection hardware (if specified).

NOTES
Framed screens match the width of the worksurface for tight fit applications.
Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height		Height	Depth	Corner Connection		Screen Finish	Hardware Finish
S	Partial Modesty Height (23")	42 for 42" datum height	18, 24, 30, 36	N	No	Panel Fabrics	Foundation
	M Modesty Height (15")	51 for 51" datum height		R	Right	Upholstery Fabrics	Mica
	E Elevated Height (6")	57 for 57" datum height		L	Left		Accent

SAMPLE ORDER CODE

GYSD S	42	24	N	B204	74
--------	----	----	---	------	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 203
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

PRICING

PARTIAL MODESTY HEIGHT (S)																	
NO CORNER CONNECTION (N)																	
PANEL FABRIC						UPHOLSTERY FABRIC											
COM/ Gr. A						COM/ Gr. 1											
Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10		
656	663	673	705	726	747	660	685	695	712	736	749	761	791	822	834		
722	731	743	782	810	838	726	758	773	791	823	840	856	895	932	944		
788	798	812	861	895	928	791	832	848	872	909	932	952	997	1040	1060		
845	855	872	929	969	1007	848	895	913	942	985	1011	1037	1090	1141	1165		
758	770	783	838	877	912	760	807	824	851	894	915	940	990	1039	1062		
872	886	907	973	1023	1071	878	934	956	992	1044	1073	1103	1167	1231	1259		
988	1005	1027	1111	1167	1226	993	1062	1090	1132	1195	1232	1269	1344	1421	1453		
1044	1064	1092	1189	1256	1326	1050	1131	1165	1214	1287	1331	1374	1464	1555	1591		
742	752	769	822	856	896	744	788	808	836	873	900	921	971	1021	1043		
872	886	907	973	1021	1068	878	934	956	991	1043	1073	1102	1165	1227	1254		
988	1005	1027	1109	1167	1224	993	1062	1090	1132	1195	1231	1268	1342	1418	1451		
1044	1064	1092	1188	1256	1325	1050	1131	1164	1213	1286	1330	1373	1462	1552	1589		

If Accent/Mica Hardware Finish is specified, add 15

Pricing is continued on the following page.

GYSD

Framed Fabric Side Desk Edge
Screen (Continued)DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 203
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 203
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
57 / 1448	18 / 203
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

RIGHT/LEFT CORNER CONNECTION (R/L)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
671	676	685	717	740	759
736	743	754	796	823	849
801	810	824	872	907	940
856	869	884	941	981	1020
775	784	801	854	894	929
888	904	923	991	1039	1085
1005	1021	1044	1129	1185	1243
1062	1080	1108	1205	1274	1342

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
673	696	708	725	747	760	775	806	834	845
740	772	783	806	836	851	870	907	942	958
806	844	861	884	921	942	966	1008	1053	1072
861	907	926	955	999	1024	1048	1102	1155	1177
778	823	841	869	909	934	956	1006	1056	1077
895	949	973	1008	1062	1090	1120	1185	1247	1275
1009	1077	1107	1148	1212	1248	1286	1362	1438	1470
1067	1147	1182	1231	1304	1349	1391	1480	1572	1610

758	770	783	838	873	912
888	904	923	991	1038	1084
1005	1021	1044	1128	1185	1242
1062	1080	1108	1204	1274	1340

760	807	824	851	891	915	939	988	1038	1060
895	949	973	1007	1060	1090	1118	1182	1244	1272
1009	1077	1107	1148	1212	1247	1284	1359	1436	1469
1067	1147	1180	1230	1302	1345	1390	1478	1567	1607

MODESTY HEIGHT (M)

NO CORNER CONNECTION (N)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
742	752	769	822	856	896
872	886	907	973	1021	1068
988	1005	1027	1109	1167	1224
1044	1064	1092	1188	1256	1325
904	915	935	997	1039	1082
971	985	1008	1089	1143	1198
1037	1056	1083	1180	1247	1315
1163	1185	1217	1330	1409	1488

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
744	788	808	836	873	900	921	971	1021	1043
878	934	956	991	1043	1073	1102	1165	1227	1254
993	1062	1090	1132	1195	1231	1268	1342	1418	1451
1050	1131	1164	1213	1286	1330	1373	1462	1552	1589
908	958	979	1011	1060	1085	1114	1171	1231	1254
975	1039	1068	1108	1167	1203	1238	1310	1384	1416
1043	1121	1156	1204	1277	1323	1363	1451	1540	1579
1168	1261	1301	1359	1445	1495	1547	1650	1754	1802

976	990	1007	1071	1112	1156
1073	1089	1111	1191	1246	1301
1167	1188	1215	1310	1380	1446
1287	1309	1342	1455	1534	1612

981	1032	1053	1084	1133	1161	1188	1246	1304	1328
1077	1141	1170	1212	1270	1306	1340	1414	1488	1520
1173	1253	1287	1335	1409	1451	1495	1584	1672	1711
1295	1388	1427	1484	1569	1620	1670	1776	1882	1925

RIGHT/LEFT CORNER CONNECTION (R/L)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
758	770	783	838	873	912
888	904	923	991	1038	1084
1005	1021	1044	1128	1185	1242
1062	1080	1108	1204	1274	1340
921	935	952	1015	1057	1101
990	1005	1027	1107	1163	1217
1055	1075	1102	1198	1267	1332
1180	1203	1235	1349	1428	1504

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
760	807	824	851	891	915	939	988	1038	1060
895	949	973	1007	1060	1090	1118	1182	1244	1272
1009	1077	1107	1148	1212	1247	1284	1359	1436	1469
1067	1147	1180	1230	1302	1345	1390	1478	1567	1607
926	976	999	1031	1077	1105	1133	1191	1248	1274
993	1057	1085	1128	1187	1221	1256	1330	1403	1436
1062	1140	1173	1222	1296	1339	1382	1470	1558	1597
1188	1278	1319	1377	1463	1513	1564	1668	1773	1818

999	1009	1029	1092	1134	1177
1095	1109	1133	1213	1268	1324
1188	1206	1235	1331	1397	1467
1308	1331	1363	1477	1556	1635

1004	1053	1075	1107	1155	1182	1211	1268	1326	1350
1100	1164	1193	1232	1292	1327	1362	1436	1507	1540
1195	1274	1307	1357	1429	1471	1516	1604	1693	1730
1317	1408	1447	1504	1590	1642	1693	1798	1901	1947

If Accent/Mica Hardware Finish is specified, add 15

Pricing is continued on the following page.

GYSD
Framed Fabric Side Desk Edge
Screen (Continued)

DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914

42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914


PRICING

ELEVATED HEIGHT (E)																
NO CORNER CONNECTION (N)																
PANEL FABRIC						UPHOLSTERY FABRIC										
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	
908	920	939	1001	1044	1085	912	965	984	1017	1064	1092	1118	1177	1235	1260	
975	991	1012	1093	1148	1203	979	1044	1073	1112	1171	1206	1243	1317	1390	1421	
1040	1062	1089	1185	1252	1319	1047	1128	1161	1211	1283	1326	1366	1456	1547	1584	
1166	1189	1221	1333	1414	1492	1173	1267	1306	1363	1448	1500	1551	1656	1759	1805	
976	990	1007	1071	1112	1156	981	1032	1053	1084	1133	1161	1188	1246	1304	1328	
1073	1089	1111	1191	1246	1301	1077	1141	1170	1212	1270	1306	1340	1414	1488	1520	
1167	1188	1215	1310	1380	1446	1173	1253	1287	1335	1409	1451	1495	1584	1672	1711	
1287	1309	1342	1455	1534	1612	1295	1388	1427	1484	1569	1620	1670	1776	1882	1925	
RIGHT/LEFT CORNER CONNECTION (R/L)																
PANEL FABRIC						UPHOLSTERY FABRIC										
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	
926	939	956	1020	1063	1105	932	981	1004	1036	1082	1109	1136	1196	1253	1277	
993	1008	1032	1111	1166	1221	999	1063	1092	1132	1191	1226	1261	1333	1408	1439	
1060	1079	1107	1203	1270	1338	1065	1145	1179	1227	1301	1343	1388	1474	1564	1603	
1185	1206	1240	1353	1434	1509	1193	1284	1325	1382	1468	1519	1567	1674	1778	1824	
999	1009	1029	1092	1134	1177	1004	1053	1075	1107	1155	1182	1211	1268	1326	1350	
1095	1109	1133	1213	1268	1324	1100	1164	1193	1232	1292	1327	1362	1436	1507	1540	
1188	1206	1235	1331	1397	1467	1195	1274	1307	1357	1429	1471	1516	1604	1693	1730	
1308	1331	1363	1477	1556	1635	1317	1408	1447	1504	1590	1642	1693	1798	1901	1947	

If Accent/Mica Hardware Finish is specified, add 15

GYFD

Framed Fabric Desk Edge Floor Screen



The Framed Fabric Desk Edge Floor Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED

1 framed fabric desk edge floor screen, attachment brackets.

NOTES

Framed floor screens match the width of the worksurface for tight fit applications. Recommended to have 1/2" wire gap between screen and worksurface.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" datum height 51 for 51" datum height	36 - 72	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GYFD F	42	60	B204	74
--------	----	----	------	----

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1272	1296	1330	1448	1532	1613		1278	1377	1418	1479	1567	1621	1675	1785	1894	1943
1380	1406	1439	1567	1658	1747		1388	1492	1535	1601	1696	1753	1812	1927	2048	2097
1484	1512	1551	1686	1781	1874		1494	1604	1651	1721	1824	1886	1945	2070	2196	2250
1506	1535	1576	1721	1823	1923		1517	1635	1685	1757	1868	1932	1997	2130	2262	2320
1531	1559	1604	1756	1862	1971		1538	1664	1718	1797	1911	1979	2050	2188	2331	2390
1629	1662	1706	1868	1981	2094		1639	1771	1829	1910	2031	2102	2175	2325	2475	2539
1727	1762	1809	1981	2099	2218		1739	1877	1938	2024	2151	2227	2306	2460	2618	2685
1744	1781	1830	2010	2134	2258		1756	1901	1965	2054	2188	2271	2349	2513	2680	2749
1760	1799	1853	2037	2169	2298		1773	1925	1992	2086	2227	2311	2393	2566	2741	2813
1841	1883	1938	2133	2268	2405		1855	2013	2084	2180	2329	2417	2505	2684	2865	2942
1922	1964	2020	2225	2366	2508		1933	2100	2172	2277	2428	2521	2613	2801	2991	3069
1940	1982	2041	2247	2392	2537		1954	2121	2195	2298	2456	2548	2642	2832	3024	3106
1956	2001	2061	2277	2426	2577		1971	2147	2223	2331	2492	2589	2685	2885	3085	3169

If Accent/Mica Hardware Finish is specified for 36" - 43", add 15
If Accent/Mica Hardware Finish is specified for 44" - 72", add 31

Pricing is continued on the following page.

GYFD

Framed Fabric Desk Edge Floor
Screen (Continued)DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
51	36 - 38
51	39 - 41
51	42 - 44
51	45 - 47
51	48 - 50
51	51 - 53
51	54 - 56
51	57 - 59
51	60 - 62
51	63 - 65
51	66 - 68
51	69
51	70 - 72

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1307	1331	1364	1484	1566	1649
1413	1438	1472	1603	1692	1780
1517	1544	1582	1718	1813	1908
1538	1567	1608	1753	1855	1955
1562	1591	1636	1788	1894	2002
1661	1694	1739	1900	2013	2126
1759	1796	1841	2013	2131	2249
1776	1813	1861	2042	2166	2290
1795	1831	1885	2070	2201	2331
1873	1914	1969	2165	2300	2437
1954	1996	2052	2257	2397	2540
1972	2014	2073	2279	2424	2568
1989	2033	2091	2309	2458	2609


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1315	1413	1453	1516	1604	1658	1711	1822	1929	1978
1420	1525	1569	1635	1730	1786	1844	1964	2082	2131
1525	1636	1685	1753	1856	1918	1977	2102	2228	2282
1549	1666	1717	1789	1900	1965	2029	2162	2296	2353
1572	1696	1750	1829	1943	2011	2082	2221	2363	2422
1670	1803	1860	1942	2063	2135	2207	2356	2507	2572
1771	1910	1969	2055	2185	2259	2337	2492	2650	2717
1788	1933	1997	2086	2221	2303	2381	2547	2713	2780
1805	1957	2024	2118	2259	2343	2425	2600	2772	2845
1887	2046	2116	2213	2362	2449	2537	2716	2898	2973
1966	2133	2204	2309	2465	2552	2645	2832	3023	3102
1985	2153	2227	2331	2489	2580	2673	2864	3056	3138
2002	2178	2254	2363	2524	2620	2717	2917	3116	3201

If Accent/Mica Hardware Finish is specified for 36" - 43", add 15

If Accent/Mica Hardware Finish is specified for 44" - 72", add 31

GYED
Framed Fabric Side Desk Edge Floor
Screen



The Framed Fabric Side Desk Edge Floor Screen attaches to the worksurface to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED
1 framed fabric desk edge floor screen, attachment brackets, corner connection hardware (if specified).

NOTES
Framed screens match the depth of the worksurface for tight fit applications.
Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Corner Connection	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" datum height 51 for 51" datum height	18, 24, 30, 36	N No R Right L Left	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GYED F	42	24	L	B204	74
--------	----	----	---	------	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 203
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	18 / 203
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914

PRICING

NO CORNER CONNECTION (N)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
948	960	977	1040	1083	1128	952	1004	1024	1056	1103	1132	1160	1217	1275	1300
1060	1075	1097	1177	1232	1287	1064	1129	1158	1197	1256	1292	1327	1399	1472	1504
1152	1171	1199	1296	1363	1430	1160	1238	1272	1323	1394	1437	1479	1567	1658	1695
1274	1296	1328	1441	1522	1600	1279	1373	1413	1470	1556	1607	1658	1762	1867	1913
1027	1039	1057	1120	1164	1205	1032	1082	1103	1135	1183	1212	1238	1296	1356	1380
1121	1136	1161	1240	1295	1350	1128	1191	1220	1260	1319	1356	1390	1463	1535	1567
1272	1292	1319	1415	1482	1551	1277	1358	1391	1439	1513	1556	1600	1688	1776	1814
1338	1360	1392	1504	1586	1663	1344	1437	1477	1534	1620	1670	1721	1827	1929	1977
RIGHT/LEFT CORNER CONNECTION (R/L)															
969	981	1000	1063	1105	1148	973	1024	1045	1077	1125	1152	1180	1238	1296	1323
1080	1096	1118	1198	1253	1308	1084	1149	1179	1219	1277	1311	1349	1421	1495	1526
1173	1195	1221	1318	1384	1451	1180	1260	1294	1342	1415	1459	1501	1589	1677	1717
1295	1318	1350	1463	1542	1620	1302	1394	1435	1492	1578	1629	1677	1783	1888	1933
1027	1039	1057	1120	1164	1205	1032	1082	1103	1135	1183	1212	1238	1296	1356	1380
1121	1136	1161	1240	1295	1350	1128	1191	1220	1260	1319	1356	1390	1463	1535	1567
1272	1292	1319	1415	1482	1551	1277	1358	1391	1439	1513	1556	1600	1688	1776	1814
1338	1360	1392	1504	1586	1663	1344	1437	1477	1534	1620	1670	1721	1827	1929	1977


If Accent/Mica Hardware Finish is specified, add 15

GVGD
Desk Edge Screen with Glass

The Desk Edge Screen with Glass Top Screen attaches to the worksurface to provide space division and local desktop privacy in various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED
1 Desk Edge Screen with Glass Top, attachment brackets, levelers

NOTES
Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.



PRODUCT OPTIONS

Modesty Base Height	Height	Width	Screen Finish	Glass Finish	Hardware Finish
F Floor Height (1")	G 42"H Total (31" Solid, 11" Glass)	48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Flintwood Natural Veneer	CL Clear FT Frost	Foundation Mica Accent
	K 51"H Total (44" Solid, 7" Glass)				
	M 51"H Total (31" Solid, 20" Glass)				
	D Inset 42"H Total (29" Solid, 13" Glass)				
	E Inset 51"H Total (42" Solid, 9" Glass)				
	F Inset 51"H Total (29" Solid, 22" Glass)				
	N 57"H Total (44" Solid, 13" Glass)				
	H Inset 57"H Total (42" Solid, 15" Glass)				

SAMPLE ORDER CODE

GVGD F	G	60	5N	CL	74
--------	---	----	----	----	----

DIMENSIONS
INCHES / MM

H	W
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438

PRICING

42"H TOTAL (31" SOLID, 11" GLASS) (G) & INSET 42"H TOTAL (29" SOLID, 13" GLASS) (D)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
912	1149	1572	1672	1572	1867
1168	1441	2006	2101	2006	2343
1214	1506	2080	2188	2080	2438
1478	1803	2516	2622	2516	2923
1544	1888	2629	2745	2629	3057
1735	2109	2947	3068	2947	3414
1892	2293	3210	3333	3210	3710
2051	2477	3472	3600	3472	4008
2207	2661	3734	3867	3734	4303

If Accent/Mica Hardware Finish is specified, add 27

Pricing is continued on the following page.

GVGD

Desk Edge Screen with Glass
(Continued)DIMENSIONS
INCHES / MM

H	W
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438

51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438

57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
57 / 1448	90 / 2286
57 / 1448	96 / 2438

PRICING

51"H TOTAL (44" SOLID, 7" GLASS) (K) & INSET 51"H TOTAL (42" SOLID, 9" GLASS) (E)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1012	1214	1760	1806	1858	2017
1264	1496	2187	2228	2308	2483
1366	1620	2369	2410	2493	2685
1461	1728	2521	2568	2657	2860
1556	1844	2686	2739	2832	3052
1717	2029	2961	3013	3120	3354
1845	2177	3179	3234	3351	3598
1973	2326	3396	3452	3580	3843
2101	2476	3616	3674	3810	4087

51"H TOTAL (31" SOLID, 20" GLASS) (M) & INSET 51"H TOTAL (29" SOLID, 22" GLASS) (F)


Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1047	1381	1771	1954	1868	2178
1309	1684	2202	2387	2321	2660
1407	1813	2366	2569	2492	2861
1506	1956	2524	2763	2662	3077
1604	2094	2686	2952	2832	3286
1767	2294	2957	3237	3116	3603
1900	2466	3172	3475	3344	3867
2030	2634	3388	3711	3569	4130
2161	2804	3603	3950	3797	4394

57"H TOTAL (44" SOLID, 13" GLASS) (N) & INSET 57"H TOTAL (42" SOLID, 15" GLASS) (H)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1114	1335	1938	1988	2043	2219
1390	1645	2603	2651	2744	2955
1503	1782	2772	2825	2923	3145
1607	1901	2957	3014	3116	3356
1711	2029	2957	3014	3116	3356
1888	2230	3363	3424	3546	3810
2030	2395	3603	3664	3797	4078
2171	2559	3843	3905	4049	4345
2311	2722	4082	4147	4303	4613

If Accent/Mica Hardware Finish is specified, add 27

G N G D
Glass 6mm Lateral Screen



The Glass 6mm Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED

Glass screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 6mm tempered glass.

Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	CL Clear	Foundation
51 for 51" datum height		FT Frost	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNGD 42	29	FT	74
---------	----	----	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Standard Glass, Clear	Standard Glass, Frost
436	520
477	578
529	654
490	629
537	708
606	808
520	694
576	788
649	903

If Accent/Mica Hardware Finish is specified, add 15

Glass 10mm Lateral Screen

The Glass 10mm Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED

Glass screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:


- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 10mm tempered glass.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	CL Clear	Foundation
51 for 51" datum height		FT Frost	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNTD 42	30	FT	74
---------	----	----	----

**DIMENSIONS
INCHES / MM**


H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Standard Glass, Clear	Standard Glass, Frost
453	593
508	669
577	759
544	744
613	848
701	972
589	825
669	951
767	1093

If Accent/Mica Hardware Finish is specified, add 15

GNWD
Writable Glass Lateral Screen



The Writable Glass Lateral Screen attaches to the worksurface to provide additional functionality, user-adjustable lateral space division and privacy.

WHAT’S INCLUDED
Writable glass screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 10mm laminated glass.

Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	A6 Frost White	Foundation
51 for 51" datum height		H3 Polar White	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNWD 42	30	A6	74
---------	----	----	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Frost White	Polar White
601	689
684	776
782	880
812	848
934	939
1052	1075
900	1034
1039	1181
1199	1352

If Accent/Mica Hardware Finish is specified, add 15

The Solid Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED

Solid screen and attachment hardware.

NOTES


Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Source Laminate	Foundation
51 for 51" datum height		Flintwood	Mica
57 for 57" datum height		Natural Veneer	Accent

SAMPLE ORDER CODE


GNSD 42	30	2V	74
----------------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	Source Laminate	Flintwood	Natural Veneer
42 / 1067	23 / 584	399	655	672
42 / 1067	29 / 737	434	718	738
42 / 1067	35 / 889	495	784	807
51 / 1295	23 / 584	447	761	782
51 / 1295	29 / 737	492	842	866
51 / 1295	35 / 889	576	941	968
57 / 1448	23 / 584	490	840	861
57 / 1448	29 / 737	543	928	952
57 / 1448	35 / 889	633	1037	1065

If Accent/Mica Hardware Finish is specified, add 15

GNLD
Writable Laminate Lateral Screen



The Writable Laminate Lateral Screen attaches to the worksurface to provide additional functionality, user-adjustable lateral space division and privacy.

WHAT’S INCLUDED
Writable laminate screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.
Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Writable Laminate	Foundation
51 for 51" datum height		5D White	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNLD 42	30	5D	74
---------	----	----	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Foundation	Mica/Accent
611	624
671	685
951	967
719	737
808	823
968	984
792	809
887	904
1065	1080

Infinity Lateral Screen

The Infinity Lateral Screen attaches to the worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and user-adjustable lateral desktop privacy.

WHAT'S INCLUDED

Infinity screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.


Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Panel Fabrics Upholstery Fabrics	Foundation
51 for 51" datum height			Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNXD 42	24	B204	74
----------------	-----------	-------------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING**PANEL FABRIC**

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
796	800	808	836	853	871
864	870	879	911	935	956
921	929	940	977	1005	1031
883	891	904	942	971	999
943	953	968	1017	1050	1083
1027	1038	1055	1111	1150	1189
936	943	958	1000	1029	1057
1029	1039	1055	1108	1145	1181
1132	1143	1163	1224	1268	1310

UPHOLSTERY FABRIC


COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
797	816	828	841	861	872	883	908	934	942
866	894	904	920	943	958	972	1004	1032	1044
924	955	969	988	1017	1034	1050	1084	1120	1135
886	919	934	952	983	1000	1019	1055	1092	1107
948	988	1005	1029	1065	1085	1108	1152	1197	1215
1031	1076	1096	1125	1167	1195	1219	1272	1325	1345
940	973	990	1008	1041	1060	1079	1117	1156	1173
1034	1076	1095	1121	1161	1183	1208	1254	1304	1325
1135	1187	1206	1238	1287	1317	1343	1403	1460	1484

If Accent/Mica Hardware Finish is specified, add 15

Xpress

GNZD

Smooth Felt Lateral Screen



The Smooth Felt Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

WHAT'S INCLUDED

Smooth Felt screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:

- 42" (13" height of screen from worksurface)

- 51" (22" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Depth	Smooth Felt Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Smooth Felt Colors	Foundation
51 for 51" datum height			Mica Accent

SAMPLE ORDER CODE

GNZD 42	29	R4	74
---------	----	----	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation	Mica/Accent
413	426
520	537
561	578
528	551
629	649
673	693

Framed Fabric Lateral Screen

The Framed Fabric Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED

Framed fabric screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.


Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Panel Fabrics Upholstery Fabrics	Foundation
51 for 51" datum height			Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNYD 42	24	B204	74
----------------	-----------	-------------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING**PANEL FABRIC**

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
756	760	770	797	814	834
823	829	838	870	894	915
878	884	896	935	960	985
841	848	861	901	928	955
900	908	921	971	1005	1038
977	990	1006	1063	1102	1140
871	880	894	934	961	990
933	942	956	1007	1041	1076
1014	1027	1043	1102	1145	1183


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
758	780	788	803	823	836	845	870	895	905
824	851	863	879	904	916	932	961	991	1004
880	911	924	942	972	990	1006	1040	1076	1092
844	877	888	909	940	956	975	1011	1048	1064
902	941	958	983	1020	1040	1063	1107	1150	1168
981	1027	1047	1076	1118	1145	1168	1222	1275	1299
876	908	923	942	975	991	1011	1048	1089	1102
936	977	993	1020	1060	1079	1102	1149	1195	1213
1019	1067	1085	1117	1161	1188	1213	1269	1324	1348

If Accent/Mica Hardware Finish is specified, add 15

Xpress

GNMD
Metal Lateral Screen



The Metal Lateral Screen attaches to the worksurface to provide a thin, metal screen that is expressed in a softer curvilinear aesthetic with an opportunity to add color that creates space division and user-adjustable lateral desktop privacy.

WHAT’S INCLUDED

Metal screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

- Screen datum heights are:
- 42" (13" height of screen from worksurface)
 - 51" (22" height of screen from worksurface)
 - 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Depth	Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Foundation	Foundation
51 for 51" datum height		Mica	Mica
		Accent	Accent

SAMPLE ORDER CODE

GNMD 42	30	74	74
---------	----	----	----

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation	Mica/Accent
412	428
449	473
501	526
442	460
484	511
542	568

The Modesty Screen provides visual privacy below worksurface.

WHAT'S INCLUDED

1 screen, attachment brackets.


NOTES

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

UNSM

Modesty Screen



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13	24 - 96	Source Laminate Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica

SAMPLE ORDER CODE

UNSM 13	48	XM		7
---------	----	----	--	---

DIMENSIONS INCHES / MM


H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Source Laminate	Flintwood	Natural Veneer
265	525	553
280	572	598
288	618	644
301	668	693
370	774	808
386	823	856
394	869	904
412	915	952
421	965	1001
431	1009	1053
445	1056	1101
455	1103	1143
464	1155	1191

Xpress

UNSF
Floor Screen



The Floor Screen attaches to the worksurface to provide space division. Its Top Rail supports selected Personal Organizers (PAX) (see the Screens Application Guide for details) It also accepts attachment of a Vertical Cable Manager (UNVC) (see electric section).

WHAT'S INCLUDED

1 floor screen, attachment brackets, levelers.

NOTES

Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 42" heights.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

Extended levelers are available (UNSFXL) and can be found in the *Connections & Trims* section.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket/Foot Cover Finish	Top Rail Finish
42, 51, 57	23 - 96	Source Laminate Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

UNSF 42	30	MP		7	7
---------	----	----	--	---	---

DIMENSIONS
FOR MM X BY 25.4

H	W
42	23 - 24
42	25 - 27
42	28 - 30
42	31 - 33
42	34 - 36
42	37 - 39
42	40 - 42
42	43 - 45
42	46 - 48
42	49 - 51
42	52 - 54
42	55 - 57
42	58 - 60
42	61 - 63
42	64 - 66
42	67 - 69
42	70 - 72
42	73 - 75
42	76 - 78
42	79 - 81
42	82 - 84
42	85 - 87
42	88 - 90
42	91 - 93
42	94 - 96

PRICING

Source Laminate	Flintwood	Natural Veneer
640	1029	1180
663	1090	1252
687	1147	1319
710	1212	1391
731	1270	1459
759	1319	1517
785	1372	1578
817	1429	1640
851	1482	1700
886	1540	1771
919	1601	1838
955	1666	1911
993	1728	1985
1034	1799	2065
1072	1867	2143
1116	1943	2228
1160	2017	2314
1205	2095	2408
1252	2178	2502
1301	2265	2603
1352	2353	2702
1406	2445	2809
1459	2539	2916
1517	2642	3035
1576	2744	3151

Pricing is continued on the following page.

UNSF

Floor Screen
(Continued)DIMENSIONS
FOR MM X BY 25.4


PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
51	23 - 24	542	1296	1340
51	25 - 27	558	1390	1437
51	28 - 30	577	1480	1533
51	31 - 33	593	1576	1629
51	34 - 36	614	1668	1725
51	37 - 39	638	1735	1795
51	40 - 42	663	1804	1860
51	43 - 45	687	1873	1938
51	46 - 48	713	1947	2010
57	23 - 24	593	1428	1474
57	25 - 27	615	1527	1580
57	28 - 30	636	1629	1686
57	31 - 33	653	1733	1790
57	34 - 36	674	1836	1895
57	37 - 39	701	1910	1973
57	40 - 42	731	1985	2046
57	43 - 45	758	2061	2131
57	46 - 48	784	2142	2211

U N S F X L
Floor Screen Extended Leveling Kit

Floor Screen Extended Levelers increase the Floor Screen leveling range by an additional 1".

WHAT'S INCLUDED
2 extended levelers.




PRICING

39

Xpress

UNSSS

Storage Screen



The Storage Screen attaches to District low and high credenzas to provide additional privacy.

WHAT'S INCLUDED

1 storage screen, attachment brackets, levelers.

NOTES

Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 48" heights.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.

PRODUCT OPTIONS

Height	Width (30 - 96 in 1" increments)	Screen Finish	Mid Rail/Bracket/ Foot Cover Finish	Top Rail Finish	Storage Type
42, 51, 57	24, 30 - 96	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica	Foundation Mica	A Low Credenza Standard B Low Credenza Elevated C High Credenza Standard D High Credenza Elevated

SAMPLE ORDER CODE

UNSSS 42	30	MP	7	7	A
----------	----	----	---	---	---

DIMENSIONS
FOR MM X BY 25.4

H	W
42	24
42	30
42	31 - 33
42	34 - 36
42	37 - 39
42	40 - 42
42	43 - 45
42	46 - 48
42	49 - 51
42	52 - 54
42	55 - 57
42	58 - 60
42	61 - 63
42	64 - 66
42	67 - 69
42	70 - 72
42	73 - 75
42	76 - 78
42	79 - 81
42	82 - 84
42	85 - 87
42	88 - 90
42	91 - 93
42	94 - 96

PRICING

Source Laminate	Flintwood	Natural Veneer
512	1021	1118
552	1140	1251
572	1197	1311
586	1261	1382
613	1310	1435
636	1359	1490
657	1414	1551
684	1471	1610
712	1527	1672
741	1588	1735
770	1655	1806
800	1716	1879
832	1782	1950
863	1853	2026
897	1925	2108
934	1999	2187
968	2080	2276
1006	2162	2362
1044	2249	2456
1084	2337	2555
1131	2426	2657
1171	2518	2756
1220	2619	2868
1268	2721	2976

Pricing is continued on the following page.

UNSSS

Storage Screen
(Continued)DIMENSIONS
FOR MM X BY 25.4


PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
51	24	545	1359	1406
51	30	581	1552	1608
51	31 - 33	598	1655	1708
51	34 - 36	616	1753	1809
51	37 - 39	641	1824	1885
51	40 - 42	668	1892	1954
51	43 - 45	693	1969	2033
51	46 - 48	718	2046	2112
57	24	599	1495	1547
57	30	639	1707	1770
57	31 - 33	656	1820	1879
57	34 - 36	678	1927	1990
57	37 - 39	705	2006	2070
57	40 - 42	734	2083	2149
57	43 - 45	761	2166	2236
57	46 - 48	791	2250	2322

Xpress

U Z S S

Lateral Floor Screen Solid



Solid Lateral Floor Screen attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED

1 lateral solid screen, attachment brackets.

NOTES

Screens 48" in width and above will include a support foot.

Support foot and bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen.

Worksurface Connection is not panel supporting. The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left. The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

If Bracket Attachment End Mounted Single or Double (ES/EB) or Mid Spine (MS) is selected for depths 48" and above with No Screen Support (N) an Anchor for Height-Adjustable Table (UZAS) or Bracket for Height-Adjustable Table (UZBS) needs to be ordered separately.

Xpress

Screen finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
ES End Mounted Single	29, 42, 51, 57	24, 30 ,36, 42, 48, 60, 72	L Left	N None	Source Laminate	Foundation	Foundation
EB End Mounted Double			R Right	F Foot	Flintwood	Mica	Mica
ED End Mounted Shared			N Not Applicable	W Worksurface Connection	Natural Veneer	Accent	Accent
MS Mid Spine							

SAMPLE ORDER CODE

UZSS ES	51	30	R	N	AG	74	74
---------	----	----	---	---	----	----	----

DIMENSIONS
INCHES / MM

H	D
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	60 / 1524
29 / 737	72 / 1829
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	60 / 1524
42 / 1067	72 / 1829
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829

PRICING

NO SUPPORT (N)		
Source Laminate	Flintwood	Natural Veneer
351	510	510
401	582	582
476	690	690
501	727	727
527	764	764
752	1090	1090
776	1127	1127
513	878	878
541	976	976
594	1083	1083
631	1185	1185
741	1397	1397
916	1727	1727
1031	1933	1933
534	973	973
603	1096	1096
671	1219	1219
738	1342	1342
838	n/a	n/a
1036	n/a	n/a
1168	n/a	n/a

Pricing is continued on the following page.

U Z S S

Lateral Floor Screen Solid
(Continued)DIMENSIONS
INCHES / MM

H	D
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	60 / 1524
57 / 1448	72 / 1829

H	D
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	60 / 1524
29 / 737	72 / 1829

42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	60 / 1524
42 / 1067	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829

57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	60 / 1524
57 / 1448	72 / 1829

H	D
29 / 737	48 / 1219
29 / 737	60 / 1524
29 / 737	72 / 1829
42 / 1067	48 / 1219
42 / 1067	60 / 1524
42 / 1067	72 / 1829

51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829

57 / 1448	48 / 1219
57 / 1448	60 / 1524
57 / 1448	72 / 1829

PRICING

NO SUPPORT (N) (CONTINUED)

Source Laminate	Flintwood	Natural Veneer
551	793	793
676	975	975
752	1082	1082
851	1226	1226
952	n/a	n/a
1252	n/a	n/a
1302	n/a	n/a

WORKSURFACE CONNECTION (W)

Source Laminate	Flintwood	Natural Veneer
374	543	543
425	617	617
504	730	730
529	766	766
527	764	764
752	1090	1090
776	1127	1127
548	912	912
575	1011	1011
630	1118	1118
668	1220	1220
741	1397	1397
916	1727	1727
1031	1933	1933
569	1008	1008
639	1131	1131
705	1253	1253
773	1376	1376
838	n/a	n/a
1036	n/a	n/a
1168	n/a	n/a
585	843	843
713	1028	1028
789	1136	1136
891	1283	1283
952	n/a	n/a
1252	n/a	n/a
1302	n/a	n/a


FOOT (F)

Source Laminate	Flintwood	Natural Veneer
570	828	828
802	1165	1165
824	1195	1195
808	1464	1464
984	1795	1795
1097	2001	2001
904	n/a	n/a
1101	n/a	n/a
1236	n/a	n/a
1022	n/a	n/a
1328	n/a	n/a
1374	n/a	n/a

Xpress

U Z S G

Lateral Floor Screen with Glass



Solid Lateral Screen and Glass top attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED

1 lateral solid screen, attachment brackets.

NOTES

Screens 48" in width and above will include a support foot.

Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen.

Worksurface Connection is not panel supporting. The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left. The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

Inset specific option (D) are designed to line up with the glass add-on in a complete Inset panel

If Bracket Attachment End Mounted Single or Double (ES/EB) or Mid Spine (MS) is selected for depths 48" and above with No Screen Support (N) an Anchor for Height-Adjustable Table (UZAS) or Bracket for Height-Adjustable Table (UZBS) needs to be ordered separately.

Xpress Screen finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness
ES End Mounted Single	G 42" Total (31" plus 11" glass)	24, 30 ,36, 42, 48, 60, 72	L Left
EB End Mounted Double	K 51" Total (44" plus 7" glass)		R Right
ED End Mounted Shared	M 51" Total (31" plus 20" glass)		N Not Applicable
MS Mid Spine	N 57" Total (44" plus 13" glass)		
	D Inset 42" Total (29" plus 13" glass)		
	E Inset 51" Total (42" plus 9" glass)		
	F Inset 51" Total (29" plus 22" glass)		
	H Inset 57" Total (42" plus 15" glass)		

SAMPLE ORDER CODE

UZSG ES	G	30	R
---------	---	----	---

PRODUCT OPTIONS CONTINUED

Screen Support	Screen Finish	Glass Finish	Bracket Finish	Trim & Foot Finish
N None	Source Laminate	CL Clear	Foundation	Foundation
F Foot	Flintwood	FT Frost	Mica	Mica
W Worksurface Connection	Natural Veneer		Accent	Accent

SAMPLE ORDER CODE CONTINUED

N	AG	CL	74	74
---	----	----	----	----

See Pricing on the following page.

U Z S G

Lateral Floor Screen with Glass
(Continued)DIMENSIONS
INCHES / MM

PRICING

END MOUNTED SINGLE (ES) & MID SPINE (MS)

INSET 42" TOTAL (29" PLUS 13" GLASS) (D)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	686	836	1148	1201	1148	1333
30 / 762	759	932	1272	1335	1272	1484
36 / 914	834	1027	1396	1472	1396	1636
42 / 1067	905	1124	1522	1610	1522	1786
48 / 1219	912	1149	1572	1672	1572	1867
60 / 1524	1214	1506	2080	2188	2080	2438
72 / 1829	1556	1844	2686	2739	2832	3052

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	721	870	1182	1236	1182	1371
30 / 762	793	966	1307	1372	1307	1519
36 / 914	869	1063	1431	1507	1431	1670
42 / 1067	940	1158	1556	1644	1556	1822
48 / 1219	912	1149	1572	1672	1572	1867
60 / 1524	1214	1506	2080	2188	2080	2438
72 / 1829	1556	1844	2686	2739	2832	3052

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	979	1215	1639	1739	1639	1932
60 / 1524	1279	1574	2147	2257	2147	2506
72 / 1829	1622	1911	2755	2807	2899	3119

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	732	861	1242	1262	1307	1403
30 / 762	814	961	1382	1409	1453	1566
36 / 914	900	1064	1524	1559	1604	1731
42 / 1067	973	1158	1664	1710	1751	1894
48 / 1219	1012	1214	1760	1806	1858	2017
60 / 1524	1366	1620	2369	2410	2493	2685
72 / 1829	1556	1844	2686	2739	2832	3052

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	767	896	1276	1296	1342	1437
30 / 762	848	997	1416	1445	1488	1601
36 / 914	934	1099	1558	1596	1639	1766
42 / 1067	1008	1193	1699	1744	1786	1929
48 / 1219	1012	1214	1760	1806	1858	2017
60 / 1524	1366	1620	2369	2410	2493	2685
72 / 1829	1556	1844	2686	2739	2832	3052

Pricing is continued on the following page.

U Z S G

Lateral Floor Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

D
48 / 1219
60 / 1524
72 / 1829

PRICING

END MOUNTED SINGLE (ES) & MID SPINE (MS) (CONTINUED)						
INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)						
FOOT (F)						
Source Laminate		Flintwood		Natural Veneer		
Clear	Frost	Clear	Frost	Clear	Frost	
1079	1279	1827	1873	1924	2084	
1435	1686	2435	2477	2563	2754	
1622	1911	2755	2807	2899	3119	

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)						
NO SUPPORT (N)						
Source Laminate		Flintwood		Natural Veneer		
Clear	Frost	Clear	Frost	Clear	Frost	
749	952	1233	1335	1300	1484	
832	1068	1372	1495	1445	1662	
913	1180	1509	1651	1589	1836	
997	1294	1646	1809	1733	2013	
1114	1447	1837	2020	1933	2244	
1472	1879	2434	2635	2561	2929	
1670	2161	2755	3019	2899	3353	

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

WORKSURFACE CONNECTION (W)						
Source Laminate		Flintwood		Natural Veneer		
Clear	Frost	Clear	Frost	Clear	Frost	
783	987	1268	1372	1333	1519	
868	1102	1406	1531	1479	1696	
949	1214	1544	1686	1623	1870	
997	1294	1646	1809	1733	2013	
1047	1381	1771	1954	1868	2178	
1407	1813	2366	2569	2492	2861	
1604	2094	2686	2952	2832	3286	

D
48 / 1219
60 / 1524
72 / 1829

FOOT (F)						
Source Laminate		Flintwood		Natural Veneer		
Clear	Frost	Clear	Frost	Clear	Frost	
1114	1447	1837	2020	1933	2244	
1472	1879	2434	2635	2561	2929	
1670	2161	2755	3019	2899	3353	

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)						
NO SUPPORT (N)						
Source Laminate		Flintwood		Natural Veneer		
Clear	Frost	Clear	Frost	Clear	Frost	
1052	1252	1590	1670	1637	1833	
1187	1413	1796	1885	1847	2068	
1392	1658	2105	2209	2166	2425	
1452	1729	2196	2307	2260	2531	
1553	1848	2347	2465	2416	2705	
2127	2533	3216	3377	3309	3707	
2203	2621	3329	3496	3426	3837	

Pricing is continued on the following page.

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

END MOUNTED SINGLE (ES) & MID SPINE (MS) (CONTINUED)

INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)

WORKSURFACE CONNECTION (W)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1105	1315	1670	1753	1718	1924
30 / 762	1247	1485	1885	1979	1940	2172
36 / 914	1463	1742	2211	2321	2276	2548
42 / 1067	1525	1816	2307	2421	2372	2657
48 / 1219	1631	1942	2466	2590	2538	2842
60 / 1524	2234	2660	3378	3547	3476	3892
72 / 1829	2313	2752	3496	3671	3597	4029

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1708	2033	2582	2711	2657	2975
60 / 1524	2342	2787	3539	3716	3642	4078
72 / 1829	2423	2883	3662	3846	3768	4220

42" TOTAL (31" PLUS 11" GLASS) (G)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	686	836	1148	1201	1148	1333
30 / 762	759	932	1272	1335	1272	1484
36 / 914	834	1027	1396	1472	1396	1636
42 / 1067	905	1124	1522	1610	1522	1786
48 / 1219	912	1149	1572	1672	1572	1867
60 / 1524	1214	1506	2080	2188	2080	2438
72 / 1829	1556	1844	2686	2739	2832	3052

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	721	870	1182	1236	1182	1371
30 / 762	793	966	1307	1372	1307	1519
36 / 914	869	1063	1431	1507	1431	1670
42 / 1067	940	1158	1556	1644	1556	1822
48 / 1219	912	1149	1572	1672	1572	1867
60 / 1524	1214	1506	2080	2188	2080	2438
72 / 1829	1556	1844	2686	2739	2832	3052

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	979	1215	1639	1739	1639	1932
60 / 1524	1279	1574	2147	2257	2147	2506
72 / 1829	1622	1911	2755	2807	2899	3119

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

48 / 1219
60 / 1524
72 / 1829

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

PRICING

END MOUNTED DOUBLE (EB)					
INSET 51" TOTAL (42" PLUS 9" GLASS) (E)					
NO SUPPORT (N)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
732	861	1242	1262	1307	1403
814	961	1382	1409	1453	1566
900	1064	1524	1559	1604	1731
973	1158	1664	1710	1751	1894
1012	1214	1760	1806	1858	2017
1366	1620	2369	2410	2493	2685
1556	1844	2686	2739	2832	3052

WORKSURFACE CONNECTION (W)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
767	896	1276	1296	1342	1437
848	997	1416	1445	1488	1601
934	1099	1558	1596	1639	1766
1008	1193	1699	1744	1786	1929
1012	1214	1760	1806	1858	2017
1366	1620	2369	2410	2493	2685
1556	1844	2686	2739	2832	3052

FOOT (F)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1079	1279	1827	1873	1924	2084
1435	1686	2435	2477	2563	2754
1622	1911	2755	2807	2899	3119

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)					
NO SUPPORT (N)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
749	952	1233	1335	1300	1484
832	1068	1372	1495	1445	1662
913	1180	1509	1651	1589	1836
997	1294	1646	1809	1733	2013
1114	1447	1837	2020	1933	2244
1472	1879	2434	2635	2561	2929
1670	2161	2755	3019	2899	3353

WORKSURFACE CONNECTION (W)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
783	987	1268	1372	1333	1519
868	1102	1406	1531	1479	1696
949	1214	1544	1686	1623	1870
997	1294	1646	1809	1733	2013
1047	1381	1771	1954	1868	2178
1407	1813	2366	2569	2492	2861
1604	2094	2686	2952	2832	3286

Pricing is continued on the following page.

U Z S G

Lateral Floor Screen with Glass
(Continued)DIMENSIONS
INCHES / MM

PRICING

END MOUNTED DOUBLE (EB) (CONTINUED)

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

FOOT (F)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1114	1447	1837	2020	1933	2244
60 / 1524	1472	1879	2434	2635	2561	2929
72 / 1829	1670	2161	2755	3019	2899	3353

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1052	1252	1590	1670	1637	1833
30 / 762	1187	1413	1796	1885	1847	2068
36 / 914	1392	1658	2105	2209	2166	2425
42 / 1067	1452	1729	2196	2307	2260	2531
48 / 1219	1553	1848	2347	2465	2416	2705
60 / 1524	2127	2533	3216	3377	3309	3707
72 / 1829	2203	2621	3329	3496	3426	3837

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1105	1315	1670	1753	1718	1924
30 / 762	1247	1485	1885	1979	1940	2172
36 / 914	1463	1742	2211	2321	2276	2548
42 / 1067	1525	1816	2307	2421	2372	2657
48 / 1219	1631	1942	2466	2590	2538	2842
60 / 1524	2234	2660	3378	3547	3476	3892
72 / 1829	2313	2752	3496	3671	3597	4029

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1708	2033	2582	2711	2657	2975
60 / 1524	2342	2787	3539	3716	3642	4078
72 / 1829	2423	2883	3662	3846	3768	4220

51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1392	1658	2105	2209	2166	2425
30 / 762	1392	1658	2105	2209	2166	2425
36 / 914	1392	1658	2105	2209	2166	2425
42 / 1067	1392	1658	2105	2209	2166	2425
48 / 1219	1392	1658	2105	2209	2166	2425
60 / 1524	1392	1658	2105	2209	2166	2425
72 / 1829	1392	1658	2105	2209	2166	2425

Pricing is continued on the following page.

U Z S G

Lateral Floor Screen with Glass
(Continued)DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

48 / 1219
60 / 1524
72 / 1829

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

D
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524
72 / 1829

PRICING

END MOUNTED DOUBLE (EB) (CONTINUED)

51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N) (CONTINUED)

WORKSURFACE CONNECTION (W)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1392	1658	2105	2209	2166	2425
1392	1658	2105	2209	2166	2425
1392	1658	2105	2209	2166	2425
1392	1658	2105	2209	2166	2425
1452	1729	2196	2307	2260	2531
1452	1729	2196	2307	2260	2531
1452	1729	2196	2307	2260	2531

FOOT (F)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1392	1658	2105	2209	2166	2425
1392	1658	2105	2209	2166	2425
1392	1658	2105	2209	2166	2425

END MOUNTED SHARED (ED)

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) & INSET 42" TOTAL (31" PLUS 11" GLASS) (G)

NO SUPPORT (N)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
732	861	1242	1262	1307	1403
814	961	1382	1409	1453	1566
900	1064	1524	1559	1604	1731
973	1158	1664	1710	1751	1894
1012	1214	1760	1806	1858	2017
1366	1620	2369	2410	2493	2685
1556	1844	2686	2739	2832	3052

INSET 51" TOTAL (42" PLUS 9" GLASS) E)

NO SUPPORT (N)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
749	952	1233	1335	1300	1484
832	1068	1372	1495	1445	1662
913	1180	1509	1651	1589	1836
997	1294	1646	1809	1733	2013
1114	1447	1837	2020	1933	2244
1472	1879	2434	2635	2561	2929
1670	2161	2755	3019	2899	3353

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

NO SUPPORT (N)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1052	1252	1590	1670	1637	1833
1187	1413	1796	1885	1847	2068
1392	1658	2105	2209	2166	2425
1452	1729	2196	2307	2260	2531
1553	1848	2347	2465	2416	2705
2127	2533	3216	3377	3309	3707
2203	2621	3329	3496	3426	3837

Pricing is continued on the following page.

U Z S G

Lateral Floor Screen with Glass
(Continued)DIMENSIONS
INCHES / MM

PRICING

END MOUNTED SHARED (ED) (CONTINUED)

INSET 57" TOTAL (42" PLUS 15" GLASS) H)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1392	1658	2105	2209	2166	2425
30 / 762	1392	1658	2105	2209	2166	2425
36 / 914	1392	1658	2105	2209	2166	2425
42 / 1067	1392	1658	2105	2209	2166	2425
48 / 1219	1392	1658	2105	2209	2166	2425
60 / 1524	1392	1658	2105	2209	2166	2425
72 / 1829	1392	1658	2105	2209	2166	2425


51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1392	1658	2105	2209	2166	2425
30 / 762	1392	1658	2105	2209	2166	2425
36 / 914	1392	1658	2105	2209	2166	2425
42 / 1067	1392	1658	2105	2209	2166	2425
48 / 1219	1392	1658	2105	2209	2166	2425
60 / 1524	1392	1658	2105	2209	2166	2425
72 / 1829	1392	1658	2105	2209	2166	2425

U Z R G

Lateral Floor Screen with Glass, with Return



Solid Lateral Screen with Glass top and return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED

1 lateral solid screen with glass and return, attachment brackets.

NOTES

Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the return will be on the right.

Inset specific option (D, E, F, H) are designed to line up with the glass add-on in a complete Inset panel.

Bracket Attachments (ES) and (EB) are not available with Heights (G), (K), (M) and (N).

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth
ES End Mounted Single	G 42" Total (31" plus 11" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74	18, 20, 24, 25, 30, 31
EB End Mounted Double	K 51" Total (44" plus 7" glass)		
MS Mid Spine	M 51" Total (31" plus 20" glass)		
	N 57" Total (44" plus 13" glass)		
	D Inset 42" Total (29" plus 13" glass)		
	E Inset 51" Total (42" plus 9" glass)		
	F Inset 51" Total (29" plus 22" glass)		
	H Inset 57" Total (42" plus 15" glass)		

SAMPLE ORDER CODE

UZRG ES	G	48	18
----------------	----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Handedness	Screen Support	Screen Finish	Glass Finish	Bracket Finish	Trim & Foot Finish
L Left	N None	Source Laminate	CL Clear	Foundation	Foundation
R Right		Flintwood	FT Frost	Mica	Mica
		Natural Veneer		Accent	Accent

SAMPLE ORDER CODE (CONTINUED)

R	N	AG	CL	74	
----------	----------	-----------	-----------	-----------	--

See Pricing on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)DIMENSIONS
INCHES / MM

PRICING

		42" TOTAL (31" PLUS 11" GLASS) (G)					
		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1778	2170	2971	3120	2960	3433
48 / 1219	20 / 508	1803	2201	3015	3164	3001	3481
48 / 1219	24 / 610	1877	2292	3139	3297	3126	3625
48 / 1219	25 / 635	1903	2322	3182	3340	3168	3675
48 / 1219	30 / 762	1953	2383	3265	3427	3250	3771
48 / 1219	31 / 787	2003	2445	3350	3517	3335	3868
49 / 1245	18 / 457	1787	2181	2988	3138	2975	3451
49 / 1245	20 / 508	1813	2212	3031	3182	3018	3500
49 / 1245	24 / 610	1888	2304	3156	3314	3142	3645
49 / 1245	25 / 635	1913	2335	3198	3358	3185	3694
49 / 1245	30 / 762	1962	2396	3281	3445	3267	3790
49 / 1245	31 / 787	2013	2457	3366	3534	3352	3888
50 / 1270	18 / 457	1798	2194	3004	3156	2992	3470
50 / 1270	20 / 508	1823	2225	3048	3199	3034	3520
50 / 1270	24 / 610	1897	2316	3172	3331	3159	3664
50 / 1270	25 / 635	1923	2347	3215	3376	3201	3714
50 / 1270	30 / 762	1973	2407	3298	3463	3283	3809
50 / 1270	31 / 787	2024	2469	3382	3551	3368	3906
60 / 1524	18 / 457	2028	2475	3390	3558	3376	3916
60 / 1524	20 / 508	2079	2537	3474	3647	3459	4013
60 / 1524	24 / 610	2127	2597	3557	3734	3541	4110
60 / 1524	25 / 635	2153	2628	3599	3779	3584	4157
60 / 1524	30 / 762	2228	2719	3725	3910	3709	4301
60 / 1524	31 / 787	2254	2750	3766	3955	3751	4351
61 / 1549	18 / 457	2037	2486	3407	3576	3392	3934
61 / 1549	20 / 508	2088	2548	3491	3665	3476	4032
61 / 1549	24 / 610	2138	2609	3574	3752	3558	4128
61 / 1549	25 / 635	2163	2639	3616	3796	3600	4176
61 / 1549	30 / 762	2238	2732	3741	3928	3726	4322
61 / 1549	31 / 787	2263	2762	3783	3973	3767	4370
62 / 1575	18 / 457	2049	2501	3424	3596	3410	3956
62 / 1575	20 / 508	2098	2561	3508	3682	3493	4050
62 / 1575	24 / 610	2148	2620	3590	3769	3575	4147
62 / 1575	25 / 635	2173	2652	3633	3814	3617	4197
62 / 1575	30 / 762	2248	2743	3758	3945	3743	4341
62 / 1575	31 / 787	2273	2774	3800	3990	3784	4388
72 / 1828	18 / 457	2379	2903	3977	4175	3960	4594
72 / 1828	20 / 508	2428	2964	4060	4262	4043	4689
72 / 1828	24 / 610	2504	3055	4185	4395	4168	4834
72 / 1828	25 / 635	2554	3116	4269	4483	4252	4932
72 / 1828	30 / 762	2603	3178	4352	4570	4333	5028
72 / 1828	31 / 787	2654	3239	4437	4659	4418	5124
73 / 1854	18 / 457	2389	2915	3993	4192	3977	4612
73 / 1854	20 / 508	2438	2975	4076	4280	4059	4709
73 / 1854	24 / 610	2513	3068	4202	4411	4184	4853
73 / 1854	25 / 635	2564	3129	4287	4500	4268	4950
73 / 1854	30 / 762	2614	3190	4369	4587	4350	5047
73 / 1854	31 / 787	2664	3251	4454	4677	4435	5144

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)

DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

Screen Depth	Return Depth
48 / 1219	18 / 457
48 / 1219	20 / 508
48 / 1219	24 / 610
48 / 1219	25 / 635
48 / 1219	30 / 762
48 / 1219	31 / 787
49 / 1245	18 / 457
49 / 1245	20 / 508
49 / 1245	24 / 610
49 / 1245	25 / 635
49 / 1245	30 / 762
49 / 1245	31 / 787
50 / 1270	18 / 457
50 / 1270	20 / 508
50 / 1270	24 / 610
50 / 1270	25 / 635
50 / 1270	30 / 762
50 / 1270	31 / 787
60 / 1524	18 / 457
60 / 1524	20 / 508
60 / 1524	24 / 610
60 / 1524	25 / 635
60 / 1524	30 / 762
60 / 1524	31 / 787
61 / 1549	18 / 457
61 / 1549	20 / 508
61 / 1549	24 / 610
61 / 1549	25 / 635
61 / 1549	30 / 762
61 / 1549	31 / 787
62 / 1575	18 / 457
62 / 1575	20 / 508
62 / 1575	24 / 610
62 / 1575	25 / 635
62 / 1575	30 / 762
62 / 1575	31 / 787

PRICING

42" TOTAL (31" PLUS 11" GLASS) (G) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2399	2928	4010	4210	3993	4632
2449	2988	4093	4297	4075	4727
2523	3079	4218	4429	4201	4873
2574	3141	4303	4518	4285	4970
2624	3201	4385	4605	4367	5065
2674	3264	4470	4694	4452	5163

51" TOTAL (44" PLUS 7" GLASS) (K)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1913	2254	2875	2997	3010	3296
1939	2283	2912	3037	3050	3338
2013	2371	3024	3154	3167	3468
2063	2430	3099	3230	3246	3553
2138	2518	3212	3349	3363	3681
2163	2547	3250	3388	3404	3726
1923	2264	2889	3013	3025	3311
1948	2294	2928	3052	3066	3356
2024	2382	3040	3168	3183	3484
2072	2440	3113	3247	3261	3570
2148	2529	3227	3363	3379	3699
2173	2559	3265	3404	3419	3743
1932	2277	2904	3027	3041	3329
1958	2307	2942	3068	3080	3372
2033	2395	3054	3184	3198	3502
2083	2453	3129	3263	3276	3587
2158	2542	3244	3381	3396	3718
2183	2571	3280	3419	3434	3760
2389	2813	3589	3741	3758	4115
2413	2842	3625	3779	3796	4156
2489	2931	3739	3898	3916	4288
2513	2960	3776	3936	3954	4328
2614	3077	3926	4093	4112	4501
2664	3138	4003	4172	4191	4588
2399	2825	3604	3757	3774	4131
2423	2854	3640	3795	3812	4173
2498	2943	3755	3915	3932	4304
2523	2971	3791	3952	3970	4346
2624	3089	3941	4110	4127	4519
2674	3149	4017	4188	4207	4606
2408	2836	3619	3773	3790	4149
2434	2867	3656	3812	3830	4191
2509	2955	3768	3929	3947	4322
2533	2983	3805	3967	3985	4362
2633	3102	3956	4124	4144	4536
2684	3161	4032	4204	4223	4623

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS INCHES / MM

Screen Depth	Return Depth
72 / 1828	18 / 457
72 / 1828	20 / 508
72 / 1828	24 / 610
72 / 1828	25 / 635
72 / 1828	30 / 762
72 / 1828	31 / 787
73 / 1854	18 / 457
73 / 1854	20 / 508
73 / 1854	24 / 610
73 / 1854	25 / 635
73 / 1854	30 / 762
73 / 1854	31 / 787
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

PRICING

51" TOTAL (44" PLUS 7" GLASS) (K) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2438	2872	3663	3818	3836	4200
2463	2901	3702	3858	3875	4243
2539	2989	3814	3976	3993	4373
2564	3019	3851	4015	4033	4416
2664	3138	4003	4172	4191	4588
2714	3196	4077	4251	4269	4675
2449	2883	3678	3835	3851	4217
2474	2913	3716	3874	3891	4260
2548	3001	3829	3991	4009	4389
2574	3031	3867	4031	4049	4433
2674	3149	4017	4188	4207	4606
2723	3208	4092	4265	4285	4691
2458	2894	3693	3850	3867	4234
2484	2925	3731	3890	3907	4277
2559	3014	3844	4007	4026	4406
2583	3043	3881	4046	4065	4451
2684	3161	4032	4204	4223	4623
2734	3219	4106	4281	4300	4709

51" TOTAL (31" PLUS 20" GLASS) (M)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2028	2475	3019	3260	3129	3536
2053	2506	3056	3301	3168	3581
2127	2597	3167	3421	3284	3710
2153	2628	3204	3462	3323	3756
2203	2687	3279	3540	3399	3841
2254	2750	3355	3622	3478	3929
2037	2486	3033	3275	3144	3554
2063	2518	3071	3316	3184	3598
2138	2609	3182	3438	3300	3728
2163	2639	3220	3478	3338	3773
2213	2702	3296	3559	3416	3862
2263	2762	3369	3639	3494	3947
2049	2501	3050	3293	3162	3573
2072	2530	3086	3333	3199	3615
2148	2620	3197	3452	3315	3746
2173	2652	3235	3494	3354	3790
2224	2714	3310	3575	3432	3877
2273	2774	3385	3654	3509	3964
2279	2780	3392	3663	3517	3974
2328	2842	3466	3744	3593	4061
2379	2903	3540	3824	3672	4149
2403	2933	3578	3864	3709	4190
2478	3023	3689	3983	3824	4322
2504	3055	3727	4025	3864	4366

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)

DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
61 / 1549	18 / 457
61 / 1549	20 / 508
61 / 1549	24 / 610
61 / 1549	25 / 635
61 / 1549	30 / 762
61 / 1549	31 / 787
62 / 1575	18 / 457
62 / 1575	20 / 508
62 / 1575	24 / 610
62 / 1575	25 / 635
62 / 1575	30 / 762
62 / 1575	31 / 787
72 / 1828	18 / 457
72 / 1828	20 / 508
72 / 1828	24 / 610
72 / 1828	25 / 635
72 / 1828	30 / 762
72 / 1828	31 / 787
73 / 1854	18 / 457
73 / 1854	20 / 508
73 / 1854	24 / 610
73 / 1854	25 / 635
73 / 1854	30 / 762
73 / 1854	31 / 787
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

PRICING

51" TOTAL (31" PLUS 20" GLASS) (M) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2289	2793	3407	3679	3532	3991
2338	2854	3480	3759	3609	4078
2389	2915	3556	3840	3688	4167
2413	2945	3592	3879	3725	4208
2489	3038	3705	4002	3841	4341
2513	3068	3741	4041	3879	4383
2298	2805	3422	3695	3548	4009
2348	2865	3496	3776	3624	4095
2399	2928	3570	3857	3703	4183
2423	2956	3607	3896	3739	4226
2498	3050	3721	4017	3857	4358
2523	3079	3756	4057	3894	4401
2629	3209	3914	4227	4058	4585
2679	3269	3987	4306	4133	4670
2754	3359	4098	4427	4248	4802
2804	3422	4174	4508	4327	4890
2854	3482	4247	4587	4404	4977
2904	3545	4323	4668	4483	5065
2638	3220	3928	4242	4073	4603
2688	3281	4003	4322	4149	4688
2764	3373	4115	4444	4267	4821
2814	3434	4188	4524	4343	4908
2863	3494	4262	4604	4420	4994
2914	3556	4339	4685	4498	5083
2649	3232	3943	4258	4088	4619
2699	3292	4016	4339	4164	4706
2774	3386	4130	4460	4282	4838
2824	3446	4204	4540	4358	4925
2875	3508	4279	4622	4436	5014
2925	3568	4352	4700	4513	5100

57" TOTAL (44" PLUS 13" GLASS) (N)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2163	2488	3235	3299	3397	3636
2188	2518	3272	3337	3438	3678
2263	2603	3385	3451	3555	3804
2313	2660	3458	3528	3634	3888
2389	2748	3571	3643	3752	4015
2413	2775	3608	3680	3791	4057
2173	2498	3249	3314	3413	3652
2198	2529	3287	3353	3453	3695
2273	2615	3398	3467	3570	3820
2324	2673	3475	3545	3651	3906
2399	2759	3587	3659	3767	4032
2423	2787	3622	3695	3806	4073

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)DIMENSIONS
INCHES / MM

PRICING

57" TOTAL (44" PLUS 13" GLASS) (N) (CONTINUED)

Screen Depth	Return Depth	Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	18 / 457	2183	2511	3265	3329	3429	3669
50 / 1270	20 / 508	2208	2540	3302	3368	3469	3711
50 / 1270	24 / 610	2283	2626	3414	3482	3586	3837
50 / 1270	25 / 635	2334	2684	3490	3559	3667	3923
50 / 1270	30 / 762	2408	2771	3602	3673	3784	4048
50 / 1270	31 / 787	2434	2799	3639	3712	3823	4092
60 / 1524	18 / 457	2638	3035	3946	4025	4146	4435
60 / 1524	20 / 508	2664	3063	3983	4063	4185	4479
60 / 1524	24 / 610	2739	3151	4096	4177	4303	4604
60 / 1524	25 / 635	2764	3180	4133	4216	4343	4647
60 / 1524	30 / 762	2863	3293	4281	4367	4498	4812
60 / 1524	31 / 787	2914	3352	4357	4444	4577	4897
61 / 1549	18 / 457	2649	3046	3960	4040	4161	4452
61 / 1549	20 / 508	2674	3076	3998	4078	4201	4494
61 / 1549	24 / 610	2749	3162	4111	4192	4318	4621
61 / 1549	25 / 635	2774	3191	4148	4232	4358	4663
61 / 1549	30 / 762	2875	3306	4297	4383	4516	4831
61 / 1549	31 / 787	2925	3363	4373	4459	4594	4914
62 / 1575	18 / 457	2658	3058	3975	4056	4176	4468
62 / 1575	20 / 508	2684	3087	4013	4094	4216	4511
62 / 1575	24 / 610	2759	3173	4124	4207	4333	4636
62 / 1575	25 / 635	2785	3202	4163	4245	4374	4680
62 / 1575	30 / 762	2884	3317	4313	4399	4530	4848
62 / 1575	31 / 787	2934	3374	4386	4474	4609	4932
72 / 1828	18 / 457	2688	3093	4020	4100	4223	4519
72 / 1828	20 / 508	2714	3122	4058	4139	4263	4560
72 / 1828	24 / 610	2789	3208	4170	4254	4380	4687
72 / 1828	25 / 635	2814	3237	4207	4292	4421	4729
72 / 1828	30 / 762	2914	3352	4357	4444	4577	4897
72 / 1828	31 / 787	2964	3409	4432	4520	4656	4981
73 / 1854	18 / 457	2699	3104	4034	4116	4239	4536
73 / 1854	20 / 508	2723	3132	4073	4154	4279	4578
73 / 1854	24 / 610	2798	3219	4184	4268	4397	4704
73 / 1854	25 / 635	2824	3248	4223	4306	4436	4747
73 / 1854	30 / 762	2925	3363	4373	4459	4594	4914
73 / 1854	31 / 787	2973	3420	4446	4536	4670	4998
74 / 1880	18 / 457	2709	3115	4050	4132	4256	4554
74 / 1880	20 / 508	2734	3144	4087	4169	4294	4595
74 / 1880	24 / 610	2808	3230	4200	4283	4412	4720
74 / 1880	25 / 635	2833	3258	4237	4322	4452	4764
74 / 1880	30 / 762	2934	3374	4386	4474	4609	4932
74 / 1880	31 / 787	2985	3433	4463	4552	4688	5017

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

		INSET 42" TOTAL (29" PLUS 13" GLASS) (D)					
		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1778	2170	2971	3133	2971	3447
48 / 1219	20 / 508	1803	2201	3015	3178	3015	3496
48 / 1219	24 / 610	1877	2292	3139	3309	3139	3641
48 / 1219	25 / 635	1903	2322	3182	3340	3168	3675
48 / 1219	30 / 762	1953	2383	3265	3442	3265	3786
48 / 1219	31 / 787	2003	2445	3350	3517	3335	3868
49 / 1245	18 / 457	1787	2181	2988	3138	2975	3451
49 / 1245	20 / 508	1813	2212	3031	3182	3018	3500
49 / 1245	24 / 610	1888	2304	3156	3314	3142	3645
49 / 1245	25 / 635	1913	2335	3198	3358	3185	3694
49 / 1245	30 / 762	1962	2396	3281	3445	3267	3790
49 / 1245	31 / 787	2013	2457	3366	3534	3352	3888
50 / 1270	18 / 457	1798	2194	3004	3156	2992	3470
50 / 1270	20 / 508	1823	2225	3048	3199	3034	3520
50 / 1270	24 / 610	1897	2316	3172	3331	3159	3664
50 / 1270	25 / 635	1923	2347	3215	3376	3201	3714
50 / 1270	30 / 762	1973	2407	3298	3463	3283	3809
50 / 1270	31 / 787	2024	2469	3382	3551	3368	3906
60 / 1524	18 / 457	2028	2475	3390	3574	3390	3932
60 / 1524	20 / 508	2079	2537	3474	3663	3474	4030
60 / 1524	24 / 610	2127	2597	3557	3750	3557	4126
60 / 1524	25 / 635	2153	2628	3599	3779	3584	4157
60 / 1524	30 / 762	2228	2719	3725	3927	3725	4321
60 / 1524	31 / 787	2254	2750	3766	3955	3751	4351
61 / 1549	18 / 457	2037	2486	3407	3576	3392	3934
61 / 1549	20 / 508	2088	2548	3491	3665	3476	4032
61 / 1549	24 / 610	2138	2609	3574	3752	3558	4128
61 / 1549	25 / 635	2163	2639	3616	3796	3600	4176
61 / 1549	30 / 762	2238	2732	3741	3928	3726	4322
61 / 1549	31 / 787	2263	2762	3783	3973	3767	4370
62 / 1575	18 / 457	2049	2501	3424	3596	3410	3956
62 / 1575	20 / 508	2098	2561	3508	3682	3493	4050
62 / 1575	24 / 610	2148	2620	3590	3769	3575	4147
62 / 1575	25 / 635	2173	2652	3633	3814	3617	4197
62 / 1575	30 / 762	2248	2743	3758	3945	3743	4341
62 / 1575	31 / 787	2273	2774	3800	3990	3784	4388
72 / 1828	18 / 457	2379	2903	3977	4192	3977	4612
72 / 1828	20 / 508	2428	2964	4060	4280	4060	4710
72 / 1828	24 / 610	2478	3023	4142	4368	4142	4805
72 / 1828	25 / 635	2504	3055	4185	4395	4168	4834
72 / 1828	30 / 762	2554	3116	4269	4501	4269	4952
72 / 1828	31 / 787	2603	3178	4352	4570	4333	5028
73 / 1854	18 / 457	2389	2915	3993	4192	3977	4612
73 / 1854	20 / 508	2438	2975	4076	4280	4059	4709
73 / 1854	24 / 610	2489	3038	4161	4369	4144	4806
73 / 1854	25 / 635	2513	3068	4202	4411	4184	4853
73 / 1854	30 / 762	2564	3129	4287	4500	4268	4950
73 / 1854	31 / 787	2614	3190	4369	4587	4350	5047

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

Screen Depth	Return Depth
48 / 1219	18 / 457
48 / 1219	20 / 508
48 / 1219	24 / 610
48 / 1219	25 / 635
48 / 1219	30 / 762
48 / 1219	31 / 787
49 / 1245	18 / 457
49 / 1245	20 / 508
49 / 1245	24 / 610
49 / 1245	25 / 635
49 / 1245	30 / 762
49 / 1245	31 / 787
50 / 1270	18 / 457
50 / 1270	20 / 508
50 / 1270	24 / 610
50 / 1270	25 / 635
50 / 1270	30 / 762
50 / 1270	31 / 787
60 / 1524	18 / 457
60 / 1524	20 / 508
60 / 1524	24 / 610
60 / 1524	25 / 635
60 / 1524	30 / 762
60 / 1524	31 / 787
61 / 1549	18 / 457
61 / 1549	20 / 508
61 / 1549	24 / 610
61 / 1549	25 / 635
61 / 1549	30 / 762
61 / 1549	31 / 787
62 / 1575	18 / 457
62 / 1575	20 / 508
62 / 1575	24 / 610
62 / 1575	25 / 635
62 / 1575	30 / 762
62 / 1575	31 / 787

PRICING

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2399	2928	4010	4210	3993	4632
2449	2988	4093	4297	4075	4727
2498	3050	4177	4386	4159	4825
2523	3079	4218	4429	4201	4873
2574	3141	4303	4518	4285	4970
2624	3201	4385	4605	4367	5065

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
1903	2247	3235	3299	3397	3670
1927	2275	3275	3341	3442	3716
2003	2365	3405	3473	3578	3864
2053	2423	3490	3558	3665	3958
2127	2511	3616	3689	3799	4102
2153	2541	3659	3732	3845	4152
1913	2258	3251	3316	3415	3689
1939	2287	3294	3360	3461	3738
2013	2377	3422	3491	3594	3882
2063	2435	3505	3576	3682	3978
2138	2523	3634	3706	3817	4122
2163	2552	3676	3749	3863	4171
1923	2269	3268	3334	3433	3708
1948	2299	3310	3378	3478	3757
2024	2388	3439	3506	3612	3901
2072	2446	3522	3592	3700	3997
2148	2534	3650	3723	3835	4141
2173	2565	3693	3766	3880	4189
2379	2807	4043	4123	4246	4587
2403	2836	4084	4165	4291	4633
2478	2925	4211	4295	4424	4777
2504	2955	4255	4340	4469	4827
2603	3073	4424	4513	4649	5020
2654	3132	4511	4600	4739	5118
2389	2820	4060	4141	4265	4606
2413	2848	4100	4183	4309	4653
2489	2937	4230	4314	4444	4800
2513	2966	4271	4357	4487	4846
2614	3085	4441	4529	4666	5039
2664	3144	4527	4618	4756	5137
2399	2831	4076	4157	4283	4626
2423	2859	4118	4201	4326	4671
2498	2949	4246	4331	4462	4819
2523	2978	4288	4374	4505	4865
2624	3096	4458	4547	4684	5058
2674	3157	4544	4635	4774	5157

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS

INCHES / MM

Screen Depth	Return Depth
72 / 1828	18 / 457
72 / 1828	20 / 508
72 / 1828	24 / 610
72 / 1828	25 / 635
72 / 1828	30 / 762
72 / 1828	31 / 787
73 / 1854	18 / 457
73 / 1854	20 / 508
73 / 1854	24 / 610
73 / 1854	25 / 635
73 / 1854	30 / 762
73 / 1854	31 / 787
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

Screen Depth	Return Depth
48 / 1219	18 / 457
48 / 1219	20 / 508
48 / 1219	24 / 610
48 / 1219	25 / 635
48 / 1219	30 / 762
48 / 1219	31 / 787
49 / 1245	18 / 457
49 / 1245	20 / 508
49 / 1245	24 / 610
49 / 1245	25 / 635
49 / 1245	30 / 762
49 / 1245	31 / 787
50 / 1270	18 / 457
50 / 1270	20 / 508
50 / 1270	24 / 610
50 / 1270	25 / 635
50 / 1270	30 / 762
50 / 1270	31 / 787
60 / 1524	18 / 457
60 / 1524	20 / 508
60 / 1524	24 / 610
60 / 1524	25 / 635
60 / 1524	30 / 762
60 / 1524	31 / 787

PRICING

INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2428	2865	4127	4209	4336	4683
2454	2897	4170	4254	4381	4732
2529	2985	4297	4383	4515	4876
2554	3015	4341	4428	4559	4925
2654	3132	4511	4600	4739	5118
2704	3191	4595	4686	4827	5214
2438	2878	4145	4227	4353	4701
2463	2908	4187	4271	4399	4750
2539	2996	4314	4400	4532	4895
2564	3026	4357	4444	4577	4944
2664	3144	4527	4618	4756	5137
2714	3202	4611	4704	4845	5232
2449	2890	4161	4243	4371	4720
2474	2919	4204	4288	4416	4770
2548	3008	4330	4417	4550	4914
2574	3038	4375	4462	4595	4963
2674	3157	4544	4635	4774	5157
2723	3215	4629	4721	4862	5251

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2003	2565	3308	3606	3498	4022
2028	2596	3349	3650	3540	4071
2103	2692	3474	3786	3673	4224
2153	2757	3556	3875	3760	4324
2203	2820	3638	3964	3846	4423
2254	2884	3722	4057	3934	4524
2013	2577	3325	3624	3515	4043
2037	2608	3364	3668	3557	4092
2114	2706	3491	3804	3691	4243
2163	2769	3571	3893	3777	4344
2213	2833	3655	3985	3866	4445
2263	2898	3738	4074	3952	4544
2024	2591	3341	3642	3533	4063
2049	2622	3384	3688	3578	4114
2123	2718	3506	3822	3707	4263
2173	2783	3588	3912	3794	4364
2224	2847	3672	4003	3882	4465
2273	2910	3755	4092	3970	4564
2303	2948	3803	4146	4021	4625
2328	2981	3845	4190	4065	4676
2403	3076	3969	4326	4197	4825
2454	3141	4051	4416	4285	4927
2504	3204	4134	4506	4371	5027
2554	3270	4218	4597	4459	5128

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with
Return (Continued)DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
61 / 1549	18 / 457
61 / 1549	20 / 508
61 / 1549	24 / 610
61 / 1549	25 / 635
61 / 1549	30 / 762
61 / 1549	31 / 787
62 / 1575	18 / 457
62 / 1575	20 / 508
62 / 1575	24 / 610
62 / 1575	25 / 635
62 / 1575	30 / 762
62 / 1575	31 / 787
72 / 1828	18 / 457
72 / 1828	20 / 508
72 / 1828	24 / 610
72 / 1828	25 / 635
72 / 1828	30 / 762
72 / 1828	31 / 787
73 / 1854	18 / 457
73 / 1854	20 / 508
73 / 1854	24 / 610
73 / 1854	25 / 635
73 / 1854	30 / 762
73 / 1854	31 / 787
74 / 1880	18 / 457
74 / 1880	20 / 508
74 / 1880	24 / 610
74 / 1880	25 / 635
74 / 1880	30 / 762
74 / 1880	31 / 787

PRICING

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2313	2961	3819	4163	4039	4644
2338	2993	3862	4208	4083	4695
2413	3089	3985	4344	4214	4845
2463	3155	4068	4435	4301	4947
2513	3217	4151	4524	4387	5047
2564	3282	4234	4614	4477	5147
2324	2974	3838	4183	4058	4666
2348	3005	3877	4227	4100	4715
2423	3102	4002	4361	4230	4864
2474	3166	4085	4453	4320	4967
2523	3230	4167	4542	4405	5066
2574	3296	4251	4633	4493	5168
2403	3076	3969	4326	4197	4825
2428	3109	4010	4371	4240	4876
2504	3204	4134	4506	4371	5027
2554	3270	4218	4597	4459	5128
2603	3333	4299	4686	4546	5228
2654	3397	4383	4777	4634	5330
2413	3089	3985	4344	4214	4845
2438	3122	4027	4388	4258	4896
2513	3217	4151	4524	4387	5047
2564	3282	4234	4614	4477	5147
2614	3345	4316	4704	4563	5248
2664	3411	4400	4795	4652	5349
2423	3102	4002	4361	4230	4864
2449	3134	4043	4406	4274	4916
2523	3230	4167	4542	4405	5066
2574	3296	4251	4633	4493	5168
2624	3358	4332	4722	4580	5268
2674	3423	4416	4812	4668	5369

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2263	2627	3428	3514	3608	3889
2289	2656	3467	3554	3649	3932
2364	2743	3581	3670	3767	4061
2413	2801	3655	3747	3847	4147
2489	2889	3771	3865	3969	4276
2513	2916	3808	3903	4007	4318
2273	2637	3444	3530	3624	3905
2298	2667	3482	3569	3664	3950
2373	2755	3596	3685	3784	4078
2423	2812	3671	3762	3864	4163
2498	2900	3785	3880	3985	4294
2523	2929	3822	3919	4023	4335

Pricing is continued on the following page.

U Z R G
Lateral Floor Screen with Glass, with
Return (Continued)


DIMENSIONS
INCHES / MM

PRICING

		INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)					
		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	18 / 457	2283	2650	3458	3546	3640	3923
50 / 1270	20 / 508	2309	2680	3497	3585	3680	3965
50 / 1270	24 / 610	2383	2767	3610	3700	3800	4095
50 / 1270	25 / 635	2434	2825	3688	3780	3881	4182
50 / 1270	30 / 762	2509	2912	3801	3896	4000	4311
50 / 1270	31 / 787	2533	2939	3837	3933	4039	4352
60 / 1524	18 / 457	2739	3179	4150	4254	4367	4706
60 / 1524	20 / 508	2764	3209	4187	4293	4407	4750
60 / 1524	24 / 610	2840	3296	4300	4409	4526	4878
60 / 1524	25 / 635	2863	3323	4339	4446	4565	4919
60 / 1524	30 / 762	2964	3440	4490	4603	4724	5092
60 / 1524	31 / 787	3015	3498	4566	4681	4806	5179
61 / 1549	18 / 457	2749	3191	4164	4269	4382	4723
61 / 1549	20 / 508	2774	3219	4203	4309	4423	4767
61 / 1549	24 / 610	2849	3306	4316	4424	4542	4895
61 / 1549	25 / 635	2875	3336	4354	4464	4582	4939
61 / 1549	30 / 762	2973	3450	4505	4618	4741	5109
61 / 1549	31 / 787	3024	3510	4581	4696	4822	5196
62 / 1575	18 / 457	2759	3201	4180	4285	4399	4740
62 / 1575	20 / 508	2785	3231	4218	4323	4438	4783
62 / 1575	24 / 610	2859	3319	4331	4439	4558	4912
62 / 1575	25 / 635	2884	3347	4369	4480	4599	4957
62 / 1575	30 / 762	2985	3464	4521	4634	4759	5128
62 / 1575	31 / 787	3034	3521	4596	4712	4837	5213
72 / 1828	18 / 457	2789	3237	4225	4330	4446	4791
72 / 1828	20 / 508	2814	3266	4263	4369	4486	4835
72 / 1828	24 / 610	2889	3353	4377	4486	4606	4964
72 / 1828	25 / 635	2914	3382	4414	4525	4647	5006
72 / 1828	30 / 762	3015	3498	4566	4681	4806	5179
72 / 1828	31 / 787	3063	3556	4641	4757	4884	5264
73 / 1854	18 / 457	2798	3248	4239	4346	4462	4808
73 / 1854	20 / 508	2824	3278	4277	4384	4502	4852
73 / 1854	24 / 610	2899	3364	4391	4501	4622	4980
73 / 1854	25 / 635	2925	3393	4430	4541	4662	5024
73 / 1854	30 / 762	3024	3510	4581	4696	4822	5196
73 / 1854	31 / 787	3074	3567	4657	4773	4901	5281
74 / 1880	18 / 457	2808	3258	4255	4361	4479	4825
74 / 1880	20 / 508	2833	3288	4293	4400	4518	4869
74 / 1880	24 / 610	2909	3376	4406	4517	4638	4998
74 / 1880	25 / 635	2934	3406	4445	4556	4678	5041
74 / 1880	30 / 762	3034	3521	4596	4712	4837	5213
74 / 1880	31 / 787	3084	3580	4671	4789	4916	5299

U Z R S

Lateral Floor Screen with Solid, with Return



Solid Lateral Floor Screen with return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED
1 lateral solid screen with return, attachment brackets.

NOTES
Support foot and bracket finish can be specified separately.
If heights 51" or 57" is selected, only Source Laminate is available.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the return will be on the right.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
ES End Mounted Single	29, 42, 51, 57	48, 49, 50, 60, 61, 62, 72, 73, 74	18, 20, 24, 25, 30, 31	L Left R Right	N None	Source Laminate	Foundation	Foundation
EB End Mounted Double						Flintwood	Mica	Mica
MS Mid Spine						Natural Veneer	Accent	Accent

SAMPLE ORDER CODE

UZRS ES	29	48	18	R	N	AG	74	74
---------	----	----	----	---	---	----	----	----

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	48 / 1219	18 / 457
29 / 737	48 / 1219	20 / 508
29 / 737	48 / 1219	24 / 610
29 / 737	48 / 1219	25 / 635
29 / 737	48 / 1219	30 / 762
29 / 737	48 / 1219	31 / 787
29 / 737	49 / 1245	18 / 457
29 / 737	49 / 1245	20 / 508
29 / 737	49 / 1245	24 / 610
29 / 737	49 / 1245	25 / 635
29 / 737	49 / 1245	30 / 762
29 / 737	49 / 1245	31 / 787
29 / 737	50 / 1270	18 / 457
29 / 737	50 / 1270	20 / 508
29 / 737	50 / 1270	24 / 610
29 / 737	50 / 1270	25 / 635
29 / 737	50 / 1270	30 / 762
29 / 737	50 / 1270	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
851	1499	1499
861	1517	1517
886	1560	1560
902	1588	1588
952	1675	1675
961	1693	1693
861	1517	1517
871	1534	1534
897	1578	1578
912	1606	1606
961	1693	1693
971	1711	1711
871	1534	1534
881	1551	1551
906	1596	1596
922	1623	1623
971	1711	1711
982	1728	1728

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with
Return (Continued)DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	60 / 1524	18 / 457
29 / 737	60 / 1524	20 / 508
29 / 737	60 / 1524	24 / 610
29 / 737	60 / 1524	25 / 635
29 / 737	60 / 1524	30 / 762
29 / 737	60 / 1524	31 / 787
29 / 737	61 / 1549	18 / 457
29 / 737	61 / 1549	20 / 508
29 / 737	61 / 1549	24 / 610
29 / 737	61 / 1549	25 / 635
29 / 737	61 / 1549	30 / 762
29 / 737	61 / 1549	31 / 787
29 / 737	62 / 1575	18 / 457
29 / 737	62 / 1575	20 / 508
29 / 737	62 / 1575	24 / 610
29 / 737	62 / 1575	25 / 635
29 / 737	62 / 1575	30 / 762
29 / 737	62 / 1575	31 / 787
29 / 737	72 / 1829	18 / 457
29 / 737	72 / 1829	20 / 508
29 / 737	72 / 1829	24 / 610
29 / 737	72 / 1829	25 / 635
29 / 737	72 / 1829	30 / 762
29 / 737	72 / 1829	31 / 787
29 / 737	73 / 1854	18 / 457
29 / 737	73 / 1854	20 / 508
29 / 737	73 / 1854	24 / 610
29 / 737	73 / 1854	25 / 635
29 / 737	73 / 1854	30 / 762
29 / 737	73 / 1854	31 / 787
29 / 737	74 / 1880	18 / 457
29 / 737	74 / 1880	20 / 508
29 / 737	74 / 1880	24 / 610
29 / 737	74 / 1880	25 / 635
29 / 737	74 / 1880	30 / 762
29 / 737	74 / 1880	31 / 787
42 / 1067	48 / 1219	18 / 457
42 / 1067	48 / 1219	20 / 508
42 / 1067	48 / 1219	24 / 610
42 / 1067	48 / 1219	25 / 635
42 / 1067	48 / 1219	30 / 762
42 / 1067	48 / 1219	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
1101	1939	1939
1127	1983	1983
1136	2001	2001
1152	2028	2028
1202	2116	2116
1212	2133	2133
1112	1958	1958
1136	2001	2001
1147	2018	2018
1162	2045	2045
1212	2133	2133
1222	2152	2152
1123	1976	1976
1147	2018	2018
1156	2035	2035
1171	2063	2063
1222	2152	2152
1233	2170	2170
1127	1983	1983
1152	2028	2028
1162	2045	2045
1202	2116	2116
1226	2159	2159
1237	2177	2177
1136	2001	2001
1162	2045	2045
1171	2063	2063
1212	2133	2133
1237	2177	2177
1247	2195	2195
1147	2018	2018
1171	2063	2063
1182	2081	2081
1222	2152	2152
1247	2195	2195
1256	2212	2212
1101	1939	1939
1127	1983	1983
1178	2072	2072
1252	2205	2205
1277	2249	2249
1302	2292	2292

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with
Return (Continued)

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
42 / 1067	49 / 1245	18 / 457
42 / 1067	49 / 1245	20 / 508
42 / 1067	49 / 1245	24 / 610
42 / 1067	49 / 1245	25 / 635
42 / 1067	49 / 1245	30 / 762
42 / 1067	49 / 1245	31 / 787
42 / 1067	50 / 1270	18 / 457
42 / 1067	50 / 1270	20 / 508
42 / 1067	50 / 1270	24 / 610
42 / 1067	50 / 1270	25 / 635
42 / 1067	50 / 1270	30 / 762
42 / 1067	50 / 1270	31 / 787
42 / 1067	60 / 1524	18 / 457
42 / 1067	60 / 1524	20 / 508
42 / 1067	60 / 1524	24 / 610
42 / 1067	60 / 1524	25 / 635
42 / 1067	60 / 1524	30 / 762
42 / 1067	60 / 1524	31 / 787
42 / 1067	61 / 1549	18 / 457
42 / 1067	61 / 1549	20 / 508
42 / 1067	61 / 1549	24 / 610
42 / 1067	61 / 1549	25 / 635
42 / 1067	61 / 1549	30 / 762
42 / 1067	61 / 1549	31 / 787
42 / 1067	62 / 1575	18 / 457
42 / 1067	62 / 1575	20 / 508
42 / 1067	62 / 1575	24 / 610
42 / 1067	62 / 1575	25 / 635
42 / 1067	62 / 1575	30 / 762
42 / 1067	62 / 1575	31 / 787
42 / 1067	72 / 1829	18 / 457
42 / 1067	72 / 1829	20 / 508
42 / 1067	72 / 1829	24 / 610
42 / 1067	72 / 1829	25 / 635
42 / 1067	72 / 1829	30 / 762
42 / 1067	72 / 1829	31 / 787
42 / 1067	73 / 1854	18 / 457
42 / 1067	73 / 1854	20 / 508
42 / 1067	73 / 1854	24 / 610
42 / 1067	73 / 1854	25 / 635
42 / 1067	73 / 1854	30 / 762
42 / 1067	73 / 1854	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
1112	1958	1958
1136	2001	2001
1187	2090	2090
1262	2222	2222
1288	2266	2266
1311	2310	2310
1123	1976	1976
1147	2018	2018
1197	2108	2108
1272	2239	2239
1297	2284	2284
1322	2326	2326
1527	2689	2689
1577	2776	2776
1628	2865	2865
1702	2997	2997
1728	3042	3042
1752	3085	3085
1537	2706	2706
1587	2794	2794
1638	2883	2883
1713	3015	3015
1738	3059	3059
1762	3102	3102
1548	2723	2723
1597	2811	2811
1647	2900	2900
1723	3032	3032
1748	3077	3077
1773	3122	3122
1577	2776	2776
1603	2821	2821
1677	2953	2953
1702	2997	2997
1752	3085	3085
1778	3129	3129
1587	2794	2794
1612	2839	2839
1688	2970	2970
1713	3015	3015
1762	3102	3102
1787	3146	3146

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with
Return (Continued)DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
42 / 1067	74 / 1880	18 / 457
42 / 1067	74 / 1880	20 / 508
42 / 1067	74 / 1880	24 / 610
42 / 1067	74 / 1880	25 / 635
42 / 1067	74 / 1880	30 / 762
42 / 1067	74 / 1880	31 / 787
51 / 1295	48 / 1219	18 / 457
51 / 1295	48 / 1219	20 / 508
51 / 1295	48 / 1219	24 / 610
51 / 1295	48 / 1219	25 / 635
51 / 1295	48 / 1219	30 / 762
51 / 1295	48 / 1219	31 / 787
51 / 1295	49 / 1245	18 / 457
51 / 1295	49 / 1245	20 / 508
51 / 1295	49 / 1245	24 / 610
51 / 1295	49 / 1245	25 / 635
51 / 1295	49 / 1245	30 / 762
51 / 1295	49 / 1245	31 / 787
51 / 1295	50 / 1270	18 / 457
51 / 1295	50 / 1270	20 / 508
51 / 1295	50 / 1270	24 / 610
51 / 1295	50 / 1270	25 / 635
51 / 1295	50 / 1270	30 / 762
51 / 1295	50 / 1270	31 / 787
51 / 1295	60 / 1524	18 / 457
51 / 1295	60 / 1524	20 / 508
51 / 1295	60 / 1524	24 / 610
51 / 1295	60 / 1524	25 / 635
51 / 1295	60 / 1524	30 / 762
51 / 1295	60 / 1524	31 / 787
51 / 1295	61 / 1549	18 / 457
51 / 1295	61 / 1549	20 / 508
51 / 1295	61 / 1549	24 / 610
51 / 1295	61 / 1549	25 / 635
51 / 1295	61 / 1549	30 / 762
51 / 1295	61 / 1549	31 / 787
51 / 1295	62 / 1575	18 / 457
51 / 1295	62 / 1575	20 / 508
51 / 1295	62 / 1575	24 / 610
51 / 1295	62 / 1575	25 / 635
51 / 1295	62 / 1575	30 / 762
51 / 1295	62 / 1575	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
1597	2811	2811
1622	2856	2856
1697	2988	2988
1723	3032	3032
1773	3122	3122
1798	3164	3164
1277	n/a	n/a
1302	n/a	n/a
1377	n/a	n/a
1402	n/a	n/a
1477	n/a	n/a
1502	n/a	n/a
1288	n/a	n/a
1311	n/a	n/a
1388	n/a	n/a
1412	n/a	n/a
1487	n/a	n/a
1513	n/a	n/a
1297	n/a	n/a
1322	n/a	n/a
1397	n/a	n/a
1421	n/a	n/a
1498	n/a	n/a
1522	n/a	n/a
1677	n/a	n/a
1702	n/a	n/a
1778	n/a	n/a
1803	n/a	n/a
1877	n/a	n/a
1903	n/a	n/a
1688	n/a	n/a
1713	n/a	n/a
1787	n/a	n/a
1813	n/a	n/a
1888	n/a	n/a
1913	n/a	n/a
1697	n/a	n/a
1723	n/a	n/a
1798	n/a	n/a
1823	n/a	n/a
1897	n/a	n/a
1923	n/a	n/a

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with Return (Continued)

DIMENSIONS INCHES / MM

Height	Screen Depth	Return Depth
51 / 1295	72 / 1829	18 / 457
51 / 1295	72 / 1829	20 / 508
51 / 1295	72 / 1829	24 / 610
51 / 1295	72 / 1829	25 / 635
51 / 1295	72 / 1829	30 / 762
51 / 1295	72 / 1829	31 / 787
51 / 1295	73 / 1854	18 / 457
51 / 1295	73 / 1854	20 / 508
51 / 1295	73 / 1854	24 / 610
51 / 1295	73 / 1854	25 / 635
51 / 1295	73 / 1854	30 / 762
51 / 1295	73 / 1854	31 / 787
51 / 1295	74 / 1880	18 / 457
51 / 1295	74 / 1880	20 / 508
51 / 1295	74 / 1880	24 / 610
51 / 1295	74 / 1880	25 / 635
51 / 1295	74 / 1880	30 / 762
51 / 1295	74 / 1880	31 / 787
57 / 1448	48 / 1219	18 / 457
57 / 1448	48 / 1219	20 / 508
57 / 1448	48 / 1219	24 / 610
57 / 1448	48 / 1219	25 / 635
57 / 1448	48 / 1219	30 / 762
57 / 1448	48 / 1219	31 / 787
57 / 1448	49 / 1245	18 / 457
57 / 1448	49 / 1245	20 / 508
57 / 1448	49 / 1245	24 / 610
57 / 1448	49 / 1245	25 / 635
57 / 1448	49 / 1245	30 / 762
57 / 1448	49 / 1245	31 / 787
57 / 1448	50 / 1270	18 / 457
57 / 1448	50 / 1270	20 / 508
57 / 1448	50 / 1270	24 / 610
57 / 1448	50 / 1270	25 / 635
57 / 1448	50 / 1270	30 / 762
57 / 1448	50 / 1270	31 / 787
57 / 1448	60 / 1524	18 / 457
57 / 1448	60 / 1524	20 / 508
57 / 1448	60 / 1524	24 / 610
57 / 1448	60 / 1524	25 / 635
57 / 1448	60 / 1524	30 / 762
57 / 1448	60 / 1524	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
1803	n/a	n/a
1829	n/a	n/a
1903	n/a	n/a
1927	n/a	n/a
2003	n/a	n/a
2053	n/a	n/a
1813	n/a	n/a
1838	n/a	n/a
1913	n/a	n/a
1939	n/a	n/a
2013	n/a	n/a
2063	n/a	n/a
1823	n/a	n/a
1848	n/a	n/a
1923	n/a	n/a
1948	n/a	n/a
2024	n/a	n/a
2072	n/a	n/a
1477	n/a	n/a
1502	n/a	n/a
1577	n/a	n/a
1603	n/a	n/a
1677	n/a	n/a
1702	n/a	n/a
1487	n/a	n/a
1513	n/a	n/a
1587	n/a	n/a
1612	n/a	n/a
1688	n/a	n/a
1713	n/a	n/a
1498	n/a	n/a
1522	n/a	n/a
1597	n/a	n/a
1622	n/a	n/a
1697	n/a	n/a
1723	n/a	n/a
1877	n/a	n/a
1903	n/a	n/a
1978	n/a	n/a
2003	n/a	n/a
2079	n/a	n/a
2103	n/a	n/a

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with
Return (Continued)DIMENSIONS
INCHES / MM


Height	Screen Depth	Return Depth
57 / 1448	61 / 1549	18 / 457
57 / 1448	61 / 1549	20 / 508
57 / 1448	61 / 1549	24 / 610
57 / 1448	61 / 1549	25 / 635
57 / 1448	61 / 1549	30 / 762
57 / 1448	61 / 1549	31 / 787
57 / 1448	62 / 1575	18 / 457
57 / 1448	62 / 1575	20 / 508
57 / 1448	62 / 1575	24 / 610
57 / 1448	62 / 1575	25 / 635
57 / 1448	62 / 1575	30 / 762
57 / 1448	62 / 1575	31 / 787
57 / 1448	72 / 1829	18 / 457
57 / 1448	72 / 1829	20 / 508
57 / 1448	72 / 1829	24 / 610
57 / 1448	72 / 1829	25 / 635
57 / 1448	72 / 1829	30 / 762
57 / 1448	72 / 1829	31 / 787
57 / 1448	73 / 1854	18 / 457
57 / 1448	73 / 1854	20 / 508
57 / 1448	73 / 1854	24 / 610
57 / 1448	73 / 1854	25 / 635
57 / 1448	73 / 1854	30 / 762
57 / 1448	73 / 1854	31 / 787
57 / 1448	74 / 1880	18 / 457
57 / 1448	74 / 1880	20 / 508
57 / 1448	74 / 1880	24 / 610
57 / 1448	74 / 1880	25 / 635
57 / 1448	74 / 1880	30 / 762
57 / 1448	74 / 1880	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
1888	n/a	n/a
1913	n/a	n/a
1988	n/a	n/a
2013	n/a	n/a
2088	n/a	n/a
2114	n/a	n/a
1897	n/a	n/a
1923	n/a	n/a
1998	n/a	n/a
2024	n/a	n/a
2098	n/a	n/a
2123	n/a	n/a
2003	n/a	n/a
2028	n/a	n/a
2103	n/a	n/a
2127	n/a	n/a
2203	n/a	n/a
2254	n/a	n/a
2013	n/a	n/a
2037	n/a	n/a
2114	n/a	n/a
2138	n/a	n/a
2213	n/a	n/a
2263	n/a	n/a
2024	n/a	n/a
2049	n/a	n/a
2123	n/a	n/a
2148	n/a	n/a
2224	n/a	n/a
2273	n/a	n/a

U Z C G

Lateral Floor Screen with Glass, with Shared Return



Solid Lateral Screen with Glass top and shared return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED
1 lateral solid screen with glass and shared return, attachment brackets.

NOTES
Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the shared return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the shared return will be on the right.

Inset specific option (D, E, F, H) are designed to line up with the glass add-on in a complete Inset panel.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth
MS Mid Spine	D Inset 42" Total (29" plus 13" glass) E Inset 51" Total (42" plus 9" glass) F Inset 51" Total (29" plus 22" glass) H Inset 57" Total (42" plus 15" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74	36, 40, 48, 50, 60, 62

SAMPLE ORDER CODE

UZCG MS	D	48	18
---------	---	----	----

PRODUCT OPTIONS (CONTINUED)

Handedness	Screen Support	Screen Finish	Glass Finish	Hardware Finish
L Left R Right	N None	Source Laminate Flintwood Natural Veneer	CL Clear FT Frost	Foundation Mica Accent

SAMPLE ORDER CODE (CONTINUED)

R	N	AG	CL	74
---	---	----	----	----

See Pricing on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS INCHES / MM

PRICING

		INSET 42" TOTAL (29" PLUS 13" GLASS) (D)					
Screen Depth	Return Depth	Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	2103	2609	3574	3768	3574	4185
48 / 1219	40 / 1016	2127	2638	3616	3812	3616	4234
48 / 1219	48 / 1219	2303	2856	3914	4126	3914	4582
48 / 1219	50 / 1270	2328	2887	3956	4171	3956	4632
48 / 1219	60 / 1524	2454	3043	4169	4396	4169	4882
48 / 1219	62 / 1575	2478	3073	4210	4439	4210	4931
49 / 1245	36 / 914	2114	2621	3590	3786	3590	4205
49 / 1245	40 / 1016	2138	2651	3633	3830	3633	4254
49 / 1245	48 / 1219	2313	2868	3929	4144	3929	4603
49 / 1245	50 / 1270	2338	2900	3973	4188	3973	4652
49 / 1245	60 / 1524	2463	3055	4186	4414	4186	4903
49 / 1245	62 / 1575	2489	3087	4229	4459	4229	4952
50 / 1270	36 / 914	2123	2633	3608	3804	3608	4225
50 / 1270	40 / 1016	2148	2663	3649	3847	3649	4273
50 / 1270	48 / 1219	2324	2882	3949	4163	3949	4624
50 / 1270	50 / 1270	2348	2912	3989	4206	3989	4671
50 / 1270	60 / 1524	2474	3069	4203	4432	4203	4922
50 / 1270	62 / 1575	2498	3099	4245	4477	4245	4972
60 / 1524	36 / 914	2379	2950	4042	4262	4042	4734
60 / 1524	40 / 1016	2403	2981	4083	4305	4083	4782
60 / 1524	48 / 1219	2578	3197	4380	4619	4380	5130
60 / 1524	50 / 1270	2603	3229	4423	4664	4423	5180
60 / 1524	60 / 1524	2730	3385	4636	4889	4636	5430
60 / 1524	62 / 1575	2754	3414	4678	4933	4678	5478
61 / 1549	36 / 914	2389	2963	4059	4280	4059	4753
61 / 1549	40 / 1016	2413	2992	4100	4323	4100	4802
61 / 1549	48 / 1219	2589	3210	4398	4636	4398	5149
61 / 1549	50 / 1270	2614	3241	4440	4682	4440	5200
61 / 1549	60 / 1524	2739	3396	4653	4907	4653	5449
61 / 1549	62 / 1575	2764	3428	4696	4952	4696	5500
62 / 1575	36 / 914	2399	2974	4075	4297	4075	4773
62 / 1575	40 / 1016	2423	3004	4117	4341	4117	4821
62 / 1575	48 / 1219	2599	3223	4416	4657	4416	5172
62 / 1575	50 / 1270	2624	3253	4457	4699	4457	5221
62 / 1575	60 / 1524	2749	3410	4670	4924	4670	5470
62 / 1575	62 / 1575	2774	3441	4714	4970	4714	5519
72 / 1828	36 / 914	2730	3385	4636	4889	4636	5430
72 / 1828	40 / 1016	2778	3446	4721	4978	4721	5529
72 / 1828	48 / 1219	2979	3695	5062	5337	5062	5928
72 / 1828	50 / 1270	3004	3726	5105	5383	5105	5978
72 / 1828	60 / 1524	3129	3880	5316	5604	5316	6225
72 / 1828	62 / 1575	3155	3912	5359	5651	5359	6276
73 / 1854	36 / 914	2739	3396	4653	4907	4653	5449
73 / 1854	40 / 1016	2789	3458	4738	4996	4738	5548
73 / 1854	48 / 1219	2989	3707	5078	5355	5078	5948
73 / 1854	50 / 1270	3015	3738	5121	5400	5121	5997
73 / 1854	60 / 1524	3139	3892	5333	5623	5333	6246
73 / 1854	62 / 1575	3164	3924	5375	5669	5375	6295

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS

INCHES / MM

Screen Depth	Return Depth
74 / 1880	36 / 914
74 / 1880	40 / 1016
74 / 1880	48 / 1219
74 / 1880	50 / 1270
74 / 1880	60 / 1524
74 / 1880	62 / 1575

PRICING

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2749	3410	4670	4924	4670	5470
2798	3470	4754	5014	4754	5568
2999	3720	5094	5372	5094	5967
3024	3751	5138	5418	5138	6018
3150	3906	5352	5642	5352	6268
3174	3936	5392	5686	5392	6315

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

Screen Depth		Return Depth		Source Laminate		Flintwood		Natural Veneer	
				Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	48 / 1219	40 / 1016	2228	2652	3818	3894	4012	4332
48 / 1219	40 / 1016	48 / 1219	48 / 1219	2303	2741	3947	4026	4147	4479
48 / 1219	48 / 1219	48 / 1219	50 / 1270	2504	2979	4291	4376	4508	4868
48 / 1219	50 / 1270	48 / 1219	60 / 1524	2554	3040	4377	4465	4598	4966
48 / 1219	60 / 1524	48 / 1219	62 / 1575	2704	3218	4633	4727	4868	5258
48 / 1219	62 / 1575	49 / 1245	36 / 914	2754	3276	4718	4812	4958	5354
49 / 1245	36 / 914	49 / 1245	40 / 1016	2238	2664	3836	3912	4030	4351
49 / 1245	40 / 1016	49 / 1245	48 / 1219	2313	2752	3963	4043	4164	4498
49 / 1245	48 / 1219	49 / 1245	50 / 1270	2513	2991	4308	4394	4525	4887
49 / 1245	50 / 1270	49 / 1245	60 / 1524	2564	3052	4395	4483	4616	4986
49 / 1245	60 / 1524	49 / 1245	62 / 1575	2714	3230	4651	4744	4886	5277
49 / 1245	62 / 1575	50 / 1270	36 / 914	2764	3289	4738	4833	4977	5375
50 / 1270	36 / 914	50 / 1270	40 / 1016	2248	2675	3852	3929	4047	4371
50 / 1270	40 / 1016	50 / 1270	48 / 1219	2324	2766	3982	4063	4184	4519
50 / 1270	48 / 1219	50 / 1270	50 / 1270	2523	3003	4324	4411	4543	4907
50 / 1270	50 / 1270	50 / 1270	60 / 1524	2574	3063	4411	4499	4634	5004
50 / 1270	60 / 1524	50 / 1270	62 / 1575	2723	3241	4667	4762	4905	5297
50 / 1270	62 / 1575	60 / 1524	36 / 914	2774	3302	4754	4850	4995	5394
60 / 1524	36 / 914	60 / 1524	40 / 1016	2654	3159	4548	4640	4778	5161
60 / 1524	40 / 1016	60 / 1524	48 / 1219	2730	3248	4678	4771	4914	5307
60 / 1524	48 / 1219	60 / 1524	50 / 1270	2930	3486	5021	5121	5275	5696
60 / 1524	50 / 1270	60 / 1524	60 / 1524	2954	3515	5062	5163	5318	5743
60 / 1524	60 / 1524	60 / 1524	62 / 1575	3129	3724	5363	5470	5633	6083
60 / 1524	62 / 1575	61 / 1549	36 / 914	3155	3755	5405	5513	5679	6133
61 / 1549	36 / 914	61 / 1549	40 / 1016	2664	3170	4566	4658	4797	5180
61 / 1549	40 / 1016	61 / 1549	48 / 1219	2739	3260	4694	4788	4932	5327
61 / 1549	48 / 1219	61 / 1549	50 / 1270	2939	3499	5037	5139	5293	5716
61 / 1549	50 / 1270	61 / 1549	60 / 1524	2964	3528	5080	5180	5336	5763
61 / 1549	60 / 1524	61 / 1549	62 / 1575	3139	3735	5378	5487	5651	6103
61 / 1549	62 / 1575	62 / 1575	36 / 914	3164	3765	5423	5531	5698	6153
62 / 1575	36 / 914	62 / 1575	40 / 1016	2674	3183	4582	4675	4816	5199
62 / 1575	40 / 1016	62 / 1575	48 / 1219	2749	3272	4712	4805	4949	5346
62 / 1575	48 / 1219	62 / 1575	50 / 1270	2949	3510	5055	5156	5311	5735
62 / 1575	50 / 1270	62 / 1575	60 / 1524	2973	3538	5095	5198	5354	5782
62 / 1575	60 / 1524	62 / 1575	62 / 1575	3150	3749	5398	5506	5671	6125
62 / 1575	62 / 1575			3174	3778	5440	5548	5714	6172

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
72 / 1828	36 / 914
72 / 1828	40 / 1016
72 / 1828	48 / 1219
72 / 1828	50 / 1270
72 / 1828	60 / 1524
72 / 1828	62 / 1575
73 / 1854	36 / 914
73 / 1854	40 / 1016
73 / 1854	48 / 1219
73 / 1854	50 / 1270
73 / 1854	60 / 1524
73 / 1854	62 / 1575
74 / 1880	36 / 914
74 / 1880	40 / 1016
74 / 1880	48 / 1219
74 / 1880	50 / 1270
74 / 1880	60 / 1524
74 / 1880	62 / 1575

PRICING

INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2754	3276	4718	4812	4958	5354
2829	3368	4850	4946	5093	5501
3028	3605	5191	5294	5453	5889
3054	3635	5233	5338	5499	5938
3254	3873	5577	5688	5859	6328
3280	3903	5621	5734	5905	6378
2764	3289	4738	4833	4977	5375
2840	3379	4865	4964	5112	5522
3040	3618	5209	5314	5473	5911
3063	3646	5251	5356	5516	5958
3265	3886	5595	5706	5878	6348
3289	3916	5638	5751	5923	6397
2774	3302	4754	4850	4995	5394
2849	3391	4883	4980	5130	5540
3050	3631	5226	5331	5491	5930
3074	3659	5268	5373	5534	5977
3274	3897	5612	5724	5896	6366
3300	3927	5654	5767	5940	6416

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2379	2927	3746	4083	3920	4508
2403	2956	3784	4124	3959	4553
2603	3202	4099	4468	4290	4933
2629	3235	4140	4512	4331	4981
2730	3357	4297	4684	4497	5171
2754	3387	4335	4725	4537	5217
2389	2938	3761	4100	3936	4526
2413	2968	3800	4141	3976	4573
2614	3215	4116	4486	4306	4951
2638	3247	4155	4528	4348	5000
2739	3370	4313	4700	4513	5190
2764	3400	4352	4745	4555	5237
2399	2950	3778	4117	3953	4545
2423	2981	3815	4158	3992	4592
2624	3227	4131	4502	4323	4970
2649	3258	4171	4546	4365	5019
2749	3382	4328	4718	4529	5208
2774	3413	4368	4762	4571	5257
2629	3235	4140	4512	4331	4981
2704	3326	4258	4641	4455	5123
2879	3541	4534	4941	4744	5455
2904	3573	4573	4985	4785	5502
3054	3757	4808	5242	5032	5787
3079	3788	4850	5285	5074	5835

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

Screen Depth	Return Depth
61 / 1549	36 / 914
61 / 1549	40 / 1016
61 / 1549	48 / 1219
61 / 1549	50 / 1270
61 / 1549	60 / 1524
61 / 1549	62 / 1575
62 / 1575	36 / 914
62 / 1575	40 / 1016
62 / 1575	48 / 1219
62 / 1575	50 / 1270
62 / 1575	60 / 1524
62 / 1575	62 / 1575
72 / 1828	36 / 914
72 / 1828	40 / 1016
72 / 1828	48 / 1219
72 / 1828	50 / 1270
72 / 1828	60 / 1524
72 / 1828	62 / 1575
73 / 1854	36 / 914
73 / 1854	40 / 1016
73 / 1854	48 / 1219
73 / 1854	50 / 1270
73 / 1854	60 / 1524
73 / 1854	62 / 1575
74 / 1880	36 / 914
74 / 1880	40 / 1016
74 / 1880	48 / 1219
74 / 1880	50 / 1270
74 / 1880	60 / 1524
74 / 1880	62 / 1575

PRICING

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2638	3247	4155	4528	4348	5000
2714	3338	4273	4658	4471	5142
2889	3554	4548	4959	4760	5474
2914	3585	4588	5001	4802	5523
3063	3768	4824	5259	5049	5806
3089	3801	4864	5302	5090	5853
2649	3258	4171	4546	4365	5019
2723	3351	4289	4675	4488	5161
2899	3566	4564	4975	4776	5492
2925	3597	4605	5019	4818	5541
3074	3781	4840	5276	5065	5824
3099	3813	4880	5319	5106	5872
2778	3419	4376	4769	4578	5265
2804	3449	4415	4812	4621	5313
3004	3696	4731	5157	4950	5693
3028	3726	4769	5198	4990	5739
3155	3880	4967	5413	5197	5977
3180	3912	5006	5457	5240	6024
2789	3430	4391	4786	4595	5284
2814	3462	4431	4829	4636	5332
3015	3708	4747	5173	4967	5711
3040	3739	4786	5217	5007	5760
3164	3892	4982	5430	5214	5995
3190	3924	5022	5474	5255	6043
2798	3443	4406	4803	4611	5303
2824	3474	4446	4847	4653	5350
3024	3721	4763	5191	4982	5730
3050	3751	4802	5233	5024	5779
3174	3904	4998	5447	5229	6014
3199	3936	5037	5491	5271	6062

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
2478	2876	3755	3848	3951	4258
2554	2964	3869	3965	4071	4387
2754	3195	4171	4275	4389	4731
2804	3254	4247	4353	4470	4818
2954	3428	4474	4587	4710	5075
3004	3486	4552	4665	4790	5162
2489	2889	3771	3865	3969	4276
2564	2975	3885	3981	4088	4405
2764	3209	4187	4293	4407	4750
2814	3266	4263	4369	4486	4835
2964	3440	4490	4603	4724	5092
3015	3498	4566	4681	4806	5179

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS INCHES / MM


PRICING

INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)

Screen Depth	Return Depth	Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	36 / 914	2498	2900	3785	3880	3985	4294
50 / 1270	40 / 1016	2574	2987	3899	3997	4103	4422
50 / 1270	48 / 1219	2774	3219	4203	4309	4423	4767
50 / 1270	50 / 1270	2824	3278	4277	4384	4502	4852
50 / 1270	60 / 1524	2973	3450	4505	4618	4741	5109
50 / 1270	62 / 1575	3024	3510	4581	4696	4822	5196
60 / 1524	36 / 914	2904	3370	4400	4510	4630	4990
60 / 1524	40 / 1016	2979	3457	4513	4626	4750	5119
60 / 1524	48 / 1219	3180	3690	4817	4937	5070	5462
60 / 1524	50 / 1270	3204	3720	4855	4977	5109	5507
60 / 1524	60 / 1524	3380	3923	5120	5248	5389	5808
60 / 1524	62 / 1575	3405	3951	5157	5286	5427	5849
61 / 1549	36 / 914	2914	3382	4414	4525	4647	5006
61 / 1549	40 / 1016	2989	3469	4527	4641	4766	5136
61 / 1549	48 / 1219	3190	3702	4831	4952	5085	5480
61 / 1549	50 / 1270	3215	3731	4870	4993	5126	5524
61 / 1549	60 / 1524	3390	3934	5136	5263	5404	5824
61 / 1549	62 / 1575	3414	3962	5172	5302	5443	5866
62 / 1575	36 / 914	2925	3393	4430	4541	4662	5024
62 / 1575	40 / 1016	2999	3480	4543	4657	4781	5152
62 / 1575	48 / 1219	3199	3712	4847	4968	5101	5497
62 / 1575	50 / 1270	3225	3743	4884	5007	5141	5541
62 / 1575	60 / 1524	3399	3946	5149	5279	5421	5842
62 / 1575	62 / 1575	3425	3975	5189	5318	5460	5884
72 / 1828	36 / 914	3004	3486	4552	4665	4790	5162
72 / 1828	40 / 1016	3079	3574	4665	4782	4910	5290
72 / 1828	48 / 1219	3280	3806	4968	5092	5229	5636
72 / 1828	50 / 1270	3304	3835	5005	5130	5268	5676
72 / 1828	60 / 1524	3504	4067	5308	5442	5587	6021
72 / 1828	62 / 1575	3530	4096	5347	5481	5628	6065
73 / 1854	36 / 914	3015	3498	4566	4681	4806	5179
73 / 1854	40 / 1016	3089	3585	4680	4798	4925	5307
73 / 1854	48 / 1219	3289	3818	4983	5108	5245	5652
73 / 1854	50 / 1270	3315	3847	5022	5147	5285	5696
73 / 1854	60 / 1524	3514	4078	5324	5457	5602	6038
73 / 1854	62 / 1575	3539	4108	5363	5497	5643	6081
74 / 1880	36 / 914	3024	3510	4581	4696	4822	5196
74 / 1880	40 / 1016	3099	3597	4695	4812	4941	5325
74 / 1880	48 / 1219	3300	3830	4998	5123	5260	5669
74 / 1880	50 / 1270	3325	3859	5036	5163	5301	5712
74 / 1880	60 / 1524	3525	4091	5338	5473	5619	6055
74 / 1880	62 / 1575	3550	4119	5376	5512	5658	6098

U Z C S

Lateral Floor Screen with Solid, with Shared Return



Solid Lateral Floor Screen with shared return that attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED

1 lateral solid screen with shared return, attachment brackets.

NOTES

Support foot and bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the shared return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the shared return will be on the right.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
MS Mid Spine	29, 42, 51, 57	48, 49, 50, 60, 61, 62, 72, 73, 74	36, 40, 48, 50, 60, 62	L Left R Right	N None	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

UZCS MS	29	48	36	R	N	AG	74	74
---------	----	----	----	---	---	----	----	----

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	48 / 1219	36 / 914
29 / 737	48 / 1219	40 / 1016
29 / 737	48 / 1219	48 / 1219
29 / 737	48 / 1219	50 / 1270
29 / 737	48 / 1219	60 / 1524
29 / 737	48 / 1219	62 / 1575
29 / 737	49 / 1245	36 / 914
29 / 737	49 / 1245	40 / 1016
29 / 737	49 / 1245	48 / 1219
29 / 737	49 / 1245	50 / 1270
29 / 737	49 / 1245	60 / 1524
29 / 737	49 / 1245	62 / 1575
29 / 737	50 / 1270	36 / 914
29 / 737	50 / 1270	40 / 1016
29 / 737	50 / 1270	48 / 1219
29 / 737	50 / 1270	50 / 1270
29 / 737	50 / 1270	60 / 1524
29 / 737	50 / 1270	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
1101	2060	2060
1119	2092	2092
1152	2153	2153
1202	2248	2248
1277	2388	2388
1302	2435	2435
1112	2081	2081
1129	2112	2112
1162	2173	2173
1212	2265	2265
1288	2408	2408
1311	2454	2454
1123	2099	2099
1140	2133	2133
1171	2192	2192
1222	2286	2286
1297	2426	2426
1322	2472	2472

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	60 / 1524	36 / 914
29 / 737	60 / 1524	40 / 1016
29 / 737	60 / 1524	48 / 1219
29 / 737	60 / 1524	50 / 1270
29 / 737	60 / 1524	60 / 1524
29 / 737	60 / 1524	62 / 1575
29 / 737	61 / 1549	36 / 914
29 / 737	61 / 1549	40 / 1016
29 / 737	61 / 1549	48 / 1219
29 / 737	61 / 1549	50 / 1270
29 / 737	61 / 1549	60 / 1524
29 / 737	61 / 1549	62 / 1575
29 / 737	62 / 1575	36 / 914
29 / 737	62 / 1575	40 / 1016
29 / 737	62 / 1575	48 / 1219
29 / 737	62 / 1575	50 / 1270
29 / 737	62 / 1575	60 / 1524
29 / 737	62 / 1575	62 / 1575
29 / 737	72 / 1829	36 / 914
29 / 737	72 / 1829	40 / 1016
29 / 737	72 / 1829	48 / 1219
29 / 737	72 / 1829	50 / 1270
29 / 737	72 / 1829	60 / 1524
29 / 737	72 / 1829	62 / 1575
29 / 737	73 / 1854	36 / 914
29 / 737	73 / 1854	40 / 1016
29 / 737	73 / 1854	48 / 1219
29 / 737	73 / 1854	50 / 1270
29 / 737	73 / 1854	60 / 1524
29 / 737	73 / 1854	62 / 1575
29 / 737	74 / 1880	36 / 914
29 / 737	74 / 1880	40 / 1016
29 / 737	74 / 1880	48 / 1219
29 / 737	74 / 1880	50 / 1270
29 / 737	74 / 1880	60 / 1524
29 / 737	74 / 1880	62 / 1575
42 / 1067	48 / 1219	36 / 914
42 / 1067	48 / 1219	40 / 1016
42 / 1067	48 / 1219	48 / 1219
42 / 1067	48 / 1219	50 / 1270
42 / 1067	48 / 1219	60 / 1524
42 / 1067	48 / 1219	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
1353	2528	2528
1377	2575	2575
1402	2621	2621
1452	2717	2717
1527	2856	2856
1553	2904	2904
1362	2548	2548
1388	2596	2596
1412	2642	2642
1463	2736	2736
1537	2876	2876
1562	2923	2923
1373	2567	2567
1397	2615	2615
1421	2660	2660
1472	2755	2755
1548	2894	2894
1573	2942	2942
1377	2575	2575
1402	2621	2621
1452	2715	2715
1502	2809	2809
1577	2949	2949
1603	2997	2997
1388	2596	2596
1412	2642	2642
1463	2736	2736
1513	2828	2828
1587	2968	2968
1612	3016	3016
1397	2615	2615
1421	2660	2660
1472	2755	2755
1522	2847	2847
1597	2987	2987
1622	3034	3034
1377	2575	2575
1428	2668	2668
1553	2902	2902
1603	2997	2997
1728	3230	3230
1752	3278	3278

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS INCHES / MM			PRICING		
Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
42 / 1067	49 / 1245	36 / 914	1388	2596	2596
42 / 1067	49 / 1245	40 / 1016	1437	2688	2688
42 / 1067	49 / 1245	48 / 1219	1562	2923	2923
42 / 1067	49 / 1245	50 / 1270	1612	3016	3016
42 / 1067	49 / 1245	60 / 1524	1738	3250	3250
42 / 1067	49 / 1245	62 / 1575	1762	3296	3296
42 / 1067	50 / 1270	36 / 914	1397	2615	2615
42 / 1067	50 / 1270	40 / 1016	1447	2707	2707
42 / 1067	50 / 1270	48 / 1219	1573	2942	2942
42 / 1067	50 / 1270	50 / 1270	1622	3034	3034
42 / 1067	50 / 1270	60 / 1524	1748	3269	3269
42 / 1067	50 / 1270	62 / 1575	1773	3316	3316
42 / 1067	60 / 1524	36 / 914	1829	3417	3417
42 / 1067	60 / 1524	40 / 1016	1877	3511	3511
42 / 1067	60 / 1524	48 / 1219	2003	3745	3745
42 / 1067	48 / 1219	50 / 1270	2053	3839	3839
42 / 1067	60 / 1524	60 / 1524	2178	4073	4073
42 / 1067	48 / 1219	62 / 1575	2203	4119	4119
42 / 1067	61 / 1549	36 / 914	1838	3439	3439
42 / 1067	61 / 1549	40 / 1016	1888	3531	3531
42 / 1067	61 / 1549	48 / 1219	2013	3765	3765
42 / 1067	61 / 1549	50 / 1270	2063	3858	3858
42 / 1067	61 / 1549	60 / 1524	2188	4093	4093
42 / 1067	61 / 1549	62 / 1575	2213	4140	4140
42 / 1067	62 / 1575	36 / 914	1848	3456	3456
42 / 1067	62 / 1575	40 / 1016	1897	3550	3550
42 / 1067	62 / 1575	48 / 1219	2024	3784	3784
42 / 1067	62 / 1575	50 / 1270	2072	3876	3876
42 / 1067	62 / 1575	60 / 1524	2198	4112	4112
42 / 1067	62 / 1575	62 / 1575	2224	4158	4158
42 / 1067	72 / 1829	36 / 914	1853	3464	3464
42 / 1067	72 / 1829	40 / 1016	1927	3605	3605
42 / 1067	72 / 1829	48 / 1219	2053	3838	3838
42 / 1067	72 / 1829	50 / 1270	2103	3934	3934
42 / 1067	72 / 1829	60 / 1524	2228	4167	4167
42 / 1067	72 / 1829	62 / 1575	2254	4215	4215
42 / 1067	73 / 1854	36 / 914	1862	3483	3483
42 / 1067	73 / 1854	40 / 1016	1939	3625	3625
42 / 1067	73 / 1854	48 / 1219	2063	3858	3858
42 / 1067	73 / 1854	50 / 1270	2114	3953	3953
42 / 1067	73 / 1854	60 / 1524	2238	4185	4185
42 / 1067	73 / 1854	62 / 1575	2263	4233	4233

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
42 / 1067	74 / 1880	36 / 914
42 / 1067	74 / 1880	40 / 1016
42 / 1067	74 / 1880	48 / 1219
42 / 1067	74 / 1880	50 / 1270
42 / 1067	74 / 1880	60 / 1524
42 / 1067	74 / 1880	62 / 1575
51 / 1295	48 / 1219	36 / 914
51 / 1295	48 / 1219	40 / 1016
51 / 1295	48 / 1219	48 / 1219
51 / 1295	48 / 1219	50 / 1270
51 / 1295	48 / 1219	60 / 1524
51 / 1295	48 / 1219	62 / 1575
51 / 1295	49 / 1245	36 / 914
51 / 1295	49 / 1245	40 / 1016
51 / 1295	49 / 1245	48 / 1219
51 / 1295	49 / 1245	50 / 1270
51 / 1295	49 / 1245	60 / 1524
51 / 1295	49 / 1245	62 / 1575
51 / 1295	50 / 1270	36 / 914
51 / 1295	50 / 1270	40 / 1016
51 / 1295	50 / 1270	48 / 1219
51 / 1295	50 / 1270	50 / 1270
51 / 1295	50 / 1270	60 / 1524
51 / 1295	50 / 1270	62 / 1575
51 / 1295	60 / 1524	36 / 914
51 / 1295	60 / 1524	40 / 1016
51 / 1295	60 / 1524	48 / 1219
51 / 1295	60 / 1524	50 / 1270
51 / 1295	60 / 1524	60 / 1524
51 / 1295	60 / 1524	62 / 1575
51 / 1295	61 / 1549	36 / 914
51 / 1295	61 / 1549	40 / 1016
51 / 1295	61 / 1549	48 / 1219
51 / 1295	61 / 1549	50 / 1270
51 / 1295	61 / 1549	60 / 1524
51 / 1295	61 / 1549	62 / 1575
51 / 1295	62 / 1575	36 / 914
51 / 1295	62 / 1575	40 / 1016
51 / 1295	62 / 1575	48 / 1219
51 / 1295	62 / 1575	50 / 1270
51 / 1295	62 / 1575	60 / 1524
51 / 1295	62 / 1575	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
1872	3501	3501
1948	3644	3644
2072	3876	3876
2123	3972	3972
2248	4204	4204
2273	4252	4252
1628	n/a	n/a
1677	n/a	n/a
1829	n/a	n/a
1853	n/a	n/a
2003	n/a	n/a
2053	n/a	n/a
1638	n/a	n/a
1688	n/a	n/a
1838	n/a	n/a
1862	n/a	n/a
2013	n/a	n/a
2063	n/a	n/a
1647	n/a	n/a
1697	n/a	n/a
1848	n/a	n/a
1872	n/a	n/a
2024	n/a	n/a
2072	n/a	n/a
2003	n/a	n/a
2053	n/a	n/a
2203	n/a	n/a
2254	n/a	n/a
2353	n/a	n/a
2403	n/a	n/a
2013	n/a	n/a
2063	n/a	n/a
2213	n/a	n/a
2263	n/a	n/a
2364	n/a	n/a
2413	n/a	n/a
2024	n/a	n/a
2072	n/a	n/a
2224	n/a	n/a
2273	n/a	n/a
2373	n/a	n/a
2423	n/a	n/a

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
51 / 1295	72 / 1829	36 / 914
51 / 1295	72 / 1829	40 / 1016
51 / 1295	72 / 1829	48 / 1219
51 / 1295	72 / 1829	50 / 1270
51 / 1295	72 / 1829	60 / 1524
51 / 1295	72 / 1829	62 / 1575
51 / 1295	73 / 1854	36 / 914
51 / 1295	73 / 1854	40 / 1016
51 / 1295	73 / 1854	48 / 1219
51 / 1295	73 / 1854	50 / 1270
51 / 1295	73 / 1854	60 / 1524
51 / 1295	73 / 1854	62 / 1575
51 / 1295	74 / 1880	36 / 914
51 / 1295	74 / 1880	40 / 1016
51 / 1295	74 / 1880	48 / 1219
51 / 1295	74 / 1880	50 / 1270
51 / 1295	74 / 1880	60 / 1524
51 / 1295	74 / 1880	62 / 1575
57 / 1448	48 / 1219	36 / 914
57 / 1448	48 / 1219	40 / 1016
57 / 1448	48 / 1219	48 / 1219
57 / 1448	48 / 1219	50 / 1270
57 / 1448	48 / 1219	60 / 1524
57 / 1448	48 / 1219	62 / 1575
57 / 1448	49 / 1245	36 / 914
57 / 1448	49 / 1245	40 / 1016
57 / 1448	49 / 1245	48 / 1219
57 / 1448	49 / 1245	50 / 1270
57 / 1448	49 / 1245	60 / 1524
57 / 1448	49 / 1245	62 / 1575
57 / 1448	50 / 1270	36 / 914
57 / 1448	50 / 1270	40 / 1016
57 / 1448	50 / 1270	48 / 1219
57 / 1448	50 / 1270	50 / 1270
57 / 1448	50 / 1270	60 / 1524
57 / 1448	50 / 1270	62 / 1575
57 / 1448	60 / 1524	36 / 914
57 / 1448	60 / 1524	40 / 1016
57 / 1448	60 / 1524	48 / 1219
57 / 1448	48 / 1219	50 / 1270
57 / 1448	60 / 1524	60 / 1524
57 / 1448	48 / 1219	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
2153	n/a	n/a
2203	n/a	n/a
2328	n/a	n/a
2353	n/a	n/a
2554	n/a	n/a
2603	n/a	n/a
2163	n/a	n/a
2213	n/a	n/a
2338	n/a	n/a
2364	n/a	n/a
2564	n/a	n/a
2614	n/a	n/a
2173	n/a	n/a
2224	n/a	n/a
2348	n/a	n/a
2373	n/a	n/a
2574	n/a	n/a
2624	n/a	n/a
1829	n/a	n/a
1877	n/a	n/a
2028	n/a	n/a
2053	n/a	n/a
2203	n/a	n/a
2254	n/a	n/a
1838	n/a	n/a
1888	n/a	n/a
2037	n/a	n/a
2063	n/a	n/a
2213	n/a	n/a
2263	n/a	n/a
1848	n/a	n/a
1897	n/a	n/a
2049	n/a	n/a
2072	n/a	n/a
2224	n/a	n/a
2273	n/a	n/a
2203	n/a	n/a
2254	n/a	n/a
2403	n/a	n/a
2454	n/a	n/a
2554	n/a	n/a
2603	n/a	n/a

Pricing is continued on the following page.

U Z C S


Lateral Floor Screen with Solid, with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
57 / 1448	61 / 1549	36 / 914
57 / 1448	61 / 1549	40 / 1016
57 / 1448	61 / 1549	48 / 1219
57 / 1448	61 / 1549	50 / 1270
57 / 1448	61 / 1549	60 / 1524
57 / 1448	61 / 1549	62 / 1575
57 / 1448	62 / 1575	36 / 914
57 / 1448	62 / 1575	40 / 1016
57 / 1448	62 / 1575	48 / 1219
57 / 1448	62 / 1575	50 / 1270
57 / 1448	62 / 1575	60 / 1524
57 / 1448	62 / 1575	62 / 1575
57 / 1448	72 / 1829	36 / 914
57 / 1448	72 / 1829	40 / 1016
57 / 1448	72 / 1829	48 / 1219
57 / 1448	72 / 1829	50 / 1270
57 / 1448	72 / 1829	60 / 1524
57 / 1448	72 / 1829	62 / 1575
57 / 1448	73 / 1854	36 / 914
57 / 1448	73 / 1854	40 / 1016
57 / 1448	73 / 1854	48 / 1219
57 / 1448	73 / 1854	50 / 1270
57 / 1448	73 / 1854	60 / 1524
57 / 1448	73 / 1854	62 / 1575
57 / 1448	74 / 1880	36 / 914
57 / 1448	74 / 1880	40 / 1016
57 / 1448	74 / 1880	48 / 1219
57 / 1448	74 / 1880	50 / 1270
57 / 1448	74 / 1880	60 / 1524
57 / 1448	74 / 1880	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
2213	n/a	n/a
2263	n/a	n/a
2413	n/a	n/a
2463	n/a	n/a
2564	n/a	n/a
2614	n/a	n/a
2224	n/a	n/a
2273	n/a	n/a
2423	n/a	n/a
2474	n/a	n/a
2574	n/a	n/a
2624	n/a	n/a
2353	n/a	n/a
2403	n/a	n/a
2529	n/a	n/a
2554	n/a	n/a
2754	n/a	n/a
2804	n/a	n/a
2364	n/a	n/a
2413	n/a	n/a
2539	n/a	n/a
2564	n/a	n/a
2764	n/a	n/a
2814	n/a	n/a
2373	n/a	n/a
2423	n/a	n/a
2548	n/a	n/a
2574	n/a	n/a
2774	n/a	n/a
2824	n/a	n/a

UGSSS
Gallery Screen



Gallery Screen attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED

1 gallery screen, attachment brackets.

NOTES

Handedness of the screen is determined when a user is facing the panel, what hand the screen on.

Bracket Attachment (ED) and (MS) are not available with Handedness Left (L) and Right (R).

Bracket Attachment (ES) or (EB) is not available with Handedness Not Applicable (N).

If Height 51" is selected, Depths 48", 60", 72" are not available with Screen Finish Flintwood and Natural Veneer.

Edge trim finishes default to screen finish.

The Leveler finish is always Black.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish
ES End Mounted Single	42, 51	24, 30, 36, 42, 48, 60, 72, 84	N Not Applicable	N None	Foundation Laminate Flintwood Natural Veneer
EB End Mounted Double			L Left		
ED End Mounted Shared			R Right		
MS Mid Spine					

SAMPLE ORDER CODE

UGSSS ES	51	30	R	N	AG
----------	----	----	---	---	----

DIMENSIONS
INCHES / MM

		PRICING		
H	D	Foundation Laminate	Flintwood	Natural Veneer
42 / 1067	24 / 610	827	1049	1049
42 / 1067	30 / 762	979	1233	1233
42 / 1067	36 / 914	1227	1513	1513
42 / 1067	42 / 1067	1360	1676	1676
42 / 1067	48 / 1219	1438	1784	1784
42 / 1067	60 / 1524	1737	2144	2144
42 / 1067	72 / 1829	2185	2655	2655
42 / 1067	84 / 2134	2633	3166	3166
51 / 1295	24 / 610	1064	1317	1317
51 / 1295	30 / 762	1327	1615	1615
51 / 1295	36 / 914	1504	1831	1831
51 / 1295	42 / 1067	1571	1933	1933
51 / 1295	48 / 1219	1833	n/a	n/a
51 / 1295	60 / 1524	2466	n/a	n/a
51 / 1295	72 / 1829	2750	n/a	n/a
51 / 1295	84 / 2134	3342	3968	3968

Gallery Screen with Glass attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED

1 gallery screen with glass, attachment brackets.

NOTES


Handedness of the screen is determined when a user is facing the panel, what hand the screen on.

Bracket Attachment (ED) and (MS) are not available with Handedness Left (L) and Right (R).

Bracket Attachment (ES) or (EB) is not available with Handedness Not Applicable (N).

Edge trim finishes default to screen finish.

The Leveler finish is always Black.



UGSGS Gallery Screen with Glass

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish	Glass Finish
ES End Mounted Single	E Inset 51" total (42" plus 9" glass)	24, 30, 36, 42, 48, 60, 72, 84	N Not Applicable	N None	Foundation Laminate	CL Clear
EB End Mounted Double	H Inset 57" total (42" plus 15" glass)		L Left		Flintwood	FT Frost
ED End Mounted Shared			R Right		Natural Veneer	GZ Solar Bronze
MS Mid Spine						GG Solar Grey

SAMPLE ORDER CODE

UGSGS ES	E	30	R	N	AG	CL
-----------------	----------	-----------	----------	----------	-----------	-----------


DIMENSIONS INCHES / MM

H	D
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829
51 / 1295	84 / 2134
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	60 / 1524
57 / 1448	72 / 1829
57 / 1448	84 / 2134

PRICING

Foundation Laminate			Flintwood			Natural Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
1092	1187	1121	1325	1410	1355	1325	1410	1355
1306	1426	1343	1572	1679	1609	1572	1679	1609
1615	1759	1661	1915	2044	1961	1915	2044	1961
1786	1953	1840	2119	2268	2173	2119	2268	2173
1880	2071	1943	2244	2417	2307	2244	2417	2307
2215	2454	2295	2644	2861	2723	2644	2861	2723
2754	3039	2850	3249	3509	3345	3249	3509	3345
3238	3571	3352	3801	4103	3915	3801	4103	3915
1124	1270	1174	1358	1494	1409	1358	1494	1409
1346	1530	1412	1613	1784	1679	1613	1784	1679
1664	1884	1745	1965	2170	2046	1965	2170	2046
1842	2099	1937	2176	2416	2271	2176	2416	2271
1946	2239	2055	2311	2585	2420	2311	2585	2420
2297	2663	2436	2726	3071	2865	2726	3071	2865
2851	3290	3019	3349	3762	3516	3349	3762	3516
3353	3865	3549	3917	4399	4113	3917	4399	4113

UGSSL
Gallery Screen with Return



Gallery Screen with Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED
1 gallery screen with return, attachment brackets.

NOTES
If Height 51" is selected then only Foundation Laminate option is available.

The handedness of the screen is determined by the location of the return in relation to the user facing.

Edge trim finishes default to screen finish.
The Leveler finish is always Black.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Handedness	Screen Support	Screen Finish
ES End Mounted Single	42, 51	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	18, 20, 24, 25, 30, 31	L Left	N None	Foundation Laminate
EB End Mounted Double				R Right		Flintwood
MS Mid Spine						Natural Veneer

SAMPLE ORDER CODE

UGSSL ES	42	48	18	R	N	AG
----------	----	----	----	---	---	----

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	48 / 1219	18 / 457
42 / 1067	48 / 1219	20 / 508
42 / 1067	48 / 1219	24 / 610
42 / 1067	48 / 1219	25 / 635
42 / 1067	48 / 1219	30 / 762
42 / 1067	48 / 1219	31 / 787
42 / 1067	49 / 1245	18 / 457
42 / 1067	49 / 1245	20 / 508
42 / 1067	49 / 1245	24 / 610
42 / 1067	49 / 1245	25 / 635
42 / 1067	49 / 1245	30 / 762
42 / 1067	49 / 1245	31 / 787
42 / 1067	50 / 1270	18 / 457
42 / 1067	50 / 1270	20 / 508
42 / 1067	50 / 1270	24 / 610
42 / 1067	50 / 1270	25 / 635
42 / 1067	50 / 1270	30 / 762
42 / 1067	50 / 1270	31 / 787

PRICING

Foundation Laminate	Flintwood	Veneer
2205	2756	2756
2291	2851	2851
2308	2889	2889
2456	3043	3043
2461	3073	3073
2508	3126	3126
2284	2842	2842
2371	2937	2937
2388	2974	2974
2537	3129	3129
2541	3159	3159
2589	3212	3212
2285	2848	2848
2372	2944	2944
2389	2981	2981
2538	3135	3135
2542	3165	3165
2590	3218	3218

Pricing is continued on the following page.

UGSSL

Gallery Screen with Return (Continued)

DIMENSIONS INCHES / MM

Height	Depth	Return Depth
42 / 1067	60 / 1524	18 / 457
42 / 1067	60 / 1524	20 / 508
42 / 1067	60 / 1524	24 / 610
42 / 1067	60 / 1524	25 / 635
42 / 1067	60 / 1524	30 / 762
42 / 1067	60 / 1524	31 / 787
42 / 1067	61 / 1549	18 / 457
42 / 1067	61 / 1549	20 / 508
42 / 1067	61 / 1549	24 / 610
42 / 1067	61 / 1549	25 / 635
42 / 1067	61 / 1549	30 / 762
42 / 1067	61 / 1549	31 / 787
42 / 1067	62 / 1575	18 / 457
42 / 1067	62 / 1575	20 / 508
42 / 1067	62 / 1575	24 / 610
42 / 1067	62 / 1575	25 / 635
42 / 1067	62 / 1575	30 / 762
42 / 1067	62 / 1575	31 / 787
42 / 1067	72 / 1829	18 / 457
42 / 1067	72 / 1829	20 / 508
42 / 1067	72 / 1829	24 / 610
42 / 1067	72 / 1829	25 / 635
42 / 1067	72 / 1829	30 / 762
42 / 1067	72 / 1829	31 / 787
42 / 1067	73 / 1854	18 / 457
42 / 1067	73 / 1854	20 / 508
42 / 1067	73 / 1854	24 / 610
42 / 1067	73 / 1854	25 / 635
42 / 1067	73 / 1854	30 / 762
42 / 1067	73 / 1854	31 / 787
42 / 1067	74 / 1880	18 / 457
42 / 1067	74 / 1880	20 / 508
42 / 1067	74 / 1880	24 / 610
42 / 1067	74 / 1880	25 / 635
42 / 1067	74 / 1880	30 / 762
42 / 1067	74 / 1880	31 / 787
42 / 1067	84 / 2134	18 / 457
42 / 1067	84 / 2134	20 / 508
42 / 1067	84 / 2134	24 / 610
42 / 1067	84 / 2134	25 / 635
42 / 1067	84 / 2134	30 / 762
42 / 1067	84 / 2134	31 / 787

PRICING

Foundation Laminate	Flintwood	Veneer
2503	3116	3116
2589	3212	3212
2605	3249	3249
2754	3405	3405
2759	3433	3433
2806	3486	3486
2900	3525	3525
2986	3620	3620
3003	3657	3657
3151	3812	3812
3157	3841	3841
3203	3894	3894
2901	3531	3531
2987	3626	3626
3004	3663	3663
3152	3818	3818
3158	3848	3848
3204	3901	3901
2951	3629	3629
3037	3725	3725
3054	3762	3762
3202	3918	3918
3208	3947	3947
3254	3999	3999
2952	3636	3636
3038	3731	3731
3055	3768	3768
3203	3923	3923
3209	3953	3953
3255	4006	4006
2952	3641	3641
3039	3738	3738
3056	3775	3775
3204	3929	3929
3210	3959	3959
3256	4012	4012
3398	4142	4142
3485	4238	4238
3502	4275	4275
3651	4431	4431
3655	4460	4460
3703	4512	4512

Pricing is continued on the following page.

U G S S L
Gallery Screen with Return
(Continued)

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	85 / 2159	18 / 457
42 / 1067	85 / 2159	20 / 508
42 / 1067	85 / 2159	24 / 610
42 / 1067	85 / 2159	25 / 635
42 / 1067	85 / 2159	30 / 762
42 / 1067	85 / 2159	31 / 787
42 / 1067	86 / 2184	18 / 457
42 / 1067	86 / 2184	20 / 508
42 / 1067	86 / 2184	24 / 610
42 / 1067	86 / 2184	25 / 635
42 / 1067	86 / 2184	30 / 762
42 / 1067	86 / 2184	31 / 787
51 / 1295	48 / 1219	18 / 457
51 / 1295	48 / 1219	20 / 508
51 / 1295	48 / 1219	24 / 610
51 / 1295	48 / 1219	25 / 635
51 / 1295	48 / 1219	30 / 762
51 / 1295	48 / 1219	31 / 787
51 / 1295	49 / 1245	18 / 457
51 / 1295	49 / 1245	20 / 508
51 / 1295	49 / 1245	24 / 610
51 / 1295	49 / 1245	25 / 635
51 / 1295	49 / 1245	30 / 762
51 / 1295	49 / 1245	31 / 787
51 / 1295	50 / 1270	18 / 457
51 / 1295	50 / 1270	20 / 508
51 / 1295	50 / 1270	24 / 610
51 / 1295	50 / 1270	25 / 635
51 / 1295	50 / 1270	30 / 762
51 / 1295	50 / 1270	31 / 787
51 / 1295	60 / 1524	18 / 457
51 / 1295	60 / 1524	20 / 508
51 / 1295	60 / 1524	24 / 610
51 / 1295	60 / 1524	25 / 635
51 / 1295	60 / 1524	30 / 762
51 / 1295	60 / 1524	31 / 787
51 / 1295	61 / 1549	18 / 457
51 / 1295	61 / 1549	20 / 508
51 / 1295	61 / 1549	24 / 610
51 / 1295	61 / 1549	25 / 635
51 / 1295	61 / 1549	30 / 762
51 / 1295	61 / 1549	31 / 787

PRICING

Foundation Laminate	Flintwood	Veneer
3399	4149	4149
3486	4244	4244
3503	4281	4281
3651	4436	4436
3656	4466	4466
3704	4519	4519
3400	4154	4154
3486	4251	4251
3504	4288	4288
3652	4442	4442
3657	4472	4472
3705	4524	4524
2770	n/a	n/a
2804	n/a	n/a
2940	n/a	n/a
3057	n/a	n/a
3202	n/a	n/a
3220	n/a	n/a
3179	n/a	n/a
3213	n/a	n/a
3350	n/a	n/a
3466	n/a	n/a
3612	n/a	n/a
3629	n/a	n/a
3183	n/a	n/a
3218	n/a	n/a
3355	n/a	n/a
3472	n/a	n/a
3617	n/a	n/a
3635	n/a	n/a
3402	n/a	n/a
3437	n/a	n/a
3573	n/a	n/a
3689	n/a	n/a
3835	n/a	n/a
3852	n/a	n/a
3403	n/a	n/a
3438	n/a	n/a
3574	n/a	n/a
3691	n/a	n/a
3836	n/a	n/a
3853	n/a	n/a

Pricing is continued on the following page.

UGSSL

Gallery Screen with Return (Continued)


DIMENSIONS INCHES / MM

Height	Depth	Return Depth
51 / 1295	62 / 1575	18 / 457
51 / 1295	62 / 1575	20 / 508
51 / 1295	62 / 1575	24 / 610
51 / 1295	62 / 1575	25 / 635
51 / 1295	62 / 1575	30 / 762
51 / 1295	62 / 1575	31 / 787
51 / 1295	72 / 1829	18 / 457
51 / 1295	72 / 1829	20 / 508
51 / 1295	72 / 1829	24 / 610
51 / 1295	72 / 1829	25 / 635
51 / 1295	72 / 1829	30 / 762
51 / 1295	72 / 1829	31 / 787
51 / 1295	73 / 1854	18 / 457
51 / 1295	73 / 1854	20 / 508
51 / 1295	73 / 1854	24 / 610
51 / 1295	73 / 1854	25 / 635
51 / 1295	73 / 1854	30 / 762
51 / 1295	73 / 1854	31 / 787
51 / 1295	74 / 1880	18 / 457
51 / 1295	74 / 1880	20 / 508
51 / 1295	74 / 1880	24 / 610
51 / 1295	74 / 1880	25 / 635
51 / 1295	74 / 1880	30 / 762
51 / 1295	74 / 1880	31 / 787
51 / 1295	84 / 2134	18 / 457
51 / 1295	84 / 2134	20 / 508
51 / 1295	84 / 2134	24 / 610
51 / 1295	84 / 2134	25 / 635
51 / 1295	84 / 2134	30 / 762
51 / 1295	84 / 2134	31 / 787
51 / 1295	85 / 2159	18 / 457
51 / 1295	85 / 2159	20 / 508
51 / 1295	85 / 2159	24 / 610
51 / 1295	85 / 2159	25 / 635
51 / 1295	85 / 2159	30 / 762
51 / 1295	85 / 2159	31 / 787
51 / 1295	86 / 2184	18 / 457
51 / 1295	86 / 2184	20 / 508
51 / 1295	86 / 2184	24 / 610
51 / 1295	86 / 2184	25 / 635
51 / 1295	86 / 2184	30 / 762
51 / 1295	86 / 2184	31 / 787

PRICING

Foundation Laminate	Flintwood	Veneer
3404	n/a	n/a
3439	n/a	n/a
3575	n/a	n/a
3692	n/a	n/a
3837	n/a	n/a
3854	n/a	n/a
3686	n/a	n/a
3721	n/a	n/a
3857	n/a	n/a
3974	n/a	n/a
4119	n/a	n/a
4136	n/a	n/a
3698	n/a	n/a
3733	n/a	n/a
3870	n/a	n/a
3987	n/a	n/a
4132	n/a	n/a
4150	n/a	n/a
3712	n/a	n/a
3746	n/a	n/a
3883	n/a	n/a
3999	n/a	n/a
4146	n/a	n/a
4163	n/a	n/a
4278	n/a	n/a
4313	n/a	n/a
4450	n/a	n/a
4566	n/a	n/a
4712	n/a	n/a
4729	n/a	n/a
4291	n/a	n/a
4326	n/a	n/a
4463	n/a	n/a
4579	n/a	n/a
4724	n/a	n/a
4742	n/a	n/a
4305	n/a	n/a
4339	n/a	n/a
4476	n/a	n/a
4592	n/a	n/a
4738	n/a	n/a
4755	n/a	n/a

UGSGL
Gallery Screen with Glass with
Return



Gallery Screen with Glass with Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED

1 gallery screen with glass with return, attachment brackets.

NOTES

Handedness of the screen is determined by the location of the return in relation to the user facing.

Edge trim finishes default to screen finish.

The Leveler finish is always Black.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Handedness	Screen Support	Screen Finish	Glass Finish
ES End Mounted Single	E Inset 51" total (42" plus 9" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	18, 20, 24, 25, 30, 31	L Left R Right	N None	Foundation Laminate Flintwood Natural Veneer	CL Clear
EB End Mounted Double	H Inset 57" total (42" plus 15" glass)						FT Frost
MS Mid Spine							GZ Solar Bronze
							GG Solar Grey

SAMPLE ORDER CODE

UGSGL ES	E	48	18	R	N	AG	CL
----------	---	----	----	---	---	----	----

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	48 / 1219	18 / 457
51 / 1295	48 / 1219	20 / 508
51 / 1295	48 / 1219	24 / 610
51 / 1295	48 / 1219	25 / 635
51 / 1295	48 / 1219	30 / 762
51 / 1295	48 / 1219	31 / 787
51 / 1295	49 / 1245	18 / 457
51 / 1295	49 / 1245	20 / 508
51 / 1295	49 / 1245	24 / 610
51 / 1295	49 / 1245	25 / 635
51 / 1295	49 / 1245	30 / 762
51 / 1295	49 / 1245	31 / 787
51 / 1295	50 / 1270	18 / 457
51 / 1295	50 / 1270	20 / 508
51 / 1295	50 / 1270	24 / 610
51 / 1295	50 / 1270	25 / 635
51 / 1295	50 / 1270	30 / 762
51 / 1295	50 / 1270	31 / 787

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
2873	3132	2951	3413	3689	3767	3413	3689	3767
2968	3235	3049	3517	3801	3882	3517	3801	3882
3019	3302	3103	3588	3888	3972	3588	3888	3972
3180	3467	3265	3756	4060	4145	3756	4060	4145
3234	3541	3323	3834	4159	4248	3834	4159	4248
3293	3604	3384	3899	4227	4317	3899	4227	4317
2960	3223	3039	3506	3786	3866	3506	3786	3866
3056	3327	3138	3610	3899	3980	3610	3899	3980
3107	3394	3192	3682	3987	4071	3682	3987	4071
3268	3559	3354	3849	4158	4244	3849	4158	4244
3322	3633	3412	3928	4257	4347	3928	4257	4347
3381	3696	3473	3992	4326	4417	3992	4326	4417
2964	3231	3045	3515	3799	3881	3515	3799	3881
3059	3335	3142	3619	3911	3994	3619	3911	3994
3111	3402	3198	3691	3999	4086	3691	3999	4086
3272	3567	3359	3857	4171	4258	3857	4171	4258
3326	3641	3419	3937	4270	4362	3937	4270	4362
3385	3704	3477	4000	4339	4431	4000	4339	4431

Pricing is continued on the following page.

UGSGL

Gallery Screen with Glass with
Return (Continued)DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	60 / 1524	18 / 457
51 / 1295	60 / 1524	20 / 508
51 / 1295	60 / 1524	24 / 610
51 / 1295	60 / 1524	25 / 635
51 / 1295	60 / 1524	30 / 762
51 / 1295	60 / 1524	31 / 787
51 / 1295	61 / 1549	18 / 457
51 / 1295	61 / 1549	20 / 508
51 / 1295	61 / 1549	24 / 610
51 / 1295	61 / 1549	25 / 635
51 / 1295	61 / 1549	30 / 762
51 / 1295	61 / 1549	31 / 787
51 / 1295	62 / 1575	18 / 457
51 / 1295	62 / 1575	20 / 508
51 / 1295	62 / 1575	24 / 610
51 / 1295	62 / 1575	25 / 635
51 / 1295	62 / 1575	30 / 762
51 / 1295	62 / 1575	31 / 787
51 / 1295	72 / 1829	18 / 457
51 / 1295	72 / 1829	20 / 508
51 / 1295	72 / 1829	24 / 610
51 / 1295	72 / 1829	25 / 635
51 / 1295	72 / 1829	30 / 762
51 / 1295	72 / 1829	31 / 787
51 / 1295	73 / 1854	18 / 457
51 / 1295	73 / 1854	20 / 508
51 / 1295	73 / 1854	24 / 610
51 / 1295	73 / 1854	25 / 635
51 / 1295	73 / 1854	30 / 762
51 / 1295	73 / 1854	31 / 787
51 / 1295	74 / 1880	18 / 457
51 / 1295	74 / 1880	20 / 508
51 / 1295	74 / 1880	24 / 610
51 / 1295	74 / 1880	25 / 635
51 / 1295	74 / 1880	30 / 762
51 / 1295	74 / 1880	31 / 787
51 / 1295	84 / 2134	18 / 457
51 / 1295	84 / 2134	20 / 508
51 / 1295	84 / 2134	24 / 610
51 / 1295	84 / 2134	25 / 635
51 / 1295	84 / 2134	30 / 762
51 / 1295	84 / 2134	31 / 787

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
3208	3515	3303	3810	4134	4229	3810	4134	4229
3304	3618	3402	3914	4247	4345	3914	4247	4345
3355	3686	3456	3986	4334	4435	3986	4334	4435
3516	3850	3618	4152	4506	4608	4152	4506	4608
3570	3924	3676	4232	4606	4712	4232	4606	4712
3628	3987	3735	4295	4674	4781	4295	4674	4781
3665	3977	3762	4276	4607	4703	4276	4607	4703
3762	4081	3861	4381	4720	4819	4381	4720	4819
3813	4148	3915	4452	4807	4909	4452	4807	4909
3974	4312	4077	4619	4979	5082	4619	4979	5082
4028	4386	4135	4698	5078	5186	4698	5078	5186
4087	4449	4195	4763	5146	5254	4763	5146	5254
3670	3985	3768	4285	4619	4718	4285	4619	4718
3765	4088	3865	4389	4733	4833	4389	4733	4833
3817	4155	3921	4460	4820	4924	4460	4820	4924
3978	4321	4082	4628	4992	5095	4628	4992	5095
4032	4394	4140	4706	5091	5199	4706	5091	5199
4091	4457	4200	4771	5159	5268	4771	5159	5268
3747	4101	3859	4412	4786	4898	4412	4786	4898
3843	4204	3957	4516	4899	5014	4516	4899	5014
3893	4272	4011	4587	4986	5104	4587	4986	5104
4055	4436	4173	4754	5158	5277	4754	5158	5277
4109	4510	4232	4834	5258	5381	4834	5258	5381
4168	4573	4292	4897	5325	5449	4897	5325	5449
3756	4113	3869	4424	4804	4917	4424	4804	4917
3851	4217	3967	4529	4916	5032	4529	4916	5032
3903	4283	4022	4600	5004	5123	4600	5004	5123
4063	4449	4183	4768	5176	5296	4768	5176	5296
4117	4523	4241	4846	5275	5399	4846	5275	5399
4176	4586	4301	4911	5343	5469	4911	5343	5469
3759	4121	3874	4433	4817	4932	4433	4817	4932
3855	4224	3972	4538	4929	5046	4538	4929	5046
3906	4292	4026	4609	5016	5136	4609	5016	5136
4067	4456	4188	4776	5189	5310	4776	5189	5310
4121	4530	4246	4855	5287	5412	4855	5287	5412
4181	4593	4307	4919	5356	5482	4919	5356	5482
4233	4633	4362	4959	5384	5513	4959	5384	5513
4328	4737	4458	5064	5496	5626	5064	5496	5626
4379	4804	4513	5135	5584	5719	5135	5584	5719
4540	4969	4676	5302	5756	5891	5302	5756	5891
4594	5042	4734	5381	5854	5994	5381	5854	5994
4653	5106	4793	5445	5923	6063	5445	5923	6063

Pricing is continued on the following page.

U G S G L
Gallery Screen with Glass with
Return (Continued)

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	85 / 2159	18 / 457
51 / 1295	85 / 2159	20 / 508
51 / 1295	85 / 2159	24 / 610
51 / 1295	85 / 2159	25 / 635
51 / 1295	85 / 2159	30 / 762
51 / 1295	85 / 2159	31 / 787
51 / 1295	86 / 2184	18 / 457
51 / 1295	86 / 2184	20 / 508
51 / 1295	86 / 2184	24 / 610
51 / 1295	86 / 2184	25 / 635
51 / 1295	86 / 2184	30 / 762
51 / 1295	86 / 2184	31 / 787
57 / 1448	48 / 1219	18 / 457
57 / 1448	48 / 1219	20 / 508
57 / 1448	48 / 1219	24 / 610
57 / 1448	48 / 1219	25 / 635
57 / 1448	48 / 1219	30 / 762
57 / 1448	48 / 1219	31 / 787
57 / 1448	49 / 1245	18 / 457
57 / 1448	49 / 1245	20 / 508
57 / 1448	49 / 1245	24 / 610
57 / 1448	49 / 1245	25 / 635
57 / 1448	49 / 1245	30 / 762
57 / 1448	49 / 1245	31 / 787
57 / 1448	50 / 1270	18 / 457
57 / 1448	50 / 1270	20 / 508
57 / 1448	50 / 1270	24 / 610
57 / 1448	50 / 1270	25 / 635
57 / 1448	50 / 1270	30 / 762
57 / 1448	50 / 1270	31 / 787
57 / 1448	60 / 1524	18 / 457
57 / 1448	60 / 1524	20 / 508
57 / 1448	60 / 1524	24 / 610
57 / 1448	60 / 1524	25 / 635
57 / 1448	60 / 1524	30 / 762
57 / 1448	60 / 1524	31 / 787
57 / 1448	61 / 1549	18 / 457
57 / 1448	61 / 1549	20 / 508
57 / 1448	61 / 1549	24 / 610
57 / 1448	61 / 1549	25 / 635
57 / 1448	61 / 1549	30 / 762
57 / 1448	61 / 1549	31 / 787

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
4241	4646	4371	4972	5401	5531	4972	5401	5531
4336	4750	4469	5077	5514	5647	5077	5514	5647
4387	4817	4523	5148	5601	5737	5148	5601	5737
4548	4981	4685	5316	5773	5910	5316	5773	5910
4603	5055	4744	5394	5872	6013	5394	5872	6013
4662	5118	4804	5459	5940	6082	5459	5940	6082
4244	4653	4376	4981	5413	5545	4981	5413	5545
4341	4757	4474	5086	5527	5660	5086	5527	5660
4392	4824	4528	5157	5614	5751	5157	5614	5751
4553	4989	4691	5324	5785	5923	5324	5785	5923
4607	5063	4749	5403	5885	6027	5403	5885	6027
4665	5126	4808	5467	5953	6096	5467	5953	6096
2962	3253	3095	3503	3812	3945	3503	3812	3945
3060	3473	3197	3610	4042	4179	3610	4042	4179
3116	3553	3258	3687	4142	4285	3687	4142	4285
3280	3722	3423	3855	4318	4462	3855	4318	4462
3340	3813	3491	3941	4435	4586	3941	4435	4586
3400	3880	3552	4007	4507	4659	4007	4507	4659
3051	3349	3186	3598	3912	4048	3598	3912	4048
3149	3568	3288	3705	4142	4281	3705	4142	4281
3207	3649	3351	3782	4244	4388	3782	4244	4388
3369	3817	3514	3951	4419	4564	3951	4419	4564
3429	3908	3582	4036	4536	4688	4036	4536	4688
3490	3975	3643	4101	4608	4762	4101	4608	4762
3056	3360	3195	3608	3928	4067	3608	3928	4067
3155	3579	3296	3715	4158	4299	3715	4158	4299
3211	3660	3357	3792	4260	4406	3792	4260	4406
3374	3829	3522	3960	4435	4583	3960	4435	4583
3434	3920	3589	4046	4553	4707	4046	4553	4707
3495	3986	3651	4112	4624	4780	4112	4624	4780
3314	3678	3477	3917	4299	4463	3917	4299	4463
3412	3898	3578	4024	4529	4695	4024	4529	4695
3468	3978	3639	4100	4631	4802	4100	4631	4802
3632	4147	3804	4269	4806	4979	4269	4806	4979
3692	4238	3871	4354	4923	5102	4354	4923	5102
3752	4304	3933	4420	4995	5175	4420	4995	5175
3774	4144	3939	4384	4776	4942	4384	4776	4942
3871	4363	4039	4492	5006	5174	4492	5006	5174
3928	4445	4102	4569	5107	5281	4569	5107	5281
4091	4612	4265	4737	5283	5458	4737	5283	5458
4152	4704	4333	4823	5400	5581	4823	5400	5581
4211	4770	4395	4889	5472	5655	4889	5472	5655

Pricing is continued on the following page.

UGSGL


Gallery Screen with Glass with
Return (Continued)DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
57 / 1448	62 / 1575	18 / 457
57 / 1448	62 / 1575	20 / 508
57 / 1448	62 / 1575	24 / 610
57 / 1448	62 / 1575	25 / 635
57 / 1448	62 / 1575	30 / 762
57 / 1448	62 / 1575	31 / 787
57 / 1448	72 / 1829	18 / 457
57 / 1448	72 / 1829	20 / 508
57 / 1448	72 / 1829	24 / 610
57 / 1448	72 / 1829	25 / 635
57 / 1448	72 / 1829	30 / 762
57 / 1448	72 / 1829	31 / 787
57 / 1448	73 / 1854	18 / 457
57 / 1448	73 / 1854	20 / 508
57 / 1448	73 / 1854	24 / 610
57 / 1448	73 / 1854	25 / 635
57 / 1448	73 / 1854	30 / 762
57 / 1448	73 / 1854	31 / 787
57 / 1448	74 / 1880	18 / 457
57 / 1448	74 / 1880	20 / 508
57 / 1448	74 / 1880	24 / 610
57 / 1448	74 / 1880	25 / 635
57 / 1448	74 / 1880	30 / 762
57 / 1448	74 / 1880	31 / 787
57 / 1448	84 / 2134	18 / 457
57 / 1448	84 / 2134	20 / 508
57 / 1448	84 / 2134	24 / 610
57 / 1448	84 / 2134	25 / 635
57 / 1448	84 / 2134	30 / 762
57 / 1448	84 / 2134	31 / 787
57 / 1448	85 / 2159	18 / 457
57 / 1448	85 / 2159	20 / 508
57 / 1448	85 / 2159	24 / 610
57 / 1448	85 / 2159	25 / 635
57 / 1448	85 / 2159	30 / 762
57 / 1448	85 / 2159	31 / 787
57 / 1448	86 / 2184	18 / 457
57 / 1448	86 / 2184	20 / 508
57 / 1448	86 / 2184	24 / 610
57 / 1448	86 / 2184	25 / 635
57 / 1448	86 / 2184	30 / 762
57 / 1448	86 / 2184	31 / 787

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
3778	4155	3945	4395	4792	4960	4395	4792	4960
3876	4375	4047	4502	5022	5193	4502	5022	5193
3934	4455	4110	4578	5124	5300	4578	5124	5300
4096	4624	4273	4747	5299	5476	4747	5299	5476
4156	4715	4341	4833	5416	5600	4833	5416	5600
4217	4782	4402	4898	5488	5673	4898	5488	5673
3869	4306	4061	4535	4994	5186	4535	4994	5186
3968	4525	4163	4642	5224	5419	4642	5224	5419
4024	4607	4224	4718	5325	5526	4718	5325	5526
4186	4774	4387	4887	5500	5702	4887	5500	5702
4247	4865	4455	4972	5617	5825	4972	5617	5825
4308	4932	4518	5038	5689	5899	5038	5689	5899
3879	4322	4073	4550	5015	5209	4550	5015	5209
3977	4541	4174	4657	5245	5442	4657	5245	5442
4034	4623	4237	4733	5347	5549	4733	5347	5549
4197	4790	4400	4901	5522	5725	4901	5522	5725
4257	4882	4468	4987	5638	5849	4987	5638	5849
4317	4948	4529	5053	5710	5922	5053	5710	5922
3884	4333	4081	4559	5031	5228	4559	5031	5228
3982	4553	4182	4666	5261	5460	4666	5261	5460
4039	4633	4243	4744	5363	5567	4744	5363	5567
4202	4802	4409	4912	5537	5744	4912	5537	5744
4262	4893	4475	4998	5654	5867	4998	5654	5867
4323	4960	4537	5063	5726	5940	5063	5726	5940
4370	4880	4592	5099	5634	5855	5099	5634	5855
4469	5100	4693	5206	5864	6088	5206	5864	6088
4526	5180	4755	5283	5965	6194	5283	5965	6194
4688	5349	4918	5452	6141	6371	5452	6141	6371
4749	5440	4986	5536	6257	6495	5536	6257	6495
4809	5507	5048	5602	6329	6568	5602	6329	6568
4381	4896	4605	5113	5655	5879	5113	5655	5879
4479	5116	4704	5221	5885	6111	5221	5885	6111
4536	5197	4767	5298	5986	6217	5298	5986	6217
4698	5365	4931	5466	6162	6395	5466	6162	6395
4759	5457	4999	5551	6278	6518	5551	6278	6518
4819	5523	5059	5617	6350	6591	5617	6350	6591
4385	4908	4611	5123	5671	5897	5123	5671	5897
4484	5127	4713	5231	5901	6130	5231	5901	6130
4541	5208	4775	5307	6003	6237	5307	6003	6237
4703	5376	4939	5476	6178	6413	5476	6178	6413
4764	5467	5005	5562	6294	6536	5562	6294	6536
4824	5534	5068	5628	6366	6610	5628	6366	6610

UGSST
Gallery Screen with Shared Return



Gallery Screen with Shared Return that attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED

1 gallery screen with shared return, attachment brackets.

NOTES

If Height 51" is selected then only Foundation Laminate Option available.

Edge trim finishes default to screen finish.

The Leveler finish is always Black.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Screen Support	Screen Finish
MS Mid Spine	42, 51	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	36, 40, 48, 50, 60, 62	N None	Foundation Laminate Flintwood Natural Veneer

SAMPLE ORDER CODE

UGSST MS	42	48	36	N	AG
----------	----	----	----	---	----

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	48 / 1219	36 / 914
42 / 1067	48 / 1219	40 / 1016
42 / 1067	48 / 1219	48 / 1219
42 / 1067	48 / 1219	50 / 1270
42 / 1067	48 / 1219	60 / 1524
42 / 1067	48 / 1219	62 / 1575
42 / 1067	49 / 1245	36 / 914
42 / 1067	49 / 1245	40 / 1016
42 / 1067	49 / 1245	48 / 1219
42 / 1067	49 / 1245	50 / 1270
42 / 1067	49 / 1245	60 / 1524
42 / 1067	49 / 1245	62 / 1575
42 / 1067	50 / 1270	36 / 914
42 / 1067	50 / 1270	40 / 1016
42 / 1067	50 / 1270	48 / 1219
42 / 1067	50 / 1270	50 / 1270
42 / 1067	50 / 1270	60 / 1524
42 / 1067	50 / 1270	62 / 1575

PRICING

Foundation Laminate	Flintwood	Veneer
2205	2756	2756
2291	2851	2851
2308	2889	2889
2456	3043	3043
2461	3073	3073
2508	3126	3126
2284	2842	2842
2371	2937	2937
2388	2974	2974
2537	3129	3129
2541	3159	3159
2589	3212	3212
2285	2848	2848
2372	2944	2944
2389	2981	2981
2538	3135	3135
2542	3165	3165
2590	3218	3218

Pricing is continued on the following page.

UGSST

Gallery Screen with Shared Return
(Continued)DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	60 / 1524	36 / 914
42 / 1067	60 / 1524	40 / 1016
42 / 1067	60 / 1524	48 / 1219
42 / 1067	60 / 1524	50 / 1270
42 / 1067	60 / 1524	60 / 1524
42 / 1067	60 / 1524	62 / 1575
42 / 1067	61 / 1549	36 / 914
42 / 1067	61 / 1549	40 / 1016
42 / 1067	61 / 1549	48 / 1219
42 / 1067	61 / 1549	50 / 1270
42 / 1067	61 / 1549	60 / 1524
42 / 1067	61 / 1549	62 / 1575
42 / 1067	62 / 1575	36 / 914
42 / 1067	62 / 1575	40 / 1016
42 / 1067	62 / 1575	48 / 1219
42 / 1067	62 / 1575	50 / 1270
42 / 1067	62 / 1575	60 / 1524
42 / 1067	62 / 1575	62 / 1575
42 / 1067	72 / 1829	36 / 914
42 / 1067	72 / 1829	40 / 1016
42 / 1067	72 / 1829	48 / 1219
42 / 1067	72 / 1829	50 / 1270
42 / 1067	72 / 1829	60 / 1524
42 / 1067	72 / 1829	62 / 1575
42 / 1067	73 / 1854	36 / 914
42 / 1067	73 / 1854	40 / 1016
42 / 1067	73 / 1854	48 / 1219
42 / 1067	73 / 1854	50 / 1270
42 / 1067	73 / 1854	60 / 1524
42 / 1067	73 / 1854	62 / 1575
42 / 1067	74 / 1880	36 / 914
42 / 1067	74 / 1880	40 / 1016
42 / 1067	74 / 1880	48 / 1219
42 / 1067	74 / 1880	50 / 1270
42 / 1067	74 / 1880	60 / 1524
42 / 1067	74 / 1880	62 / 1575
42 / 1067	84 / 2134	36 / 914
42 / 1067	84 / 2134	40 / 1016
42 / 1067	84 / 2134	48 / 1219
42 / 1067	84 / 2134	50 / 1270
42 / 1067	84 / 2134	60 / 1524
42 / 1067	84 / 2134	62 / 1575

PRICING

Foundation Laminate	Flintwood	Veneer
2503	3116	3116
2589	3212	3212
2605	3249	3249
2754	3405	3405
2759	3433	3433
2806	3486	3486
2900	3525	3525
2986	3620	3620
3003	3657	3657
3151	3812	3812
3157	3841	3841
3203	3894	3894
2901	3531	3531
2987	3626	3626
3004	3663	3663
3152	3818	3818
3158	3848	3848
3204	3901	3901
2951	3629	3629
3037	3725	3725
3054	3762	3762
3202	3918	3918
3208	3947	3947
3254	3999	3999
2952	3636	3636
3038	3731	3731
3055	3768	3768
3203	3923	3923
3209	3953	3953
3255	4006	4006
2952	3641	3641
3039	3738	3738
3056	3775	3775
3204	3929	3929
3210	3959	3959
3256	4012	4012
3398	4142	4142
3485	4238	4238
3502	4275	4275
3651	4431	4431
3655	4460	4460
3703	4512	4512

Pricing is continued on the following page.

U G S S T
Gallery Screen with Shared Return
(Continued)

DIMENSIONS INCHES / MM			PRICING		
Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
42 / 1067	85 / 2159	36 / 914	3399	4149	4149
42 / 1067	85 / 2159	40 / 1016	3486	4244	4244
42 / 1067	85 / 2159	48 / 1219	3503	4281	4281
42 / 1067	85 / 2159	50 / 1270	3651	4436	4436
42 / 1067	85 / 2159	60 / 1524	3656	4466	4466
42 / 1067	85 / 2159	62 / 1575	3704	4519	4519
42 / 1067	86 / 2184	36 / 914	3400	4154	4154
42 / 1067	86 / 2184	40 / 1016	3486	4251	4251
42 / 1067	86 / 2184	48 / 1219	3504	4288	4288
42 / 1067	86 / 2184	50 / 1270	3652	4442	4442
42 / 1067	86 / 2184	60 / 1524	3657	4472	4472
42 / 1067	86 / 2184	62 / 1575	3705	4524	4524
51 / 1295	48 / 1219	36 / 914	2770	n/a	n/a
51 / 1295	48 / 1219	40 / 1016	2804	n/a	n/a
51 / 1295	48 / 1219	48 / 1219	2940	n/a	n/a
51 / 1295	48 / 1219	50 / 1270	3057	n/a	n/a
51 / 1295	48 / 1219	60 / 1524	3202	n/a	n/a
51 / 1295	48 / 1219	62 / 1575	3220	n/a	n/a
51 / 1295	49 / 1245	36 / 914	3179	n/a	n/a
51 / 1295	49 / 1245	40 / 1016	3213	n/a	n/a
51 / 1295	49 / 1245	48 / 1219	3350	n/a	n/a
51 / 1295	49 / 1245	50 / 1270	3466	n/a	n/a
51 / 1295	49 / 1245	60 / 1524	3612	n/a	n/a
51 / 1295	49 / 1245	62 / 1575	3629	n/a	n/a
51 / 1295	50 / 1270	36 / 914	3183	n/a	n/a
51 / 1295	50 / 1270	40 / 1016	3218	n/a	n/a
51 / 1295	50 / 1270	48 / 1219	3355	n/a	n/a
51 / 1295	50 / 1270	50 / 1270	3472	n/a	n/a
51 / 1295	50 / 1270	60 / 1524	3617	n/a	n/a
51 / 1295	50 / 1270	62 / 1575	3635	n/a	n/a
51 / 1295	60 / 1524	36 / 914	3402	n/a	n/a
51 / 1295	60 / 1524	40 / 1016	3437	n/a	n/a
51 / 1295	60 / 1524	48 / 1219	3573	n/a	n/a
51 / 1295	60 / 1524	50 / 1270	3689	n/a	n/a
51 / 1295	60 / 1524	60 / 1524	3835	n/a	n/a
51 / 1295	60 / 1524	62 / 1575	3852	n/a	n/a
51 / 1295	61 / 1549	36 / 914	3403	n/a	n/a
51 / 1295	61 / 1549	40 / 1016	3438	n/a	n/a
51 / 1295	61 / 1549	48 / 1219	3574	n/a	n/a
51 / 1295	61 / 1549	50 / 1270	3691	n/a	n/a
51 / 1295	61 / 1549	60 / 1524	3836	n/a	n/a
51 / 1295	61 / 1549	62 / 1575	3853	n/a	n/a

Pricing is continued on the following page.

UGSST

Gallery Screen with Shared Return (Continued)

DIMENSIONS INCHES / MM


Height	Depth	Return Depth
51 / 1295	62 / 1575	36 / 914
51 / 1295	62 / 1575	40 / 1016
51 / 1295	62 / 1575	48 / 1219
51 / 1295	62 / 1575	50 / 1270
51 / 1295	62 / 1575	60 / 1524
51 / 1295	62 / 1575	62 / 1575
51 / 1295	72 / 1829	36 / 914
51 / 1295	72 / 1829	40 / 1016
51 / 1295	72 / 1829	48 / 1219
51 / 1295	72 / 1829	50 / 1270
51 / 1295	72 / 1829	60 / 1524
51 / 1295	72 / 1829	62 / 1575
51 / 1295	73 / 1854	36 / 914
51 / 1295	73 / 1854	40 / 1016
51 / 1295	73 / 1854	48 / 1219
51 / 1295	73 / 1854	50 / 1270
51 / 1295	73 / 1854	60 / 1524
51 / 1295	73 / 1854	62 / 1575
51 / 1295	74 / 1880	36 / 914
51 / 1295	74 / 1880	40 / 1016
51 / 1295	74 / 1880	48 / 1219
51 / 1295	74 / 1880	50 / 1270
51 / 1295	74 / 1880	60 / 1524
51 / 1295	74 / 1880	62 / 1575
51 / 1295	84 / 2134	36 / 914
51 / 1295	84 / 2134	40 / 1016
51 / 1295	84 / 2134	48 / 1219
51 / 1295	84 / 2134	50 / 1270
51 / 1295	84 / 2134	60 / 1524
51 / 1295	84 / 2134	62 / 1575
51 / 1295	85 / 2159	36 / 914
51 / 1295	85 / 2159	40 / 1016
51 / 1295	85 / 2159	48 / 1219
51 / 1295	85 / 2159	50 / 1270
51 / 1295	85 / 2159	60 / 1524
51 / 1295	85 / 2159	62 / 1575
51 / 1295	86 / 2184	36 / 914
51 / 1295	86 / 2184	40 / 1016
51 / 1295	86 / 2184	48 / 1219
51 / 1295	86 / 2184	50 / 1270
51 / 1295	86 / 2184	60 / 1524
51 / 1295	86 / 2184	62 / 1575

PRICING

Foundation Laminate	Flintwood	Veneer
3404	n/a	n/a
3439	n/a	n/a
3575	n/a	n/a
3692	n/a	n/a
3837	n/a	n/a
3854	n/a	n/a
3686	n/a	n/a
3721	n/a	n/a
3857	n/a	n/a
3974	n/a	n/a
4119	n/a	n/a
4136	n/a	n/a
3698	n/a	n/a
3733	n/a	n/a
3870	n/a	n/a
3987	n/a	n/a
4132	n/a	n/a
4150	n/a	n/a
3712	n/a	n/a
3746	n/a	n/a
3883	n/a	n/a
3999	n/a	n/a
4146	n/a	n/a
4163	n/a	n/a
4278	n/a	n/a
4313	n/a	n/a
4450	n/a	n/a
4566	n/a	n/a
4712	n/a	n/a
4729	n/a	n/a
4291	n/a	n/a
4326	n/a	n/a
4463	n/a	n/a
4579	n/a	n/a
4724	n/a	n/a
4742	n/a	n/a
4305	n/a	n/a
4339	n/a	n/a
4476	n/a	n/a
4592	n/a	n/a
4738	n/a	n/a
4755	n/a	n/a

UGSGT

Gallery Screen with Glass with Shared Return



Gallery Screen with Glass with Shared Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT’S INCLUDED
1 gallery screen with glass with shared return, attachment brackets.

NOTES
Edge trim finishes default to screen finish.
The Leveler finish is always Black.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Screen Support	Screen Finish	Glass Finish
MS Mid Spine	E Inset 51" total (42" plus 9" glass) H Inset 57" total (42" plus 15" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	36, 40, 48, 50, 60, 62	N None	Foundation Laminate Flintwood Natural Veneer	CL Clear FT Frost GZ Solar Bronze GG Solar Grey

SAMPLE ORDER CODE

UGSGT MS	E	48	18	N	AG	CL
----------	---	----	----	---	----	----

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	48 / 1219	36 / 914
51 / 1295	48 / 1219	40 / 1016
51 / 1295	48 / 1219	48 / 1219
51 / 1295	48 / 1219	50 / 1270
51 / 1295	48 / 1219	60 / 1524
51 / 1295	48 / 1219	62 / 1575
51 / 1295	49 / 1245	36 / 914
51 / 1295	49 / 1245	40 / 1016
51 / 1295	49 / 1245	48 / 1219
51 / 1295	49 / 1245	50 / 1270
51 / 1295	49 / 1245	60 / 1524
51 / 1295	49 / 1245	62 / 1575
51 / 1295	50 / 1270	36 / 914
51 / 1295	50 / 1270	40 / 1016
51 / 1295	50 / 1270	48 / 1219
51 / 1295	50 / 1270	50 / 1270
51 / 1295	50 / 1270	60 / 1524
51 / 1295	50 / 1270	62 / 1575

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
3540	3869	3633	4187	4505	4279	4187	4505	4279
3603	3869	3698	4270	4611	4365	4270	4611	4365
3805	4098	3907	4513	4886	4615	4513	4886	4615
3898	4194	4002	4616	4996	4720	4616	4996	4720
4141	4472	4254	4912	5330	5024	4912	5330	5024
4603	4932	4717	5388	5814	5502	5388	5814	5502
3627	3881	3721	4280	4609	4374	4280	4609	4374
3691	3958	3787	4364	4709	4460	4364	4709	4460
3893	4187	3997	4608	4983	4712	4608	4983	4712
3985	4285	4089	4710	5093	4815	4710	5093	4815
4228	4562	4343	5005	5427	5120	5005	5427	5120
4691	5022	4806	5482	5912	5598	5482	5912	5598
3632	3888	3726	4289	4622	4383	4289	4622	4383
3695	3965	3794	4373	4720	4471	4373	4720	4471
3898	4194	4003	4616	4996	4721	4616	4996	4721
3989	4292	4096	4719	5106	4826	4719	5106	4826
4233	4570	4348	5014	5440	5129	5014	5440	5129
4694	5030	4811	5491	5924	5608	5491	5924	5608

Pricing is continued on the following page.

UGSGT

Gallery Screen with Glass with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	60 / 1524	36 / 914
51 / 1295	60 / 1524	40 / 1016
51 / 1295	60 / 1524	48 / 1219
51 / 1295	60 / 1524	50 / 1270
51 / 1295	60 / 1524	60 / 1524
51 / 1295	60 / 1524	62 / 1575
51 / 1295	61 / 1549	36 / 914
51 / 1295	61 / 1549	40 / 1016
51 / 1295	61 / 1549	48 / 1219
51 / 1295	61 / 1549	50 / 1270
51 / 1295	61 / 1549	60 / 1524
51 / 1295	61 / 1549	62 / 1575
51 / 1295	62 / 1575	36 / 914
51 / 1295	62 / 1575	40 / 1016
51 / 1295	62 / 1575	48 / 1219
51 / 1295	62 / 1575	50 / 1270
51 / 1295	62 / 1575	60 / 1524
51 / 1295	62 / 1575	62 / 1575
51 / 1295	72 / 1829	36 / 914
51 / 1295	72 / 1829	40 / 1016
51 / 1295	72 / 1829	48 / 1219
51 / 1295	72 / 1829	50 / 1270
51 / 1295	72 / 1829	60 / 1524
51 / 1295	72 / 1829	62 / 1575
51 / 1295	73 / 1854	36 / 914
51 / 1295	73 / 1854	40 / 1016
51 / 1295	73 / 1854	48 / 1219
51 / 1295	73 / 1854	50 / 1270
51 / 1295	73 / 1854	60 / 1524
51 / 1295	73 / 1854	62 / 1575
51 / 1295	74 / 1880	36 / 914
51 / 1295	74 / 1880	40 / 1016
51 / 1295	74 / 1880	48 / 1219
51 / 1295	74 / 1880	50 / 1270
51 / 1295	74 / 1880	60 / 1524
51 / 1295	74 / 1880	62 / 1575
51 / 1295	84 / 2134	36 / 914
51 / 1295	84 / 2134	40 / 1016
51 / 1295	84 / 2134	48 / 1219
51 / 1295	84 / 2134	50 / 1270
51 / 1295	84 / 2134	60 / 1524
51 / 1295	84 / 2134	62 / 1575

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
3875	4166	3985	4585	4956	4694	4585	4956	4694
3939	4243	4051	4668	5055	4781	4668	5055	4781
4141	4472	4260	4912	5330	5031	4912	5330	5031
4233	4570	4353	5014	5440	5135	5014	5440	5135
4476	4846	4606	5310	5775	5439	5310	5775	5439
4937	5306	5069	5787	6258	5918	5787	6258	5918
4333	4618	4444	5052	5427	5162	5052	5427	5162
4396	4696	4509	5136	5527	5249	5136	5527	5249
4598	4925	4719	5380	5801	5500	5380	5801	5500
4691	5022	4812	5482	5912	5604	5482	5912	5604
4934	5299	5066	5778	6246	5910	5778	6246	5910
5395	5759	5528	6254	6730	6387	6254	6730	6387
4336	4626	4448	5062	5440	5173	5062	5440	5173
4400	4703	4515	5144	5539	5259	5144	5539	5259
4603	4932	4724	5388	5814	5510	5388	5814	5510
4694	5030	4818	5491	5924	5615	5491	5924	5615
4937	5306	5070	5787	6258	5919	5787	6258	5919
5400	5766	5533	6264	6743	6397	6264	6743	6397
4414	4739	4539	5188	5605	5313	5188	5605	5313
4476	4817	4606	5271	5705	5401	5271	5705	5401
4679	5046	4815	5515	5979	5651	5515	5979	5651
4771	5143	4909	5617	6090	5755	5617	6090	5755
5015	5421	5161	5913	6425	6059	5913	6425	6059
5476	5880	5624	6390	6908	6538	6390	6908	6538
4422	4752	4550	5201	5623	5329	5201	5623	5329
4486	4829	4616	5285	5722	5416	5285	5722	5416
4688	5058	4826	5529	5997	5667	5529	5997	5667
4780	5156	4918	5631	6108	5770	5631	6108	5770
5023	5433	5171	5926	6442	6074	5926	6442	6074
5484	5893	5634	6403	6926	6553	6403	6926	6553
4426	4759	4554	5210	5636	5338	5210	5636	5338
4489	4837	4621	5294	5735	5425	5294	5735	5425
4692	5066	4830	5537	6010	5676	5537	6010	5676
4783	5163	4924	5639	6119	5780	5639	6119	5780
5027	5440	5176	5935	6454	6084	5935	6454	6084
5489	5900	5639	6412	6939	6562	6412	6939	6562
4898	5261	5040	5737	6201	5879	5737	6201	5879
4962	5338	5108	5820	6301	5967	5820	6301	5967
5164	5567	5317	6064	6575	6217	6064	6575	6217
5255	5665	5410	6167	6685	6322	6167	6685	6322
5499	5941	5663	6462	7020	6625	6462	7020	6625
5961	6401	6127	6939	7504	7104	6939	7504	7104

Pricing is continued on the following page.

U G S G T
Gallery Screen with Glass with
Shared Return (Continued)

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	85 / 2159	36 / 914
51 / 1295	85 / 2159	40 / 1016
51 / 1295	85 / 2159	48 / 1219
51 / 1295	85 / 2159	50 / 1270
51 / 1295	85 / 2159	60 / 1524
51 / 1295	85 / 2159	62 / 1575
51 / 1295	86 / 2184	36 / 914
51 / 1295	86 / 2184	40 / 1016
51 / 1295	86 / 2184	48 / 1219
51 / 1295	86 / 2184	50 / 1270
51 / 1295	86 / 2184	60 / 1524
51 / 1295	86 / 2184	62 / 1575
57 / 1448	48 / 1219	36 / 914
57 / 1448	48 / 1219	40 / 1016
57 / 1448	48 / 1219	48 / 1219
57 / 1448	48 / 1219	50 / 1270
57 / 1448	48 / 1219	60 / 1524
57 / 1448	48 / 1219	62 / 1575
57 / 1448	49 / 1245	36 / 914
57 / 1448	49 / 1245	40 / 1016
57 / 1448	49 / 1245	48 / 1219
57 / 1448	49 / 1245	50 / 1270
57 / 1448	49 / 1245	60 / 1524
57 / 1448	49 / 1245	62 / 1575
57 / 1448	50 / 1270	36 / 914
57 / 1448	50 / 1270	40 / 1016
57 / 1448	50 / 1270	48 / 1219
57 / 1448	50 / 1270	50 / 1270
57 / 1448	50 / 1270	60 / 1524
57 / 1448	50 / 1270	62 / 1575
57 / 1448	60 / 1524	36 / 914
57 / 1448	60 / 1524	40 / 1016
57 / 1448	60 / 1524	48 / 1219
57 / 1448	60 / 1524	50 / 1270
57 / 1448	60 / 1524	60 / 1524
57 / 1448	60 / 1524	62 / 1575
57 / 1448	61 / 1549	36 / 914
57 / 1448	61 / 1549	40 / 1016
57 / 1448	61 / 1549	48 / 1219
57 / 1448	61 / 1549	50 / 1270
57 / 1448	61 / 1549	60 / 1524
57 / 1448	61 / 1549	62 / 1575

PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
4907	5272	5051	5751	6219	5895	5751	6219	5895
4970	5350	5118	5834	6318	5982	5834	6318	5982
5173	5579	5327	6078	6593	6232	6078	6593	6232
5264	5676	5420	6180	6703	6336	6180	6703	6336
5508	5954	5672	6476	7037	6640	6476	7037	6640
5970	6414	6136	6953	7522	7119	6953	7522	7119
4911	5280	5056	5759	6232	5904	5759	6232	5904
4975	5357	5123	5843	6330	5991	5843	6330	5991
5177	5586	5333	6087	6606	6242	6087	6606	6242
5268	5684	5425	6188	6715	6345	6188	6715	6345
5512	5961	5678	6484	7050	6650	6484	7050	6650
5973	6421	6141	6961	7534	7129	6961	7534	7129
3654	4078	3808	4301	4807	4455	4301	4807	4455
3723	4169	3883	4391	4921	4551	4391	4921	4551
3936	4426	4106	4646	5224	4817	4646	5224	4817
4030	4529	4203	4751	5340	4924	4751	5340	4924
4288	4841	4474	5059	5710	5246	5059	5710	5246
4752	5307	4942	5540	6201	5729	5540	6201	5729
3743	4171	3900	4397	4908	4554	4397	4908	4554
3812	4262	3974	4486	5021	4648	4486	5021	4648
4025	4519	4198	4740	5324	4913	4740	5324	4913
4119	4623	4295	4846	5442	5022	4846	5442	5022
4377	4934	4565	5155	5811	5343	5155	5811	5343
4841	5401	5033	5635	6302	5827	5635	6302	5827
3748	4182	3907	4406	4924	4565	4406	4924	4565
3817	4273	3981	4495	5037	4660	4495	5037	4660
4030	4529	4205	4751	5340	4926	4751	5340	4926
4124	4633	4303	4856	5458	5034	4856	5458	5034
4382	4945	4574	5165	5827	5357	5165	5827	5357
4845	5411	5039	5645	6319	5838	5645	6319	5838
4006	4493	4189	4716	5294	4899	4716	5294	4899
4074	4585	4262	4805	5407	4994	4805	5407	4994
4288	4841	4487	5059	5710	5259	5059	5710	5259
4382	4945	4585	5165	5827	5368	5165	5827	5368
4639	5257	4855	5474	6197	5690	5474	6197	5690
5103	5723	5321	5954	6688	6172	5954	6688	6172
4465	4949	4650	5186	5769	5371	5186	5769	5371
4534	5040	4724	5275	5882	5465	5275	5882	5465
4747	5297	4949	5529	6185	5731	5529	6185	5731
4841	5401	5046	5635	6302	5840	5635	6302	5840
5098	5712	5316	5943	6672	6162	5943	6672	6162
5562	6179	5782	6424	7162	6644	6424	7162	6644

Pricing is continued on the following page.

UGSGT

Gallery Screen with Glass with
Shared Return (Continued)DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
57 / 1448	62 / 1575	36 / 914
57 / 1448	62 / 1575	40 / 1016
57 / 1448	62 / 1575	48 / 1219
57 / 1448	62 / 1575	50 / 1270
57 / 1448	62 / 1575	60 / 1524
57 / 1448	62 / 1575	62 / 1575
57 / 1448	72 / 1829	36 / 914
57 / 1448	72 / 1829	40 / 1016
57 / 1448	72 / 1829	48 / 1219
57 / 1448	72 / 1829	50 / 1270
57 / 1448	72 / 1829	60 / 1524
57 / 1448	72 / 1829	62 / 1575
57 / 1448	73 / 1854	36 / 914
57 / 1448	73 / 1854	40 / 1016
57 / 1448	73 / 1854	48 / 1219
57 / 1448	73 / 1854	50 / 1270
57 / 1448	73 / 1854	60 / 1524
57 / 1448	73 / 1854	62 / 1575
57 / 1448	74 / 1880	36 / 914
57 / 1448	74 / 1880	40 / 1016
57 / 1448	74 / 1880	48 / 1219
57 / 1448	74 / 1880	50 / 1270
57 / 1448	74 / 1880	60 / 1524
57 / 1448	74 / 1880	62 / 1575
57 / 1448	84 / 2134	36 / 914
57 / 1448	84 / 2134	40 / 1016
57 / 1448	84 / 2134	48 / 1219
57 / 1448	84 / 2134	50 / 1270
57 / 1448	84 / 2134	60 / 1524
57 / 1448	84 / 2134	62 / 1575
57 / 1448	85 / 2159	36 / 914
57 / 1448	85 / 2159	40 / 1016
57 / 1448	85 / 2159	48 / 1219
57 / 1448	85 / 2159	50 / 1270
57 / 1448	85 / 2159	60 / 1524
57 / 1448	85 / 2159	62 / 1575
57 / 1448	86 / 2184	36 / 914
57 / 1448	86 / 2184	40 / 1016
57 / 1448	86 / 2184	48 / 1219
57 / 1448	86 / 2184	50 / 1270
57 / 1448	86 / 2184	60 / 1524
57 / 1448	86 / 2184	62 / 1575


PRICING

Foundation Laminate			Flintwood			Veneer		
Clear	Frost	Tinted	Clear	Frost	Tinted	Clear	Frost	Tinted
4469	4960	4657	5195	5784	5383	5195	5784	5383
4538	5051	4732	5284	5898	5478	5284	5898	5478
4752	5307	4957	5540	6201	5744	5540	6201	5744
4845	5411	5052	5645	6319	5851	5645	6319	5851
5103	5723	5323	5954	6688	6175	5954	6688	6175
5567	6190	5791	6433	7179	6657	6433	7179	6657
4560	5108	4772	5336	5986	5548	5336	5986	5548
4629	5199	4846	5425	6099	5642	5425	6099	5642
4842	5456	5071	5679	6402	5908	5679	6402	5908
4936	5560	5168	5784	6519	6016	5784	6519	6016
5194	5871	5439	6094	6889	6339	6094	6889	6339
5657	6338	5905	6573	7380	6821	6573	7380	6821
4570	5124	4785	5351	6007	5566	5351	6007	5566
4639	5214	4859	5440	6119	5660	5440	6119	5660
4852	5471	5083	5694	6423	5925	5694	6423	5925
4946	5576	5180	5799	6540	6034	5799	6540	6034
5204	5886	5451	6109	6910	6356	6109	6910	6356
5668	6354	5918	6588	7401	6838	6588	7401	6838
4575	5135	4792	5360	6023	5578	5360	6023	5578
4644	5226	4866	5449	6136	5672	5449	6136	5672
4857	5482	5090	5705	6440	5938	5705	6440	5938
4951	5586	5188	5810	6556	6046	5810	6556	6046
5209	5898	5459	6118	6926	6368	6118	6926	6368
5673	6364	5925	6599	7417	6851	6599	7417	6851
5062	5670	5303	5901	6624	6143	5901	6624	6143
5129	5761	5376	5990	6736	6237	5990	6736	6237
5343	6018	5601	6246	7039	6503	6246	7039	6503
5438	6122	5699	6350	7157	6611	6350	7157	6611
5694	6433	5968	6660	7527	6933	6660	7527	6933
6159	6900	6435	7139	8018	7416	7139	8018	7416
5071	5686	5315	5916	6644	6160	5916	6644	6160
5140	5777	5389	6005	6758	6254	6005	6758	6254
5353	6034	5613	6260	7061	6520	6260	7061	6520
5447	6137	5710	6365	7178	6628	6365	7178	6628
5705	6449	5982	6675	7547	6951	6675	7547	6951
6169	6915	6448	7154	8039	7433	7154	8039	7433
5076	5696	5322	5926	6661	6172	5926	6661	6172
5145	5788	5396	6016	6773	6267	6016	6773	6267
5358	6044	5621	6270	7077	6533	6270	7077	6533
5453	6148	5718	6375	7194	6640	6375	7194	6640
5710	6460	5989	6684	7564	6963	6684	7564	6963
6173	6926	6455	7165	8055	7447	7165	8055	7447

UNSPS
Panel Wall Add-On Screen – Solid

The Panel Wall Add-On Screen – Solid is added on top of Panel Walls to provide space division as a flexible alternative to fixed-height Panel Walls.

WHAT’S INCLUDED
1 add-on screen, support frame, attachment hardware.



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	Flintwood Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSPS 15	48	FN	AC
----------	----	----	----

DIMENSIONS INCHES / MM		PRICING		DIMENSIONS INCHES / MM		PRICING	
H	W	Flintwood	Natural Veneer	H	W	Flintwood	Natural Veneer
9 / 229	24 / 610	462	482	15 / 381	24 / 610	522	548
9 / 229	30 / 762	511	532	15 / 381	30 / 762	593	620
9 / 229	36 / 914	575	601	15 / 381	36 / 914	668	695
9 / 229	42 / 1067	629	657	15 / 381	42 / 1067	740	772
9 / 229	48 / 1219	684	713	15 / 381	48 / 1219	810	845
9 / 229	54 / 1372	740	769	15 / 381	54 / 1372	883	916
9 / 229	60 / 1524	793	824	15 / 381	60 / 1524	952	991
9 / 229	66 / 1676	848	883	15 / 381	66 / 1676	1025	1068
9 / 229	72 / 1829	904	940	15 / 381	72 / 1829	1097	1141
9 / 229	78 / 1981	955	996	15 / 381	78 / 1981	1170	1217
9 / 229	84 / 2134	1009	1050	15 / 381	84 / 2134	1242	1292
9 / 229	90 / 2286	1068	1111	15 / 381	90 / 2286	1310	1363
9 / 229	96 / 2438	1124	1168	15 / 381	96 / 2438	1388	1439
13 / 330	24 / 610	502	525				
13 / 330	30 / 762	572	598				
13 / 330	36 / 914	638	666				
13 / 330	42 / 1067	706	738				
13 / 330	48 / 1219	772	808				
13 / 330	54 / 1372	840	871				
13 / 330	60 / 1524	905	941				
13 / 330	66 / 1676	973	1009				
13 / 330	72 / 1829	1039	1082				
13 / 330	78 / 1981	1108	1150				
13 / 330	84 / 2134	1173	1221				
13 / 330	90 / 2286	1242	1292				
13 / 330	96 / 2438	1308	1360				

The Panel Wall Add-On Screen – Glass is added on top of Panel Walls to provide a lighter, frameless alternative to windows.

WHAT'S INCLUDED

1 10 mm add-on screen, support frame, attachment hardware.


NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.

Xpress Available through *Teknion's Xpress Program*.

UNSPG**Panel Wall 10mm Add-On Screen – Glass****PRODUCT OPTIONS**

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	5/CL Clear Specialty Glass Laminated	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSPG 15	48	A5	AC
-----------------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

		PRICING		
H	W	Standard Glass Clear	Specialty Glass	
			Frost	Gr. 7
9 / 229	24 / 610	360	548	586
9 / 229	30 / 762	417	614	661
9 / 229	36 / 914	492	696	756
9 / 229	42 / 1067	558	780	845
9 / 229	48 / 1219	622	854	935
9 / 229	54 / 1372	687	934	1021
9 / 229	60 / 1524	754	1008	1108
9 / 229	66 / 1676	822	1090	1195
9 / 229	72 / 1829	884	1164	1278
9 / 229	78 / 1981	949	1242	1364
9 / 229	84 / 2134	1020	1317	1456
9 / 229	90 / 2286	1083	1397	1542
9 / 229	96 / 2438	1148	1471	1629
13 / 330	24 / 610	391	593	649
13 / 330	30 / 762	462	684	749
13 / 330	36 / 914	533	770	853
13 / 330	42 / 1067	605	856	953
13 / 330	48 / 1219	673	941	1050
13 / 330	54 / 1372	743	1034	1155
13 / 330	60 / 1524	814	1117	1254
13 / 330	66 / 1676	886	1206	1357
13 / 330	72 / 1829	955	1295	1453
13 / 330	78 / 1981	1029	1383	1555
13 / 330	84 / 2134	1101	1467	1660
13 / 330	90 / 2286	1167	1552	1757
13 / 330	96 / 2438	1238	1642	1856


**DIMENSIONS
INCHES / MM**

		PRICING		
H	W	Standard Glass Clear	Specialty Glass	
			Frost	Gr. 7
15 / 381	24 / 610	410	620	684
15 / 381	30 / 762	480	712	788
15 / 381	36 / 914	553	803	897
15 / 381	42 / 1067	623	897	1004
15 / 381	48 / 1219	696	988	1112
15 / 381	54 / 1372	775	1082	1221
15 / 381	60 / 1524	845	1170	1326
15 / 381	66 / 1676	919	1264	1437
15 / 381	72 / 1829	990	1353	1540
15 / 381	78 / 1981	1067	1450	1650
15 / 381	84 / 2134	1138	1540	1757
15 / 381	90 / 2286	1212	1632	1861
15 / 381	96 / 2438	1287	1724	1972

Xpress

UNSPF

Panel Wall Add-On Screen - 6mm Glass



The Panel Wall Add-On Screen – Glass is added on top of Panel Walls to provide a lighter, frameless alternative to windows.

WHAT’S INCLUDED

1 6mm add-on screen, support frame, attachment hardware.

NOTES

Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Hardware Finish
09, 13, 15	24 - 96	CL Clear FT Frost	Foundation Mica AC Clear Anodized

SAMPLE ORDER CODE

UNSPF 15	48	CL	AC
----------	----	----	----

DIMENSIONS
INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Standard Glass Clear	Standard Glass Frost
288	437
333	489
393	558
447	622
497	684
551	745
605	808
656	872
709	932
759	993
815	1052
868	1118
919	1179
314	477
370	548
425	616
484	686
537	753
593	825
652	895
710	966
764	1037
823	1107
880	1173
935	1242
991	1311

DIMENSIONS
INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

PRICING

Standard Glass Clear	Standard Glass Frost
328	495
385	572
445	642
500	717
558	791
620	868
676	936
736	1011
791	1082
853	1161
911	1232
969	1307
1029	1377

The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED

1 add-on 10mm Glass Blade.

WHAT'S EXCLUDED


Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.



PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	24 - 96	N Both Notched B Both Extended E One Side Extended F Notched & Extended K One Side Notched	S Both Standard C Both Corner D Corner & Extended G One Side Corner H Corner & Notched	5/CL Clear Specialty Glass Laminated

SAMPLE ORDER CODE

UYSPG 15	42	S	CL
-----------------	-----------	----------	-----------

DIMENSIONS INCHES / MM

		PRICING		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
9 / 229	24 / 610	227	392	421
9 / 229	30 / 762	262	442	478
9 / 229	36 / 914	312	502	546
9 / 229	42 / 1067	354	560	610
9 / 229	48 / 1219	392	616	673
9 / 229	54 / 1372	434	672	736
9 / 229	60 / 1524	477	727	798
9 / 229	66 / 1676	517	784	861
9 / 229	72 / 1829	557	838	920
9 / 229	78 / 1981	598	895	984
9 / 229	84 / 2134	642	948	1048
9 / 229	90 / 2286	684	1007	1111
9 / 229	96 / 2438	722	1060	1171
13 / 330	24 / 610	254	447	482
13 / 330	30 / 762	301	512	558
13 / 330	36 / 914	348	578	638
13 / 330	42 / 1067	392	644	710
13 / 330	48 / 1219	437	706	780
13 / 330	54 / 1372	482	775	854
13 / 330	60 / 1524	529	840	932
13 / 330	66 / 1676	577	905	1005
13 / 330	72 / 1829	621	971	1077
13 / 330	78 / 1981	669	1037	1155
13 / 330	84 / 2134	716	1101	1226
13 / 330	90 / 2286	758	1165	1300
13 / 330	96 / 2438	807	1231	1372


DIMENSIONS INCHES / MM

		PRICING		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
15 / 381	24 / 610	265	463	509
15 / 381	30 / 762	313	533	586
15 / 381	36 / 914	360	603	668
15 / 381	42 / 1067	407	673	744
15 / 381	48 / 1219	454	741	824
15 / 381	54 / 1372	502	812	905
15 / 381	60 / 1524	549	878	981
15 / 381	66 / 1676	598	948	1062
15 / 381	72 / 1829	644	1015	1138
15 / 381	78 / 1981	693	1089	1220
15 / 381	84 / 2134	741	1158	1300
15 / 381	90 / 2286	784	1224	1374
15 / 381	96 / 2438	838	1294	1453

Xpress

UYSPF

Panel Glass Blade for Panels with 6mm Inset Glass



The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT’S INCLUDED

1 6mm add-on Glass Blade.

WHAT’S EXCLUDED

Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES

Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	24 - 96	N Both Notched	S Both Standard	CL Clear
		B Both Extended	C Both Corner	FT Frost
		E One Side Extended	D Corner & Extended	GZ Solar Bronze
		F Notched & Extended	G One Side Corner	GG Solar Grey
		K One Side Notched	H Corner & Notched	

SAMPLE ORDER CODE

UYSPF 15	42	S	CL
----------	----	---	----

DIMENSIONS
INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Frost	Tinted Glass
9 / 229	24 / 610	160	275	201
9 / 229	30 / 762	186	310	235
9 / 229	36 / 914	218	352	277
9 / 229	42 / 1067	249	392	316
9 / 229	48 / 1219	275	430	357
9 / 229	54 / 1372	303	470	394
9 / 229	60 / 1524	333	510	441
9 / 229	66 / 1676	361	549	470
9 / 229	72 / 1829	390	586	506
9 / 229	78 / 1981	419	624	551
9 / 229	84 / 2134	449	663	590
9 / 229	90 / 2286	479	706	636
9 / 229	96 / 2438	508	742	665
13 / 330	24 / 610	177	314	235
13 / 330	30 / 762	214	358	289
13 / 330	36 / 914	242	404	333
13 / 330	42 / 1067	275	451	383
13 / 330	48 / 1219	304	493	420
13 / 330	54 / 1372	336	544	469
13 / 330	60 / 1524	370	586	519
13 / 330	66 / 1676	404	636	569
13 / 330	72 / 1829	434	679	616
13 / 330	78 / 1981	469	726	667
13 / 330	84 / 2134	501	772	717
13 / 330	90 / 2286	529	815	760
13 / 330	96 / 2438	564	861	803

DIMENSIONS
INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Frost	Tinted Glass
15 / 381	24 / 610	189	326	264
15 / 381	30 / 762	220	374	312
15 / 381	36 / 914	253	422	353
15 / 381	42 / 1067	286	472	410
15 / 381	48 / 1219	318	518	459
15 / 381	54 / 1372	352	568	517
15 / 381	60 / 1524	385	615	559
15 / 381	66 / 1676	419	663	608
15 / 381	72 / 1829	451	711	666
15 / 381	78 / 1981	485	761	709
15 / 381	84 / 2134	518	810	766
15 / 381	90 / 2286	549	856	813
15 / 381	96 / 2438	586	905	867

The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls and designed to cover a panel connection to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED

1 add-on 10mm Glass Blade.

WHAT'S EXCLUDED


Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.



UYSCG Bridged Glass Blade for Panels with 10mm Inset Glass

PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	48 - 96	N Both Notched B Both Extended E One Side Extended F Notched & Extended K One Side Notched	S Both Extended C Both Corner D Corner & Extended G One Side Corner H Corner & Notched	5/CL Clear Specialty Glass Laminated

SAMPLE ORDER CODE

UYSCG 15	48	S	CL
----------	----	---	----

DIMENSIONS INCHES / MM

		PRICING		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
9 / 229	48 / 1219	392	616	673
9 / 229	54 / 1372	434	672	736
9 / 229	60 / 1524	477	727	798
9 / 229	66 / 1676	517	784	861
9 / 229	72 / 1829	557	838	920
9 / 229	78 / 1981	598	895	984
9 / 229	84 / 2134	642	948	1048
9 / 229	90 / 2286	684	1007	1111
9 / 229	96 / 2438	722	1060	1171
13 / 330	48 / 1219	437	706	780
13 / 330	54 / 1372	482	775	854
13 / 330	60 / 1524	529	840	932
13 / 330	66 / 1676	577	905	1005
13 / 330	72 / 1829	621	971	1077
13 / 330	78 / 1981	669	1037	1155
13 / 330	84 / 2134	716	1101	1226
13 / 330	90 / 2286	758	1165	1300
13 / 330	96 / 2438	807	1231	1372


DIMENSIONS INCHES / MM

		PRICING		
H	W	Standard Glass Clear	Specialty Glass Frost	Gr. 7
15 / 381	48 / 1219	454	741	824
15 / 381	54 / 1372	502	812	905
15 / 381	60 / 1524	549	878	981
15 / 381	66 / 1676	598	948	1062
15 / 381	72 / 1829	644	1015	1138
15 / 381	78 / 1981	693	1089	1220
15 / 381	84 / 2134	741	1158	1300
15 / 381	90 / 2286	784	1224	1374
15 / 381	96 / 2438	838	1294	1453

Xpress

UYSCF

Bridged Glass Blade for Panels with 6mm Inset Glass



Bridged Glass Blade for Panels with Inset Glass is embedded into the top of a UY Panel Walls and designed to cover a panel connection to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED

1 6mm add-on Glass Blade.

WHAT'S EXCLUDED

Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES

Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	48 - 96	N Both Notched	S Both Extended	CL Clear
		B Both Extended	C Both Corner	FT Frost
		E One Side Extended	D Corner & Extended	GZ Solar Bronze
		F Notched & Extended	G One Side Corner	GG Solar Grey
		K One Side Notched	H Corner & Notched	

SAMPLE ORDER CODE

UYSCF 15	48	S	CL
----------	----	---	----

DIMENSIONS
INCHES / MM

H	W	Standard Glass Clear	Standard Glass Frost	Tinted
9 / 229	48 / 1219	275	430	357
9 / 229	54 / 1372	303	470	403
9 / 229	60 / 1524	333	510	432
9 / 229	66 / 1676	361	549	477
9 / 229	72 / 1829	390	586	514
9 / 229	78 / 1981	419	624	560
9 / 229	84 / 2134	449	663	599
9 / 229	90 / 2286	479	706	636
9 / 229	96 / 2438	508	742	673
13 / 330	48 / 1219	304	493	437
13 / 330	54 / 1372	336	544	485
13 / 330	60 / 1524	370	586	527
13 / 330	66 / 1676	404	636	578
13 / 330	72 / 1829	434	679	623
13 / 330	78 / 1981	469	726	667
13 / 330	84 / 2134	501	772	717
13 / 330	90 / 2286	529	815	760
13 / 330	96 / 2438	564	861	812

DIMENSIONS
INCHES / MM

H	W	Standard Glass Clear	Standard Glass Frost	Tinted
15 / 381	48 / 1219	318	518	467
15 / 381	54 / 1372	352	568	517
15 / 381	60 / 1524	385	615	567
15 / 381	66 / 1676	419	663	625
15 / 381	72 / 1829	451	711	674
15 / 381	78 / 1981	485	761	717
15 / 381	84 / 2134	518	810	775
15 / 381	90 / 2286	549	856	822
15 / 381	96 / 2438	586	905	876

The Smooth Felt Add-On is added on top of a UN Panel Walls to provide a lighter frameless appearance.

WHAT'S INCLUDED

1 add-on Smooth Felt Add-On Blade, support frame, attachment hardware


NOTES

Smooth Felt Blade is 1/2" in thickness.

Xpress Available through *Teknion's Xpress Program*.

UNSPZ

Smooth Felt Add-On



PRODUCT OPTIONS

Height	Width (6" increments)	Application	Corner Condition	Smooth Felt Finish	Support Frame Finish
09, 13, 15	24 - 96	B Both Extended E One Side Extended S Both Standard	R Radius/Square S Square/Square M Radius/Radius	Smooth Felt Colors	Foundation Mica Accent

SAMPLE ORDER CODE


UNSPZ 15	42	S	R	R4	AC
----------	----	---	---	----	----

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W		H	W	
9 / 229	24 / 610	250	13 / 330	24 / 610	270	15 / 381	24 / 610	281
9 / 229	30 / 762	304	13 / 330	30 / 762	340	15 / 381	30 / 762	357
9 / 229	36 / 914	361	13 / 330	36 / 914	398	15 / 381	36 / 914	414
9 / 229	42 / 1067	418	13 / 330	42 / 1067	496	15 / 381	42 / 1067	496
9 / 229	48 / 1219	430	13 / 330	48 / 1219	508	15 / 381	48 / 1219	508
9 / 229	54 / 1372	529	13 / 330	54 / 1372	676	15 / 381	54 / 1372	676
9 / 229	60 / 1524	629	13 / 330	60 / 1524	701	15 / 381	60 / 1524	728
9 / 229	66 / 1676	642	13 / 330	66 / 1676	713	15 / 381	66 / 1676	742
9 / 229	72 / 1829	650	13 / 330	72 / 1829	731	15 / 381	72 / 1829	754
9 / 229	78 / 1981	753	13 / 330	78 / 1981	900	15 / 381	78 / 1981	900
9 / 229	84 / 2134	810	13 / 330	84 / 2134	900	15 / 381	84 / 2134	900
9 / 229	90 / 2286	868	13 / 330	90 / 2286	911	15 / 381	90 / 2286	911
9 / 229	96 / 2438	921	13 / 330	96 / 2438	928	15 / 381	96 / 2438	928

Xpress

U Y S P Z

Smooth Felt Blade for Panels with Inset



The Smooth Felt Blade for Panels with Inset is embedded into the top of a Panel Wall (UY).

WHAT’S INCLUDED

1 add-on Smooth Felt Add-On Blade.

WHAT’S EXCLUDED

Panel Top Trim for Panels with Inset Smooth Felt (UZTT) required to connect to Panel Wall (UY).

NOTES

Smooth Felt Blade is 1/2" in thickness

Radius End (R) corner condition comes with a 2" radius on one end.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS


Height	Width (6" increments)	Application	Corner Condition	Smooth Felt Finish
09, 13, 15	24 - 96	N Both Notched	R Radius/Square	Smooth Felt Colors
		B Both Extended	S Square/Square	
		E One Side Extended	M Radius/Radius	
		F Notched & Extended		
		K One Side Notched		
		S Both Standard		
		C Both Corner		
		D Corner & Extended		
		G One Side Corner		

SAMPLE ORDER CODE

UYSPZ 15	42	S	R	R4
----------	----	---	---	----

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W		H	W	
9 / 229	24 / 610	78	13 / 330	24 / 610	107	15 / 381	24 / 610	124
9 / 229	30 / 762	112	13 / 330	30 / 762	157	15 / 381	30 / 762	177
9 / 229	36 / 914	112	13 / 330	36 / 914	157	15 / 381	36 / 914	177
9 / 229	42 / 1067	177	13 / 330	42 / 1067	261	15 / 381	42 / 1067	261
9 / 229	48 / 1219	177	13 / 330	48 / 1219	261	15 / 381	48 / 1219	261
9 / 229	54 / 1372	177	13 / 330	54 / 1372	261	15 / 381	54 / 1372	261
9 / 229	60 / 1524	214	13 / 330	60 / 1524	296	15 / 381	60 / 1524	346
9 / 229	66 / 1676	214	13 / 330	66 / 1676	296	15 / 381	66 / 1676	346
9 / 229	72 / 1829	214	13 / 330	72 / 1829	296	15 / 381	72 / 1829	346
9 / 229	78 / 1981	346	13 / 330	78 / 1981	514	15 / 381	78 / 1981	528
9 / 229	84 / 2134	346	13 / 330	84 / 2134	514	15 / 381	84 / 2134	528
9 / 229	90 / 2286	346	13 / 330	90 / 2286	514	15 / 381	90 / 2286	528
9 / 229	96 / 2438	346	13 / 330	96 / 2438	514	15 / 381	96 / 2438	528

UYXD
Infinity Blade for Panels
with Inset



The Infinity Blade is embedded into the top of a Panel Wall to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT’S INCLUDED

1 Infinity fabric blade.

WHAT’S EXCLUDED

Panel Top Trim for Panels with Inset Glass for 6mm (UYTT) is required to connect to UY Panel Wall (UY).

NOTES

Infinity blade is 1/2" in thickness.

PRODUCT OPTIONS

Height	Width (6" increments)	Application	Corner Condition	Screen Finish
09, 13, 15	24 - 72	B Both Extended E One Side Extended S Both Standard C Both Corner D Corner & Extended G One Side Corner	M Radius/Radius	Panel Fabric Upholstery Fabric

SAMPLE ORDER CODE

UYXD 15	42	S	M	L341
---------	----	---	---	------

DIMENSIONS
INCHES / MM

H	D
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
357	361	372	388	401	411		358	381	391	405	426	440	452	478	504	514
388	401	452	461	477	493		396	422	432	449	473	487	501	529	558	570
405	426	457	470	492	510		422	449	461	478	502	517	533	563	594	606
426	441	473	490	509	527		436	464	477	495	519	535	551	582	614	626
454	476	496	519	549	569		472	502	515	534	562	578	595	629	663	677
489	501	527	558	582	603		496	528	542	562	590	608	625	660	697	712
544	562	596	621	654	683		557	594	610	632	667	686	707	747	789	807
559	576	610	643	671	705		570	610	626	650	685	707	728	771	814	832
582	601	641	671	707	739		595	636	653	679	717	740	762	808	853	873
379	401	422	462	490	508		396	422	432	449	473	487	501	529	558	570
436	465	563	601	641	676		461	491	505	524	549	566	583	616	649	663
464	501	584	603	638	686		496	528	542	562	590	608	625	660	697	712
491	531	595	629	676	716		526	560	573	595	625	644	663	701	739	756
516	562	608	663	709	758		557	591	608	630	663	682	703	742	782	799
570	601	681	713	763	813		595	633	650	674	708	729	752	793	836	854
649	702	791	834	883	952		694	740	760	789	830	855	882	933	984	1006
681	716	815	867	917	986		708	756	778	808	850	878	903	957	1010	1034
699	752	858	895	957	1029		743	794	816	849	897	924	953	1009	1067	1092

Pricing is continued on the following page.

U Y X D

Infinity Blade for Panels with Inset (Continued)

DIMENSIONS INCHES / MM

H	D
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
410	426	444	511	564	593
469	491	593	638	679	730
478	527	593	646	705	765
513	551	599	682	753	808
585	617	656	767	853	909
612	651	689	815	905	966
691	727	785	925	1029	1096
707	752	800	950	1061	1132
724	776	827	981	1099	1171

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
422	449	461	478	502	517	533	563	594	606
487	517	532	552	581	597	615	650	685	700
520	554	569	590	621	639	657	695	732	749
545	581	596	618	650	669	688	727	766	784
611	650	667	691	727	747	770	814	858	877
644	686	704	730	767	790	813	859	906	926
719	767	788	817	861	886	914	966	1020	1043
743	793	816	847	894	922	949	1005	1061	1084
769	820	845	878	926	956	986	1043	1103	1129


connections & trims

connections & trims product map

UNTT Top Trim

Xpress

Page 612



UYTT Panel Top Trim for Panels with Inset Glass for 6mm or 10mm

Xpress


Page 613



UZTT Panel Top Trim for Panels with Inset Smooth Felt

Xpress


Page 614



UNTTP Top Trim – Power Pole Access

Xpress

Page 615



UYCT Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm

Xpress

Page 616



UNTE End Trim

Xpress

Page 617



UATE End Trim for Freestanding District

Xpress

Page 618



UNTM Intermediate End Trim

Xpress

Page 619



UNPCR2 Two-Way 90°

Xpress

Page 620



UNPCR3 Three-Way 90°

Xpress

Page 621



UNPCR4 Four-Way 90°

Xpress

Page 622



UNPCCR Two-Way 180° Spacer

Xpress

Page 623



connections & trims product map

UNIC2 Two-Way Intermediate 90°

Xpress


Page 624



UNIC3 Three-Way Intermediate 90°

Xpress


Page 625



UNIC4 Four-Way Intermediate 90°

Xpress


Page 626



UNICC Two-Way Intermediate 180°

Xpress

Page 627



UYPC2 Two-Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm

Xpress

Page 628



UNTC Transition Cover

Xpress


Page 629



UYTC Top Trim Cover for Panels with Inset Glass for 6mm or 10mm

Xpress

Page 630



UNPCW Wall Start

Xpress

Page 631



Xpress

UNT T
Top Trim


The Top Trim finishes the top of a panel wall, full-height window or add-on window.

WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNT T 48	AC
----------	----

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

77
85
93
103
109
124
131
141
152
162
170
184
190

The Top Trim designed to be inserted into UY Panel Wall to embed the related UY glass blade.

WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

NOTES

6mm option designed to work in conjunction with UYSPF and UYSCF.

Xpress Available through *Teknion's Xpress Program*.

U Y T T

Panel Top Trim for Panels with Inset Glass for 6mm or 10mm

**PRODUCT OPTIONS**

Width (6" increments)	Application	Finish
24 - 96	B Both 10mm Extended E One Side 10mm Extended S Both 10mm Standard A Both 6mm Extended D One Side 6mm Extended R Both 6mm Standard	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UYTT 48	B	AC
----------------	----------	-----------

**DIMENSIONS
INCHES / MM**

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

135
142
165
181
194
217
229
249
266
284
298
318
329

Xpress

U Z T T

Panel Top Trim for Panels with Inset Smooth Felt

The Top Trim for Panels with Inset Smooth Felt is designed to be inserted into UY Panel Wall to embed the related UY Smooth Felt blade


WHAT’S INCLUDED

Top trim, attachment hardware, gasket

NOTES

Designed to work in conjunction with UYSPZ.

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Application	Finish
24 - 96	B Both 10mm Extended E One Side 10mm Extended S Both 10mm Standard	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UZTT 48	B	AC
---------	---	----

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

135
142
165
181
194
217
229
249
266
284
298
318
329

The Top Trim – Power Pole Access finishes the top of a panel wall with a cut out for off-module power pole applications.

WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

NOTES

The cut out is located 9" from one end of the top trim.


Trim is non-handed.

Required for off-module Power Pole (UNQEP) applications.

Xpress Available through *Teknion's Xpress Program*.

UNTTP

Top Trim – Power Pole Access



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTTP 96	AC
----------	----

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

144
151
162
173
186
193
198
215
224
232
239
252
257

Xpress

UYCT
Bridged Top Trim for Panels with
Inset Glass for 6mm or 10mm


The Top Trim designed to be inserted into the UY Panel Walls and designed to cover a panel connection to embed related UY glass blade.

WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Application	Bracket	Finish
48 - 96	B Both 10mm Extended	N No Bracket	AC Clear Anodized Foundation Mica
	E One Side 10mm Extended	1 One Bracket	
	S Both 10mm Standard	2 Two Bracket	
	A Both 6mm Extended		
	D One Side 6mm Extended		
	R Both 6mm Standard		

SAMPLE ORDER CODE

UYCT 48	S	N	AC
---------	---	---	----

DIMENSIONS
INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

194
217
229
249
266
284
298
318
329



UNTE
End Trim

The End Trim finishes the end of a panel wall, full-height window or add-on window combination.

WHAT'S INCLUDED
End trim, attachment hardware.

NOTES
Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Finish
29, 42, 51, 66	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTE 51	Q
---------	---

DIMENSIONS INCHES / MM
H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING
95
121
139
165

Xpress

U A T E

End Trim for Freestanding District

The End Trim finishes the end of a panel wall.

WHAT'S INCLUDED
End trim, attachment hardware.

NOTES
End Trim is to only be applied to District Panel that is supported by the Free standing Foot (UAFFN).

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	End Trim Finish
29, 42, 51	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UATE 51	Q
---------	---

DIMENSIONS

INCHES / MM

H
29 / 29
42 / 42
51 / 51

PRICING

95
121
139

UNTM

Intermediate End Trim

The Intermediate End Trim finishes the end of a panel wall, full-height window or add-on window in a change of height location.

WHAT'S INCLUDED

Intermediate end trim, attachment hardware.

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTM 51	Q
---------	---

DIMENSIONS
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

57
61
64
86
92
106

Xpress

UNPCR2

Two-Way 90°



The Two-Way 90° connector provides a finished connection for two panel walls and windows at 90° in same-height or varying-height configurations.

WHAT'S INCLUDED

Corner trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

NOTES

Panel wall type indicates the panel wall mix at the 90° connection.

Internal (non-visible) brackets are painted in Ebony.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Panel Type		Height	Finish
FF	One Flush Panel/Flush Full-Height Window / Convertible Panel and One Flush Panel /Flush Full-Height Window/Convertible Panel Wall	29, 42, 51, 66	AC Clear Anodized
EE	One Elevated Panel/Elevated Full-Height Window and One Elevated Panel/Elevated Full-Height Window		Foundation
EA	One Flush Panel/Flush Full-Height Window / Convertible Panel Wall and One Elevated Panel /Elevated Full-Height Window		Mica

SAMPLE ORDER CODE

UNPCR2 FF	51	AC
-----------	----	----

DIMENSIONS
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
199	302
261	360
306	410
365	462

UNPCR3

Three-Way 90°



The Three-Way 90° connector provides a finished connection for three panel walls and windows at 90° in same-height or varying-height configurations.

WHAT'S INCLUDED

1 trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

WHAT'S EXCLUDED

Panel wall type indicates the panel wall mix at the 90° connection.

When Trim option (0) is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side.

NOTES

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Panel Type	Height	Trim	Finish
FF Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	0 No Vertical Cover (select when a two-way intermediate 180° connection is above a three-way 90° connection) 1 One Vertical Cover (completely finishes connection)	AC Clear Anodized Foundation Mica
EE Elevated Panels/Elevated Full-Height Windows			
EA One Elevated Panel/Elevated Full-Height Window and two Flush Panels/Flush Full-Height Windows/Convertible Panel Wall			
EB Two Elevated Panels/Elevated Full-Height Windows at 90° and One Panel/Flush Full-Height Window/Convertible Panel Wall			
EC Two Elevated Panels/Elevated Full-Height Windows at 180° and One Flush Panel/Flush Full-Height Window/Convertible Panel Wall			

SAMPLE ORDER CODE

UNPCR3 EA	66	1	7
-----------	----	---	---

DIMENSIONS INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

NO TRIM COVER (0)

Panel Type (FF)	All Other Panel Types
98	197
124	224
144	247
173	273

WITH TRIM COVER (1)

Panel Type (FF)	All Other Panel Types
195	295
249	350
295	394
350	449

Xpress

UNPCR4
Four-Way 90°



The Four-Way 90° connector provides a finished connection for four panel walls and windows at 90° in same-height or varying-height configurations.

WHAT'S INCLUDED

Corner brackets, attachment hardware, top cap, gasket, elevated panel wall F-foot (as specified).

NOTES

Panel wall type indicates the panel wall mix at the 90° connection.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Panel Type		Height	Finish
FF	Four Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	AC Clear Anodized Foundation Mica
EE	Four Elevated Panels/Elevated Full-Height Windows		
EA	One Elevated Panel/Elevated Full-Height Window and 3 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall		
EB	Two Elevated Panels/Elevated Full-Height Windows at 90° and Two Flush Panels/Flush Full-Height Windows//Convertible Panel Wall at 90°		
EC	Two Elevated Panels/Elevated Full-Height Windows at 180° and Two Flush Panels/Flush Full-Height Windows/Convertible Panel Wall at 180°		
ED	Three Elevated Panels/Elevated Full-Height Windows and One Flush Panel/Flush Full-Height Window		

SAMPLE ORDER CODE

UNPCR4 EC	29	AC
-----------	----	----

DIMENSIONS
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
137	239
170	273
198	304
230	333

UNPCCR

Two-Way 180° Spacer

The Two-Way 180° Spacer connector provides finished spacer connection between two panel walls and windows joined at 180° equal to the thickness of one panel wall.

WHAT'S INCLUDED

2 trims, brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

NOTES

Panel wall type indicates the panel wall mix at the 180° connection.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Panel Type	Height	Finish
FF Flush Panels/Flush Full-Height Windows / Convertible Panel Wall	29, 42, 51, 66	AC Clear Anodized
EE Elevated Panels/Elevated Full-Height Windows		Foundation
EA One Flush Panel/Flush Full-Height Window /Convertible Panel Wall and One Elevated Panel/Elevated Full-Height Window		Mica

SAMPLE ORDER CODE

UNPCCR EE	51	AC
-----------	----	----

**DIMENSIONS
INCHES / MM**

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
197	302
248	354
293	398
348	449

Xpress

UNIC2

Two-Way Intermediate 90°

The Two-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows or add-on windows above a three- or four-way connector in change-of-height configuration.

WHAT'S INCLUDED


Corner trim, corner brackets, attachment hardware.

WHAT'S EXCLUDED

Does not have a top cap.

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNIC2 22	AC
----------	----

DIMENSIONS
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

90
120
126
166
177
215

Xpress

UNIC3

Three-Way Intermediate 90°

The Three-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows above a four-way connector in change-of-height configuration.

WHAT'S INCLUDED


Trim, corner brackets, attachment hardware.

WHAT'S EXCLUDED

Does not have a top cap.

NOTES

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNIC3 09	7
----------	---

**DIMENSIONS
INCHES / MM**


H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

90
126
129
170
175
198

Xpress

UNIC4
Four-Way Intermediate 90°



The Four-Way Intermediate 90° connector provides intermediate four-way connection when add-on windows are added above an existing four-way connection.

WHAT’S INCLUDED
Corner brackets, attachment hardware.

WHAT’S EXCLUDED
Does not have a top cap.

NOTES
Finished in Ebony.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height
09, 13, 15, 22, 24, 37

SAMPLE ORDER CODE

UNIC4 15

DIMENSIONS INCHES / MM
H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING
61
93
94
129
131
134

Two-Way Intermediate 180°

The Two-Way Intermediate 180° connector provides intermediate two-way spacer connection.

WHAT'S INCLUDED

2 trims, brackets, attachment hardware.


WHAT'S EXCLUDED

Does not have a top cap.

NOTES

When Trim option 1 is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Height	Trim	Finish
09, 13, 15, 22, 24, 37	1 One Vertical Cover (select when a two-way intermediate 180° connection is above a three-way 90° connection) 2 Two Vertical Covers (completely finishes both sides with equal length trim covers)	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNICC 37	2	AC
----------	---	----

**DIMENSIONS
INCHES / MM**

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

One Vertical Cover	Two Vertical Covers
60	94
77	117
78	120
102	157
105	166
126	192

Xpress

UYPC2

Two-Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm

The Two-Way 90° Corner cap provides a finished connection for two corner application UY glass blades at 90° in same-height.

WHAT'S INCLUDED

Corner cap.

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Glass Thickness		Finish
6	6mm Thickness	AC Clear Anodized Foundation Mica
10	10mm Thickness	

SAMPLE ORDER CODE

UYPC2 6	AC
---------	----

PRICING

47

Transition Cover

The Transition Cover provides a vertical trim cover when a two-way intermediate 180° panel wall connection occurs above a three-way connection.

WHAT'S INCLUDED

Transition cover, attachment hardware.

WHAT'S EXCLUDED

Does not have a top cap.

NOTES

Panel Wall Type indicates the panel wall mix at the 90° connection.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Panel Type	Height	Finish
FF Three Flush Panels	42, 51, 66	AC Clear Anodized Foundation Mica
EE Three Elevated Panels		
EA Two Flush Panels and One Elevated Panel		
EB One Flush Panel and Two Elevated Panels at 90°		
EC One Flush Panel and Two Elevated Panels at 180°		

SAMPLE ORDER CODE

UNTC FF	2	AC
----------------	----------	-----------

**DIMENSIONS
INCHES / MM**

H
42 / 1067
51 / 1295
66 / 1676

PRICING**All Panel Types**

130
149
175

Xpress

UYTC

Top Trim Cover for Panels with
Inset Glass 6mm or 10mm

The Top Trim Cover provides a horizontal cover on the inset panel cover when a opening occurs due to application of panel mounted products.


WHAT’S INCLUDED

Top Trim cover, attachment hardware.

NOTES

Top Trim is can be cut on site.

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Glass Thickness	Finish
48 - 102	6 6mm Thickness 10 10mm Thickness	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UYTC 72	6	AC
---------	---	----

DIMENSIONS
INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438
102 / 2591

PRICING

54
58
64
73
78
87
92
98
104
109

Xpress

UNPCW

Wall Start

The Wall Start connects panel walls to reinforced drywall.

WHAT'S INCLUDED
Wall start, connecting hardware.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height
29, 42, 51, 66

SAMPLE ORDER CODE

UNPCW 51

DIMENSIONS INCHES / MM	PRICING
H	
29 / 737	171
42 / 1067	205
51 / 1295	281
66 / 1676	289

worksurfaces

worksurfaces product map

UNWR Rectangle Worksurface



Xpress

Page 634

UNWC Rectangle with Radius
Corners Worksurface


Xpress

Page 638



Xpress

UNWR
Rectangle Worksurface



The Rectangle Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.
Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width (1" increments)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (optional)	Grommet Finish
17, 20, 24, 30, 36	22 - 96	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood and Natural Veneer) H Full Knife (with all)	Edge Trim Colors	1 Left 2 Centered 3 Right	Q Storm White 7 Platinum V Very White

SAMPLE ORDER CODE

UNWR 24	48	LW	9	ST	2	7
---------	----	----	---	----	---	---

DIMENSIONS – INCHES
FOR MM X BY 25.4

D	W
17	22 - 24
17	25 - 27
17	28 - 30
17	31 - 33
17	34 - 36
17	37 - 39
17	40 - 42
17	43 - 45
17	46 - 48
17	49 - 51
17	52 - 54
17	55 - 57
17	58 - 60
17	61 - 63
17	64 - 66
17	67 - 69
17	70 - 72
17	73 - 75
17	76 - 78
17	79 - 81
17	82 - 84
17	85 - 87
17	88 - 90
17	91 - 93
17	94 - 96

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
331	398	747	873	783	916
359	423	784	913	824	960
384	470	824	955	864	1004
387	478	863	997	905	1045
391	484	919	1062	965	1112
437	548	956	1102	1004	1156
444	554	996	1143	1043	1198
447	561	1034	1185	1083	1242
451	572	1072	1224	1124	1284
537	688	1145	1315	1201	1377
544	696	1183	1356	1242	1420
548	704	1221	1395	1279	1463
552	711	1260	1437	1323	1504
557	718	1299	1478	1360	1549
560	726	1335	1519	1402	1590
565	732	1423	1622	1492	1700
572	741	1462	1664	1532	1747
761	1012	1500	1703	1572	1786
767	1021	1536	1747	1611	1830
772	1029	1576	1786	1650	1873
775	1036	1613	1829	1692	1918
780	1043	1675	1900	1756	1994
783	1050	1715	1942	1797	2035
788	1057	1751	1982	1836	2080
793	1065	1789	2024	1877	2121

If Grommet is specified, add 46

Pricing is continued on the following page.

Rectangle Worksurface
(Continued)DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
20	22 - 24	336	407	791	921	830	967
20	25 - 27	359	437	834	966	872	1011
20	28 - 30	390	479	891	1034	935	1083
20	31 - 33	393	488	934	1077	976	1131
20	34 - 36	398	495	972	1120	1020	1174
20	37 - 39	447	559	1012	1165	1063	1221
20	40 - 42	451	566	1053	1211	1105	1268
20	43 - 45	455	576	1132	1301	1185	1363
20	46 - 48	460	583	1170	1343	1227	1409
20	49 - 51	549	703	1213	1389	1270	1455
20	52 - 54	553	711	1252	1434	1311	1501
20	55 - 57	558	718	1294	1477	1357	1548
20	58 - 60	564	726	1382	1584	1447	1661
20	61 - 63	568	734	1421	1629	1491	1706
20	64 - 66	575	742	1463	1672	1533	1751
20	67 - 69	578	749	1503	1716	1576	1798
20	70 - 72	584	756	1567	1790	1643	1877
20	73 - 75	776	1032	1610	1835	1686	1923
20	76 - 78	781	1039	1649	1879	1728	1971
20	79 - 81	784	1047	1692	1923	1772	2017
20	82 - 84	791	1055	1730	1967	1814	2062
20	85 - 87	797	1063	1772	2010	1858	2108
20	88 - 90	801	1071	1813	2054	1898	2153
20	91 - 93	807	1079	1854	2099	1942	2198
20	94 - 96	812	1085	1942	2205	2034	2313
24	22 - 24	370	456	869	1008	911	1057
24	25 - 27	416	517	912	1056	956	1108
24	28 - 30	419	525	956	1105	1004	1160
24	31 - 33	472	584	1000	1152	1048	1211
24	34 - 36	473	591	1080	1248	1133	1308
24	37 - 39	510	650	1124	1296	1179	1359
24	40 - 42	516	657	1167	1343	1224	1409
24	43 - 45	519	669	1213	1391	1270	1461
24	46 - 48	526	677	1304	1503	1365	1576
24	49 - 51	686	887	1349	1552	1413	1628
24	52 - 54	693	897	1392	1600	1459	1676
24	55 - 57	696	905	1436	1645	1503	1726
24	58 - 60	704	913	1503	1727	1576	1809
24	61 - 63	710	923	1549	1774	1621	1860
24	64 - 66	713	932	1590	1823	1667	1911
24	67 - 69	719	940	1636	1869	1715	1959
24	70 - 72	726	948	1678	1919	1759	2010
24	73 - 75	796	1055	1725	1966	1806	2061
24	76 - 78	801	1064	1815	2079	1902	2177
24	79 - 81	807	1072	1859	2123	1949	2227
24	82 - 84	812	1080	1902	2174	1996	2278
24	85 - 87	816	1090	1947	2221	2041	2328
24	88 - 90	823	1097	1992	2268	2086	2378
24	91 - 93	829	1107	2035	2315	2133	2426
24	94 - 96	836	1116	2128	2427	2228	2545

If Grommet is specified, add 46

Pricing is continued on the following page.

Xpress

U N W R

Rectangle Worksurface
(Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING


		FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
30	22 - 24	398	492	956	1105	1004	1160
30	25 - 27	428	534	1006	1160	1053	1215
30	28 - 30	476	593	1090	1260	1143	1323
30	31 - 33	480	606	1138	1315	1195	1377
30	34 - 36	485	615	1188	1366	1246	1435
30	37 - 39	554	708	1284	1486	1345	1557
30	40 - 42	561	718	1332	1538	1396	1612
30	43 - 45	568	727	1383	1591	1448	1668
30	46 - 48	576	738	1455	1677	1525	1759
30	49 - 51	706	915	1503	1731	1576	1815
30	52 - 54	712	924	1554	1785	1629	1870
30	55 - 57	719	935	1603	1838	1677	1926
30	58 - 60	726	942	1650	1893	1730	1983
30	61 - 63	732	953	1749	2011	1831	2108
30	64 - 66	741	965	1798	2065	1885	2165
30	67 - 69	745	972	1845	2118	1933	2220
30	70 - 72	752	981	1894	2172	1985	2277
30	73 - 75	1133	1496	1945	2226	2035	2332
30	76 - 78	1138	1506	2041	2343	2137	2456
30	79 - 81	1147	1517	2089	2396	2188	2510
30	82 - 84	1152	1525	2139	2451	2241	2568
30	85 - 87	1160	1534	2187	2505	2291	2622
30	88 - 90	1166	1547	2236	2558	2343	2681
30	91 - 93	1171	1555	2284	2613	2393	2736
30	94 - 96	1179	1564	2334	2666	2444	2793
36	22 - 24	502	642	1080	1248	1133	1308
36	25 - 27	584	753	1134	1308	1189	1372
36	28 - 30	590	765	1188	1366	1246	1435
36	31 - 33	682	878	1291	1492	1352	1564
36	34 - 36	688	887	1343	1552	1408	1623
36	37 - 39	759	997	1396	1611	1464	1688
36	40 - 42	769	1007	1474	1700	1547	1783
36	43 - 45	775	1019	1527	1760	1603	1845
36	46 - 48	782	1029	1584	1822	1660	1910
36	49 - 51	1101	1447	1637	1882	1716	1971
36	52 - 54	1108	1459	1739	2003	1823	2100
36	55 - 57	1116	1469	1795	2063	1879	2163
36	58 - 60	1124	1479	1845	2122	1933	2226
36	61 - 63	1131	1491	1900	2183	1990	2289
36	64 - 66	1136	1500	2002	2308	2097	2417
36	67 - 69	1145	1509	2055	2366	2153	2478
36	70 - 72	1152	1522	2110	2425	2211	2541
36	73 - 75	1287	1727	2165	2485	2266	2604
36	76 - 78	1295	1739	2219	2545	2324	2667
36	79 - 81	1302	1749	2273	2604	2379	2730
36	82 - 84	1309	1759	2396	2761	2509	2892
36	85 - 87	1318	1771	2452	2820	2566	2955
36	88 - 90	1326	1781	2506	2880	2621	3019
36	91 - 93	1332	1790	2558	2939	2680	3079
36	94 - 96	1340	1803	2613	2999	2736	3141

If Grommet is specified, add 46

Xpress

UNWC

Rectangle with Radius Corners Worksurface



The Rectangle with Radius Corners Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED

1 worksurface, grommet (if specified).

NOTES

Worksurface is designed to accompany the District Infinity Curved Desk Edge Screen (GXCD).

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress

Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width (1" increments)	Corner Profile	Leg Style	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (optional)	Grommet Finish (if applicable)
20, 24, 30, 36	48 - 96	F Four Round 3" Radius L Two Round Left 3" Radius R Two Round Right 3" Radius	K Leverage	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood and Natural Veneer) H Full Knife (with all)	Edge Trim Colors	1 Left 2 Centered 3 Right	7 Platinum V Very White Q Storm White

SAMPLE ORDER CODE

UNWC 24	48	F	K	LW	8	ST	2	7
---------	----	---	---	----	---	----	---	---

DIMENSIONS – INCHES
FOR MM X BY 25.4

D	W
20	48
20	49 - 51
20	52 - 54
20	55 - 57
20	58 - 60
20	61 - 63
20	64 - 66
20	67 - 69
20	70 - 72
20	73 - 75
20	76 - 78
20	79 - 81
20	82 - 84
20	85 - 87
20	88 - 90
20	91 - 93
20	94 - 96

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
460	583	1170	1343	1227	1409
549	703	1213	1389	1270	1455
553	711	1252	1434	1311	1501
558	718	1294	1477	1357	1548
564	726	1382	1584	1447	1661
568	734	1421	1629	1491	1706
575	742	1463	1672	1533	1751
578	749	1503	1716	1576	1798
584	756	1567	1790	1643	1877
776	1032	1610	1835	1686	1923
781	1039	1649	1879	1728	1971
784	1047	1692	1923	1772	2017
791	1055	1730	1967	1814	2062
797	1063	1772	2010	1858	2108
801	1071	1813	2054	1898	2153
807	1079	1854	2099	1942	2198
812	1085	1942	2205	2034	2313

If Grommet is specified, add 46

Pricing is continued on the following page.

Rectangle with Radius Corners Worksurface (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
24	48	526	677	1304	1503	1365	1576
24	49 - 51	686	887	1349	1552	1413	1628
24	52 - 54	693	897	1392	1600	1459	1676
24	55 - 57	696	905	1436	1645	1503	1726
24	58 - 60	704	913	1503	1727	1576	1809
24	61 - 63	710	923	1549	1774	1621	1860
24	64 - 66	713	932	1590	1823	1667	1911
24	67 - 69	719	940	1636	1869	1715	1959
24	70 - 72	726	948	1678	1919	1759	2010
24	73 - 75	796	1055	1725	1966	1806	2061
24	76 - 78	801	1064	1815	2079	1902	2177
24	79 - 81	807	1072	1859	2123	1949	2227
24	82 - 84	812	1080	1902	2174	1996	2278
24	85 - 87	816	1090	1947	2221	2041	2328
24	88 - 90	823	1097	1992	2268	2086	2378
24	91 - 93	829	1107	2035	2315	2133	2426
24	94 - 96	836	1116	2128	2427	2228	2545
30	48	576	738	1455	1677	1525	1759
30	49 - 51	706	915	1503	1731	1576	1815
30	52 - 54	712	924	1554	1785	1629	1870
30	55 - 57	719	935	1603	1838	1677	1926
30	58 - 60	726	942	1650	1893	1730	1983
30	61 - 63	732	953	1749	2011	1831	2108
30	64 - 66	741	965	1798	2065	1885	2165
30	67 - 69	745	972	1845	2118	1933	2220
30	70 - 72	752	981	1894	2172	1985	2277
30	73 - 75	1133	1496	1945	2226	2035	2332
30	76 - 78	1138	1506	2041	2343	2137	2456
30	79 - 81	1147	1517	2089	2396	2188	2510
30	82 - 84	1152	1525	2139	2451	2241	2568
30	85 - 87	1160	1534	2187	2505	2291	2622
30	88 - 90	1166	1547	2236	2558	2343	2681
30	91 - 93	1171	1555	2284	2613	2393	2736
30	94 - 96	1179	1564	2334	2666	2444	2793
36	48	782	1029	1584	1822	1660	1910
36	49 - 51	1101	1447	1637	1882	1716	1971
36	52 - 54	1108	1459	1739	2003	1823	2100
36	55 - 57	1116	1469	1795	2063	1879	2163
36	58 - 60	1124	1479	1845	2122	1933	2226
36	61 - 63	1131	1491	1900	2183	1990	2289
36	64 - 66	1136	1500	2002	2308	2097	2417
36	67 - 69	1145	1509	2055	2366	2153	2478
36	70 - 72	1152	1522	2110	2425	2211	2541
36	73 - 75	1287	1727	2165	2485	2266	2604
36	76 - 78	1295	1739	2219	2545	2324	2667
36	79 - 81	1302	1749	2273	2604	2379	2730
36	82 - 84	1309	1759	2396	2761	2509	2892
36	85 - 87	1318	1771	2452	2820	2566	2955
36	88 - 90	1326	1781	2506	2880	2621	3019
36	91 - 93	1332	1790	2558	2939	2680	3079
36	94 - 96	1340	1803	2613	2999	2736	3141

If Grommet is specified, add 46


height-adjustability

height-adjustability product map

YAD Navigate Freestanding Table, Base Only

Xpress


Page 644



YHD Navigate Height-Adjustable Built-in Base - Parallel Planning

Xpress


Page 648



YGD Navigate Height-Adjustable Built-in Base - Perpendicular Planning

Xpress


Page 650



YWD Navigate Height-Adjustable Built-in Gable Base - Parallel Planning

Xpress


Page 652



YVD Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning

Xpress


Page 654



YSG hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning

Xpress


Page 656



YSP hiSpace Height-Adjustable Built-in Base - Parallel Planning for Quick Connect

Xpress


Page 658



WHD Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs

Xpress

Page 660




height-adjustability product map

WHD Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable

Xpress


Page 661



WLD Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs

Xpress


Page 662



WLD Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable

Xpress


Page 663



WBD Freestanding Table Rectangular Height-Adjustable Worksurface

Xpress


Page 664



WMD Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners

Xpress


Page 668



WBF hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface

Xpress


Page 669



WBG hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface with connection kit for Quick Connect

Xpress


Page 670



WJE hiSpace Rectangular Height-Adjustable Built-in Perpendicular Worksurface with Radius Corners

Xpress

Page 671




height-adjustability product map

UPPC Perpendicular Credenza for Height-Adjustable Table

Xpress


Page 672



UPCS Shared Perpendicular Credenza for Height-Adjustable Table

Xpress


Page 674



UPSC Parallel Spine Credenza for Height-Adjustable Table

Xpress


Page 676



UPCC Parallel Corridor Credenza for Height-Adjustable Table

Xpress

Page 678




height-adjustability

Xpress

Y A D

Navigate Freestanding Table, Base Only

One Table
One Plug



Navigate Freestanding Table Base Only to be used with Freestanding Table Rectangular Height-Adjustable Worksurface to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
CCC C-Legs	1S Counterbalance Standard (29.5" - 49.5")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	1 Standard	Texture Foundation Mica Accent
TTT T-Leg	1X Counterbalance Lower Edition (26.5" - 43.5")				Without Texture Foundation Mica Accent
	7S Standard Electric (27" - 43")				
	9C Extended Electric-Restricted (25" - 48.7")				
	9E Extended Electric-Extended (22.6" - 48.7")				

SAMPLE ORDER CODE

YAD TTT	9C	29	57	1	52
---------	----	----	----	---	----

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
---	---	---	---	---

See pricing in the following page.

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM

D	W
23 / 584	51 / 1294
23 / 584	57 / 1447
23 / 584	63 / 1600
23 / 584	69 / 1753
29 / 237	51 / 1294
29 / 237	57 / 1447
29 / 237	63 / 1600
29 / 237	69 / 1753

23 / 584	45 / 1143
23 / 584	51 / 1294
23 / 584	57 / 1447
23 / 584	63 / 1600
23 / 584	69 / 1753
23 / 584	75 / 1905
23 / 584	81 / 2057
29 / 237	45 / 1143
29 / 237	51 / 1294
29 / 237	57 / 1447
29 / 237	63 / 1600
29 / 237	69 / 1753
29 / 237	75 / 1905
29 / 237	81 / 2057

35 / 889	45 / 1143
35 / 889	51 / 1294
35 / 889	57 / 1447
35 / 889	63 / 1600
35 / 889	69 / 1753
35 / 889	75 / 1905
35 / 889	81 / 2057

PRICING

COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION

Foundation	Mica/Accent
3553	3664
3553	3664
3592	3704
3592	3704
3553	3664
3553	3664
3592	3704
3592	3704

STANDARD ELECTRIC

Foundation	Mica/Accent
3553	3664
3553	3664
3553	3664
3592	3704
3592	3704
3592	3704
3592	3704
3553	3664
3553	3664
3553	3664
3592	3704
3592	3704
3592	3704
3592	3704
3553	3664
3553	3664
3553	3664
3592	3704
3592	3704
3592	3704
3592	3704

Pricing is continued on the following page

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573

If Vertical Wire Carrier is specified, add 354

Xpress

Y A D

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM

D	W
23 / 584	45 / 1143
23 / 584	51 / 1294
23 / 584	57 / 1447
23 / 584	63 / 1600
23 / 584	69 / 1753
23 / 584	75 / 1905
23 / 584	81 / 2057
29 / 237	45 / 1143
29 / 237	51 / 1294
29 / 237	57 / 1447
29 / 237	63 / 1600
29 / 237	69 / 1753
29 / 237	75 / 1905
29 / 237	81 / 2057
35 / 889	45 / 1143
35 / 889	51 / 1294
35 / 889	57 / 1447
35 / 889	63 / 1600
35 / 889	69 / 1753
35 / 889	75 / 1905
35 / 889	81 / 2057

PRICING

EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-RESTRICTED

Foundation	Mica/Accent
3794	3905
3794	3905
3794	3905
3809	3921
3809	3921
3809	3921
3809	3921
3794	3905
3794	3905
3794	3905
3809	3921
3809	3921
3809	3921
3809	3921
3794	3905
3794	3905
3794	3905
3809	3921
3809	3921
3809	3921
3809	3921

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573

If Vertical Wire Carrier is specified, add 354


height-adjustability

Xpress

Y H D

Navigate Height-Adjustable Built-in Base - Parallel Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Base - Parallel Planning is to be paired with Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs, to create a District specific integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TZL Left in Perpendicular Credenza, Right toward Middle	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	29	52, 58, 64, 70, 76, 82	1 Standard	Foundation Mica Accent
TZR Right in Perpendicular Credenza, Left toward Middle					
TDL Left toward outside, Right in Shared Perpendicular Credenza					
TDR Right toward outside, Left in Shared Perpendicular Credenza					
THL Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza					
THR Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza					

SAMPLE ORDER CODE

YHD TZL	9C	29	58	1	52
----------------	-----------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
----------	----------	----------	----------	----------

See pricing in the following page.

Navigate Height-Adjustable Built-in Base - Parallel Planning (Continued)

DIMENSIONS INCHES / MM

D	W
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083

PRICING

STANDARD ELECTRIC

Foundation	Mica/Accent
3553	3664
3553	3664
3592	3704
3592	3704
3592	3704
3592	3704

EXTENDED ELECTRIC-RESTRICTED

Foundation	Mica/Accent
3794	3905
3794	3905
3809	3921
3809	3921
3809	3921
3809	3921

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573

If Vertical Wire Carrier is specified, add 354


height-adjustability

Xpress

Y G D

Navigate Height-Adjustable Built-in Base - Perpendicular Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Base - Perpendicular Planning is to be paired with Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs, to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TSL	Left in Corridor, Right in Parallel Spine Credenza	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	30	65, 71, 77, 83	1 Standard	Foundation Mica Accent
TSR	Right in Corridor, Left in Parallel Spine Credenza					
TCL	Left in Parallel Corridor Credenza, Right in alignment panel					
TCR	Right in Parallel Corridor Credenza, Left in alignment panel					
TBL	Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza					
TBR	Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza					

SAMPLE ORDER CODE

YGD TCL	9C	30	65	1	52
----------------	-----------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays+Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
----------	----------	----------	----------	----------

See pricing in the following page.

Navigate Height-Adjustable Built-in Base - Perpendicular Planning (Continued)

DIMENSIONS INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

STANDARD ELECTRIC

Foundation	Mica/Accent
3592	3704
3592	3704
3592	3704
3592	3704

EXTENDED ELECTRIC-RESTRICTED

Foundation	Mica/Accent
3809	3921
3809	3921
3809	3921
3809	3921

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573

If Vertical Wire Carrier is specified, add 354


height-adjustability

Xpress

YWD

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Gable Base - Parallel Planning is to be paired with Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable, to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Water Fall Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Base Finish	Water Fall Finish
GZL	Left in Perpendicular Credenza, Gable toward Middle	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	29	46, 52, 58, 64, 70, 76, 82	Foundation	Foundation
GZR	Right in Perpendicular Credenza, Gable toward Middle				Mica	Flintwood
GDL	Left Gable toward outside, Right T-Leg in Shared Perpendicular Credenza				Accent	Natural Veneer
GDR	Right Gable toward outside, Left T-Leg in Shared Perpendicular Credenza					

SAMPLE ORDER CODE

YWD GZL	9C	29	58	52	VZ
---------	----	----	----	----	----

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	N
---	---	---	---	---

See pricing in the following page.

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (Continued)

DIMENSIONS INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083

29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083

PRICING

STANDARD ELECTRIC

Foundation	Mica/Accent
5234	5347
5297	5409
5333	5445
5417	5528
5461	5573
5133	5246
5165	5279

EXTENDED ELECTRIC-RESTRICTED

Foundation	Mica/Accent
5653	5765
5718	5830
5759	5869
5801	5912
5847	5959
5525	5637
5560	5672

If Flintwood Water Fall Finish is specified,

46" Width	880
52" Width	841
58" Width	924
64" Width	1057
70" Width	1143
76" Width	902
82" Width	985

If Natural Veneer Water Fall Finish is specified,

46" Width	951
52" Width	915
58" Width	1005
64" Width	1143
70" Width	1233
76" Width	999
82" Width	1085

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573


If Vertical Wire Carrier is specified, add 354

Xpress

YVD

Navigate Height-Adjustable
Built-in Gable Base - Perpendicular
Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning is to be paired with Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable, to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Water Fall Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Base Finish	Water Fall Finish
GSL	Left Gable alignment Corridor, Right in Parallel Spine Credenza	7S Standard Electric (27" - 43")	30	53, 59, 65, 71, 77, 83	Foundation	Foundation
	GSR Right Gable alignment Corridor, Left in Parallel Spine Credenza	9C Extended Electric-Restricted (25" - 48.7")			Mica Accent	Flintwood Natural Veneer

SAMPLE ORDER CODE

YVD GSL	9C	30	53	52	VZ
----------------	-----------	-----------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
----------	----------	----------	----------	----------

See pricing in the following page.

Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (Continued)

DIMENSIONS INCHES / MM

D	W
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	75 / 1905
30 / 762	83 / 2108

30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	75 / 1905
30 / 762	83 / 2108

PRICING

STANDARD ELECTRIC

Foundation	Mica/Accent
5297	5409
5333	5445
5417	5528
5461	5573
5573	5686
5630	5743

EXTENDED ELECTRIC-RESTRICTED

Foundation	Mica/Accent
5718	5830
5759	5869
5846	5956
5933	6005
6049	6122
6113	6182

If Flintwood Water Fall Finish is specified,

53" Width	841
59" Width	924
65" Width	1057
71" Width	1147
75" Width	902
83" Width	985

If Natural Veneer Water Fall Finish is specified,

53" Width	915
59" Width	1005
65" Width	1143
71" Width	1233
75" Width	999
83" Width	1085

If Display with Up/Down Memory (D) switch is specified, add 195

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 195

If No Power Bar, Dual Plastic Trays are specified, add 63

If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 302

If No Power Bar, Cable Organizer with Felt Cover is specified, add 310

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 262

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 326

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 565

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 641


If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 573

If Vertical Wire Carrier is specified, add 354

Xpress

Y S G

hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning



hiSpace Height-Adjustable Built-in Base - Perpendicular Planning is used with District credenzas and worksurfaces to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51 1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

WHAT'S EXCLUDED

Perpendicular Height-Adjustable Worksurface (WBG) is not included.

NOTES

Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51 1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width
TSL	Left in Corridor, Right in Parallel Spine Credenza	9U Extended Electric with Riser (25"-51.1")	30	65, 71
TSR	Right in Corridor, Left in Parallel Spine Credenza			
TCL	Left in Parallel Corridor Credenza, Right alignment panel			
TCR	Right in Parallel Corridor Credenza, Left alignment panel			
TBL	Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza			
TBR	Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza			

SAMPLE ORDER CODE

YSG TCL	9U	30	65
---------	----	----	----

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
60 Platinum	D Display with Up/Down Memory A Toggle Display with Memory	N None	N None	E Ebony Coordinate
83 Very White		1 Cable Organizer with Felt Cover	~ With Vertical Wire Carrier	7 Platinum Coordinate
52 Ebony		3 Dual Plastic Trays + Powerbar 4 Dual Plastic Trays	E Ebony Coordinate 7 Platinum Coordinate V Very White Coordinate	V Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

52	D	1	N	7
----	---	---	---	---

See pricing in the following page.

Xpress

Y S G

hiSpace Quick Connect HA Built-in
Base - Perpendicular Planning
(Continued)

PRICING


Cable Management, None (N)	Cable Organizer with Felt Cover (1)	Dual Plastic Trays + Powerbar (3)	Dual Plastic Trays (4)
2172	2480	2475	2233

If Vertical Wire Carrier is specified, add 354

Xpress

Y S P

hiSpace Height-Adjustable Built-in Base - Parallel Planning for Quick Connect



hiSpace Height-Adjustable Built-in Base - Parallel Planning is used with District credenzas and worksurfaces to create a District specific height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51-1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

WHAT'S EXCLUDED

Parallel Height-Adjustable Worksurface (WBF) is not included.

NOTES

Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51-1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

Xpress Available through Teknion's Xpress Program.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width
TZL	Left in Perpendicular Credenza, Right toward Middle	9U Extended Electric with Riser (25"-51.1")	29	52, 58, 64, 70
TZR	Right in Perpendicular Credenza, Left toward Middle			
TDL	Left toward outside, Right in Shared Perpendicular Credenza			
TDR	Right toward outside, Left in Shared Perpendicular Credenza			
THL	Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza			
THR	Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza			

SAMPLE ORDER CODE

YSP TZL	9U	29	58
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
60 Platinum	D Display with Up/Down Memory A Toggle Display with Memory	N None	N None	E Ebony
83 Very White		1 Cable Organizer with Felt Cover	✓ With Vertical Wire Carrier	7 Platinum Coordinate
52 Ebony		3 Dual Plastic Trays + Powerbar 4 Dual Plastic Trays	E Ebony 7 Platinum Coordinate V Very White Coordinate	V Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

52	D	1	N	7
-----------	----------	----------	----------	----------

See pricing in the following page.

Xpress

Y S P

hiSpace Height-Adjustable Built-in
Base - Parallel Planning for Quick
Connect (Continued)

PRICING


Cable Management, None (N)	Cable Organizer with Felt Cover (1)	Dual Plastic Trays + Powerbar (3)	Dual Plastic Trays (4)
2172	2480	2475	2233

If Vertical Wire Carrier is specified, add 354

Xpress

W H D

Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs



Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs, is to be paired with Navigate Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Navigate Height-Adjustable Built-In Base-Parallel Planning (YHD) base and Grommet (UNDG) must be ordered separately.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress

Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TZL	Left in Perpendicular Credenza, Right toward Middle	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	29	52, 58, 64, 70, 76, 82	N None G Round
TZR	Right in Perpendicular Credenza, Left toward Middle				
TDL	Left toward outside, Right in Shared Perpendicular Credenza				
TDR	Right toward outside, Left in Shared Perpendicular Credenza				
THL	Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza				
THR	Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza				

SAMPLE ORDER CODE

WHD TZL	7S	29	70	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood and Natural Veneer) H Full Knife (with all)	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

W	
D	W
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
712	924	1554	1785	1629	1870
726	942	1650	1893	1730	1983
741	965	1798	2065	1885	2165
752	981	1894	2172	1985	2277
1138	1506	2041	2343	2137	2456
1152	1525	2139	2451	2241	2568

If Cut Out is specified, add 48

Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable, is to be paired with Navigate Height-Adjustable Built-in Gable Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Navigate Height-Adjustable Built-In Gable Base-Parallel Planning (YWD) base and Grommet (UNDG) must be ordered separately.


NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNGD, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) are excluded from *Teknion's Xpress Program*.

W H D _ Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable

**PRODUCT OPTIONS**

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
GZL Left T in Perpendicular Credenza, Gable toward Middle	7S Standard Electric (27" - 43")	29	46, 52, 58, 64, 70, 76, 82	N None
GZR Right T in Perpendicular Credenza, Gable toward Middle				G Round
GDL Left Gable toward outside, Right T-Leg in Shared Perpendicular Credenza	9C Extended Electric-Restricted (25" - 48.7")			
GDR Right Gable toward outside, Left T-Leg in Shared Perpendicular Credenza				

SAMPLE ORDER CODE

WHD _ GZL	7S	29	70	G
------------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	8 Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	9 Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer		
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

**DIMENSIONS
INCHES / MM**

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083

PRICING


FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER
Flat Edge	Flat Edge	Flat Edge
576	1455	1525
712	1554	1629
726	1650	1730
741	1798	1885
752	1894	1985
1138	2041	2137
1152	2139	2241

If Cut Out is specified, add 48

Xpress

W L D

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs



Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs, is to be paired with Navigate Height-Adjustable Built-in Base - Perpendicular Planning to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Navigate Height-Adjustable Built-In Base-Perpendicular Planning (YGD) base and Grommet (UNDG) must be ordered separately.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNGD, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress

Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL	Left in Corridor, Right in Parallel Spine Credenza	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	30	65, 71, 77, 83	N None G Round
TSR	Right in Corridor, Left in Parallel Spine Credenza				
TCL	Left in Parallel Corridor Credenza, Right leg along panel				
TCR	Right in Parallel Corridor Credenza, Left leg along panel				
TBL	Left Parallel Corridor Credenza, Right Parallel Spine Credenza				
TBR	Right Parallel Corridor Credenza, Left Parallel Spine Credenza				

SAMPLE ORDER CODE

WLD TSL	7S	30	71	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood and Natural Veneer) H Full Knife (with all)	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D		W
30 / 762	65 / 1651	
30 / 762	71 / 1803	
30 / 762	77 / 1956	
30 / 762	83 / 2108	

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
741	965	1798	2065	1885	2165
752	981	1894	2172	1985	2277
1138	1506	2041	2343	2137	2456
1152	1525	2139	2451	2241	2568

If Cut Out is specified, add 48

W L D _

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable, is to be paired with Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED


Navigate Height-Adjustable Built-In Gable Base-Perpendicular Planning (YVD) base and Grommet (UNDG) must be ordered separately.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) are excluded from *Teknion's Xpress Program*.



PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
GSL Left Gable along corridor, Right T Parallel Spine Credenza	7S Standard Electric (27" - 43")	30	53, 59, 65, 71, 77, 83	N None
GSR Right Gable along corridor, Left T Parallel Spine Credenza	9C Extended Electric-Restricted (25" - 48.7")			G Round

SAMPLE ORDER CODE

WLD_ GSL	7S	30	71	G
-----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	8 Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	9 Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer		
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING


FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER
Flat Edge	Flat Edge	Flat Edge
712	1554	1629
726	1650	1730
741	1798	1885
752	1894	1985
1138	2041	2137
1152	2139	2241

If Cut Out is specified, add 48

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface



Freestanding Table Rectangular Height-Adjustable Worksurface is to be paired with Navigate Freestanding Table, Base Only, to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Base and grommet to be ordered separately.

NOTES

To be used with Navigate Freestanding Table, Base Only (YAD).

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
CCC C-Legs	1S Counterbalance Standard (29.5" - 49.5")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	N None
TTT T-Leg	1X Counterbalance Lower Edition (26.5" - 43.5")			G Round
	7S Standard Electric (27" - 43")			
	9C Extended Electric-Restricted (25" - 48.7")			
	9E Extended Electric-Extended (22.6" - 48.7")			

SAMPLE ORDER CODE

WBD TTT	7S	29	51	G
---------	----	----	----	---

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation)	Edge Trim Colors
C Center		9 Flat (with Flintwood and Natural Veneer)	
L Left		H Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	H	4T
---	----	---	----

See pricing in the following page.

Freestanding Table Rectangular Height-Adjustable Worksurface (Continued)

DIMENSIONS INCHES / MM

D	W
23 / 584	51 / 1295
23 / 584	57 / 1448
23 / 584	63 / 1600
23 / 584	69 / 1753
29 / 737	51 / 1295
29 / 737	57 / 1448
29 / 737	63 / 1600
29 / 737	69 / 1753
35 / 889	51 / 1295
35 / 889	57 / 1448
35 / 889	63 / 1600
35 / 889	69 / 1753

PRICING

COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
686	887	1349	1552	1413	1628
696	905	1436	1645	1503	1726
710	923	1549	1774	1621	1860
719	940	1636	1869	1715	1959
706	915	1503	1731	1576	1815
719	935	1603	1838	1677	1926
732	953	1749	2011	1831	2108
745	972	1845	2118	1933	2220
1101	1447	1637	1882	1716	1971
1116	1469	1795	2063	1879	2163
1131	1491	1900	2183	1990	2289
1145	1509	2055	2366	2153	2478

STANDARD ELECTRIC

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
519	669	1213	1391	1270	1461
686	887	1349	1552	1413	1628
696	905	1436	1645	1503	1726
710	923	1549	1774	1621	1860
719	940	1636	1869	1715	1959
796	1055	1725	1966	1806	2061
807	1072	1859	2123	1949	2227
568	727	1383	1591	1448	1668
706	915	1503	1731	1576	1815
719	935	1603	1838	1677	1926
732	953	1749	2011	1831	2108
745	972	1845	2118	1933	2220
1133	1496	1945	2226	2035	2332
1147	1517	2089	2396	2188	2510
775	1019	1527	1760	1603	1845
1101	1447	1637	1882	1716	1971
1116	1469	1795	2063	1879	2163
1131	1491	1900	2183	1990	2289
1145	1509	2055	2366	2153	2478
1287	1727	2165	2485	2266	2604
1302	1749	2273	2604	2379	2730

If Cut Out is specified, add 48

Pricing is continued on the following page.

Xpress

W B D

Freestanding Table Rectangular
Height-Adjustable Worksurface
(Continued)

DIMENSIONS
INCHES / MM

PRICING


		EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-EXTENDED					
		FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
23 / 584	45 / 1143	519	669	1213	1391	1270	1461
23 / 584	51 / 1295	686	887	1349	1552	1413	1628
23 / 584	57 / 1448	696	905	1436	1645	1503	1726
23 / 584	63 / 1600	710	923	1549	1774	1621	1860
23 / 584	69 / 1753	719	940	1636	1869	1715	1959
23 / 584	75 / 1905	796	1055	1725	1966	1806	2061
23 / 584	81 / 2057	807	1072	1859	2123	1949	2227
29 / 737	45 / 1143	568	727	1383	1591	1448	1668
29 / 737	51 / 1295	706	915	1503	1731	1576	1815
29 / 737	57 / 1448	719	935	1603	1838	1677	1926
29 / 737	63 / 1600	732	953	1749	2011	1831	2108
29 / 737	69 / 1753	745	972	1845	2118	1933	2220
29 / 737	75 / 1905	1133	1496	1945	2226	2035	2332
29 / 737	81 / 2057	1147	1517	2089	2396	2188	2510
35 / 889	45 / 1143	775	1019	1527	1760	1603	1845
35 / 889	51 / 1295	1101	1447	1637	1882	1716	1971
35 / 889	57 / 1448	1116	1469	1795	2063	1879	2163
35 / 889	63 / 1600	1131	1491	1900	2183	1990	2289
35 / 889	69 / 1753	1145	1509	2055	2366	2153	2478
35 / 889	75 / 1905	1287	1727	2165	2485	2266	2604
35 / 889	81 / 2057	1302	1749	2273	2604	2379	2730

If Cut Out is specified, add 48

Xpress

W M D

Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners



Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners to be paired with Navigate Height-Adjustable Built-in Base - Perpendicular Planning to create a District specific integrated height-adjustable table that can also support curved screens.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Navigate Height-Adjustable Built-In Base-Perpendicular Planning (YGD) base and Grommet (UNDG) must be ordered separately.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress

Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL	Left in Corridor, Right in Parallel Spine Credenza	7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	30	65, 71, 77, 83	N None G Round
TSR	Right in Corridor, Left in Parallel Spine Credenza				
TCL	Left in Parallel Corridor Credenza, Right leg along panel				
TCR	Right in Parallel Corridor Credenza, Left leg along panel				
TBL	Left Parallel Corridor Credenza, Right Parallel Spine Credenza				
TBR	Right Parallel Corridor Credenza, Left Parallel Spine Credenza				

SAMPLE ORDER CODE

WMD TSL	7S	30	71	G
---------	----	----	----	---

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood and Natural Veneer) H Full Knife (with all)	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
---	----	---	----

DIMENSIONS
INCHES / MM

D		W
30 / 762	65 / 1651	
30 / 762	71 / 1803	
30 / 762	77 / 1956	
30 / 762	83 / 2108	

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
741	965	1798	2065	1885	2165
752	981	1894	2172	1985	2277
1138	1506	2041	2343	2137	2456
1152	1525	2139	2451	2241	2568

If Cut Out is specified, add 48

Xpress**W B F**

Parallel Rectangular Height-Adjustable Built-in Worksurface, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 worksurface with quick connect.


NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program*.

hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface

**PRODUCT OPTIONS**

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TZL Left in Perpendicular Credenza, Right toward Middle	9U Extended Electric with Riser (25" - 51.1")	29	52, 58, 64, 70	N None
TZR Right in Perpendicular Credenza, Left toward Middle				G Round
TDL Left toward outside, Right in Shared Perpendicular Credenza				
TDR Right toward outside, Left in Shared Perpendicular Credenza				
THL Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza				
THR Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza				

SAMPLE ORDER CODE

WBF TZL	9U	29	71	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate	8 Flat	Edge Trim Colors
		H Full Knife	

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778

PRICING


Flat Edge	Full Knife Edge
822	1011
836	1027
848	1044
861	1060

If Cut Out is specified, add 48

Xpress

W B G

hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface with connection kit for Quick Connect



Perpendicular Rectangular Height-Adjustable Built-in Worksurface, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED

1 worksurface with quick connect.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL	Left in Corridor, Right in Parallel Spine Credenza	9U Extended Electric with Riser (25" - 51.1")	30	65, 71	N None G Round
TSR	Right in Corridor, Left in Parallel Spine Credenza				
TCL	Left in Parallel Corridor Credenza, Right alignment panel				
TCR	Right in Parallel Corridor Credenza, Left alignment panel				
TBL	Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza				
TBR	Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza				

SAMPLE ORDER CODE

WBG TSL	9U	30	71	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate	8 Flat H Full Knife	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803

PRICING

Flat Edge	Full Knife Edge
848	1044
861	1060

If Cut Out is specified, add 48

Xpress

W J E

Parallel Rectangular Height-Adjustable Built-in Worksurface with Radius Corners, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED

1 worksurface with quick connect.


NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UND6, Complements YED6) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program*.

hiSpace Rectangular Height-Adjustable Built-in Perpendicular Worksurface with Radius Corners

**PRODUCT OPTIONS**

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL Left in Corridor, Right in Parallel Spine Credenza	9U Extended Electric with Riser (25" - 51.1")	30	65, 71	N None
TSR Right in Corridor, Left in Parallel Spine Credenza				G Round
TCL Left in Parallel Corridor Credenza, Right alignment panel				
TCR Right in Parallel Corridor Credenza, Left alignment panel				
TBL Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza				
TBR Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza				

SAMPLE ORDER CODE

WJ E TSL	9U	30	71	G
-----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None C Center L Left R Right	Foundation Laminate	8 Flat H Full Knife	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803

PRICING


Flat Edge	Full Knife Edge
848	1036
861	1048

If Cut Out is specified, add 48

Xpress

UPPC

Perpendicular Credenza for Height-Adjustable Table



The Perpendicular Credenza for Height-Adjustable Table is installed perpendicular to the panel to allow for parallel planning within the worksurface.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet

File with Hinged Door (H) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSLB) already installed.

Hinged door is push latch, no handle required.

48" and 54" Widths are not available if configuration (H) File with Hinged Door is specified.

The following bases can be installed into this credenza:

Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)

hiSpace HA Built-in Base - Perpendicular Planning (YSG)

hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress

Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Compatible with Full drawer	16	48, 54, 60, 66, 72	D District	L Left (shown)
H Navigate Compatible with File with Hinged Door			R Rectangular	R Right
E hiSpace Compatible with Full drawer				
G hiSpace Compatible with File with Hinged Door				

SAMPLE ORDER CODE

UPPC F	16	60	D	L
--------	----	----	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Back & Front Finish	Key	Slot For Storage Screen
Foundation	Foundation	Source Laminate	K Key Alike	N No
Mica	Mica	Flintwood	R Key Random	Y Yes
		Natural Veneer	N No Key	

SAMPLE ORDER CODE (CONTINUED)

		Case	Back	Front		
7	7	ZA	ZA	ZA	R	N

See pricing in the following page.

U P P C

Perpendicular Credenza for Height-Adjustable Table (Continued)

DIMENSIONS INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829

PRICING

FULL DRAWER (F/E)

SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
2278	2962	4131	4341
2406	3130	4373	4590
2743	3566	4979	5225
2873	3733	5212	5472
2984	3875	5409	5682


FILE WITH HINGED DOOR (H/G)

SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
2605	3386	4727	4961
2728	3548	4951	5199
2832	3681	5140	5396

Xpress

UPCS

Shared Perpendicular Credenza for Height-Adjustable Table



The Shared Perpendicular Credenza for Height-Adjustable Table is shared and installed perpendicular to the panel to allow for parallel planning within the worksurface.
Shared Perpendicular Credenza for Height-Adjustable Table provides file and personal storage with the capability to integrate height-adjustable tables and support stackers and panels.

WHAT’S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet

WHAT’S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion(UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

This Product includes extended levelers (UNSLXB) already installed.

Hinged door is push latch, no handle required.

The following bases can be installed into this credenza:
Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)
Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)
hiSpace HA Built-in Base - Perpendicular Planning (YSG)
hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Depth	Width	Product Type	Storage Compartment Location
16	66, 72	D Navigate Compatible with District Pull Style R Navigate Compatible with Rectangular Pull Style H Navigate Compatible with District Pull Style J hiSpace Compatible with Rectangular Pull Style	L Left (shown) R Right

SAMPLE ORDER CODE

UPCS 16	72	D	L
---------	----	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case & Back, Front Finish	Key
Foundation Mica	Foundation Mica	Source Laminate Flintwood Natural Veneer	K Key Alike R Key Random N None

SAMPLE ORDER CODE (CONTINUED)

7	7	ZA	ZA	R
---	---	----	----	---

See pricing in the following page.



UPCS


Shared Perpendicular Credenza
for Height-Adjustable Table
(Continued)

DIMENSIONS INCHES / MM		PRICING			
		SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
D	W	Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
16 / 406	66 / 1676	3543	4607	6429	6750
16 / 406	72 / 1829	3644	4737	6612	6942

Xpress

UPSC

Parallel Spine Credenza for Height-Adjustable Table



The Parallel Spine Credenza for Height-Adjustable Table is installed parallel to the panel to allow for perpendicular planning with the worksurface. This product can support the panel.

WHAT’S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet.

Open with Drawer (P) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT’S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion(UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSLB) already installed.

Hinged door is push latch, no handle required.

The following bases can be installed into this credenza:

Navigate Height-Adjustable Built-in Base - Perpendicular Planning (YGD)

Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (YVD)

hiSpace HA Built-in Base - Perpendicular Planning (YSG)

hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress

Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Compatible with Full Drawer	16	72, 78, 84	D District	L Left
P Navigate Compatible Open with Drawer			R Rectangular	R Right
E hiSpace Compatible with Full Drawer				
J hiSpace Compatible Open with Drawer				

SAMPLE ORDER CODE

UPSC F	16	72	D	L
--------	----	----	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case & Back, Front Finish	Key
Foundation	Foundation	Source Laminate	K Key Alike
Mica	Mica	Flintwood	R Key Random
		Natural Veneer	N None

SAMPLE ORDER CODE (CONTINUED)

7	7	ZA	ZA	R
---	---	----	----	---

See pricing in the following page.

UPSC

Parallel Spine Credenza for Height-Adjustable Table (Continued)

DIMENSIONS INCHES / MM

D	W
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134

PRICING

FULL DRAWER (F/E)

SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
3463	4502	6285	6597
3623	4710	6573	6901
3753	4880	6809	7152

OPEN WITH DRAWER (P/J)


SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
2801	3640	5080	5334
2933	3812	5319	5588
3033	3944	5502	5780

height-adjustability

Xpress

UPCC

Parallel Corridor Credenza for Height-Adjustable Table



The Parallel Corridor Credenza for Height-Adjustable Table is installed parallel to the corridor to allow for perpendicular planning with the worksurface.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet.

File with Hinged Door (H) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSLB) already installed.

Hinged door is push latch, no handle required.

48" and 54" Widths are not available if configuration (H) File with Hinged Door is specified.

The following bases can be installed into this credenza:

Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)

hiSpace HA Built-in Base - Perpendicular Planning (YSG)

hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Full Drawer	16	48, 54, 60	D District	L Left
H Navigate File with Hinged Door			R Rectangular	R Right
E hiSpace Quick-Connect Full drawer				
G hiSpace Quick-Connect File with Hinged Door				

SAMPLE ORDER CODE

UPCC F	16	48	D	L
--------	----	----	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Back & Front Finish	Key
Foundation	Foundation	Source Laminate	K Key Alike
Mica	Mica	Flintwood	R Key Random
		Natural Veneer	N None

SAMPLE ORDER CODE (CONTINUED)

7	7	ZA	ZA	ZA	R
---	---	----	----	----	---

See pricing in the following page.

U P C C

Parallel Corridor Credenza for
Height-Adjustable Table(Continued)DIMENSIONS
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372

PRICING

FULL DRAWER (F/E)

SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
2278	2962	4131	4341
2406	3130	4373	4590

FILE WITH HINGED DOOR (H/G)

SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
2743	3566	4979	5225


storage

supports product map

UNGEN End Gable

Xpress


Page 684



UNGEAN End Gable – Height-Adjustable

Xpress


Page 685



UNGEF Flush End Gable

Xpress


Page 686



UNGEFA Flush End Gable – Height-Adjustable

Xpress


Page 687



UNGMF Mid Gable

Xpress


Page 688



UNGMFA Mid Gable – Height-Adjustable

Xpress


Page 689



UNLVR Cantilever

Xpress


Page 690



UNLVFN Off-Module Cantilever

Xpress


Page 691



UALVFN Off-Module Cantilever for Panels with Accessory Beam

Xpress


Page 692



UNGSN Semi-Suspended Gable

Xpress


Page 693



UNGSAN Semi-Suspended Gable – Height-Adjustable

Xpress


Page 694



UNLGN Leg – Single

Xpress

Page 695




supports product map

UNLGA Leg – Height-Adjustable
Single

Xpress


Page 696



UNLGN Leg – Pair

Xpress


Page 697



UNLGNPA Leg – Height-Adjustable
Pair

Xpress


Page 697



UNBP Worksurface Panel Wall
Bracket – Pair

Xpress


Page 698



UNBPA Worksurface Panel
Wall Bracket –
Height-Adjustable

Xpress


Page 698



UWSPB Storage-to-Panel Bracket

Xpress


Page 699



UWBT Worksurface-to-Tower
Bracket Kit

Xpress

Page 700




2 Brackets

UWBTH Height-Adjustable
Worksurface-to-Tower
Bracket Kit

Xpress


Page 701



UNCPWN Low Credenza-to-
Worksurface Support

Xpress

Page 702




Fixed-Height Height-Adjustable

UWCPWN Reconfigurable
Low Credenza-to-
Worksurface Support

Xpress


Page 703



UNRF Flush Plate

Xpress


Page 704



UNRFS Structural Flush Plate

Xpress


Page 704



supports product map


UNRC Worksurface Reinforcement
Xpress Channel

Page 705




UNCLN Mini Leg

Page 706




UNOPT Centermount Cabinet
Xpress Support Posts & Trim

Page 707




UNOBT Centermount Cabinet
Xpress Support Brackets & Top
Trim

Page 708




UWSPK Side Filer Support Kit

Page 709



Xpress

UNGEN
End Gable



The End Gable provides end of run worksurface support. Available open or with infill options.

WHAT’S INCLUDED

1 leg and support with or without infill (as specified), one worksurface support bracket, leveler, attachment hardware.

NOTES

Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).

Height dimension includes worksurface.

Bottom of infill option is 6" above floor level.

Not compatible with 28" Fascia (see Supports section in Application Guide).

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	L Left Handed R Right Handed (Shown)	0 No Infill 1 With Infill	Source Laminate Flintwood (Standard) Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNGEN 30	L	1	FX	AC
----------	---	---	----	----

DIMENSIONS
INCHES / MM

D	PRICING			
	NO INFILL (0)	WITH INFILL (1)		
		Source Laminate	Flintwood	Natural Veneer
17 / 432	425	551	798	830
20 / 508	425	551	798	830
24 / 610	434	578	823	856
30 / 762	445	588	880	909
36 / 914	453	610	937	973

A End Gable – Height-Adjustable provides height-adjustable end of run worksurface support available open or with infill option.

WHAT'S INCLUDED

1 leg and support with or without infill (as specified), leveler and attachment hardware, a Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) with the same left/right orientation as specified on the End Gable.

NOTES

Handedness is determined by the user when seated at the adjoining worksurface (left handed shown).


Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level.

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

Xpress Available through *Teknion's Xpress Program*.

UNGEAN End Gable – Height-Adjustable



PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	L Left Handed (Shown) R Right Handed	0 No Infill 1 With Infill	Source Laminate Flintwood (Standard) Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE


UNGEAN 30	L	1	FX	AC
------------------	----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	PRICING			
	NO INFILL (0)	WITH INFILL (1)		
		Source Laminate	Flintwood	Natural Veneer
17 / 432	636	758	1005	1037
20 / 508	636	758	1005	1037
24 / 610	641	783	1031	1065
30 / 762	649	796	1085	1117
36 / 914	660	814	1143	1180

Xpress

UNGEF
Flush End Gable



The Flush End Gable provides end of run worksurface support that is flush to the floor.

WHAT’S INCLUDED

Gable, levelers, brackets, attachment hardware.

WHAT’S EXCLUDED

Worksurface Panel Wall Bracket (UNBP) must be specified separately and can be found in this section.

NOTES

Height dimension includes thickness of worksurface.

Not compatible with 28" Fascia (see *Supports* section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGEF 20	FN	7
----------	----	---

DIMENSIONS
INCHES / MM

D
17 / 432
20 / 508
24 / 610
30 / 762
36 / 914

PRICING

Source Laminate	Flintwood	Natural Veneer
350	686	716
350	686	716
445	814	848
516	929	952
536	975	1005

Xpress

The Flush End Gable – Height-Adjustable provides height-adjustable end of run worksurface support that is flush to the floor.

WHAT'S INCLUDED

Gable, levelers, brackets, attachment hardware.

WHAT'S EXCLUDED

Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) must be specified separately and can be found in this section.

NOTES


Height dimension includes thickness of worksurface.

Not compatible with 28" Fascia (see *Supports* section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

UNGEFA

Flush End Gable – Height-Adjustable

**PRODUCT OPTIONS**

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGEFA 20	FN	7
-----------	----	---


**DIMENSIONS
INCHES / MM**

D	Source Laminate	Flintwood	Natural Veneer
17 / 432	440	778	808
20 / 508	440	778	808
24 / 610	533	905	939
30 / 762	608	1020	1044
36 / 914	629	1067	1096

PRICING

Xpress

U N G M F
Mid Gable



The Mid Gable provides mid-span support to panel wall mounted worksurface.

WHAT’S INCLUDED

Mid gable, levelers, brackets, attachment hardware.

NOTES

Height dimension includes thickness of worksurface.

Cannot attach to flush panel with 28" Fascia (see Supports section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
12, 18	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGMF 12	VB	P
----------	----	---

DIMENSIONS
INCHES / MM

D
12 / 305
18 / 457

PRICING

Source Laminate	Flintwood	Natural Veneer
299	558	575
436	759	785

The Mid Gable – Height-Adjustable provides mid-span height-adjustable support to panel wall mounted to worksurface.

WHAT'S INCLUDED

Mid gable, levelers, brackets, attachment hardware.

NOTES


Height dimension includes thickness of worksurface.

Cannot attach to flush panel with 28" Fascia (see Supports section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

UNGMFA

Mid Gable – Height-Adjustable



PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
12, 18	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGMFA 12	VB	P
-----------	----	---

DIMENSIONS INCHES / MM

	PRICING		
D	Source Laminate	Flintwood	Natural Veneer
12 / 305	391	647	666
18 / 457	527	849	879

Xpress

UNLVR
Cantilever

The Cantilever is applied on-module to a panel wall frame to support worksurfaces.


WHAT’S INCLUDED

1 cantilever.

NOTES

Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	L Left Handed R Right Handed (Shown)	Foundation Mica

SAMPLE ORDER CODE

UNLVR 14	L	7
----------	---	---

DIMENSIONS
INCHES / MM

D
11 / 279
14 / 356

PRICING

124
124

The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.

WHAT'S INCLUDED

1 cantilever, 1 bracket.

NOTES


Not compatible with 28" Fascia (see Supports section in Application Guide).

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program*.

UNLVFN

Off-Module Cantilever

**PRODUCT OPTIONS**

Depth	Orientation	Finish
11, 14	L Left Handed (Shown) R Right Handed	Foundation Mica

SAMPLE ORDER CODE

UNLVFN 14	R	Q
-----------	---	---

DIMENSIONS
INCHES / MM


D
11 / 279
14 / 356

PRICING

206
206

Xpress

U A L V F N
Off-Module Cantilever for Panels
with Accessory Beam



The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.

WHAT’S INCLUDED
1 cantilever, 1 bracket.

NOTES
Not compatible with all Fascia (see Supports section in Application Guide).
Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	L Left Handed R Right Handed	Foundation Mica

SAMPLE ORDER CODE

UALVFN 14	L	7
-----------	---	---

DIMENSIONS
INCHES / MM

D
11 / 279
14 / 356

PRICING

206
206

Xpress

The Semi-Suspended Gable supports a worksurface semi-suspended from a panel wall.
Available open or with infill panel.

WHAT'S INCLUDED

2 legs and support with or without infill (as specified), levelers, attachment hardware.

NOTES


Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level.

Xpress Available through *Teknion's Xpress Program*.

UNGSN

Semi-Suspended Gable



PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	0 No Infill 1 With Infill	Source Laminate Flintwood (Standard) Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNGSN 30	0	VA	AC
----------	---	----	----


DIMENSIONS INCHES / MM

D	NO INFILL (0)	WITH INFILL (1)		
		Source Laminate	Flintwood	Natural Veneer
20 / 508	558	689	952	993
24 / 610	564	718	983	1024
30 / 762	575	752	1050	1079
36 / 914	584	772	1114	1141

Xpress

UNGSAN

Semi-Suspended Gable – Height-Adjustable



The Semi-Suspended Gable – Height-Adjustable provides height-adjustable support for worksurfaces semi-suspended from a panel wall.

WHAT’S INCLUDED

2 legs and support with or without infill (as specified), levelers, attachment hardware.

NOTES

Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level at worksurface height.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	0 No Infill 1 With Infill	Source Laminate Flintwood (Standard) Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNGSAN 24	0	VA	AC
-----------	----------	-----------	-----------

DIMENSIONS
INCHES / MM

D
20 / 508
24 / 610
30 / 762
36 / 914

PRICING

NO INFILL (0)	WITH INFILL (1)		
	Source Laminate	Flintwood	Natural Veneer
920	1055	1315	1357
929	1082	1345	1390
937	1114	1413	1443
948	1134	1477	1503



UNLGN

Leg – Single

The Single Leg provides Intermediate worksurface support as an alternative to a mid gable or cantilever.

WHAT'S INCLUDED


1 leg, leveler, attachment hardware.

NOTES

Height dimension includes thickness of worksurface.

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Orientation	Finish
L Left Handed (Shown) R Right Handed	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE


UNLGN L	AC
---------	----

PRICING

254

Xpress

UNLGA
Leg – Height-Adjustable Single



The Height-Adjustable Single Leg provides intermediate height-adjustable worksurface support as an alternative to mid gable or cantilever.

WHAT’S INCLUDED

1 leg, leveler, attachment hardware.

NOTES

Height dimension includes thickness of worksurface.

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Orientation	Finish
L Left Handed R Right Handed (Shown)	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNLGA L	AC
---------	----

PRICING

436

Xpress


UNLGPN
Leg – Pair

The Leg is used in combination with other storage based supports or legs to create freestanding desks or tables.

WHAT'S INCLUDED
2 legs, levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Xpress Available through Teknion's Xpress Program.



Xpress


UNLGPA
Height-Adjustable Leg – Pair

The Height-Adjustable – Leg is used in combination with other legs or storage based supports to create height-adjustable freestanding desks or tables.

WHAT'S INCLUDED
2 legs, levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Finish
AC Clear Anodized
Foundation
Mica

SAMPLE ORDER CODE

UNLGPA AC

UNLGPN LEG – PAIR
497

UNLGPA HEIGHT-ADJUSTABLE LEG – PAIR
853

Xpress

UNBP

Worksurface Panel Wall Bracket – Pair


The Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support.

WHAT’S INCLUDED

2 brackets (one left oriented, one right oriented).

NOTES

Xpress Available through *Teknion’s Xpress Program*.



Xpress

UNBPA

Worksurface Panel Wall Bracket – Height-Adjustable


The Height-Adjustable Worksurface Panel Wall Bracket connects a worksurface vertically to a panel wall providing height-adjustable support.

WHAT’S INCLUDED

1 bracket

NOTES

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Orientation (Applies to UNBPA only)	Finish
L Left Handed (Shown) R Right Handed	Foundation Mica

SAMPLE ORDER CODE

UNBPA R	E
---------	---

UNBP WORKSURFACE PANEL WALL BRACKET – PAIR
85

UNBPA WORKSURFACE PANEL WALL BRACKET – HEIGHT-ADJUSTABLE
63

The Storage-to-Panel Bracket attaches to the back or side of a storage unit and mounts into the vertical channel of a District panel to provide support to the panel wall.

WHAT'S INCLUDED

1 top bracket, 1 bottom bracket, 1 plate (for some standard configurations) and attachment hardware.

NOTES

A Perpendicular Back (B) application is **not** available with a Wire Gap (W).


Handedness is determined by the side of the panel (when facing it) onto which the storage is mounted.

For details as to which application to choose, see *Planning Basics in the Supports* section of the Application Guides chapter.

Xpress Available through *Teknion's Xpress Program*.

U W S P B

Storage-to-Panel Bracket



Standard

Elevated

PRODUCT OPTIONS

Storage Style	Application	Gapping	Orientation	Finish
E Elevated	P Parallel	W With Wire Gap	L Left	Foundation
S Standard	F Perpendicular Front	N No Wire Gap	R Right	Mica
	B Perpendicular Back			

SAMPLE ORDER CODE

UWSPB E	P	W	L	Q
----------------	----------	----------	----------	----------


PRICING

162

Xpress

U W B T

Worksurface-to-Tower Bracket Kit



The Worksurface-to-Tower Bracket is used to attach worksurfaces to storage. It also has an optional bag hook for undersurface organization.

WHAT’S INCLUDED

Brackets, as specified and attachment hardware.

NOTES

The One Bracket, One Flush Plate (BF) style option must be used when attaching to the side of a tower/locker that has a cubby back.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Style	Finish
BB Two Brackets	Foundation
HB Two Brackets, One Hook	Mica
BF One Bracket, One Flush Plate	
HF One Bracket, One Flush Plate, 1 Hook	

SAMPLE ORDER CODE

UWBT BB	7
---------	---

STYLE	PRICING
BB	247
HB	247
BF	218
HF	218

Xpress

The Height-Adjustable Worksurface-to-Tower Bracket is used to attach worksurfaces to storage.


WHAT'S INCLUDED
2 brackets and attachment hardware.

NOTES
Cannot be used on a Pedestal Tower with Cubby Back (UTDC), see the *District Storage Price & Application Guide*.

Xpress Available through *Teknion's Xpress Program*.

U W B T H

Height-Adjustable
Worksurface-to-Tower Bracket Kit



PRODUCT OPTIONS

Style	Finish
BB 2 Brackets	Foundation Mica

SAMPLE ORDER CODE

UWBTH BB	7
----------	---

STYLE	PRICING
BB	367

Xpress


UNCPWN
Low Credenza-to-Worksurface
Support

The Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and to the top of a low credenza to provide support for the worksurface.

WHAT'S INCLUDED
Brackets, as specified and attachment hardware.

NOTES
Adjustment range is +3"/-1" (28" - 32" worksurface height).

Xpress Available through *Teknion's Xpress Program*.



Fixed-Height Height-Adjustable

PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation
H Height-Adjustable	Mica

SAMPLE ORDER CODE

UNCPWN F	7
----------	---

STYLE	PRICING
F	236
H	271

Xpress

U W C P W N


Reconfigurable
Low Credenza-to-Worksurface
Support

The Reconfigurable Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and wraps into the open section of a credenza so that screws are affixed to the interior of the credenza. This allows for reconfiguration without damaging the top of storage unit.

WHAT'S INCLUDED
2 brackets and attachment hardware.

NOTES
The depth of the worksurface **cannot** be more than 6" than the open section of the credenza onto which it is being mounted. (i.e., 24" depth worksurface **cannot** be mounted to a 36" wide open cubby.)

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation Mica

SAMPLE ORDER CODE

UWCPWN F	7
----------	---

STYLE	PRICING
F	355

Xpress

U N R F
Flush Plate

The Flush Plate is used in conjunction with other supports to maintain alignment of worksurfaces.


WHAT’S INCLUDED

1 flush plate, attachment hardware.

NOTES

Finished in Ebony.

Xpress Available through *Teknion’s Xpress Program*.



PRICING

55

Xpress

U N R F S
Structural Flush Plate

The Structural Flush Plate is used in conjunction with other supports to maintain and provide structural support to freestanding worksurfaces.


WHAT’S INCLUDED

1 bracket.

NOTES

Finished in Ebony.

Xpress Available through *Teknion’s Xpress Program*.



PRICING

72



The Worksurface Reinforcement Channel adds rigidity to worksurfaces.

WHAT'S INCLUDED

1 reinforced channel, attachment hardware.


NOTES

Finished in Ebony.

Xpress Available through *Teknion's Xpress Program*.

U N R C

Worksurface Reinforcement Channel



PRODUCT OPTIONS

Width
(6" increments)

36 - 96

SAMPLE ORDER CODE

UNRC 60

DIMENSIONS
INCHES / MM

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING


34
37
38
43
47
53
55
57
61
64
67

UNCLN
Mini Leg

The Mini Leg is used in place of the Low Credenza Worksurface Support (UNCPWN) when panel wall support is not required.

WHAT’S INCLUDED
1 mini leg, attachment hardware.

NOTES
Rests on, but does not attach to storage.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

UNCLN 7

PRICING

65

UNOPT

Centermount Cabinet Support Posts
& Trim

The Centermount Cabinet Support Posts & Trim provides elevated support for centermount cabinets and overhead cabinets centered on District Panel Walls.

WHAT'S INCLUDED

Support posts, top trim, attachment hardware, gasket.

WHAT'S EXCLUDED

Centermount Cabinet and Overhead Cabinet specified separately.

NOTES

Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.

To match District datum heights:

On 42" panel: use 9" post and 15" cabinet for 66" datum.


On 29" panel: use 13" post and 9" cabinet for 51" datum.

Compatible Trim widths;

For 15" high cabinet: 30, 36, 42, 48

For 9" high cabinet: 30, 36, 42, 48, 54, 60

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Post Height	Top Trim Width	Top Trim Finish
09, 13	30, 36, 42, 48, 54, 60	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNOPT 9	48	AC
---------	----	----

**DIMENSIONS
INCHES / MM**


H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524

PRICING

559
573
583
590
603
613
590
605
616
622
638
642

Xpress

UNOBT
Centermount Cabinet Support
Brackets & Trim



The Centermount Cabinet Support Brackets & Trim provides flush mounted support for centermount cabinets and District overhead cabinets centered on District Panel Walls.

WHAT’S INCLUDED

Top trim, supports, attachment hardware, gasket

WHAT’S EXCLUDED

Centermount Cabinet and Overhead Cabinet specified separately.

NOTES

Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.

Top trim width equals to cabinet width specified.

Compatible Trim widths;

For 15" high cabinet: 30", 36", 42", 48"

For 9" high cabinet: 30" to 96" in 6" increments

Cannot be used to attach a transaction counter.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Top Trim Width (6" increments)	Top Trim Finish
30 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNOBT 30	AC
----------	----

DIMENSIONS
INCHES / MM

W
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING


357
367
381
389
399
407
618
630
641
647
660
668

The Side Filer Support Kit is used to connect Side Filer to a panel and provide enhanced stability in side filer-to-panel applications.

WHAT'S INCLUDED

2 Worksurface to Tower Brackets (UWBTBB), 1 pair of Worksurface Panel Wall Brackets (UNBP), 1 storage bottom bracket, 1 anti-dislodgement plate for storage bottom bracket, 1 bag hook (if specified), attachment hardware

U W S P K
Side Filer Support Kit



PRODUCT OPTIONS

Application	Orientation	Finish	Hook
S Side Filer (3/8" gap)	L Left	Foundation	N No
M Mini Side Filer (1" gap)	R Right	Mica	Y Yes

SAMPLE ORDER CODE

UWSPK S	L	Q	N
---------	---	---	---

PRICING

216


accessories

accessories product map

UNPSF Standing Storage Fascia

Xpress

Page 714




Tackable

Whiteboard

UNPSS Stacking Storage Fascia

Xpress

Page 718




Tackable

Whiteboard

UNTBS Tackboard – Screen Mount

Xpress


Page 722



UNTBW Whiteboard – Screen Mount

Xpress


Page 724



UNTBP Tackboard – Panel Wall Mount

Xpress

Page 726



UKSCIS Single Locker with Cubby Infill

Xpress


Page 728




UTLXIS Lateral Tower Infill

Xpress


Page 730



Solid




Tackable




Whiteboard

UTCXIS Combo Tower Infill


Page 732



Solid



Tackable




Whiteboard

accessories product map


UTCXIX Source Laminate Combo
Tower Infill

Xpress


Page 736



Solid



Tackable



Whiteboard

UTDCIS Pedestal Tower with
Cubby Infill


Xpress

Page 739




UWLC Seat Cushion

Page 740



UWLF Fitted Seat Cushion

Page 741



UNTK Tool Kit

Xpress

Page 742



Fascia Removal Tool



Male Connector
Insertion Tool




Bottom Vertical Male
Connector Insertion Tool

UNAB Accessory Bundle


Xpress

Page 743



UNBW Side Filer Boot Tray

Page 744



Xpress

UNPSF

Standing Storage Fascia

The Standing Storage Fascia is a framed tackable fabric or whiteboard surface which mounts to storage units that are freestanding and not stacked onto other storage units.


WHAT'S INCLUDED

1 framed fascia and attachment hardware.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (1" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
T Tackable Fabric (Standard Mount)	12 - 60	12 - 48	AC Clear Anodized	Foundation	Standard Panel Fabric
A Tackable Fabric (Slot Mount)			BP Espresso Painted	Mica	
W Whiteboard (Standard Mount)			BH Storm White Painted		
I Whiteboard (Slot Mount)					

SAMPLE ORDER CODE

UNPSF T	45	16	AC	E	L341
---------	----	----	----	---	------

DIMENSIONS
FOR MM X BY 25.4

H	W
12 - 17	12 - 17
12 - 17	18 - 23
12 - 17	24 - 29
12 - 17	30 - 35
12 - 17	36 - 41
12 - 17	42 - 47
12 - 17	48
18 - 23	12 - 17
18 - 23	18 - 23
18 - 23	24 - 29
18 - 23	30 - 35
18 - 23	36 - 41
18 - 23	42 - 47
18 - 23	48
24 - 29	12 - 17
24 - 29	18 - 23
24 - 29	24 - 29
24 - 29	30 - 35
24 - 29	36 - 41
24 - 29	42 - 47
24 - 29	48

PRICING

TACKABLE FABRIC								
Standard Panel Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
328	340	355	366	383	398	414	430	
355	367	384	399	417	431	449	464	
384	399	416	430	449	464	484	505	
416	430	449	463	482	502	522	546	
448	463	482	502	525	544	564	588	
482	501	520	544	565	586	613	638	
520	542	561	586	613	636	660	686	
354	366	383	394	412	426	448	462	
384	399	416	430	449	464	484	505	
416	430	449	463	482	502	522	546	
448	463	482	502	525	544	564	588	
482	501	520	544	565	586	613	638	
520	542	561	586	613	636	660	686	
561	584	610	636	660	685	712	741	
383	394	414	426	445	462	481	501	
416	430	449	463	482	502	522	546	
448	463	482	502	525	544	564	588	
482	501	520	544	565	586	613	638	
520	542	561	586	613	636	660	686	
561	584	610	636	660	685	712	741	
610	633	657	684	711	740	769	798	

Pricing is continued on the following page.

UNPSF

Standing Storage Fascia (Continued)

DIMENSIONS FOR MM X BY 25.4

H	W
30 - 35	12 - 17
30 - 35	18 - 23
30 - 35	24 - 29
30 - 35	30 - 35
30 - 35	36 - 41
30 - 35	42 - 47
30 - 35	48
36 - 41	12 - 17
36 - 41	18 - 23
36 - 41	24 - 29
36 - 41	30 - 35
36 - 41	36 - 41
36 - 41	42 - 47
36 - 41	48
42 - 47	12 - 17
42 - 47	18 - 23
42 - 47	24 - 29
42 - 47	30 - 35
42 - 47	36 - 41
42 - 47	42 - 47
42 - 47	48
48 - 53	12 - 17
48 - 53	18 - 23
48 - 53	24 - 29
48 - 53	30 - 35
48 - 53	36 - 41
48 - 53	42 - 47
48 - 53	48
54 - 60	12 - 17
54 - 60	18 - 23
54 - 60	24 - 29
54 - 60	30 - 35
54 - 60	36 - 41
54 - 60	42 - 47
54 - 60	48

PRICING

TACKABLE FABRIC

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
419	425	445	461	480	497	517	541
455	473	492	512	532	553	576	599
492	512	532	552	575	598	620	646
529	552	575	598	622	646	672	696
575	593	618	644	671	695	722	754
618	642	671	694	724	754	782	813
669	694	721	752	782	813	845	879
461	469	485	508	528	549	572	590
501	520	542	561	585	610	636	660
542	561	584	610	633	657	685	712
584	608	633	657	685	711	740	769
630	656	682	710	740	767	797	830
682	710	736	767	798	829	861	895
736	765	796	825	859	894	932	968
508	516	534	558	582	603	623	650
551	573	593	618	646	671	695	722
591	618	642	669	694	721	752	782
642	669	693	721	750	781	812	844
693	719	749	780	812	842	878	911
747	780	810	842	877	911	948	984
809	841	873	909	948	984	1023	1065
558	566	589	615	640	663	688	717
608	630	656	682	710	738	767	797
654	682	708	736	765	796	829	861
708	734	765	793	825	859	894	932
761	793	824	856	894	929	966	1004
824	856	891	924	961	1001	1043	1083
888	923	965	1000	1040	1082	1125	1168
615	621	647	673	703	731	759	785
668	689	719	749	780	810	842	878
718	747	778	810	842	873	909	944
778	809	841	872	907	942	983	1023
840	871	908	942	982	1021	1060	1103
905	941	981	1020	1063	1102	1147	1191
979	1019	1057	1101	1145	1189	1238	1291

Pricing is continued on the following page.

UNPSF

Standing Storage Fascia (Continued)

DIMENSIONS FOR MM X BY 25.4

		PRICING
		WHITEBOARD
H	W	
12 - 17	12 - 17	492
12 - 17	18 - 23	532
12 - 17	24 - 29	576
12 - 17	30 - 35	621
12 - 17	36 - 41	673
12 - 17	42 - 47	728
12 - 17	48 - 53	785
12 - 17	54 - 59	851
12 - 17	60	920
18 - 23	12 - 17	548
18 - 23	18 - 23	589
18 - 23	24 - 29	639
18 - 23	30 - 35	687
18 - 23	36 - 41	742
18 - 23	42 - 47	809
18 - 23	48 - 53	870
18 - 23	54 - 59	940
18 - 23	60	1019
24 - 29	12 - 17	608
24 - 29	18 - 23	654
24 - 29	24 - 29	706
24 - 29	30 - 35	759
24 - 29	36 - 41	817
24 - 29	42 - 47	934
24 - 29	48 - 53	1055
24 - 29	54 - 59	1140
24 - 29	60	1232
30 - 35	12 - 17	660
30 - 35	18 - 23	711
30 - 35	24 - 29	767
30 - 35	30 - 35	825
30 - 35	36 - 41	891
30 - 35	42 - 47	996
30 - 35	48 - 53	1079
30 - 35	54 - 59	1199
30 - 35	60	1331
36 - 41	12 - 17	711
36 - 41	18 - 23	767
36 - 41	24 - 29	825
36 - 41	30 - 35	891
36 - 41	36 - 41	965
36 - 41	42 - 47	1057
36 - 41	48 - 53	1103
36 - 41	54 - 59	1224
36 - 41	60	1360

DIMENSIONS FOR MM X BY 25.4

		PRICING
		WHITEBOARD
H	W	
42 - 47	12 - 17	765
42 - 47	18 - 23	825
42 - 47	24 - 29	894
42 - 47	30 - 35	967
42 - 47	36 - 41	1073
42 - 47	42 - 47	1195
42 - 47	48 - 53	1325
42 - 47	54 - 59	1470
42 - 47	60	1637
48	12 - 17	817
48	18 - 23	886
48	24 - 29	956
48	30 - 35	1037
48	36 - 41	1150
48	42 - 47	1277
48	48 - 53	1416
48	54 - 59	1578
48	60	1751
49 - 53	12 - 17	817
49 - 53	18 - 23	886
49 - 53	24 - 29	956
49 - 53	30 - 35	1037
49 - 53	36 - 41	1150
49 - 53	42 - 47	1277
49 - 53	48 - 53	1416
49 - 53	54 - 59	1578
49 - 53	60	1751
54 - 60	12 - 17	872
54 - 60	18 - 23	942
54 - 60	24 - 29	1021
54 - 60	30 - 35	1102
54 - 60	36 - 41	1222
54 - 60	42 - 47	1359
54 - 60	48 - 53	1507
54 - 60	54 - 59	1676
54 - 60	60	1861

Xpress

UNPSS

Stacking Storage Fascia

The Stacking Storage Fascia is a framed tackable fabric or whiteboard surface which mounts onto stacking storage cabinets.

WHAT'S INCLUDED


1 framed fascia and attachment hardware.

NOTES

Fabric grades 5, 6 and 7 can be specified to a maximum width of 60".

Architectural fabric can be specified to a maximum width of 48".

Xpress Available through Teknion's Xpress Program.



PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (6" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
T Tackable Fabric (Standard Mount)	12 - 45	24 - 96	AC Clear Anodized	E Ebony	Standard Panel Fabric
W Whiteboard (Standard Mount)			BP Espresso Painted		
			BH Storm White Painted		

SAMPLE ORDER CODE

UNPSS T	45	16	AC	E	L341
---------	----	----	----	---	------

DIMENSIONS
FOR MM X BY 25.4

H	W
12 - 17	24
12 - 17	30
12 - 17	36
12 - 17	42
12 - 17	48
12 - 17	54
12 - 17	60
12 - 17	66
12 - 17	72
12 - 17	78
12 - 17	84
12 - 17	90
12 - 17	96
18 - 23	24
18 - 23	30
18 - 23	36
18 - 23	42
18 - 23	48
18 - 23	54
18 - 23	60
18 - 23	66
18 - 23	72
18 - 23	78
18 - 23	84
18 - 23	90
18 - 23	96

PRICING

TACKABLE FABRIC								
Standard Panel Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
384	399	416	430	449	464	484	505	
416	430	449	463	482	502	522	546	
448	463	482	502	525	544	564	588	
482	501	520	544	565	586	613	638	
520	542	561	586	613	636	660	686	
561	584	610	636	660	685	712	741	
610	633	657	684	711	740	769	798	
656	684	711	738	765	n/a	n/a	n/a	
710	738	767	797	825	n/a	n/a	n/a	
765	796	829	861	895	n/a	n/a	n/a	
825	859	894	932	966	n/a	n/a	n/a	
894	929	967	1004	1040	n/a	n/a	n/a	
966	1001	1043	1083	1127	n/a	n/a	n/a	
416	430	449	463	482	502	522	546	
448	463	482	502	525	544	564	588	
482	501	520	544	565	586	613	638	
520	542	561	586	613	636	660	686	
561	584	610	636	660	685	712	741	
610	633	657	684	711	740	769	798	
656	684	711	738	767	798	830	863	
710	738	767	797	825	n/a	n/a	n/a	
765	796	829	861	895	n/a	n/a	n/a	
825	859	894	932	966	n/a	n/a	n/a	
894	929	967	1004	1040	n/a	n/a	n/a	
966	1001	1043	1083	1127	n/a	n/a	n/a	
1039	1082	1125	1170	1213	n/a	n/a	n/a	

Pricing is continued on the following page.

UNPSS

Stacking Storage Fascia
(Continued)DIMENSIONS
FOR MM X BY 25.4

H	W
24 - 29	24
24 - 29	30
24 - 29	36
24 - 29	42
24 - 29	48
24 - 29	54
24 - 29	60
24 - 29	66
24 - 29	72
24 - 29	78
24 - 29	84
24 - 29	90
24 - 29	96
30 - 35	24
30 - 35	30
30 - 35	36
30 - 35	42
30 - 35	48
30 - 35	54
30 - 35	60
30 - 35	66
30 - 35	72
30 - 35	78
30 - 35	84
30 - 35	90
30 - 35	96
36 - 41	24
36 - 41	30
36 - 41	36
36 - 41	42
36 - 41	48
36 - 41	54
36 - 41	60
36 - 41	66
36 - 41	72
36 - 41	78
36 - 41	84
36 - 41	90
36 - 41	96
42 - 45	24
42 - 45	30
42 - 45	36
42 - 45	42
42 - 45	48
42 - 45	54
42 - 45	60
42 - 45	66
42 - 45	72
42 - 45	78
42 - 45	84
42 - 45	90
42 - 45	96

PRICING

TACKABLE FABRIC

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
448	463	482	502	525	544	564	588
482	501	520	544	565	586	613	638
520	542	561	586	613	636	660	686
561	584	610	636	660	685	712	741
610	633	657	684	711	740	769	798
656	684	711	738	767	798	830	863
710	738	767	797	829	863	897	934
765	796	829	861	895	n/a	n/a	n/a
825	859	894	932	966	n/a	n/a	n/a
894	929	967	1004	1040	n/a	n/a	n/a
966	1001	1043	1083	1127	n/a	n/a	n/a
1039	1082	1125	1170	1213	n/a	n/a	n/a
1124	1168	1215	1262	1309	n/a	n/a	n/a
492	512	532	552	575	598	620	646
529	552	575	598	622	646	672	696
575	593	618	644	671	695	722	754
618	642	671	694	724	754	782	813
669	694	721	752	782	813	845	879
721	749	781	812	845	879	913	949
780	810	842	878	913	948	985	1025
842	873	909	944	982	n/a	n/a	n/a
909	944	983	1023	1063	n/a	n/a	n/a
983	1021	1062	1103	1143	n/a	n/a	n/a
1060	1102	1147	1195	1239	n/a	n/a	n/a
1147	1191	1238	1291	1338	n/a	n/a	n/a
1236	1287	1339	1392	1445	n/a	n/a	n/a
542	561	584	610	633	657	685	712
584	608	633	657	685	711	740	769
630	656	682	710	740	767	797	830
682	710	736	767	798	829	861	895
736	765	796	825	859	894	932	968
793	825	859	894	929	967	1004	1044
856	891	929	966	1005	1043	1083	1129
924	965	1000	1043	1080	n/a	n/a	n/a
1000	1039	1082	1124	1166	n/a	n/a	n/a
1080	1121	1167	1214	1261	n/a	n/a	n/a
1165	1213	1261	1309	1359	n/a	n/a	n/a
1260	1308	1360	1414	1467	n/a	n/a	n/a
1359	1413	1468	1527	1586	n/a	n/a	n/a
591	618	642	669	694	721	752	782
642	669	693	721	750	781	812	844
693	719	749	780	812	842	878	911
747	780	810	842	877	911	948	984
809	841	873	909	948	984	1023	1065
872	908	942	983	1023	1062	1103	1149
941	981	1021	1060	1102	1148	1195	1242
1020	1057	1102	1147	1191	n/a	n/a	n/a
1101	1143	1189	1236	1279	n/a	n/a	n/a
1188	1235	1284	1339	1391	n/a	n/a	n/a
1279	1338	1390	1445	1498	n/a	n/a	n/a
1389	1441	1499	1556	1612	n/a	n/a	n/a
1496	1555	1618	1684	1748	n/a	n/a	n/a

Pricing is continued on the following page.

Xpress

UNPSS

Stacking Storage Fascia
(Continued)

DIMENSIONS
FOR MM X BY 25.4

H	W
15 - 17	24
15 - 17	30
15 - 17	36
15 - 17	42
15 - 17	48
15 - 17	54
15 - 17	60
18 - 23	24
18 - 23	30
18 - 23	36
18 - 23	42
18 - 23	48
18 - 23	54
18 - 23	60
24 - 29	24
24 - 29	30
24 - 29	36
24 - 29	42
24 - 29	48
24 - 29	54
24 - 29	60
30 - 35	24
30 - 35	30
30 - 35	36
30 - 35	42
30 - 35	48
30 - 35	54
30 - 35	60
36 - 41	24
36 - 41	30
36 - 41	36
36 - 41	42
36 - 41	48
36 - 41	54
36 - 41	60
42 - 45	24
42 - 45	30
42 - 45	36
42 - 45	42
42 - 45	48
42 - 45	54
42 - 45	60


PRICING

WHITEBOARD
576
621
673
728
785
851
920
639
687
742
809
870
940
1019
706
759
817
934
1055
1140
1232
767
825
891
996
1079
1199
1331
825
891
965
1057
1103
1224
1360
894
967
1073
1195
1325
1470
1637

Xpress

UNTBS

Tackboard – Screen Mount



The Tackboard – Screen Mount is a framed firm tackable fabric which mounts to desk edge storage and floor screens.

WHAT’S INCLUDED

1 tackboard, attachment hardware.

NOTES

Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" height is available up to a 48" width only.

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish	Mounting Bracket Finish
13, 22	23 - 96	Panel Fabric	AC Clear Anodized BP Espresso Painted BH Storm White Painted	Foundation Mica

SAMPLE ORDER CODE

UNTBS 13	60	L341	AC	7
----------	----	------	----	---

DIMENSIONS
FOR MM X BY 25.4

H	W
13	23 - 24
13	25 - 27
13	28 - 30
13	31 - 33
13	34 - 36
13	37 - 39
13	40 - 42
13	43 - 45
13	46 - 48
13	49 - 51
13	52 - 54
13	55 - 57
13	58 - 60
13	61 - 63
13	64 - 66
13	67 - 69
13	70 - 72
13	73 - 75
13	76 - 78
13	79 - 81
13	82 - 84
13	85 - 87
13	88 - 90
13	91 - 93
13	94 - 96

PRICING

Standard Panel Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
255	262	273	282	293	304	317	322	
264	271	284	289	301	317	328	333	
271	281	289	299	313	325	334	345	
281	288	299	310	320	333	348	355	
287	296	310	318	330	345	357	361	
298	306	319	329	340	355	366	372	
301	313	322	333	348	365	374	386	
333	346	357	366	381	398	410	418	
368	383	394	412	428	447	461	472	
379	391	406	419	434	455	472	482	
386	398	416	426	445	463	481	495	
392	407	422	437	456	477	492	505	
399	416	430	447	463	484	502	516	
418	431	451	463	484	508	525	536	
436	451	469	484	505	528	548	559	
454	469	488	505	526	551	568	583	
472	485	508	522	545	572	588	605	
492	508	527	546	568	591	614	629	
511	527	548	564	588	616	638	650	
529	549	568	588	614	641	661	679	
551	568	589	613	639	666	686	706	
575	590	615	638	661	689	716	734	
593	615	639	660	688	718	742	760	
618	640	663	686	713	747	772	791	
642	663	687	712	742	775	801	823	

Pricing is continued on the following page.

U N T B S

Tackboard – Screen Mount (Continued)

DIMENSIONS FOR MM X BY 25.4

H	W
22	23 - 24
22	25 - 27
22	28 - 30
22	31 - 33
22	34 - 36
22	37 - 39
22	40 - 42
22	43 - 45
22	46 - 48


PRICING

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
295	302	317	329	345	359	372	386
304	317	329	342	358	372	389	399
317	328	340	354	368	387	404	416
328	336	354	365	383	400	417	425
334	348	361	374	392	416	426	440
354	361	381	393	414	434	451	461
366	381	394	414	431	454	470	482
404	419	437	455	478	502	520	534
440	456	479	497	522	551	573	588

Xpress

UNTBW
Whiteboard – Screen Mount



The Whiteboard – Screen Mount is an erasable writing surface which mounts to Desk edge, Storage and Floor Screens.

WHAT’S INCLUDED
1 whiteboard

NOTES
Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Width (1" increments)
15, 22	23 - 48

SAMPLE ORDER CODE


UNTBW 15	48
----------	----

DIMENSIONS FOR MM X BY 25.4		PRICING		DIMENSIONS FOR MM X BY 25.4		PRICING	
H	W			H	W		
15	23 - 24	198		22	23 - 24	236	
15	25 - 30	236		22	25 - 30	271	
15	31 - 36	262		22	31 - 36	299	
15	37 - 42	282		22	37 - 42	328	
15	43 - 48	310		22	43 - 48	361	

Xpress

UNTBP

Tackboard – Panel Wall Mount



The Tackboard – Panel Wall Mount is a framed tackable fabric surface which mounts casually to panel walls over existing fascias.

WHAT’S INCLUDED

1 tackboard, attachment hardware.

NOTES

Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" and 37" heights are available up to a 48" width only.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish
13, 22, 37	23 - 96	Panel Fabric	AC Clear Anodized BP Espresso Painted BH Storm White Painted

SAMPLE ORDER CODE

UNTBP 37	48	L341	AC
----------	----	------	----

DIMENSIONS
FOR MM X BY 25.4

H	W
13	23 - 24
13	25 - 27
13	28 - 30
13	31 - 33
13	34 - 36
13	37 - 39
13	40 - 42
13	43 - 45
13	46 - 48
13	49 - 51
13	52 - 54
13	55 - 57
13	58 - 60
13	61 - 63
13	64 - 66
13	67 - 69
13	70 - 72
13	73 - 75
13	76 - 78
13	79 - 81
13	82 - 84
13	85 - 87
13	88 - 90
13	91 - 93
13	94 - 96

PRICING

Standard Panel Fabric									
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		
255	262	273	282	293	304	317	322		
264	271	284	289	301	317	328	333		
271	281	289	299	313	325	334	345		
281	288	299	310	320	333	348	355		
287	296	310	318	330	345	357	361		
295	304	317	328	340	355	366	372		
301	313	322	333	348	365	374	386		
334	348	359	370	389	406	419	426		
368	383	394	412	428	447	461	472		
379	391	406	419	434	455	472	482		
386	398	416	426	445	463	481	495		
392	407	422	437	456	477	492	505		
399	416	430	447	463	484	502	516		
418	431	451	463	484	508	525	536		
436	451	469	484	505	528	548	559		
454	469	488	505	526	551	568	583		
472	485	508	522	545	572	588	605		
492	508	527	546	568	591	614	629		
511	527	548	564	588	616	638	650		
529	549	568	588	614	641	661	679		
551	568	589	613	639	666	686	706		
575	590	615	638	661	689	716	734		
593	615	639	660	688	718	742	760		
618	640	663	686	713	747	772	791		
642	663	687	712	742	775	801	823		

Pricing is continued on the following page.

UNTBP

Tackboard – Panel Wall Mount (Continued)

DIMENSIONS FOR MM X BY 25.4

H	W
22	23 - 24
22	25 - 27
22	28 - 30
22	31 - 33
22	34 - 36
22	37 - 39
22	40 - 42
22	43 - 45
22	46 - 48
37	23 - 24
37	25 - 27
37	28 - 30
37	31 - 33
37	34 - 36
37	37 - 39
37	40 - 42
37	43 - 45
37	46 - 48

PRICING

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
295	302	317	329	345	359	372	386
304	317	329	342	358	372	389	399
317	328	340	354	368	387	404	416
328	336	354	365	383	400	417	425
334	348	361	374	392	416	426	440
354	361	381	393	414	434	451	461
366	381	394	414	431	454	470	482
404	419	437	455	478	502	520	534
440	456	479	497	522	551	573	588
319	331	351	365	385	407	423	440
340	355	370	389	410	431	453	464
359	372	392	412	431	456	479	492
374	392	414	431	456	482	505	520
392	412	431	454	480	510	532	551
410	425	449	470	496	527	551	568
422	444	463	484	512	546	568	586
477	497	522	549	582	617	644	668
527	552	582	613	648	687	719	744

Xpress

UKSCIS

Single Locker with Cubby Infill



The Single Locker with Cubby Infill mounts to the open through Single Locker with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED

Infill, attachment hardware.

NOTES

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.

Xpress Outside & Inside Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
S Solid	E Elevated S Standard	36, 42, 51, 66	29, 35	Source Laminate Flintwood Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UKSCIS S	S	36	35	FX	7
----------	---	----	----	----	---

DIMENSIONS
INCHES / MM

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

PRICING

ELEVATED (E)

Source Laminate	Flintwood	Natural Veneer
252	517	546
252	517	546
257	534	561
257	534	561
288	573	599
288	573	599
357	682	710
357	682	710


STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
257	534	561
257	534	561
264	553	582
264	553	582
296	589	617
296	589	617
361	696	726
361	696	726

Xpress

UTLXIS

Lateral Tower Infill



The Lateral Tower Infill mounts to the open through Lateral Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED

Infill, attachment hardware.

NOTES

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Actual size of storage infill relates to opening and will vary depending on type and size of storage unit.

Infill for 36" high Elevated is **not** available.

This Infill **cannot** be used on Combo Tower with a Source Laminate Case.

Xpress Outside/Inside Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	E Elevated	36, 42, 51, 66	24, 30, 36	WZ Whiteboard	Foundation	Foundation
T Tackable	S Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Source Laminate	Source Laminate	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

SAMPLE ORDER CODE

UTLXIS S	S	36	36	11PP	7	7
----------	---	----	----	------	---	---

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match

ELEVATED (E)

Source Laminate	Flintwood	Natural Veneer
288	489	511
302	527	549
318	561	586
302	510	529
318	546	568
333	582	608
393	654	684
448	743	778
500	836	872

STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
302	510	529
318	546	568
333	582	608
288	489	511
302	527	549
318	561	586
342	582	608
370	638	663
400	688	719
423	726	759
492	836	872
546	924	968

Pricing is continued on the following page.

UTLXIS

Lateral Tower Infill

(Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

PRICING

INFILL STYLE TACKABLE; OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
275	289	306	325	345	366	391	417
301	318	334	357	379	400	425	454
328	346	366	391	418	445	472	502
295	310	328	348	368	392	418	447
318	334	357	379	401	425	454	482
345	361	386	410	434	462	495	527
412	436	463	496	529	564	603	644
461	489	522	559	597	640	685	734
528	561	601	642	687	738	788	845

STANDARD (S)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
295	310	328	348	368	392	418	447
318	334	357	379	401	425	454	482
345	361	386	410	434	462	495	527
275	289	306	325	345	366	391	417
301	318	334	357	379	400	425	454
328	346	366	391	418	445	472	502
345	361	386	410	434	462	495	527
379	399	423	453	482	513	549	586
419	447	473	505	541	576	616	660
447	472	502	536	575	615	657	705
528	561	601	642	687	738	788	845
593	638	679	726	778	834	894	956

INFILL STYLE WHITEBOARD; OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below.


ELEVATED (E)

Source Laminate	Flintwood	Natural Veneer
370	582	605
399	638	663
451	710	740
400	617	642
436	688	718
489	761	796
660	1112	1164
705	1188	1244
988	1684	1762

STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
400	617	642
436	688	718
489	761	796
370	582	605
399	638	663
451	710	740
505	761	796
533	815	853
687	1019	1062
712	1062	1111
780	1180	1235
1075	1544	1615

UTCXIS
Combo Tower Infill



The Combo Tower Infill mounts to the open through Combo Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Cannot be used on Combo Tower with Source Laminate Case. See Source Laminate Tower Infill (UTCXIX).

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	E Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	WZ Whiteboard	Foundation	Foundation
T Tackable	S Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Flintwood Natural Veneer	Flintwood Natural Veneer	

SAMPLE ORDER CODE

UTCXIS W	S	36	36	WZ	FX	7
----------	---	----	----	----	----	---

DIMENSIONS
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match					
ELEVATED (E)			STANDARD (S)		
Flintwood	Natural Veneer		Flintwood	Natural Veneer	
n/a	n/a		472	495	
n/a	n/a		472	495	
n/a	n/a		510	529	
n/a	n/a		546	568	
n/a	n/a		582	608	
454	472		454	473	
454	472		454	473	
489	511		489	511	
527	549		527	549	
561	586		561	586	
472	492		527	552	
472	492		527	552	
510	529		582	608	
546	568		638	663	
582	608		688	719	
561	588		654	672	
561	588		654	672	
654	684		726	759	
743	778		836	872	
836	872		924	968	

Pricing is continued on the following page.

UTCXIS

Combo Tower Infill

(Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

INFILL STYLE TACKABLE; OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
252	262	280	295	305	313	331	355
252	262	280	295	305	313	331	355
275	289	306	325	336	346	366	391
301	318	334	357	370	379	400	425
328	346	366	391	407	417	445	472
270	282	298	317	329	334	358	383
270	282	298	317	329	334	358	383
295	310	328	348	360	367	392	418
318	334	357	379	393	400	425	454
345	361	386	410	425	434	462	495
360	383	406	430	448	456	488	520
360	383	406	430	448	456	488	520
412	436	463	496	518	528	564	603
461	489	522	559	585	598	640	685
528	561	601	642	672	687	738	788

STANDARD (S)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
270	282	298	317	336	358	383	407
270	282	298	317	336	358	383	407
295	310	328	348	368	392	418	447
318	334	357	379	401	425	454	482
345	361	386	410	434	462	495	527
252	262	280	295	314	331	355	379
252	262	280	295	314	331	355	379
275	289	306	325	345	366	391	417
301	318	334	357	379	400	425	454
328	346	366	391	418	445	472	502
310	328	346	365	389	414	440	464
310	328	346	365	389	414	440	464
345	361	386	410	434	462	495	527
379	399	423	453	482	513	549	586
419	447	473	505	541	576	616	660
360	383	406	431	460	489	525	559
360	383	406	431	460	489	525	559
447	472	502	536	575	615	657	705
528	561	601	642	687	738	788	845
593	638	679	726	778	834	894	956

Pricing is continued on the following page.

Xpress

UTCXIS

Combo Tower Infill
(Continued)

DIMENSIONS
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219


PRICING

INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below					
ELEVATED (E)		STANDARD (S)			
Flintwood	Natural Veneer	Flintwood		Natural Veneer	
n/a	n/a	546		566	
n/a	n/a	546		566	
n/a	n/a	617		642	
n/a	n/a	688		718	
n/a	n/a	761		796	
527	548	527		549	
527	548	527		549	
582	605	582		605	
638	663	638		663	
710	740	710		740	
546	566	710		740	
546	566	710		740	
617	642	761		796	
688	718	815		853	
761	796	1019		1062	
1038	1084	952		997	
1038	1084	952		997	
1112	1164	1062		1111	
1188	1244	1180		1235	
1684	1762	1544		1615	

Xpress

UTCXIX

Source Laminate Combo Tower Infill



The Source Laminate Combo Tower Infill mounts to the open through Combo Tower with Cubby (Source Laminate Case finish only) to enclose the back of the storage unit.

WHAT'S INCLUDED

Infill, attachment hardware.

NOTES

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Xpress Outside/Inside Finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	E Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	WZ Whiteboard	Foundation	Foundation
T Tackable	S Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Source Laminate Flintwood Natural Veneer	Source Laminate Flintwood Natural Veneer	

SAMPLE ORDER CODE

UTCXIX W	S	36	36	WZ	FX	7
----------	---	----	----	----	----	---

DIMENSIONS
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match						
ELEVATED (E)			STANDARD (S)			
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer	
n/a	n/a	n/a	281	455	479	
n/a	n/a	n/a	281	455	479	
n/a	n/a	n/a	293	492	512	
n/a	n/a	n/a	306	527	549	
n/a	n/a	n/a	322	560	586	
262	440	455	262	440	456	
262	440	455	262	440	456	
281	473	493	281	473	493	
293	510	529	293	510	529	
306	545	566	306	545	566	
281	455	477	299	510	533	
281	455	477	299	510	533	
293	492	512	330	560	586	
306	527	549	359	615	641	
322	560	586	389	668	695	
330	545	568	366	633	648	
330	545	568	366	633	648	
383	633	660	412	703	734	
431	718	752	477	808	844	
482	808	844	527	895	936	

Pricing is continued on the following page.

UTCXIX

Source Laminate Combo Tower Infill
(Continued)DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

INFILL STYLE TACKABLE; OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
242	254	269	285	302	321	342	365
242	254	269	285	302	321	342	365
265	282	296	314	333	355	379	400
289	306	325	345	366	389	414	440
317	333	355	379	402	426	455	485
261	271	287	304	325	346	367	392
261	271	287	304	325	346	367	392
285	298	317	334	357	381	404	430
306	325	345	365	389	414	440	464
331	351	370	393	421	448	479	510
350	367	391	417	445	472	502	536
350	367	391	417	445	472	502	536
394	421	449	480	513	546	583	621
447	473	505	542	578	617	661	710
511	545	582	620	663	712	761	815

STANDARD (S)

Standard Panel Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
261	271	287	304	325	346	367	392
261	271	287	304	325	346	367	392
285	298	317	334	357	381	404	430
306	325	345	365	389	414	440	464
331	351	370	393	421	448	479	510
242	254	269	285	302	321	342	365
242	254	269	285	302	321	342	365
265	282	296	314	333	355	379	400
289	306	325	345	366	389	414	440
317	333	355	379	402	426	455	485
298	317	333	354	376	398	423	451
298	317	333	354	376	398	423	451
331	351	370	393	421	448	479	510
365	387	412	437	465	496	529	566
406	430	456	488	520	554	593	639
350	367	391	418	446	473	508	542
350	367	391	418	446	473	508	542
430	455	485	518	554	591	638	679
511	545	582	620	663	712	761	815
576	615	656	703	752	807	863	924

Pricing is continued on the following page.

Xpress

U T C X I X

Source Laminate Combo Tower Infill
(Continued)

DIMENSIONS
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below						
ELEVATED (E)			STANDARD (S)			
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer	
n/a	n/a	n/a	359	527	548	
n/a	n/a	n/a	359	527	548	
n/a	n/a	n/a	389	594	620	
n/a	n/a	n/a	421	668	694	
n/a	n/a	n/a	473	738	769	
331	510	528	330	510	529	
331	510	528	330	510	529	
359	560	584	359	560	584	
387	615	641	387	615	641	
436	685	713	436	685	713	
355	527	548	454	685	713	
355	527	548	454	685	713	
389	594	620	488	738	769	
421	668	694	516	788	824	
473	738	769	666	983	1025	
593	1004	1048	630	920	965	
593	1004	1048	630	920	965	
639	1075	1124	687	1025	1073	
679	1148	1201	753	1140	1195	
953	1628	1701	1038	1492	1559	

The Pedestal Tower with Cubby Infill mounts to the open through Pedestal Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED

Infill, attachment hardware.

NOTES

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.

Xpress Outside & Inside Finish Flintwood and Natural Veneer are excluded from Teknion's Xpress Program.



UTDCIS

Pedestal Tower with Cubby Infill

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
S Solid	E Elevated S Standard	36, 42, 51, 66	29, 35	Source Laminate Flintwood Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UTDCIS S	E	36	35	FX	7
-----------------	----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

PRICING


ELEVATED (E)

Source Laminate	Flintwood	Natural Veneer
252	517	546
252	517	546
257	534	561
257	534	561
288	573	599
288	573	599
357	682	710
357	682	710

STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
257	534	561
257	534	561
264	553	582
264	553	582
296	589	617
296	589	617
361	696	726
361	696	726

U W L C
Seat Cushion



The Seat Cushion is removable and is intended to provide casual guest seating when applied to a low credenza top or rolling pedestal.

WHAT'S INCLUDED

1 seat cushion.

NOTES

Yardage requirement for com or col is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

PRODUCT OPTIONS

Style	Upholstery Finish
R Rolling Pedestal	Seating Fabric
C Credenza	Leather

SAMPLE ORDER CODE

UWLC R	S491
--------	------

PRICING

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
518	589	617	644	672	688	726	761	798	836	1044	1120	1350	1421

The Fitted Seated Cushion is specifically sized to fit credenza tops. It is removable and is intended to provide casual guest seating when applied to a low credenza top.


WHAT'S INCLUDED

1 seat cushion, velcro attachment strips.

NOTES

Yardage requirement for COM is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

U W L F Fitted Seat Cushion



PRODUCT OPTIONS

Depth	Width (6" increments)	Upholstery Finish
16, 19	24 - 42	Seating Fabric

SAMPLE ORDER CODE

UWLF 16	30	GA06
---------	----	------

DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

PRICING

Grade 1	COM/ Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
522	601	633	666	695	731	769	807	848	887
576	661	694	731	767	806	844	886	934	976
644	741	778	815	855	901	944	991	1043	1093
712	817	859	904	948	996	1045	1096	1155	1212
522	601	633	666	695	731	769	807	848	887
576	661	694	731	767	806	844	886	934	976
644	741	778	815	855	901	944	991	1043	1093
712	817	859	904	948	996	1045	1096	1155	1212


Xpress

U N T K
Tool Kit

The Tool Kit is required to install fascia connectors and to remove fascias from panel walls.

WHAT’S INCLUDED
1 tool (as specified).

NOTES
Xpress Available through *Teknion’s Xpress Program*.



Fascia Removal Tool



Male Connector
Insertion Tool



Bottom Vertical Male
Connector Insertion
Tool

PRODUCT OPTIONS

Style	
A	Male Connector Insertion Tool
B	Fascia Removal Tool
C	Bottom Vertical Male Connector Insertion Tool

SAMPLE ORDER CODE

UNTK A

STYLE	PRICING
A	270
B	33
C	286



Specifically designed to work with Side Filer and Mini Side Filer, Accessory Bundles help organize the interior and provide functional organization.

WHAT'S INCLUDED


Accessory Bundle A: 1 pen pocket, 1 hanging tray, 1 headphone hook

Accessory Bundle B: 1 pen pocket, 1 hanging tray, 1 headphone hook, 1 paper filer

NOTES

Compatible with standard accessory rails.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS


Configuration	Metal Paint Finish
A Accessory Bundle A	Foundation
B Accessory Bundle B	Mica
	Accent

SAMPLE ORDER CODE

UNAB A	74
--------	----

CONFIGURATION	PRICING	
	Foundation	Mica/Accent
A	186	192
B	284	289

U N B W
Side Filer Boot Tray



The Side Filer Boot Tray provides additional functionality for the bottom shelf of the Side Filer or Mini Side Filer. 180° reversible, it offers easier access to contents of the lower shelf in Mini Side Filer and secure containment for the items at the bottom of the Side Filer.

WHAT’S INCLUDED

1 boot tray with hardware

NOTES

Boot Tray is always 13" deep. The following outlines size compatibility for different widths.

- 12" - 24" deep Side Filer
- 18" - 30", 36" deep Side Filer
- 20" - 23" deep Mini Side Filer, 24" deep Side Filer without coat
- 26" - 29" deep Mini Side Filer

PRODUCT OPTIONS

Width	Metal Paint Finish
12, 18, 20, 26	Foundation Mica Accent

SAMPLE ORDER CODE

UNBW 18	74
---------	----

DIMENSIONS
INCHES / MM

W
12 / 305
18 / 457
20 / 508
26 / 660

PRICING

Foundation	Mica/Accent
100	106
100	106
117	122
117	122


electrics

electrics product map

UNQPR Power Box

Xpress

Page 750




Single Length

Double Length

UNQRO Receptacle Outlet

Xpress

Page 751




Standard 15 Amp

T-Slot 20 Amp

UNQBHR Power Harness

Xpress


Page 752



UNQBFR Base Feed

Xpress


Page 753



UNQBFSR Split Base Feed

Xpress

Page 754



UNQCFR Ceiling Feed

Xpress


Page 755



UNQEP Power Pole

Xpress


Page 756



UNQEPR End of Run Power Pole

Xpress


Page 757



UNQCT Cable Trough

Xpress


Page 758



UNVC Vertical Cable Manager

Xpress


Page 759



ZOEWM Casual Wire Manager Kit

Xpress


Page 760



UNQDE Data Extender Plate

Xpress


Page 761



electrics product map


UNQPRCH Chicago Power Box

Page 762



UNQBFRCH Chicago Base Feed

Page 763



UNQCFRCH Chicago Ceiling Feed


Page 764



storage electrics


EWWT Under Cabinet Wire Tray

Page 765




EWBF Storage Base Feed

Page 766




EWBFCH Storage Chicago Base Feed

Page 767



EWBFS Storage Split Base Feed

Page 768



EWCF Storage Ceiling Feed

Page 769



electrics product map


EWCFCH Storage Chicago Ceiling Feed

Page 770




EWBH Storage Power Harness

Page 766



EWDB 4-Way Splitter

Page 772




EWIC I-Connector

Page 772



EWQP Flush Mount Power & Data

Page 773




EWQPCH Chicago Flush-Mounted Power Box

Page 774




EWRO Storage Receptacle Outlet

Page 775




Standard 15 Amp



T-Slot 20 Amp


EWQPM Cubby Power Monument

Page 776




EWQPMCH Chicago Cubby Power Monument

Page 777




EWEP Storage Power Pole

Page 778



UNQPC Power Conservation System

Page 779



UNDG Diecast Grommet

Page 780



Xpress

UNQPR
Power Box

The Power Box is a module that mounts to panel rails to allow mounting of receptacles.

WHAT’S INCLUDED

Single Length: bezel with 1 opening for receptacle and 1 opening for data.

Double Length: bezel with 2 openings for receptacle and 1 opening for data.


WHAT’S EXCLUDED

Receptacles (UNQRO) must be specified separately.

NOTES

For 24" and 30" wide panels, only the single length can be used.

Xpress Available through *Teknion’s Xpress Program*.



PRODUCT OPTIONS

Length	Application	Wire System	Country of Installation	Bezel Finish	PVC Free
S Single Length	A One-Sided	8T 8-Wire Isolated Ground	A Canada/USA	YY Ebony	~ Standard
D Double Length	B Back-to-Back	8K 8-Wire Dual Isolated		YF Storm White	V PVC Free
				YN Platinum Grey Coordinate	
				YV Very White Coordinate	

SAMPLE ORDER CODE

UNQPR S	A	8K	A	YF	V
---------	---	----	---	----	---

DIMENSIONS

	PRICING			
	STANDARD		PVC FREE (V)	
L	One-Sided (A)	Back-to-Back (B)	One-Sided (A)	Back-to-Back (B)
S	262	299	289	330
D	318	355	351	391

Xpress

UNQRO
Receptacle

The Receptacle Outlet mounts onto the Power Module to provide access to power.

WHAT'S INCLUDED

1 duplex.

NOTES



Specified individually for maximum circuit flexibility.

Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp.

Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only) and Circuit B (7K only).

Receptacle style D and E include a marking indicating it is connected to a control system.

Xpress Available through *Teknion's Xpress Program*.



Standard 15 Amp T-Slot 20 Amp

PRODUCT OPTIONS

Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish
D Controlled 15 amp	1 Circuit 1	A Canada/USA	YY Ebony
E Controlled 20 amp	2 Circuit 2		YF Storm White
S Standard 15 amp	3 Circuit 3 (use with 7T and 8T only)		YN Platinum Grey Coordinate
T T-Slot 20 amp	5 Circuit 5		YV Very White Coordinate
	6 Circuit 6 (use with 8K only)		
	A Non Isolated Ground Circuit (use with 7T and 7K only)		
	B Non Isolated Ground Circuit (use with 7K only)		

SAMPLE ORDER CODE

UNQRO S	6	A	YF
----------------	----------	----------	-----------

DIMENSIONS

Style
S
T
D
E

PRICING

46
55
46
55


Xpress

UNQBHR
Power Harness

The Power Harness routes power between power boxes and base feeds.

WHAT'S INCLUDED
Power harness.

NOTES
24" length is mesh conduit.
Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
8K 8-Wire Dual Isolated 8T 8-Wire Isolated Ground	018, 024, 048, 072, 096, 120, 144	A Canada/U.S.A.	~ Standard V PVC Free

SAMPLE ORDER CODE

UNQBHR 8K	72	A	V
-----------	----	---	---

DIMENSIONS


L
18
24
48
72
96
120
144

PRICING

8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)	Standard	PVC Free (V)
181	198	161	175
222	245	195	217
289	319	242	265
312	345	257	285
357	392	295	325
422	464	351	387
456	505	374	416



UNQBFR
Base Feed



The Base Feed delivers power to a Panel Wall at base level.

WHAT'S INCLUDED

Base feed, 72" liquid-tite cable, power bezel mounting hardware.

NOTES

Power Harness (UNQBH) is required to route power to a power box or distribution box.

Base Feed Box finished in Platinum.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
7T 7-Wire Non Isolated Ground	72	A Canada/U.S.A.	YY Ebony	~ Standard
7K 7-Wire Dual Non Isolated			YF Storm White	V PVC Free
8T 8-Wire Isolated Ground			YN Platinum Grey Coordinate	
8K 8-Wire Dual Isolated				

SAMPLE ORDER CODE

UNQBFR 8K	72	A	YY	V
-----------	----	---	----	---

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)


Standard	PVC Free (V)
522	576

7-WIRE NON DUAL ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
654	718

Xpress

UNQBFSR
Split Base Feed



The Split Base Feed is hard-wired to the building power supply in two places. It feeds power into the Panel. Typically required in New York.

WHAT’S INCLUDED

1 split base feed, liquid-tite cable (18" or 72"), 1 wiring junction box, mounting hardware and data/communication bezel.

Split Base Feed is finished in Platinum.

NOTES

Xpress Available through Teknion’s Xpress Program.

PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
7T 7-Wire Non Isolated Ground	18, 72	A Canada/U.S.A.	YY Ebony	~ Standard
7K 7-Wire Dual Non Isolated			YF Storm White	V PVC Free
8T 8-Wire Isolated Ground			YN Platinum Grey Coordinate	
8K 8-Wire Dual Isolated				

SAMPLE ORDER CODE

UNQBFSR 8K	8K	72	YY	V
------------	----	----	----	---

DIMENSIONS

L
18
72

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)
472	518
544	598
7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)	
Standard	PVC Free (V)
599	660
687	758

Xpress

The Ceiling Feed routes power from the ceiling into Panel Walls.

WHAT'S INCLUDED

Ceiling feed harness, junction box, mounting hardware.

NOTES

Xpress Available through *Teknion's Xpress Program*.

UNQCFR

Ceiling Feed

**PRODUCT OPTIONS**

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	120	A Canada/U.S.A.	~ Standard
7K 7-Wire Dual Non Isolated			V PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

UNQCFR 8T	120	A	V
------------------	------------	----------	----------

DIMENSIONS

L
120
120

PRICING**7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)**


Standard	PVC Free (V)
374	416

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
454	500

Xpress

UNQEP
Power Pole



The Power Pole houses the ceiling feed and includes a pole divider for separating the ceiling feed from communications and data cables.

WHAT’S INCLUDED

Power pole, power pole cover, mounting bracket, attachment hardware, ceiling trim plate.

NOTES

Used for corner or off-module locations.

Xpress Available through *Teknion’s Xpress Program*.

PRODUCT OPTIONS

Length	Finish	Mounting Application
48, 72, 96	AC Clear Anodized Foundation Mica	1 Corner 2 Off-Module

SAMPLE ORDER CODE

UNQEP 48	AC	1
----------	----	---

DIMENSIONS
INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438

PRICING

392
512
615

UNQEPR

End of Run Power Pole

The End of Run Power Pole houses the ceiling feed end of panel run entry points. A pole divider for separating the ceiling feed from communications and data cables is provided.

WHAT'S INCLUDED


1 base power pole, 1 upper power pole, ceiling plates, mounting hardware, ceiling trim plate.

NOTES

42" high base is for Panel Walls 42" - 66" and provides above and below worksurface power entry.

29" high base is for 29" high Panel Walls or when only below worksurface power entry is required.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Base Height	Upper Height	Finish
29, 42	48, 72, 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNQEPR 42	96	AC
-----------	----	----

**DIMENSIONS
INCHES / MM**

Base Height	Upper Height
29 / 737	48 / 1219
29 / 737	72 / 1829
29 / 737	96 / 2438
42 / 1067	48 / 1219
42 / 1067	72 / 1829
42 / 1067	96 / 2438

PRICING

770
888
991
869
988
1090

Xpress

UNQCT
Cable Trough

The Cable Trough is mounted below a worksurface for wire management.


WHAT'S INCLUDED

Cable trough, attachment hardware.

NOTES

The Cable Trough is Grey ABS plastic.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Length
30, 72

SAMPLE ORDER CODE

UNQCT 30

DIMENSIONS INCHES / MM	PRICING
L	
30 / 762	58
72 / 1829	104



UNVC

Vertical Cable Manager

The Vertical Cable Manager mounts to a Floor Screen to conceal and route cables from floor to desk height.


WHAT'S INCLUDED

Vertical cable manager (back and cover plate), attachment hardware.

NOTES

The North American height is 26". The additional height of 23" is for International requirements and enables an outlet box to be mounted above the cable manager.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Finish
23, 26	Foundation Mica

SAMPLE ORDER CODE

UNVC 26	Q
---------	---

DIMENSIONS
INCHES / MM


H
23 / 584
26 / 660

PRICING

289
325

Xpress

Z O E W M
Casual Wire Manager Kit



The Casual Wire Management Kit is applied to District credenzas to conceal and route wiring.

WHAT'S INCLUDED

2 x 24" casual wire managers, 4 x 4" casual wire managers.

NOTES

Finished in Ebony.

This product is mounted by double-sided tape and can be trimmed in length.

Xpress Available through *Teknion's Xpress Program*.

PRICING

55

Xpress

UNQDE

Data Extender Plate


The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements.

WHAT'S INCLUDED

1 data extender plate.

NOTES

Xpress

 Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Finish	
YY	Ebony
YF	Storm White
YN	Platinum Grey Coordinate
YV	Very White Coordinate


SAMPLE ORDER CODE

UNQDE YF

PRICING

37

UNQPRCH
Chicago Power Box



The Chicago Power Box provides one duplex and one communications opening on either one or both sides of a Panel Wall.

WHAT’S INCLUDED
Power box, 1 or 2 faceplates (as specified). Internal wiring (3-wire connection).

WHAT’S EXCLUDED
No connector provided.

NOTES
Faceplates have a Platinum painted finish.

PRODUCT OPTIONS

Application	Mounting Location	Country of Installation
SA Single Length, One-Sided	L Below Worksurface Height (Base Fascia)	A Canada/U.S.A.
SB Single Length, Back-to-Back	U Above Worksurface Height (Upper Fascia)	
DA Double Length, One-Sided		
DB Double Length, Back-to-Back		

SAMPLE ORDER CODE

UNQPRCH A	U	A
-----------	---	---

APPLICATION	PRICING
SA	412
SB	495
DA	497
DB	578

The Chicago Base Feed delivers power to a Panel Wall at base level and provides entry for data communication feeds.


WHAT'S INCLUDED

Base feed, 72" liquid-tite cable, data/communications bezel mounting hardware.
Internal wiring (3-wire connection).

WHAT'S EXCLUDED

No strain relief connector provided.

UNQBFRCH
Chicago Base Feed



PRODUCT OPTIONS

Length	Country of Installation	Bezel Finish
72	A Canada/U.S.A.	YY Ebony YF Storm White YN Platinum Grey Coordinate

SAMPLE ORDER CODE

UNQBFRCH 72	A	YY
-------------	---	----

PRICING

453

UNQCFRCH
Chicago Ceiling Feed



The Chicago Ceiling Feed routes power from the ceiling into Panel Walls.

WHAT’S INCLUDED
Ceiling feed harness, junction box, mounting hardware.

WHAT’S EXCLUDED
Chicago Power Distribution Box (UNQDBCH) must be specified separately.
No strain relief connector provided.

PRODUCT OPTIONS

Length	Country of Installation
120	A Canada/U.S.A.

SAMPLE ORDER CODE

UNQCFRCH 120	A
--------------	---

PRICING

351

The Under Cabinet Wire Tray manages wires horizontally below the storage cabinet.

WHAT'S INCLUDED

1 wire tray and mounting hardware.


NOTES

Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted.

Finished in Platinum.

EWWT

Under Cabinet Wire Tray



PRODUCT OPTIONS

Length
12, 24, 36, 48, 72, 84

SAMPLE ORDER CODE

EWWT 72

DIMENSIONS INCHES / MM	PRICING
L	
12 / 305	37
24 / 610	63
36 / 914	95
48 / 1219	126
72 / 1829	190
84 / 2134	217

E W B F

Storage Base Feed


The Storage Base Feed provides power from the floor to the underside of the storage cabinet and connects to the harness.

WHAT’S INCLUDED

Base feed, 72" liquid-tite cable, I-connector, mounting hardware.

NOTES

Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	72, 144	A Canada/U.S.A.	Standard
7K 7-Wire Dual Non Isolated			PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWBF 8K	72	A	V
---------	----	---	---

DIMENSIONS
INCHES / MM

L
72 / 1529
144 / 3658

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
462	851
601	1174

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
511	937
661	1296

The Storage Chicago Base Feed delivers power from the floor to the underside of the storage cabinet.

WHAT'S INCLUDED

Base feed, 72" liquid-tite cable, mounting hardware.


NOTES

Storage Chicago Base Feed (EWBFCH) includes a 3-wire. No connection is provided on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

EWBFCH

Storage Chicago Base Feed



PRODUCT OPTIONS

Length	Country of Installation
72	A Canada/U.S.A.

SAMPLE ORDER CODE

EWBFCH 72	A
-----------	---

PRICING


383

E W B F S
Storage Split Base Feed

The Storage Split Base Feed delivers power from the floor to the underside of the storage cabinet. It is wired to the building power supply in two places for New York city wiring restrictions.

WHAT'S INCLUDED
1 base feed harness, junction box, I-connector, mounting hardware.

NOTES
Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	18, 72	A Canada/U.S.A.	~ Standard
7K 7-Wire Dual Non Isolated			V PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWBFS 8K	72	A	V
----------	----	---	---

DIMENSIONS
INCHES / MM

L
18 / 457
72 / 1529

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)
410	546
527	888
7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)	
Standard	PVC Free (V)
454	599
582	981

The Storage Ceiling Feed routes power to the underside of the storage cabinet from the ceiling through the storage power pole.

WHAT'S INCLUDED

Ceiling feed harness, junction box, I-connector, mounting hardware.

NOTES

Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.

EWCF Storage Ceiling Feed



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	120, 144	A Canada/U.S.A.	~ Standard
7K 7-Wire Dual Non Isolated			V PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWCF 8K	120	A	V
----------------	------------	----------	----------

DIMENSIONS INCHES / MM

L
120 / 3048
144 / 3658

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
510	688
561	726

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
561	871
617	798

EWCFCH
Storage Chicago Ceiling Feed



The Storage Chicago Ceiling Feed routes power into the underside of the storage cabinet from the ceiling through the Storage Power Pole (EWEP).

WHAT’S INCLUDED
Ceiling feed harness, junction box, mounting hardware.

NOTES
The Storage Chicago Ceiling Feed (EWCFCH) includes a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions.
Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

PRODUCT OPTIONS

Length	Country of Installation
120, 144	A Canada/U.S.A.

SAMPLE ORDER CODE

EWCFCH 144	A
------------	---

DIMENSIONS
INCHES / MM

L
120 / 3048
144 / 3658

PRICING

254
310

The Storage Power Harness carries power along the base of the cabinet to the Flush Mount Power & Data box or the Cubby Power Monument (EWQPM) in the storage unit.

WHAT'S INCLUDED


1 power harness.

NOTES

The 24" length is all mesh. Other lengths have mesh on both ends for maximum flexibility in a storage application.

To specify the correct length of power harness, determine the distance from the center of one cut out to the other, then add 24".

In order to plug into a Cubby Power Monument (EWQPM), a Four-Way Splitter (EWDB) or an I-Connector (EWIC) must be specified separately.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
8T 8-Wire Isolated Ground	24, 48, 72, 96, 120, 144	A Canada/U.S.A.	~ Standard
8K 8-Wire Dual Isolated			V PVC Free

SAMPLE ORDER CODE

EWBH 8K	72	A	V
----------------	-----------	----------	----------


DIMENSIONS INCHES / MM

L	PRICING			
	8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
	Standard	PVC Free (V)	Standard	PVC Free (V)
24 / 610	217	265	195	245
48 / 1219	331	398	301	360
72 / 1829	370	447	336	406
96 / 2438	453	542	412	492
120 / 3048	532	639	482	581
144 / 3658	608	731	552	663

EWDB
4-Way Splitter

The Four-Way Splitter attaches to a harness to split power at floor level.

WHAT'S INCLUDED
1 four-way splitter and hardware.



EWIC
I-Connector

The I-Connector is used to join two harnesses when a single harness length is not long enough.

WHAT'S INCLUDED
1 I-connector.



PRODUCT OPTIONS

Country of Installation
A Canada/U.S.A.

SAMPLE ORDER CODE

EWIC A

EWDB FOUR-WAY SPLITTER
181

EWIC I-CONNECTOR
56

The Flush Mount Power & Data is a module that mounts to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.

WHAT'S INCLUDED

Base Height: 1 power box, faceplate, back cover, mounting hardware.

Beltline Height: 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base).

WHAT'S EXCLUDED


Receptacle Outlets (EWRO) must be specified separately and can be found in this section.

Data and communication must be sourced separately.

NOTES

Flush Mounted Power & Data (EWQP) units can also mount to the back cubby of a Pedestal or Pedestal Tower.

EWQP Flush Mount Power & Data



Base Height Beltline Height

PRODUCT OPTIONS

Power Location	Wire System	Country of Installation	Bezel Finish	PVC Free
B Base Height	8T 8-Wire Isolated Ground	A Canada/U.S.A.	YY Ebony	~ Standard
E Beltline Height	8K 8-Wire Dual Isolated		YF Storm White	V PVC Free
			YN Platinum Grey Coordinate	
			YV Very White	

SAMPLE ORDER CODE

EWQP B	8K	A	YF	V
---------------	-----------	----------	-----------	----------

POWER LOCATION

B
E

PRICING

Standard	PVC Free (V)
589	710
817	983

E W Q P C H
Chicago Flush-Mounted Power Box

The Chicago Flush-Mounted Power and data is a module mounted to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.

WHAT’S INCLUDED

Base Height: 1 power box, faceplate, back cover, mounting hardware.

Beltline Height: 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base), 1 receptacle outlet.

NOTES

Data and communications must be sourced separately.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.



PRODUCT OPTIONS

Power Location	Receptacle Style	Country of Installation	Bezel Finish (Standard 15 amp only)
B Base Height	S Standard 15 amp	A Canada/U.S.A.	YY Ebony
E Beltline Height	T T-Slot 20 amp		YF Storm White
			YN Platinum Grey Coordinate

SAMPLE ORDER CODE

EWQPCH B	T	A	YF
-----------------	----------	----------	-----------

POWER LOCATION

B
E

PRICING

Standard (S)	T-Slot (T)
599	617
654	672

The Storage Receptacle Outlet is a single duplex receptacle that fits into a Flush Mount Power & Data module to provide power used with electrified storage.

WHAT'S INCLUDED

1 duplex.

NOTES

Specified individually for maximum circuit flexibility.


Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp.

Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only) and Circuit B (7K only).


Receptacle style D and E include a marking indicating it is connected to a control system.

EWRO

Storage Receptacle Outlet



Standard 15 Amp



T-Slot 20 Amp

PRODUCT OPTIONS

Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish (standard 15 amp only)
D Controlled 15 amp	1 Circuit 1	A Canada/U.S.A.	YY Ebony
E Controlled 20 amp	2 Circuit 2		YF Storm White
S Standard 15 amp	3 Circuit 3 (use with 8T only)		YN Platinum Grey Coordinate
T T-Slot 20 amp	5 Circuit 5		YV Very White Coordinate
	6 Circuit 6 (use with 8K only)		
	A Non Isolated Ground Circuit (use with 7T and 7K only)		
	B Non Isolated Ground Circuit (use with 7K only)		

SAMPLE ORDER CODE


EWRO S	6	A	YF
---------------	----------	----------	-----------

RECEPTACLE STYLE

PRICING

D	47
E	56
S	47
T	56

E W Q P M
Cubby Power Monument



The Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

WHAT'S INCLUDED
1 power box, mounting hardware, receptacles (if specified).

WHAT'S EXCLUDED
Data and communications must be sourced separately.

NOTES
T-Slot 20 amp receptacle style is finished in Ebony.

Cubby Power Monument must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It plug directly into a Storage Power Harness (EWBH).

Configuration	Outlet	Wire System
PP	11, 12, 13, 15, 22, 23, 25, 33, 35, 55	For 8T
PP	11, 12, 15, 16, 22, 25, 26, 55, 56, 66	For 8K
DP	1, 2, 3, 5	For 8T
DP	1, 2, 5, 6	For 8K
DD	n/a	

PRODUCT OPTIONS

Configuration	Wire System	Receptacle Style	Outlet Configuration	Country of Installation	Finish (standard 15 amp only)	PVC Free
DD Two Data	8T 8-Wire Isolated Ground	S Standard 15 amp	1, 2, 3, 5, 6, 11, 12, 13, 15, 16, 22, 23, 25, 26, 33, 35, 55, 56, 66	A Canada/USA	YY Ebony	~ Standard
DP One Duplex, One Data	8K 8-Wire Dual Isolated	T T-Slot 20 amp			YF Storm White	V PVC Free
PP Two Duplexes					YN Platinum Grey Coordinate	

SAMPLE ORDER CODE

EWQPM PP	8K	S	11	A	YF	V
----------	----	---	----	---	----	---

RECEPTACLE STYLE

n/a
S
T
S
T

PRICING

TWO DATA (DD)			
Standard			
672			
ONE DUPLEX, ONE DATA (DP)			
8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)	Standard	PVC Free (V)
999	1108	942	1053
1007	1117	952	1062
TWO DUPLEXES (PP)			
8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)	Standard	PVC Free (V)
1019	1125	965	1072
1036	1143	981	1090

The Chicago Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

WHAT'S INCLUDED

1 power box, mounting hardware, receptacles (if specified).


NOTES

T-Slot 20 amp receptacle style is finished in Ebony.

Chicago Cubby Power Monument (EWQPMCH) includes a 3-wire. No connector is provided on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

EWQPMCH Chicago Cubby Power Monument



PRODUCT OPTIONS

Configuration	Receptacle Style	Country of Installation	Finish (standard 15 amp only)
DD Two Data	S Standard 15 amp	A Canada/U.S.A.	YY Ebony
DP One Duplex, One Data	T T-Slot 20 amp		YF Storm White
PP Two Duplexes			YN Platinum Grey Coordinate

SAMPLE ORDER CODE


EWQPMCH PP	S	A	YF
-------------------	----------	----------	-----------

RECEPTACLE STYLE

PRICING

n/a	TWO DATA (DD)
	672
S	ONE DUPLEX, ONE DATA (DP)
T	836
	853
S	TWO DUPLEXES (PP)
T	853
	871

EWEP
Storage Power Pole



The Storage Power Pole houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables. It is used to feed power and data to the underside of the storage units.

WHAT'S INCLUDED
1 base power pole, one upper power pole, ceiling plate, 1 or 2 storage connector (as specified), mounting brackets.

WHAT'S EXCLUDED
Storage Ceiling Feed (EWCF) and Storage Chicago Ceiling Feed (EWCFCH) must be purchased separately.

NOTES
The Storage Power Pole (EWEP) can route power and data to two storage units.

PRODUCT OPTIONS

Height	Direction	Finish
08, 10	1 One-Sided 2 Two-Sided	Foundation Mica

SAMPLE ORDER CODE

EWEP 10	1	7
---------	---	---

DIMENSIONS
FEET

H
8
10

PRICING

ONE-SIDED (1)	TWO-SIDED (2)
1125	1292
1163	1325

UNQPC

Power Conservation System

Power Conservation system provides an automatically turn off to items like task lights, monitors, personal heaters and fans and other non-essential user equipment when they are not in use.

WHAT'S INCLUDED

Power conservation system consists of a control box, selected number of sensors, system connection brackets, connecting cables and a four-way splitter.


NOTES

Timer is set for 20 minutes for automatic shut-off after area is unoccupied. System sensors are available in Black only. Sensor connection wires are available in Grey and White only. System control box is available in Platinum (Foundation) only. Each Control Box offers two separate output jack for connection of Occupancy Sensors. The first output jack controls power to all receptacles on Teknion Circuit 1 and the second output jack controls power to all receptacles on Teknion Circuit 2. Each of the output jacks is labeled on the control box.

Do not specify receptacles for circuits 1 and 2 at the same workstation when using Power Conservation System.

Each occupancy sensor can only control one circuit.

Xpress Available through *Teknion's Xpress Program*.

**PRODUCT OPTIONS**

Application	Sensors
D Interior of Panel for Back to Back Installation	2 Two 4 Four 8 Eight

SAMPLE ORDER CODE

UNQPC D	2
----------------	----------

PRICING

Two Sensors	Four Sensors	Eight Sensors
2050	2523	3473

Xpress

UNDG
Diecast Grommet

The Diecast Grommet is designed for the round cut outs to be place on center, left or right locations on the worksurface.

WHAT’S INCLUDED
2 piece round grommet. Data cable nest which accommodates cables up to CAT 6 (approx 0.25.).

NOTES
The Die Cast Grommets must be specified separately. A cut out must be specified on the related worksurface. The grommet can be applied to any Teknion District worksurface thickness with a grommet cut out specified. Pass through accommodates power cables up to 0.5. thick. Grommet can be finished in a Foundation, Mica or Accent finish.

Xpress Available through Teknion’s Xpress Program.



PRODUCT OPTIONS

Grommet Type	Finish
1 Round	Foundation Mica Accent

SAMPLE ORDER CODE

UNDG 1	25
--------	----

PRICING


53

international electrics

international electrics product map

VED Outlet Box

Page 786




VCC Interconnecting Power Cable

Page 787




VEP Input Power Cable

Page 788




VVD Voice & Data Box

Page 789




VDO Voice & Data Outlets

Page 790



VAC Electric Accessories


Page 791



UNIXSE Screen Mount Outlet Box Bracket

Xpress


Page 792



UNXPFR Base Feed Mounting Kit

Xpress

Page 792




international electrics product map

UNXBR Panel Mount Outlet Box Bracket

Xpress

Page 793




VBCD CALA Power Module

Page 794



VBPD CALA Power In Feed

Page 795



VBPH CALA Jumper Power Harness

Page 796




VBWB CALA Power Station

Page 797



VED
Outlet Box



The Outlet Box provides access to power at worksurface height.

WHAT’S INCLUDED

1 outlet box.

WHAT’S EXCLUDED

Desk-Mounting Clip (VACB6) – Required if desk-mounting option is desired.

Panel Mount Outlet Box Bracket (UNXB) – Required for application to a Panel Wall.

Screen-Mount Outlet Box Bracket (UNXSE) – Required for application to a screen.

NOTES

Socket angles will always be 15°.

UPS option is only available with UK Outlets (G).

PRODUCT OPTIONS

Number of Outlets	Power Type	Fuse & Switch Option	Mounting Bracket	Country of Installation
2 Two Outlets	S Standard	N No Fuse and Switch	N None	F Germany
4 Four Outlets	U UPS	M Master Fuse and Master Switch	P Panel Mount for T/O/S or Transit	G U.K./Ireland
		S Individual Fuse and Individual Switch	E Panel Mount for Leverage (Shown)	

SAMPLE ORDER CODE

VED 2	S	M	E	F
-------	---	---	---	---

NUMBER OF
OUTLETS

	PRICING		
	NO PANEL MOUNT (N)		
	No Fuse and Switch (N)	Master Fuse and Master Switch (M)	Individual Fuse and Individual Switch (S)
2	134	205	264
4	247	340	417


WITH PANEL MOUNTS (P, E)		
No Fuse and Switch (N)	Master Fuse and Master Switch (M)	Individual Fuse and Individual Switch (S)
186	257	317
296	391	464

The Interconnecting Power Cable routes power between Outlet Boxes in Panel Wall access areas and also carries power through the adjacent Panel Wall.

WHAT'S INCLUDED
1 interconnecting power cable.

V C C

Interconnecting Power Cable



PRODUCT OPTIONS


Length	Power Type
10 One Meter	S Standard U UPS
20 Two Meters	
30 Three Meters	

SAMPLE ORDER CODE

VCC 10	U
--------	---

DIMENSIONS	PRICING
L	
10	90
20	105
30	129

VEP
Input Power Cable



The Input Power Cable brings power from the building ceiling, wall or floor into the Panel Wall.

WHAT’S INCLUDED
1 input power cable with strain relief.

WHAT’S EXCLUDED
Base Feed Mounting Kit (UNXPF) – Required for installation at the base.

PRODUCT OPTIONS

Length	Plug Type	Power Type	Country of Installation (For Plug Type)
10 One Meter	H Hard Wired	S Standard	F Germany
20 Two Meters	P Plug	U UPS	G U.K./Ireland
30 Three Meters			

SAMPLE ORDER CODE

VEP 10	P	S	G
--------	---	---	---

DIMENSIONS

L
10
20
30

PRICING

Hard Wired (H)	Plug (P)
102	151
139	191
160	206

The Voice & Data Box is designed to bring access to communications and data to the user.

WHAT'S INCLUDED


1 Voice & Data Box, with a Blank or Shutter faces (as specified).

WHAT'S EXCLUDED


Voice & Data Outlets (VDO) with drop leads must be specified separately.

VVD

Voice & Data Box



Four Shutters



Four Blank Fascias

PRODUCT OPTIONS

Configuration	Shutter (If Applicable)
BBBB Blank Fascias	K Keystone A AT&T N Nordx
SSSS Four Shutters	


SAMPLE ORDER CODE

VVD BBBB	K
----------	---

CONFIGURATION	PRICING
BBBB	86
SSSS	104

V D O

Voice & Data Outlets



The Voice & Data Outlets are inserted into the Voice & Data Box (VVD).

WHAT'S INCLUDED
1 Voice or Data Outlet, with appropriate length drop lead (if specified).

WHAT'S EXCLUDED
Voice & Data Boxes (VVD) must be ordered separately.

NOTES
One must remove the blank facades in the boxes to allow placement of these items.
Drop Lead may be specified according to the size required.

PRODUCT OPTIONS

Outlet Type	Voice Outlet (Applies to Voice Outlet only)	Data Outlet	Drop Lead Option
V Voice D Data	01 RJ11	05 RJ45 Cat 5e Unshielded	N None 2 Two Meters 3 Three Meters 8 Eight Meters

SAMPLE ORDER CODE

VDO D	01	05	3
-------	----	----	---

OUTLET TYPE	PRICING			
	None (N)	Two Meters (2)	Three Meters (3)	Eight Meters (8)
V	88	100	104	151
D	88	170	175	247

The Distribution Block redirects power distribution. The Cover Cap is a safety cover for Outlet Boxes and Distribution Blocks. The Desk-Mounting Clips attach an Outlet Box to a desk or worksurface.

WHAT’S INCLUDED


1 distribution block or one Cover Cap or 1 pair of Desk-Mounting Clips for Outlet Box.

WHAT’S EXCLUDED

Outlet Box (VED) and all Interconnecting Power Cables (VCC) and Input Power Cables (VEP) must specified separately.

NOTES

The Distribution Block has one male connector that directs power in and three female connectors that direct power out.



PRODUCT OPTIONS

Accessory Type		Power Option (For Distribution Block)	
EB	Distribution Block	S	Standard
EC	Cover Cap	U	UPS
B6	Desk-Mounted Clips for Outlet Box		


SAMPLE ORDER CODE

VAC EB	S
--------	---

ACCESSORY TYPE	PRICING
EC	15
B6	85
EB	148

Xpress

UNXSE
Screen Mount Outlet Box Bracket



The Screen Mount Outlet Box Bracket mounts any size Outlet Box or a Voice & Data Box to a Screen, Modesty Panel or underside of a worksurface.

WHAT'S INCLUDED
2 brackets, attachment hardware.

NOTES
Bracket fits all outlet configurations.
Finished in Black.


Xpress Available through *Teknion's Xpress Program*.

PRICING

32

Xpress

UNXPFR
Base Feed Mounting Kit



The Base Feed Mounting Kit provides panel entry to input power cables (up to 3) or voice/data cables to panel wall at input point.

WHAT'S INCLUDED
1 mounting kit, bracket, attachment hardware, cover plate.

NOTES
Finished in Platinum.

Xpress Available through *Teknion's Xpress Program*.

PRICING

95



UNXBR

The Panel Mount Outlet Box Bracket provides attachment of an Outlet Box (VED) and Voice & Data Box (VVD) to a panel wall.

WHAT'S INCLUDED

1 bracket set, attachment hardware, 1 or 2 faceplates (as specified).

WHAT'S EXCLUDED


Outlet Box (VED) or Voice & Data Box (VVD) must be specified separately.

NOTES

Bracket can be used above or below worksurface height and in single- or double-sided applications.

Finished in Ebony.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Outlet Configuration	Faceplate Option
2 Two Power Outlets	A One face plate per single-sided application
3 Two Power Outlets, One Data Box	B Two face plates per double-sided application
4 Four Power Outlets	

SAMPLE ORDER CODE

UNXBR 2	A
---------	---

OUTLET CONFIGURATION	PRICING
2	162
3	342
4	342

V B C D
CALA Power Module

The CALA Power Modules provides one or two duplexes embedded to the District panel. CALA power and data can be specified on a single side or back to back in the panel.

WHAT’S INCLUDED

1 power module, mounting brackets and connection hardware

NOTES

Power module and element bezel are available in a Very White and Black finish.

Receptacle finish will automatically match the finish option selected.



PRODUCT OPTIONS

Application	Outlet Configuration	Country of Installation	Length	Receptacle Finish
DA Double Duplex, One Sided	003 Three Data	R Argentina	120	YY Ebony Coordinate
DB Double Duplex, Back- to -Back	200 Two Power	N Brazil		YV Very White Coordinate
SA Single Duplex, One Sided	120 One Power and One USB	L Chile		
SB Single Duplex, Back- to -Back	203 Two Power and Three Data			
	400 Four Power			
	320 Three Power and One USB			

SAMPLE ORDER CODE

VBCD DB	320	N	120	YY
----------------	------------	----------	------------	-----------

APPLICATION	PRICING					
	Three Data (003)	Two Power (200)	One Power and One USB (120)	Two Power and Three Data (203)	Four Power (400)	Three Power and One USB (320)
DA	n/a	n/a	n/a	383	564	769
DB	n/a	n/a	n/a	693	1065	1397
SA	137	319	509	n/a	n/a	n/a
SB	217	582	955	n/a	n/a	n/a

The Power In feed cable brings power from the building to the panel. It can be installed in the base opening of the panel to feed power up to the CALA power module. It can also be brought down from the ceiling to the workstation.


WHAT'S INCLUDED

1 input power cable, 1800mm in length

NOTES

Country of Installation is required to determine correct source plug in option is chosen.

V B P D CALA Power In Feed



PRODUCT OPTIONS

Length	Country of Installation
18 1800 mm	R Argentina N Brazil L Chile

SAMPLE ORDER CODE

VBPD 18	R
----------------	----------


PRICING

407

VBPH
CALA Jumper Power Harness

The Jumper Power Harness routes power between CALA Power Modules in panel access areas and also carries power through the adjacent panel.

WHAT'S INCLUDED
1 interconnecting power cable, 2000 mm in length



PRODUCT OPTIONS

Length	
20	2 Meters

SAMPLE ORDER CODE

VBPH 20

PRICING

187

The CALA power station is designed to provide casual power/data at the worksurface level. It is designed to affixed to the edge of the worksurface.

WHAT'S INCLUDED

1 CALA power station, 1800mm in length. Fronts and sides are finished with selected finish. Rear and Desk Edge Clamp are in Clear Anodized only.

NOTES

Each power station will include an extension plate so that it can be outfitted to a knife edge trim surface Enclosure and Connection clamp is available in Clear Anodized Aluminum finish only.



PRODUCT OPTIONS

Numbers of Outlets	Outlet Configuration	Country of Installation	Cable Length	Receptacle Finish
D Double Outlet	202 Two Power and Two Data	R Argentina	18 1800mm	YY Ebony Coordinate
	400 Four Power	N Brazil		YV Very White Coordinate
	320 Three Power and One USB	L Chile		

SAMPLE ORDER CODE

VBWB D	320	N	18	YY
---------------	------------	----------	-----------	-----------

OUTLETS

D

PRICING

Two Power and Two Data (202)	Four Power (400)	Three Power and One USB (320)
871	1121	1327

teknion

www.teknion.com

CAN/US/INT 11-24
©Teknion 2025

®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.

Some products may not be available in
all markets. Contact your local Teknion
Representative for availability.

NOV25-DIS