

finishes + materials (europe)

program guide

10.27.2025



teknion

update summary

Please be advised that information has been updated within the Finishes + Materials Program Guide (Asia Pacific). To highlight these updates a summary has been created for your reference.

new 

Modus finishes have been added to the relevant pages:

- Surface finish
- Base finish

Please note, first orders for new products will be accepted on October 27, 2025. All software will also be updated by October 27, 2025. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.





FINISHES + MATERIAL 7

GENERAL INFORMATION 11

SOCIAL & COLLABORATIVE
FINISHES MATERIALS. 29

finishes + materials

LISTINGS & APPLICATION MATRICES

SURFACE FINISH.	8
PAINT FINISH.	9
SCREEN FINISH	10
LINEAR FINISH.	10
BASE FINISH.	10

listings & application matrices

SURFACE FINISH OFFERING

		hiSpace	seating	social & collaborative	storage	world wide complements	pod	expansion casegood
<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #007bff; margin-right: 5px;"></div> Available <div style="width: 15px; height: 15px; border: 1px solid black; margin-left: 20px; margin-right: 5px;"></div> Not Available </div>								
Laminate								
Maple	MP							
Snow White	SW							
Light Grey	LG							
Beech	BH							
Black	BC							
Stone Oak	SN							

listings & application matrices

PAINT FINISH OFFERING

		hiSpace	seating	social & collaborative	storage	world wide complements	pod	expansion casegood
								
Metal								
White	VW	Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Silver	SL	Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Black	BK	Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Ebony (Foundation)	52	Not Available	Available	Not Available	Not Available	Available	Available	Available
Graphite (Foundation)	52	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Very White (Mica)	83	Not Available	Available	Not Available	Not Available	Available	Not Available	Available
Anthracite (Mica)	52	Not Available	Available	Not Available	Not Available	Available	Available	Not Available

listings & application matrices

SCREEN FINISH OFFERING

		hiSpace	seating	social & collaborative	storage	world wide complements	pod	expansion casegood
Acrylic								
Clear Glass	C L							
Frosted Glass	FT							

LINEAR FINISH OFFERING

		hiSpace	seating	social & collaborative	storage	world wide complements	pod	expansion casegood
Linear								
Alloy	NE							

BASE FINISH OFFERING

		hiSpace	seating	social & collaborative	storage	world wide complements	pod	expansion casegood
Chrome								
Chrome	C 6							

general information

general information

TEKNIPAINT & TEKNISTAIN15

CARE & MAINTENANCE16

TOUCH-UP-KITS19

teknipaint & teknistain

TekniPaint

A TekniPaint form is required if the customer requires a custom paint color.

The color matching procedures will take a minimum of 10 working days.

Standard lead times apply once customer approved sample is received by Teknion Customer Service Representative.

Using the TekniPaint

Prior to placing the order, Dealer submits the color match sample (minimum size 2" x 2") to Teknion Customer Service Representative in conjunction with a completed TekniPaint form.

After the color match process is completed, two (2) samples are returned to the Customer Service Representative who forwards them to the Dealer with a sign-off sticker, attached to the back of the sample, for approval by the customer.

Customer formally signs-off on the color samples by signing the attached sticker.

Dealer returns one (1) of the customer approved samples to a Customer Service Representative or a fax of the signed off sample to Teknion.

Dealer submits the order, quoting the paint name and paint number as indicated on the customer sign-off sticker.

Teknion products included in this program:

- Panels and Supports
- Providers, Overheads & Active Storage Products
- Electrical Products
- Pedestals, Lateral files & Storage Cabinets.

TekniPaint forms and information on how to use these forms can be found at www.teknion.com/products for your printing convenience.

TekniStain

A TekniStain form is required if a Teknion Wood product is needed in colors outside our standard offering.

To order a Custom Wood Stain, follow these instructions:

If specifying a custom color for Seating, please use code NOCWS.

If specifying a custom color for District, Interpret, Leverage, Marketplace, TOS, Transit, Expansion Casegoods or Expansion Wood, please use code ZOCWS.

If specifying a custom color for Dossier, Cana, Westcoast, Solitär, Grayson, Agenda, Gemini, Table&Conferencing and Executive Casegoods, please use code ZCCWS.

Please forward a TekniStain form to your Customer Service Representative along with two color samples. Allow two (2) weeks for the TekniStain approval process. The Custom Wood Stain sample must be signed off prior to placing product order. The total lead time will begin once final approval samples have been received from customer to Teknion.

Using the TekniStain

Teknion requires dealer or client to supply one (1) TekniStain form for each color being custom matched.

Include three (3) for U.S./two (2) for Canada minimum 3 x 3 color samples for each color being submitted for Custom Wood Stain

Teknion will provide customer with two color samples for each TekniStain submitted. The customer must sign the back of the approved sample. The second sample to be kept for customer reference.

TekniStain forms and information on how to use these forms can be found at www.teknion.com/products for your printing convenience.

care & maintenance

Regular cleaning of your furniture system will maintain the appearance and optimize the long term return on investment.

Teknion dna™

Due to the unique shape and size of dna and the inherent properties of some fabrics, mild creasing or puckering may result and is not considered a quality issue by Teknion. In most cases, the fabric can be smoothed-over by hand to improve the appearance.

Teknion Aluminum Anodized Wall Products

Cleaning

- Wipe down your Anodized Aluminum surface with a damp sponge to remove general surface dirt. This will not eliminate stains or scratches, but will help to prevent dust and dirt buildup. Dry the Aluminum with a towel to prevent water spotting.
- With signs of black oxide from rubbing abrasion, squeeze one or two drops of mild dishwashing detergent into a cup of water. Apply the soapy water to an abrasive sponge and scrub the Aluminum vigorously. Anodized Aluminum requires an abrasive touch with a gentle cleaning solution, as many harsh cleaning products will react with the Aluminum.
- Rinse the Anodized Aluminum surface with clean water and then dry it with towels. Use long strokes and avoid changing directions for best results. If this method fails to thoroughly clean the Aluminum, proceed to contact Teknion.

An oil product could mask some stains temporarily; you may experience the stain returning after the oil flashes off. Because of time constraints we mix Isopropyl Alcohol to our water mix in order to speed drying. Not rubbing alcohol because it will contain a moisturizer to counter drying the skin.

Whiteboard

Cleaning

We recommend that you erase your whiteboard after every use.

If you need to leave the content on your board then we recommend that the whiteboards should at least be cleaned weekly with the wet whiteboard cleaner recommend by the related marker manufacturer.

Cleaning your whiteboard will remove the chemical build-up that can occur with repeated use of dry erase markers. This can help maintain your whiteboard.

Maintenance

Use Dry erase markers only. All dry erase markers can write legibly on a whiteboard surface, but not all will erase properly due to their composition. Do not use low odor dry erase markers or permanent (indelible) markers. The use of proper markers can help avoid staining or ghosting.

Follow the Cleaning recommendations. It is recommended that the whiteboard is erased daily using an eraser designated for use with dry erase markers from the marker manufacturer. We also recommend that a complete cleaning is performed at least once a week with the wet whiteboard cleaner recommend by the related marker manufacturer.

To remove permanent marker. Write on top of the permanent marker, erase with a dry eraser, using a dry erase marker, and then clean with the wet whiteboard cleaner recommend by the related marker manufacturer.

Ghosting Issues

Faded content that remains on your whiteboard after erasing/cleaning is commonly known as ghosting.

To help avoid ghosting, do not use permanent or non-dry erase markers. Avoid using red and orange markers for easier cleaning and to reduce the likelihood of ghosting.

In order to avoid ghosting please use our cleaning and maintenance recommendations. If ghosting remains please try of the following actions to remove

Apply whiteboard cleaner and wipe entire whiteboard with a paper towel, and let dry. Use Mix Joy® dishwashing detergent with warm water and apply to the whiteboard using a paper towel, then wipe dry with a clean cloth. Repeat as necessary.

If ghosting or staining remains, you could use a small amount of rubbing alcohol on a clean, soft towel.

care & maintenance (continued)

Metal & Plastic

Wash surface regularly with mild soap and water. Dry with a clean cloth or soft paper towel to prevent soap streaks.

Source Laminate & Fascia Laminate

In order to maintain the life and appearance of your thermally fused melamine panels, please follow these guidelines:

- May be easily cleaned using a mild, non-abrasive, all purpose cleaner and a soft cloth. Coffee, tea or other difficult stains may be removed using a mild household detergent or a paste of baking soda and water (note: 10-20 strokes should remove most stains, excessive force or scrubbing may damage the surface).
- Abrasives such as scouring pads or gritty cleansers may permanently dull and /or scratch the surface and result in future staining.
- Do not place hot cookware, dishes or objects onto the surface. Knives and other sharp objects used directly on the surface can also be damaging.

Foundation Laminate

High pressure laminate (HPL) surfaces are highly resistant to wear, scratching, boiling water, food acids, alcohols, oil, grease and ordinary household chemicals.

General Care

Surfaces will retain their original appearance indefinitely when these simple precautions are followed:

- Wash surface with a non-residual, streak free cleaning product such as glass cleaner (ammonia based cleaner) to remove residue (oils, fingerprints, glass rings, smudges and smears).
- To remove superficial stains which may not be easily removed with soap and water, use a non-abrasive liquid cleaner.
- Use of an eraser can assist in the removal of ink marks.
- Avoid gritty or abrasive liquid cleaners and cleansing powders.
- Avoid bleaching cleaners and cleansing powders.
- Use a wooden cutting board when cutting, slicing or chopping.
- Use a trivet or hot pad under appliances.

Seamless Color

Surfaces will retain their original appearance indefinitely when these simple precautions are followed:

- Wash surface regularly with mild soap and water. Dry with a clean cloth or soft paper towel to prevent soap streaks.
- To remove superficial stains which may not be easily removed with soap and water, use a non-abrasive liquid cleaner.

Flintwood & Natural Veneer

Teknion furniture is built to strict specifications to ensure many years of exceptional use. Like all natural products, Teknion wood surfaces may vary slightly in grain texture and color. Because each piece of furniture is unique, minor variations between pieces can be expected.

The beauty of Teknion's veneer is enhanced with a clear top coat which is not affected by most liquids found in offices or homes. This finish contains inhibitors to help prevent pigments from fading. However, like any wood product, the finish will fade with prolonged exposure to intense light.

Cleaning & Polishing

To clean, simply wipe the surface (in the direction of the grain) first with a dry cloth. Circular or sideways rubbing can adversely affect the appearance of the wood finish. If the surface is exceptionally dirty, add a mild soap solution to the water. Waxes and furniture polishes should be avoided as they may result in buildup or may deepen the gloss of the furniture.

General Care

- Remove any spilled liquids immediately with a blotting rather than a wiping action.
- Do not drag objects across finished surfaces.
- For chips, scratches or unusual damage, professional repair may be required.
- Avoid exposing the surface to extreme heat, cold or humidity.
- The surface finish may be burn-resistant but the wood beneath the finish is not and can be charred (e.g. by a burning cigarette).
- Exposure to strong sunlight should be avoided. The surface finish is fade proof but the wood beneath may change in color from extended exposure to sunlight.
- Place a desk pad under mechanical equipment. Rubber and oil will permanently mark the surface.
- Dust the surface frequently with a clean, soft, dry cloth.

Solid Surface

Routinely clean with a damp cloth. If a stain develops, wipe it with soap and water, or if you prefer wipe it clean with glass cleaner.

Do not expose your solid surface worksurface to harsh chemicals.

For tough stains, apply an abrasive cleanser and buff with a Scotch-Brite® pad using a circular motion.

care & maintenance (continued)

Marble

Marble has a sealer to help protect the natural stone from staining and to prevent discoloration.

The surface of natural marble is very porous and easily absorbs moisture. Use coasters under all glasses, particularly those containing alcohol or citrus juices. Many foods and drinks contain acids that will etch or dull the surface. Do not place hot items directly on the marble surface.

Wipe off stains or spills immediately with water and a clean soft cloth a mild soap can be added to the water. Dry with a soft clean cloth or soft paper towel to prevent streaks. Do not use cleaners or abrasive cloths.

To keep the beauty of the marble surface a sealer should be applied yearly.

Glass Elements

With proper care, glass panels will retain their clarity indefinitely. Care should be taken against scratching or contact with very hot objects that might mar the surface.

Cleaning

Wipe glass elements with a mild soap or detergent and lukewarm water. Use a clean soft cloth, applying only light pressure. Rinse with clean water and dry by blotting with a damp cloth or chamois.

Grease, oil or tar may be removed with a good grade of hexane, aliphatic naphtha or kerosene. These solvents are available at paint and hardware stores.

Follow the manufacturer's recommendations.

Any oil film left by solvents should be removed immediately by washing.

Do Not Use window cleaning sprays, kitchen scouring compounds or solvents such as acetone, gasoline, benzene, carbon tetrachloride or lacquer thinner on glass elements.

Dusting

Dust with a soft, damp cloth or chamois. Dry or gritty cloths may cause surface scratches.

Polishing

Protect the glass elements and maintain surface gloss by occasional waxing with a good auto paste wax. Apply a thin, even coat with a soft clean cloth and polish lightly with cotton flannel. Then wipe with a damp cloth to help eliminate electrostatic charges that can attract dust particles.

Back Painted Glass

To maintain back-painted glass products, gently clean, do not scrub, with a soft, clean, lint-free cloth and soap and water solution. Do not use paper towels; their fibers can adhere to the finished surface.

Do not use window cleaning sprays, kitchen scouring compounds or solvents such as acetone, gasoline, benzene, carbon tetrachloride or lacquer thinner on back-painted glass.

Altos/Optos Glass

Use a wash solution that includes a mild soap and detergent, or a slightly acidic cleaning solution (vinegar and water). A product like Windex can also be used. Do not use harsh cleaners, abrasives or alkaline materials.

Use clean, grit-free cloths, together with the wash solution, to clean the glass. Care must be taken to ensure that gritty dirt particles picked up by the cloth do not scratch the glass. Do not use metal scrapers or tools to remove stubborn materials or stains.

Immediately follow the washing with liberal amounts of clean rise water (for best results use distilled water).

Promptly remove excess rinse water with a clean, good quality squeegee. Debris must be removed from the squeegee to prevent possible glass damage.

Skyline Glass


PLEASE DO NOT CLEAN ETCHED AREAS PRIOR TO 30 DAYS AFTER INSTALLATION! To maintain the glass, gently clean - do not scrub - with a clean, soft, lint-free cloth and 4: 1 mixture of water and vinegar. DO NOT USE AMMONIA-BASED CLEANERS! Do not use paper towels; their fibers adhere to the etched surface and they will affect the protective quality of the Etch Sealer. Harsh scrubbing and/or abrasive cleaners may damage the protective sealer and void your warranty.

touch-up kits

Teknion offers two types of Touch-Up Kits; a bottle with brush (paint) or a crayon, depending on which finish the product is applied.

KT100 – Bottle with brush is available for:

Foundation
Mica
Accent
Filling & Storage Paint Colors
Seamless Color (not available for Group 2 colors)




KT401 – Crayon is available for:

Fascia Laminate
Flintwood
Natural Veneer
Seamless Color (available for Group 1 colors)



KT402 – Marker is available for:

Flintwood
Natural Veneer
Seamless Color (available for Group 1 colors)



Ordering Touch-Up Kits:

Touch-Up Kits can be ordered through the Leverage product line specification software.

Touch-Up Kit Directions

Before You Begin

Make sure the surface is clean, dry and free of grease and oil. If needed, use a mild solvent and a clean cloth to wipe down surface. NOTE: Touch-Up should be used on small nicks and scratches only. It is not meant for large areas or deep gouges.

How to Use the Small Brush (KT100)

Always shake the bottle for at least one minute after the mixing balls begin to rattle. If the product is not adequately mixed, the color of the paint will not be correct. (Do not try to get all of the residue on the bottom of the bottle; it will never totally blend). Make sure that the product is capped tightly before shaking.

Dip brush into the bottle as far as it will go.

Slowly remove the brush from the bottle. The brush wiper which is mounted in the bottle opening reduces the opening diameter and helps to wipe excess paint from the brush. This eliminates dripping paint from the brush after removing it from the bottle.

Brush paint on with smooth strokes. Use very slight pressure when touching the brush to the substrate. Avoid retouching the wet paint film with the brush after it is applied. Do not try to retouch applied paint after paint has set up for more than 2 minutes.

When finished, recap the bottle.

How to Use the Crayon (KT401)

Apply by simply rubbing the semi-hard compound into the defect or damaged substrate or finish in a variety of directions.

Once applied, and slightly overfilled, the excess filler is removed by carefully leveling off using a semi-flexible plastic leveling card. An old bank card works sufficiently for this step. To finish off the task, use a soft lint free cloth for wiping off any further excess material from the area being worked on. Paper towel can also be substituted for a lint free cloth and this purpose.

How to Use the Marker (KT402)

Shake marker thoroughly to get full color strength. Depress the nib to begin material flow. Do not overload the nib with material. With light strokes, slowly apply color to the damaged area being careful not to “puddle” the material. Gently feather the applied material with a finger to blend the color in with the surrounding area.

social & collaborative
finishes + materials

social & collaborative finishes + materials

SURFACE FINISH	22
BASE FINISH	25
ALUMINIUM FINISH	27
FRAME FINISH	28
METAL FINISH	29
WOOD LEG FINISH	31
POLISHED ALUMINIUM FINISH	31


listings & application matrices

SURFACE FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
	Available						
	Not Available						
Oakwood	OK						
White Lacquered MDF	WL						
Solid Oak in Oil Finish							
Black	010						
Pure	020						
Natural	030						
Pistache	040						
Charcoal	050						
Intense Black	060						
Worksurface Laminate							
White	2420						
Pala Grey	2422						
Ivory	2425						
Cappuccino	2426						
Grey	2484						
Dark Grey	2488						
Light Grey	2489						
Black	2499						
Wood décor							
Acacia	2502						
Cherry	2506						
Elm	2510						
Dark Ash	2514						
Dark Walnut	2519						
Dark Walnut	2520						
Oak	2521						
Walnut	2539						
Teak	2584						
Laminate B							
Powder	L100						
Moongrey	L101						
Signal Grey	L102						
Cuando	L103						
Zucchini	L57						
Dark Blue	L60						
Cashmere	L62						
Volcanic Black	L66						
Gorse Yellow	L68						
Royal Blue	L69						
Horizon	L70						
Atlantic	L71						
Skaggerak	L72						
Agave	L73						
Sage	L74						
Burgundy	L75						

listings & application matrices

SURFACE FINISH OFFERING (continued)

		artifort	true design	segis	lande	wilkhahn	studio tk
							
Laminate B (continued)							
Salsa	L 76				Available		
Shadow	L 81				Available		
Opaque White W10410	L 82				Available		
Lindberg Oak	L 83				Available		
Oak Natural	L 84				Available		
Okapi Walnut	L 85				Available		
Portland Ash Black	L 86				Available		
Jerusalem Pine	L 87				Available		
Concrete 44374 DP	L 88				Available		
Roma Marble S63014	L 89				Available		
Laminate C							
Bianco Kos 0032	L 93				Available		
Grigio Efeso 0725	L 94				Available		
Nero Ingo 0720	L 95				Available		
Black/Decorated HPL Top							
Cognac Oak 0048	C 0		Available				
Naatural Oak 0125	N 0		Available				
Plywood Top							
Oakwood Reevere	O K		Available				
White Bianco	W B		Available				
Full Core White HPL Top							
White Bainco	W E		Available				
Wooden Top							
Oakwood Revere	O W		Available				
Walnut Noce	W T		Available				
Laminate Arpa							
Bianco Kos 0032	L 93	Available					
Grigio Efeso 0725	L 94	Available					
Nero Ingo 0720	L 95	Available					
Verde Comodoro 0750	L 96	Available					
Rosso Jaipur 0751	L 97	Available					
Laminate							
Solid Oak Wood	O W	Available					

listings & application matrices

SURFACE FINISH OFFERING (continued)

		artifort	true design	segis	lande	wilkhahn	studio tk
							
Arpa Fenix							
Bianco Kos 0032	V93	Available					
Grigio Efeso 0725	V94	Available					
Nero Ingo 0720	V95	Available					
Verde Comodoro 0750	V96	Available					
Rosso Jaipur 0751	V97	Available					
Solid Oak, Oil Or Stain							
Black	01	Available					
Pure	02	Available					
Natural	03	Available					
Pistache	04	Available					
Charcoal	05	Available					
Intense Black	06	Available					
Black	B11	Available					
Natural	B20	Available					
Veneer							
Oak	F06	Available			Available		
Oak Black (stained B11 Black)	F06	Available			Available		
American Walnut	F07				Available		
Modus Laminate							
Black 	BZ						Available
Light Grey 	LY						Available
Alpine White MFC 	AW						Available
Stone Oak MFC 	SK						Available

listings & application matrices

BASE FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
	Available						
	Not Available						
Agate Grey RAL7038	P 28						
Black RAL 9005	P 03						
White RAL 9010	P 04						
Dark Grey Metallic	P 06						
Aluminium Metallic RAL9006	P 08						
Structure							
Black RAL 9005	P 10						
Grey	P 11						
Light Grey	P 13						
White RAL 9016	P 23						
Sepia Brown RAL 8014	P 27						
Agate Grey RAL 7038	P 29						
Olive Grey RAL 7002	P 31						
Grey Beige RAL 1019	P 33						
Honey Yellow RAL1006	P 35						
Fir Green RAL6009	P 37						
Grey Blue RAL5008	P 39						
Black Red RAL3007	P 41						
Ocean Blue RAL5020	P 43						
Gold	P 45						
Copper MW305F	P 49						
Tele Grey 4 RAL7047	P 53						
Quartz Grey RAL 7039	P 55						
Black Grey RAL7021	P 57						
Azure Blue RAL5009	P 59						
Light Pink RAL3015	P 61						
Purple Red RAL3004	P 65						
Chocolate Brown RAL 8017	P 67						
Dark Blue RAL5003	P 73						
Pine Green RAL6028	P 75						
Cream White RAL 9001	P 81						
Slate Grey RAL 7015	P 85						
Salmon Orange RAL2012	P 87						

listings & application matrices

BASE FINISH OFFERING (continued)

		artifort	true design	segis	lande	wilkhahn	studio tk
							
Modus Paint							
Black Grey	BG						Available
Grey Blue	GB						Available
Olive Green	OG						Available
Silk Grey	SG						Available
Nile Green	NG						Available
Traffic White	TW						Available
Jet Black	JB						Available
English Red	ER						Available
Gentle Blue	TB						Available
Autumn Leaf Red	AR						Available
Garlic Beige	RB						Available
Light Chamois	LT						Available
Peanut Butter	PB						Available
Earth Green	EG						Available

listings & application matrices

ALUMINIUM FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
Black	BL		Available				
White	WH		Available				
Chrome							
Chrome	C 6	Available					
Chrome	O 2			Available			
Chrome	C 6 0 0		Available				
Color							
Black	B				Available		
White	W				Available		

listings & application matrices

FRAME FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
	 Available  Not Available						
Grey	4						
Brick	5						
Mustard	6						
Black	8						
Anthracite	11						
Gainsboro	12						
Prussian	13						
Taupe	17						
White	18						
Dark Grey	23						
Garnet	24						
Red	26						
Beige	32						
Blue	33						
Pickle Green	34						
Olive Green	36						
Noble Bronze	40						
Anodic Bronz	41						
Anodic Brown	42						
Anodic Black	45						
Light Grey	46						
Tawny	47						
Pecan	48						
Gingerbread	49						
Russet	51						
Fawn	52						
Macaroon	53						
Asparagus	54						
Turquoise	55						
Yale	56						
Aluminium	68						

listings & application matrices

METAL FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
	Available						
	Not Available						
Sand Yellow	1002						
Red	3016						
Blue	5008						
Patina Green	6000						
Reed Green	6013						
Pale Green	6021						
Green	6028						
Squirrel Grey	7000						
Cement Grey	7033						
Silk Grey	7044						
Orchre Brown	8001						
Red Brown	8012						
Sepia Brown	8014						
Black	9005						
White	9010						
Paint Powder							
Glossy							
Black RAL 9005	P03						
White RAL 9010	P04						
Signal White RAL9003	P05						
Dark Grey Metallic	P06						
Aluminum Metallic RAL 9006	P08						
Black brown RAL 8022	P24						
Sepia brown RAL 8014	P26						
Agate grey RAL 7038	P28						
Olive grey RAL 7002	P30						
Grey beige RAL 1019	P32						
Honey yellow RAL 1005	P34						
Capri blue RAL 5019	P36						
Red orange RAL 2001	P38						
Traffic red RAL 3020	P40						
Ocean blue RAL 5020	P42						
Matte							
Black RAL 9005	P10						
Grey	P11						
Aluminum metallic RAL 9006	P13						
White RAL 9016	P23						
Black brown RAL 8022	P25						
Sepia brown RAL 8014	P27						
Agate grey RAL 7038	P29						
Olive grey RAL 7002	P31						
Grey beige RAL 1019	P33						
Honey yellow RAL 1005	P35						
Fir green RAL 6009	P37						
Grey Blue RAL 5008	P39						

listings & application matrices

METAL FINISH OFFERING (continued)

		artifort	true design	segis	lande	wilkhahn	studio tk
 Available							
 Not Available							
Black Red RAL 3007	P 4 1						
Ocean Blue RAL 5020	P 4 3						
Copper MW305F	P 4 9						
Tele Grey 4 RAL 7047	P 5 3						
Quartz Grey RAL 7039	P 5 5						
Black Grey RAL 7021	P 5 7						
Azure Blue RAL 5009	P 5 9						
Light Pink RAL 3015	P 6 1						
Traffic Orange RAL 2009	P 6 3						
Purple Red RAL 3004	P 6 5						
Chocolate Brown RAL 8017	P 6 7						
Orange Brown RAL	P 6 9						
Pink Beige RAL design	P 7 1						
Dark Blue RAL 5003	P 7 3						
Pine Green RAL 6028	P 7 5						
Pastel Green RAL 6019	P 7 7						
Light Ivory RAL 1015	P 7 9						
Cream White RAL 9001	P 8 1						
Pastel Turquoise RAL 6034	P 8 3						
Slate Grey RFAL 7015	P 8 5						
Salmon Orange RAL 2012	P 8 7						

listings & application matrices

WOOD LEG FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #007bff; margin-right: 5px;"></div> Available </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 15px; height: 15px; border: 1px solid black; margin-right: 5px;"></div> Not Available </div>							
Oakwood Revere	OW						
Walnut Noce	WT						
Beechwood Faggio	BF						

POLISHED ALUMINUM FINISH OFFERING

		artifort	true design	segis	lande	wilkhahn	studio tk
<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #007bff; margin-right: 5px;"></div> Available </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 15px; height: 15px; border: 1px solid black; margin-right: 5px;"></div> Not Available </div>							
Polished Aluminum	C9						

teknion

www.teknion.com

CAN/US/INT 10-27
©Teknion 2025

®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.

Some products may not be available in
all markets. Contact your local Teknion
Representative for availability.

OCT25-AIH-PG