

## update summary

Please be advised that information has been updated within the North 56 Price & Application Guide. To highlight these updates, a summary has been created for your reference.

revised

Price increase has been incorporated.

First orders for new products will be accepted on November 24, 2025. All software will also be updated by November 24, 2025. If you have any questions regarding the information enclosed, contact your Teknion Customer Service Representative.






### INTRODUCTION

	WHAT IS NORTH 56	/
	NORTH 56 PRODUCT MAP	3
	PLANNING WITH NORTH 56	1
	SEATING FINISHES	4
	TABLE FINISHES	5
CI	AIRS	
	ARNE CHAIR	5
	CHEZ CHAIR	)
	ARU CHAIR	3
	SCHALE CHAIR4(	)
	SICLA CHAIR	5
T A	BLES	
	RECTANGULAR TABLE70	)
	SQUARE TABLE	2
	ROUND TABLE	4



North 56 is a series of multi-use wood chairs and tables designed to fit a workspace that's more relaxed and congenial.

The series takes its name from the latitudinal coordinate that runs across Canada, northern Europe and Asia, tracing a line that connects geographies, cultures and design traditions. Drawing from the design ethos of Scandinavia and Japan, North 56 recasts these influences in a fresh, original way suited to contemporary work environments.







# north 56 product map

North 56 consists of the following seating and table collections:

#### arne



### chez



### laru



# north 56 product map (continued)

### schale



Schale Chair, **Upholstered Seat** (NSCUS)



Schale Chair, **Dual Upholstered** (NSCUD)



Upholstered Seat (NSCTCS)



Schale Stool Counter, Schale Stool Counter, Dual Upholstered (NSCTCD)



Schale Stool Bar, Upholstered Seat (NSCTBS)



Schale Stool Bar, Dual Upholstered (NSCTBD)

### sicla



Sicla Chair, 4 Leg (NSLA)



Sicla Chair, 4 Leg Upholstered Seat (NSLUS)



Sicla Chair, 4 Leg Full Upholstered (NSLUD)



Sicla Chair, Wood Legs (NSWA)



Sicla Chair, Wood Legs, Upholstered Seat (NSWUS)



Sicla Chair, Wood Legs, Full Upholstered (NSWUD)



Sicla Chair, Rocker Base (NSRA)



Sicla Chair, Rocker Base, **Upholstered Seat** (NSRUS)



Sicla Chair, Rocker Base, Full Upholstered (NSRUD)



Sicla Chair, 5-Star Base (NSFA)



Sicla Chair, 5-Star Base, **Upholstered Seat** (NSFUS)



Sicla Chair, 5-Star Base, Full Upholstered (NSFUD)

# north 56 product map (continued)

### rectangular tables

standard top



North 56 Rectangular Table Standard Top (NFTTS) 60" width



North 56 Rectangular Table Standard Top (NFTTS) 72" width



North 56 Rectangular Table Standard Top (NFTTS) 84" width



North 56 Rectangular Table Standard Top (NFTTS) 96" width

split two piece top



North 56 Rectangular Table Split Two Piece Top (NFTTT) 60" width



North 56 Rectangular Table Split Two Piece Top (NFTTT) 72" width



North 56 Rectangular Table Split Two Piece Top (NFTTT) 84" width



North 56 Rectangular Table Split Two Piece Top (NFTTT) 96" width

### square tables



North 56 Square Table, Task (NFTS29)



North 56 Square Table, Counter (NFTS36)



North 56 Square Table, Bar (NFTS42)

### round tables



North 56 Round Table, Task (NFTR29)



North 56 Round Table, Counter (NFTR36)



North 56 Round Table, Bar (NFTR42)

# planning with north 56

North 56 chairs and tables are very versatile. They can be used together or mixed and matched with other product lines.



- North 56 Rectangular Split Top Table
- North 56 Laru Arm Chairs
- upStage Credenza
- Zones Floor Lamp

- North 56 Sicla Chairs
- Audience Table
- upStage Credenza
- Zones Floor Lamp

- North 56 Rectangular Table
- Zones Club Chairs with 5-Star Base
- upStage Credenza
- Zones Floor Lamp

# planning with north 56 (continued)

North 56 is available in a variety of wood and solid surface finishes. These finishes combined with the Teknion fabric offering can create a wide range of looks.





**Casual Conversation** Round Table + Chez Stool






**Contemporary Café** Square Table + Laru Chair





Eclectic Meet Rectangular Table + Arne Chair + Sicla Chair







# planning with north 56 (continued)

The following North 56 idea starters can be found on the Teknion Planning Tool.

private office 01

Laru Arm Chairs



meeting room 01

Arne and Schale Chairs



casual meeting space 01

Sicla 4-Leg Chairs and Sicla Chairs with Rocker Base



cafe 01

Chez Chairs, Chez Side-Sit Chairs and Chez Stools, Bar Height



multipurpose space 01

Schale Chairs and Schale Stools, Counter Height



### private office 02

Arne Chairs



### meeting room 02

Schale Chairs



### casual meeting space 02

Chez Side-Sit Chairs, Sicla 4-Leg Chairs



cafe 02

Sicla 4-Leg Chairs, Laru Side Chairs



### multipurpose space 02

Sicla, Wood Legs Chairs, Sicla 5-Star Base and Schale Chair



## seating finishes

chroma wood coordinate finishes

CHROMA WOOD SAMPLE CARD

flintwood coordinate finishes

**E** FLINTWOOD SAMPLE CARD

veneer 3 coordinate finishes

**WENEER 3 SAMPLE CARD** 

veneer 4 coordinate finishes

**TOTAL SAMPLE CARD** 

### plastic shell finishes



### metal paint finishes

All Teknion Foundation, Mica and Accent paints are applicable to Sicla Bases.

📺 FOUNDATION SAMPLE CARD

MICA SAMPLE CARD

🛉 ACCENT SAMPLE CARD

Digital color representations are intended to provide an overview of our finish program. Refer to physical samples to view actual material. While Teknion uses every effort to maintain strict standards and consistency of finish, color and texture there may be slight variations between samples and the actual product. To order individual samples, visit teknion.com or contact your Teknion representative.

## table finishes

### top surface and leg coordinate finishes



### top surface and leg chroma wood coordinate finishes



#### top surface grade 2 laminate finishes

All Teknion Grade 2 Laminate.



### surface power finishes



Digital color representations are intended to provide an overview of our finish program. Refer to physical samples to view actual material. While Teknion uses every effort to maintain strict standards and consistency of finish, color and texture there may be slight variations between samples and the actual product. To order individual samples, visit teknion.com or contact your Teknion representative.

# arne chair overview

Arne expresses Nordic traditions in its sparing use of materials, shapely shell and the structural elegance of cross-bracing under the seat. Revealing a fluency with wood, the Arne Chair is built to follow the human form.

arne chair



### statement of line




# arne chair dimensions & material requirements


### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

	•	
we	18	ght

Arne Chair	12 lbs
Arne Chair - Upholstered Seat	12 lbs
Arne Chair - Upholstered Seat and Back	12 lbs





### COM/COL material requirement

Arne Chair

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

COM COL [yards] [sq. ft]		UPHOLSTERED SEAT					
vards   sq. ft							
0.6 3.75	-						

UPHOLSTI	ERED BACK	
COM [yards]	COL [sq. ft]	
0.5	2.5	

### NAER Arne Chair



- **FEATURES** Solid Oak frame
- Oak Veneer shell
- Multi-surface glides
- Stacks up to four-high
- Designed and tested for users up to 275 lbsMeets ANSI/BIFMA requirement


<b>PRODUCT</b>	<b>OPTIONS</b>
----------------	----------------

Wood Finish
Chroma Wood Coordinate
Flintwood Coordinate
Veneer Coordinate
SAMPLE ORDER CODE
NAER DV
PRICE
019

#### **FEATURES**

- Solid Oak frame
- Oak Veneer shell
- Multi-surface glides
- Mechanically fastened seat and back upholstered cushion
- Upholstered versions are not stackable
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

### NAEU Arne Chair, Upholstered



### PRODUCT OPTIONS

	Upholstery Style	Back Upholstery Finish	Seat Upholstery Finish	Wood Finish
$\overline{\mathbf{s}}$	Seat Only	Fabric	Fabric	Chroma Wood Coordinate
D	Seat and Back	Leather	Leather	Flintwood Coordinate
				Veneer Coordinate

### SAMPLE ORDER CODE

### PRICE

UPHOLST	ΓERED - SEA	AT ONLY (S)											
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1001	1017	1032	1047	1063	1078	1094	1109	1125	1140	1155	1170	1185	1201
UPHOLS	TERED - SE	AT AND BA	CK (D)										
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1147	1170	1195	1219	1243	1268	1292	1317	1340	1364	1389	1413	1437	1462

If two different fabrics are specified for Seat and Back Upholstery (D), add 209

## chez chair overview

Chez is shaped with a circular seat, designed with minimal structure and simple materials.

This gives the chair an informal air that fits the name "Chez," referring to being at or in one's place.

The Chez Chair is a bistro inspired seat with an open design to encourage collaboration and movement.

### chez chair



### statement of line





# chez chair dimensions & material requirements

### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

weight	
Chez Chair	16 lbs
Chez Chair - Upholstered Seat	16 lbs
Chez Chair - Upholstered Seat and Back	16 lbs





### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

	UPHOLST	ERED SEAT	UPHOLSTE	RED BACK	
	COM [yards]	COL [sq. ft]	COM [yards]	COL [sq. ft]	
Chez Chair	0.63	3.5	0.50	3.5	

## chez side-sit chair overview

Chez is shaped with a circular seat, designed with minimal structure and simple materials.

This gives the chair an informal air that fits the name "Chez," referring to being at or in one's place. The Chez Side-Sit Chair features a rolled, backrest detail creating a place to drape or rest the arm.

### chez side-sit chair



### statement of line



Chez Side-Sit Chair (NCSE)



Chez Side-Sit Chair, Upholstered Seat (NCSUS)



Chez Side-Sit Chair, Upholstered Seat and Back (NCSUD)


# chez side-sit chair dimensions & material requirements


### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

•	1
weı	ght

Chez Side-Sit Chair	18 lbs
Chez Side-Sit Chair - Upholstered Seat	18 lbs
Chez Side-Sit Chair - Upholstered Seat and Back	18 lbs





### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

	UPHOLSTERED SEAT		UPHOLSTI	ERED BACK	
·	COM [yards]	COL [sq. ft]	COM [yards]	COL [sq. ft]	
Chez Side-Sit Chair	0.63	3.5	0.5	3.5	

## chez stool overview

Chez is shaped with a circular seat, designed with minimal structure and simple materials.

This gives the chair an informal air that fits the name "Chez," referring to being at or in one's place. The Chez Stool features a round, slightly scooped seat that unifies the series.

chez stool



### statement of line









Chez Stool, Upholstered Seat, Counter

Chez Stool, Upholstered Seat, Bar (NCLUB)


# chez stool dimensions & material requirements

#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

### weight

Chez Stool, Counter	14 lbs
Chez Stool, Bar	15 lbs



### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

UPHO	LSTERED	SEAT

	[yards]	[sq. ft]	
Chez Stool	0.56	3.00	

# NCHE

# Chez Chair

### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer back and seat mechanically fastened
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



### PRODUCT OPTIONS

Glides					
B Hard Glides					
C Soft Glides					

### SAMPLE ORDER CODE

NCHE DV	В
TOTAL DV	<b>.</b>

### PRICE


540

If Soft Glides (C) is specified add 14

### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer back and seat mechanically fastened
- Mechanically fastened seat and back upholstered cushion
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

### N C H U Chez Chair, Upholstered



### PRODUCT OPTIONS

	Upholstery Style	Back Upholstery Finish	Seat Upholstery Finish	Wood Finish	Glides
<u>-</u>	Seat Only	Fabric	Fabric	Chroma Wood Coordinate	B Hard Glides
D	Seat and Back	Leather	Leather	Flintwood Coordinate	C Soft Glides
				Veneer Coordinate	

### SAMPLE ORDER CODE

NCHU D E523 E523 DV B	
-----------------------	--

### PRICE

UPHOLST	ΓERED - SEA	AT ONLY (S)											
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
553	568	584	599	615	630	646	660	676	691	706	722	737	753
UPHOLS	TERED - SE	AT AND BA	CK (D)										
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
721	744	769	793	817	842	866	891	915	939	964	988	1012	1037

If two different fabrics are specified for Seat and Back Upholstery (D), add 209 If Soft Glides (C) is specified add  $14\,$ 

### N C S E Chez Side-Sit Chair

### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer back and seat mechanically fastened
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



### PRODUCT OPTIONS

Wood Finish	Glides
Chroma Wood Coordinate	B Hard Glides
Flintwood Coordinate	C Soft Glides
Veneer Coordinate	

### SAMPLE ORDER CODE

NCSE DV	D
NCSE DV	В

PRICE

741

If Soft Glides (C) is specified add 14

### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer back and seat mechanically fastened
- Mechanically fastened seat and back upholstered cushion
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

### NCSU Chez Side-Sit Chair, Upholstered



# Chair, Upholstered Seat and Back

### PRODUCT OPTIONS

	Upholstery Style	Back Upholstery Finish	Seat Upholstery Finish	Wood Finish	Glides
<u></u>	Seat Only	Fabric	Fabric	Chroma Wood Coordinate	B Hard Glides
D	Seat and Back	Leather	Leather	Flintwood Coordinate	C Soft Glides
				Veneer Coordinate	

### SAMPLE ORDER CODE

NCSU D E523	E523	DV	В
-------------	------	----	---

### PRICE

UPHOLS	ΓERED - SEA	AT ONLY (S)											
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
767	783	798	814	829	845	860	876	891	905	921	936	952	967
<b>UPHOLS</b>	TERED - SE	AT AND BA	CK (D)										
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
949	972	996	1021	1045	1070	1094	1118	1142	1166	1190	1215	1239	1264


If two different fabrics are specified for Seat and Back Upholstery (D), add 209 If Soft Glides (C) is specified add 14

# NCHT

# Chez Stool

### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer seat mechanically fastened
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



### PRODUCT OPTIONS

	Height	Wood Finish	Glides
$\overline{\mathbf{c}}$	Counter	Chroma Wood Coordinate	B Hard Glides
В	Bar	Flintwood Coordinate	C Soft Glides
		Veneer Coordinate	

### SAMPLE ORDER CODE

NCHT C	DV	В
1,6111 6	2 ,	

PRICE


476

If Soft Glides (C) is specified add 14

#### **FEATURES**

- Metal frame in Foundry Onyx
- Oak Veneer seat mechanically fastened
- Mechanically fastened upholstered seat cushion
- Available with Hard or Soft Glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

### N C L U Chez Stool, Upholstered Seat



#### PRODUCT OPTIONS

	Height	Seat Upholstery	Glides		
$\overline{\mathbf{C}}$	Counter	Fabric	B Hard Glides		
В	Bar	Leather	C Soft Glides		

#### SAMPLE ORDER CODE

#### PRICE

Grade 1 504	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
504	518	534	549	565	581	596	611	625	641	
Leather LA	Leather LB	Leather LC	Leather LD							
656	672	687	703							

If Soft Glides (C) is specified add 14

## laru chair overview

Laru represents a more human approach to typical contract wood chairs, one that is inspired by the qualities of nature.

Providing comfort with minimal bulk, the frame is made of solid oak with a curved oak veneer back and a scooped plywood seat. Laru is understated, neutral, soft and friendly.

laru side chair / laru arm chair



### statement of line



# laru chair dimensions & material requirements

### features


### • Designed and tested for users up to 275 lbs


### • Meets ANSI/BIFMA Requirement

### weight

Laru Side Chair	12 lbs	

### laru side chair





### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

UPHOLSTERED	CEAT
UTHOLSTERED	SEAL

	COM	COL	
	[yards]	[sq. ft]	
Laru Side Chair	0.4	5.00	

# laru chair dimensions & material requirements (continued)


### features


- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

### weight

Laru Arm Chair 15 lbs	
-----------------------	--

#### laru arm chair





### COM/COL material requirement

Laru

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

LIDLIOI	STERED	CEAT
OFFICE	$\omega$ icker	3 CAI

	COM [yards]	COL [sq. ft]	
ı Arm Chair	0.4	5.00	

## N O L L N Laru Side Chair

#### **FEATURES**

- Solid Oak and Oak Veneer frame
- Mechanically fastened Oak Veneer seat insert
- Multi-surface glides
- Stacks up to four-high
- $\bullet \quad \text{Designed and tested for users up to 275 lbs}$
- Meets ANSI/BIFMA requirement



### PRODUCT OPTIONS

Wood Finish	
Chroma Wood Coordinate	
Flintwood Coordinate	
Veneer Coordinate	
SAMPLE ORDER CODE	
NOLLN DV	
PRICE	
1029	

#### **FEATURES**

- Solid Oak and Oak Veneer frame
- Mechanically fastened upholstered seat insert
- Multi-surface glides
- Stacks up to four-high
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



### Laru Side Chair, Upholstered Seat



#### PRODUCT OPTIONS

Upholstery Finish	Wood Finish
Fabric	Chroma Wood Coordinate
Leather	Flintwood Coordinate
	Veneer Coordinate

#### SAMPLE ORDER CODE

NOLLY E523 DV
---------------

#### PRICE

Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1181	1190	1201	1212	1221	1232	1242	1252	1262	1272	1283	1293	1303	1312

### N O L A N Laru Arm Chair

#### **FEATURES**

- Solid Oak and Oak Veneer frame
- Mechanically fastened Oak Veneer seat insert
- Multi-surface glides
- Arm Chair is not stackable
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



#### PRODUCT OPTIONS

Wood Finish	
Chroma Wood Coordinate	
Flintwood Coordinate	
Veneer Coordinate	
SAMPLE ORDER CODE	
NOLAN DV	
PRICE	
1330	

#### **FEATURES**

- Solid Oak and Oak Veneer frame
- Mechanically fastened upholstered seat cushion insert
- Multi-surface glides
- Arm Chair not stackable
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



### Laru Arm Chair, Upholstered Seat



#### PRODUCT OPTIONS

Upholstery Finish	Wood Finish
Fabric	Chroma Wood Coordinate
Leather	Flintwood Coordinate
	Veneer Coordinate

#### SAMPLE ORDER CODE

NOLAY E523 DV
---------------

#### PRICE

Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1484	1494	1503	1515	1524	1534	1544	1555	1565	1575	1586	1596	1606	1615

### schale chair overview

The name "Schale" is drawn from the Germanic root of the Scandinavian languages and was inspired by the embracing curve of the back, which evokes the sculpted shape of a seashell.

The Schale Chair features a curved demi back providing a comfortable, cocooning characteristic. This detail creates an inviting and open gesture, allowing for easy movement while seated.

schale chair, upholstered





Schale Chair, Upholstered Seat (NSCUS)



Schale Chair, Upholstered Seat and Back (NSCUD)


### schale chair dimensions & material requirements


#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

#### weight

Schale Chair - Upholstered Seat	23 lbs
Schale Chair - Upholstered Seat and Back	24 lbs





#### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

	UPHOLSI	ERED SEAT	
	COM [yards]	COL [sq. ft]	
Schale Chair	0.75	8.50	

UPI	HOLSTERE	D BACK	
	COM rards]	COL [sq. ft]	
	0.5	6.00	

### schale stool overview

Schale offers a refined expression of Nordic design. The name "Schale" is drawn from the Germanic root of the Scandinavian languages and was inspired by the embracing curve of the back, which evokes the sculpted shape of a seashell.

The Schale Stool features a back that encircles the body and flows into tapered armrests that permit freedom of movement.

schale stool





Schale Stool, Counter, Upholstered Seat (NSCTCS)



Schale Stool, Counter, Upholstered Seat and Back (NSCTCD)



Schale Stool, Bar, Upholstered Seat (NSCTBS)



Schale Stool, Bar, Upholstered Seat and Back (NSCTBD)


### schale stool dimensions & material requirements

#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

#### weight

Schale Stool, Counter	17 lbs
Schale Stool, Bar	18 lbs



#### COM/COL material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

Leather quantities should always be rounded up to the next hide size, as yields vary from 60-80% and are affected by the quality, size and shape of the hide, and by the location and quantity of blemishes.

	UPHOLSTERED SEAT		UPHOLSTE	RED BACK	
	COM [yards]	COL [sq. ft]	COM [yards]	COL [sq. ft]	
Schale Stool	0.6	7.00	0.4	5.50	

### N S C U Schale Chair, Upholstered

### FEATURES

- Solid Oak frame
- Oak Veneer shell
- Mechanically fastened upholstered seat and back cushion
- Multi-surface glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement





#### PRODUCT OPTIONS

	Upholstery Style	Back Upholstery Finish	Seat Upholstery Finish	Wood Finish
s	Seat Only	Fabric	Fabric	Chroma Wood Coordinate
D	Seat and Back	Leather	Leather	Flintwood Coordinate
				Veneer Coordinate

#### SAMPLE ORDER CODE

#### PRICE

UPHOLS	UPHOLSTERED - SEAT ONLY (S)												
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1023	1041	1060	1077	1095	1112	1131	1149	1166	1184	1203	1220	1238	1255
UPHOLS'	TERED - SE	AT AND BA	.CK (D)										
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1230	1260	1291	1321	1352	1382	1413	1444	1474	1504	1535	1566	1597	1628

If two different fabrics are specified for Seat and Back Upholstery (D), add  $209\,$ 

NSCT

#### **FEATURES**

- Solid Oak frame
- Oak Veneer shell
- Mechanically fastened upholstered seat and back cushion
- Multi-surface glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



Schale Stool, Counter Upholstered Seat



Schale Stool, Counter Upholstered seat and Back



**Upholstered Seat** 

Schale Stool, Upholstered

Schale Stool, Bar Upholstered Seat and Back

#### PRODUCT OPTIONS

	Height		Upholstery Style	Back Upholstery Finish	Seat Upholstery Finish	Wood Finish
$\overline{\mathbf{c}}$	Counter	S	Seat Only	Fabric	Fabric	Chroma Wood Coordinate
В	Bar	D	Seat and Back	Leather	Leather	Flintwood Coordinate
						Veneer Coordinate

#### SAMPLE ORDER CODE

NSCT C D	E523	E523	DV
----------	------	------	----

#### PRICE

UPHOLSTERED - SEAT ONLY (S)													
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1161	1177	1191	1207	1222	1238	1253	1269	1284	1300	1315	1330	1345	1360
UPHOLS	TERED - SE	AT AND BA	CK (D)										
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Leather LA	Leather LB	Leather LC	Leather LD
1318	1342	1365	1390	1414	1438	1463	1487	1512	1535	1559	1584	1608	1632

If two different fabrics are specified for Seat and Back Upholstery (D), add 209

### sicla chair, 4-leg overview

Sicla is a modern "basket" chair, with a lightweight shell curved along the edges to obtain strength and stability. The inventive design incorporates a rib that leads around the back of the chair and along the armrests.

The Sicla Chair, 4-Leg features a classic base that is versatile for various room environments.

sicla chair, 4-leg



#### plastic shell finishes






### sicla chair, 4-leg dimensions & material requirements


#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

#### weight

Sicla Chair, 4-Leg	17 lbs
Sicla Chair, 4-Leg, Upholstered	23 lbs





Note: Additional upholstery options will reduce the interior dimensions. See Teknion's *North 56 Measures, Weights & Volumes* guide for details.

#### COM material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

	UPHOLSTERED SEAT	FULL UPHOLSTERED
	COM [yards]	COM [yards]
Sicla Chair, 4-Leg	0.63	0.75

### sicla chair, wood legs overview

Sicla is a modern "basket" chair, with a lightweight shell curved along the edges to obtain strength and stability. The inventive design incorporates a rib that leads around the back of the chair and along the armrests.

The Sicla Chair, Wood Legs nicely integrates ash legs, providing a soft juxtaposition of materials in the chair.

sicla chair, wood legs



#### plastic shell finishes






### sicla chair, wood legs dimensions & material requirements


#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

	•	1
we.	19	ht

Sicla Chair, Wood Legs	14 lbs
Sicla Chair, Wood Legs - Upholstered	20 lbs





Note: Additional upholstery options will reduce the interior dimensions. See Teknion's *North 56 Measures, Weights & Volumes* guide for details.

#### COM material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

	UPHOLSTERED SEAT	FULL UPHOLSTERED
	COM [yards]	COM [yards]
Sicla Chair, Wood Legs	0.63	0.75

### sicla chair, rocker base overview

The Sicla Rocker Base Chair features an ash rocker base, adding a layer of warmth and movement to the room.

sicla chair, rocker base










# sicla chair, rocker base dimensions & material requirements


#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement

	•
weı	ght

Sicla Chair, Rocker Base	15 lbs
Sicla Chair, Rocker Base - Upholstered	21 lbs





Note: Additional upholstery options will reduce the interior dimensions. See Teknion's *North 56 Measures, Weights & Volumes* guide for details.

#### COM material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.

	UPHOLSTERED SEAT	FULL UPHOLSTERED
COM [yards]		COM [yards]
Sicla Chair, Rocker Base	0.63	0.75

### sicla chair, 5-star base overview

Sicla is a modern "basket" chair, with a lightweight shell curved along the edges to obtain strength and stability. The inventive design incorporates a rib that leads around the back of the chair and along the armrests.

The Sicla Chair, 5-Star Base allows for ease of movement in any office space.

#### sicla chair, 5-star base










### sicla chair, 5-star base dimensions & material requirements


#### features

- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA Requirement
- For Conversion to Metric, multiply dimension by 25.4

wei	ght
wei	gm

Sicla Chair, 5-Star Base	22 lbs
Sicla Chair, 5-Star Base - Upholstered	28 lbs





Note: Additional upholstery options will reduce the interior dimensions. See Teknion's *North 56 Measures, Weights & Volumes* guide for details.


#### COM material requirement

The pattern, repeat and directionality of fabric may increase the amount of yardage required.


	UPHOLSTERED SEAT	FULL UPHOLSTERED
	COM [yards]	COM [yards]
Sicla Chair, 5-Star Base	0.63	0.75

# sicla adjustment features & instructions

#### seat height-adjustment



Seat height can be adjusted by lifting the lever underneath the seat on the right side. When the lever is lifted up, the weight of the body will cause the seat to lower. Releasing the lever stops the seat at the desired height. Lifting the lever up with no weight on the seat allows it to rise.



#### **FEATURES**

- Plastic shell
- Metal frame
- Multi-surface glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement





#### PRODUCT OPTIONS

Plastic Shell Finish	Base Finish
8D Atrium White	Foundation
NF Blackstone	Mica
NH Clay	Accent
7W Signal Red	
7X Blue Sage	

#### SAMPLE ORDER CODE

NSLA 8D 24
------------

PRICE			
554			

# NSLU



#### **FEATURES**

- Plastic shell
- Metal frame
- Mechanically fastened upholstered cushioned seat (unibody when Full Upholstered (D) is selected)
- Multi-surface glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement



#### PRODUCT OPTIONS

	Shell Upholstery Finish	Upholstery Finish	Plastic Shell Finish	Base Finish
s	Seat Only	Fabric	8D Atrium White	Foundation
D	Full		NF Blackstone	Mica
			NH Clay	Accent
			7W Signal Red	
			7X Blue Sage	

#### SAMPLE ORDER CODE

NSLU D E523	8D	24
-------------	----	----

#### PRICE

UPHOLS	ΓERED - SEA	AT ONLY (S)								
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
674	689	705	721	736	752	766	782	797	813	
UPHOLS	ΓERED - FU	LL (D)								
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
793	828	863	897	932	966	1000	1036	1070	1103	

#### **FEATURES**

- Plastic shell
- Ash Wood legs
- Multi-surface glides
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement





#### PRODUCT OPTIONS

Wood Leg Finish
Chroma Wood Coordinate
Flintwood Coordinate
Veneer Coordinate

#### SAMPLE ORDER CODE

NSWA 8D	V
---------	---

PRICE
-------

812

# NSWU

# Sicla Chair, Wood Legs, Upholstered

#### **FEATURES**

- Plastic shell
- Ash Wood legs
- Multi-surface glides
- Mechanically fastened upholstered cushioned seat (unibody when Full Upholstered
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement





PRODUCT OPTIONS

	Shell Upholstery Finish	Upholstery Finish	Plastic Shell Finish	Wood Leg Finish
s	Seat Only	Fabric	8D Atrium White	Chroma Wood Coordinate
Ι	• Full		NF Blackstone	Flintwood Coordinate
			NH Clay	Veneer Coordinate
			7W Signal Red	
			7X Blue Sage	

#### SAMPLE ORDER CODE

NSWU D	E523	8D	DV
--------	------	----	----

#### PRICE


UPHOLS	PHOLSTERED - SEAT ONLY (S)									
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
948	961	977	992	1008	1023	1039	1054	1070	1084	
-										
UPHOLS	TERED - FU	LL (D)								
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
1071	1105	1140	1174	1208	1243	1277	1311	1347	1381	

#### **FEATURES**

- Plastic shell
- Metal frame
- Ash rocker base
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

#### NOTES

Shell and frame finish specifiable separately.





#### PRODUCT OPTIONS

Rocker Finish	Base Finish
Chroma Wood Coordinate	Foundation
Flintwood Coordinate	Mica
Veneer Coordinate	Accent
	Chroma Wood Coordinate Flintwood Coordinate

#### SAMPLE ORDER CODE

|--|

D	D	T	$\boldsymbol{c}$	Е
	1	.1	·	Ŀ

841

### NSRU Sicla Chair, Rocker Base, Upholstered

#### **FEATURES**

- Plastic shell
- Metal frame
- Ash rocker base
- Mechanically fastened upholstered cushioned seat (unibody when Full Upholstered (D) is selected)
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

#### NOTES

Shell and base finish can be specified separately.



Sicla Chair, Rocker Base, Upholstered Seat

Sicla Chair, Rocker Base, Full Upholstered

#### PRODUCT OPTIONS

3	Shell Upholstery Finish	Upholstery Finish	Plastic Shell Finish	Rocker Finish	Base Finish
S	Seat Only	Fabric	8D Atrium White	Chroma Wood Coordinate	Foundation
I	Full		NF Blackstone	Flintwood Coordinate	Mica
			NH Clay	Veneer Coordinate	Accent
			7W Signal Red		
			7X Blue Sage		

#### SAMPLE ORDER CODE

NSRU D	E523	8D	DV	24

#### PRICE

UPHOLS	TERED - SE	AT ONLY (S)	)							
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
959	975	990	1006	1021	1037	1052	1067	1082	1097	
UPHOLS'	ΓERED - FU	LL (D)								
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
1067	1101	1135	1170	1205	1239	1274	1308	1343	1377	

#### **FEATURES**


- Plastic Shell
- Aluminum Base
- Standard pneumatic cylinder provides height-adjustment of 4"
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

#### NOTES

Shell and base finish can be specified separately.

Cylinder and casters are default black.

Select Soft Casters for hard floors and Hard Casters for soft floors.





#### PRODUCT OPTIONS

Base Finish	Casters
Foundation	Hard Casters
Mica	A Soft Casters
Accent	
	Foundation Mica

#### SAMPLE ORDER CODE

NSFA 8D 24 A
--------------

n	D	T		1
ľ	к	.1	L	æ

604

### NSFU Sicla Chair, 5-Star Base, Upholstered

#### **FEATURES**

- Plastic shell
- Aluminum base
- Standard pneumatic cylinder provides height-adjustment of 4"
- Designed and tested for users up to 275 lbs
- Meets ANSI/BIFMA requirement

#### NOTES

Shell and base finish can be specified separately.

Cylinder and casters are default black.

Select Soft Casters for hard floors and Hard Casters for soft floors.







#### PRODUCT OPTIONS

Shell Upholstery Finish	Upholstery Finish	Plastic Shell Finish	Base Finish	Casters
S Seat Only	Fabric	8D Atrium White	Foundation	Hard Casters
D Full		NF Blackstone	Mica	A Soft Casters
		NH Clay	Accent	
		7W Signal Red		
		7X Blue Sage		

#### SAMPLE ORDER CODE

#### PRICE

UPHOLS	ΓERED - SE	AT ONLY (S)	)							
Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
740	756	770	785	800	816	831	847	863	878	
UPHOLSTERED - FULL (D)										
	COM/	COL/								
Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	
854	888	924	958	992	1027	1062	1096	1131	1165	



North 56 tables are residential in style but designed for the evolving office.


The North 56 tables address the movement towards a more casual and collaborative workstyle. These tables elegantly combine the materiality of wood with a range of laminate or veneer worksurfaces.




### planning with north 56 tables

#### recommended occupancy

The following recommended table occupancy allows for adequate personal and casual working space.



#### tethering



- Maximum of two rectangular or square tables can be casually tethered
- $\bullet$  One pair of connectors is supplied when the Connection option is specified
- Pilot holes for installation of casual table connection hardware are located on both table ends of each table, regardless of whether the option is specified
- Not available on round tables


## planning with north 56 tables (continued)

#### power options

North 56 Tables can be specified with surface power and undersurface power.


#### Surface Power

- 8" wide and centered on table
- Two simplex outlets
- Dual USB (A+C)
- 15' power cord with plug
- Finishes:
- Foundry Onyx
- Greystone
- Crisp Grey
- Atrium White




#### Undersurface Power

- Dual USB (A+C)
- 6' power cord with plug
- Finishes:
- Plastic unit and bracket Anthracite
- Transformer bracket Foundry Onyx




#### square, round table and electrics

- Electric options:
- One surface power OR two undersurface USB hubs (cannot be combined on the same table)
- Includes cable management clips and transformer



#### rectangular table and electrics

- Standard Top electric options:
- Surface power
- Undersurface power (2 or 4 USB hubs)
- Both
- Split Top cannot have integrated electrics
  - User edge electrics can be added:
    - Thesis Power Cube
    - Routes Power Port
- Includes cable management clips and transformer




# planning with north 56 tables (continued)

#### cable management

When surface power and/or undersurface USB hub option is chosen, the end user will receive a cable management kit that includes:

- Under worksurface cable management brackets x 2 (with hardware)
- Cable manager x 2 (black, peel and stick)



### rectangular table overview

#### north 56 rectangular table

Top Styles:
- Standard (shown)

- Split two piece top with 1" gap



#### top surface and leg wood coordinate finishes



#### top surface grade 2 laminates

All Teknion Grade 2 Laminate.





North 56 Rectangular Table Standard Top (NFTTS)

North 56 Rectangular Table Split Two Piece Top (NFTTT)

# rectangular table dimensions

#### features

• Meets BIFMA X6.5-2022 Requirement


### weight

North 56 Rectangular Table, Standard Top, 60" w	77 lbs
North 56 Rectangular Table, Standard Top, 72" w	90 lbs
North 56 Rectangular Table, Standard Top, 84" w	103 lbs
North 56 Rectangular Table, Standard Top, 96" w	116 lbs
North 56 Rectangular Table, Split Top, 60" w	79 lbs
North 56 Rectangular Table, Split Top, 72" w	93 lbs
North 56 Rectangular Table, Split Top, 84" w	108 lbs
North 56 Rectangular Table, Split Top, 96" w	121 lbs

#### Standard Top



#### Split Two Piece Top





### square table overview

#### north 56 square table



#### top surface and leg wood coordinate finishes



#### top surface grade 2 laminates

All Teknion Grade 2 Laminate.









North 56 Square Table, Bar (NFTS42)


# square table dimensions


#### features


• Meets BIFMA X6.5-2022 Requirement

### weight

North 56 Square Table, 29" height	55 lbs
North 56 Square Table, 36" height	59 lbs
North 56 Square Table, 42" height	61 lbs









### round table overview

#### north 56 round table



#### top surface and leg wood coordinate finishes



#### top surface grade 2 laminates

All Teknion Grade 2 Laminate.










### round table dimensions


#### features


• Meets BIFMA X6.5-2022 Requirement


### weight

North 56 Round Table, 29" height	56 lbs
North 56 Round Table, 36" height	60 lbs
North 56 Round Table, 42" height	62 lbs










#### N F T T Wood Table - Rectangular



#### **FEATURES**

- Top is 1" thick, with a flat edge and coordinating edge band finish
- Split Two Piece Top (T) option has 1" center gap
- Power options for Standard Top: none, in-surface, undersurface USB (2 or 4), or combination
- Power options for Split Two Piece: not compatible with integrated electrics but easy integration of user edge electrics
- Split top has a 1" center gap
- Maximum of two tables can be casually tethered with optional connection hardware
- BIFMA X6.5-2022 Home Office and Occasional-Use Desk, Table and Storage Products

#### NOTES

Natural White Oak finish will show natural differences due to the inherent characteristics of wood.

Options for user edge electrics available from Complements: *Teknion's Ergonomics & Accessories Program* or customer's own add-on electrics.

#### PRODUCT OPTIONS

Ī	Top Style	Height	Depth	Width	Surface Finish
S	Standard Top	29	40	60, 72, 84, 96	Veneer 3
7	Split Two Piece Top				Chroma Wood
					Matte Laminate

#### SAMPLE ORDER CODE

	NFTT S	29	40	72	LX
--	--------	----	----	----	----

#### PRODUCT OPTIONS

Wood Leg Finish	Connection	Power Options	Surface Power Finish
Veneer 3 Coordinates	N None	NN No electrics	20 Atrium White
Chroma Wood Coordinates	Y Yes	ND 2 undersurface USB hubs only	25 Crisp Grey
		NQ 4 undersurface USB hubs only	24 Greystone
		SN 8" surface power only	23 Foundry Onyx
		SD 8" surface power; 2 undersurface USB hubs	
		<b>SQ</b> 8" surface power; 4 undersurface USB hubs	

#### SAMPLE ORDER CODE

LX	Y	SN	25
----	---	----	----

See Pricing on the following page.

### NFTT Wood Table - Rectangular (Continued)

DESCRIPTION	PRICE  STANDARD TOP (S)				
	Veneer 3	Chroma Wood	Matte Laminate		
Width, 60"	2402	2485	2653		
Width, 72"	2573	2653	2754		
Width, 84"	2760	2856	2932		
Width, 96"	2932	3027	3034		
	SPLIT TWO PIECE TOP (T)				
	Veneer 3	Chroma Wood	Matte Laminate		
Width, 60"	2562	2689	2746		
Width, 72"	2766	2893	2887		
Width, 84"	2984	3116	3181		
Width, 96"	3187	3335	3289		
Table Connection, add	69				
2 Undersurface USB Hubs, add	280				
4 Undersurface USB Hubs, add	402				
8" Surface Power, add	335				
8" Surface Power and 2 Undersurface USB Hubs, add	615				
8" Surface Power and 4 Undersurface USB Hubs, add	737				

#### N F T S Wood Table - Square



#### **FEATURES**

- Top is 1" thick, with a flat edge and coordinating edge band finish
- Power options: none, in-surface power or undersurface USB power (2)
- Footrests (counter and bar height) and brackets default to Foundry Onyx
- Maximum of two tables can be casually tethered with optional connection hardware
- BIFMA X6.5-2022 Home Office and Occasional-Use Desk, Table and Storage Products

#### NOTES

Natural White Oak with a clear coat finish will show natural differences due to the inherent characteristics of wood.

#### PRODUCT OPTIONS

Height	Size	Surface Finish	Wood Leg Finish		Connection	Power Options	Surface Power Finish
29, 36, 42	40	Veneer 3	Veneer 3 Coordinates	N	None	NN No electrics	20 Atrium White
			Chroma Wood Coordinates	Y	Yes	USB hubs only	<ul><li>25 Crisp Grey</li><li>24 Greystone</li><li>23 Foundry Onyx</li></ul>

#### SAMPLE ORDER CODE

NFTS 29 40 LX	LX	Y	SN	25
---------------	----	---	----	----

#### DESCRIPTION

#### PRICE

	Veneer 3	Chroma Wood	Matte Laminate
Task Height, 29"	1967	2034	2123
Counter Height, 36"	2491	2561	2648
Bar Height, 42"	2510	2578	2667

Table Connection, add 69 2 Undersurface USB Hubs only, add 280 8" Surface Power only, add 335

#### **FEATURES**

- Top is 1" thick, with a flat edge and coordinating edge band finish
- Power options: none, in-surface power or undersurface USB power (2)
- Footrests (counter and bar height) and brackets default to Foundry Onyx
- No tethering option available on round tables
- BIFMA X6.5-2022 Home Office and Occasional-Use Desk, Table and Storage Products

#### NOTES

Natural White Oak with a clear coat finish will show natural differences due to the inherent characteristics of wood.





#### PRODUCT OPTIONS

Height	Diameter	Surface Finish	Wood Leg Finish	Power Options	Surface Power Finish
29, 36, 42	46	Veneer 3 Chroma Wood Matte Laminate	Chroma Wood Coordinates	hubs only	20 Atrium White 25 Crisp Grey 24 Greystone 23 Foundry Onyx

#### SAMPLE ORDER CODE

NFTR 29 46 LX	LX	SN	25
---------------	----	----	----

#### DESCRIPTION

#### PRICE

	Veneer 3	Chroma Wood	Matte Laminate
Task Height, 29"	2121	2191	2149
Counter Height, 36"	2645	2715	2673
Bar Height, 42"	2664	2734	2693

2 Undersurface USB Hubs only, add 280 8" Surface Power only, add 335

## teknion

www.teknion.com

CAN/US/INT II-24 ©Teknion 2025

°, ™ trade marks of Teknion Corporation and/or its subsidiaries or licensed to it. Patents may be pending.

Some products may not be available in all markets. Contact your local Teknion Representative for availability.

NOV25-NOR56