

# application guides

LEDGER. . . . .	19
LEDGER PLUS . . . . .	65
STANDARD STORAGE. . . . .	93
OVERHEAD STORAGE. . . . .	97

ledger

# ledger

LATERAL FILE BASICS . . . . . 22

LATERAL FILE DRAWER CONFIGURATIONS & LOCK CHARTS . . . 24

LATERAL FILE DRAWER HEIGHTS . . . . . 25

LATERAL FILE DRAWER STORAGE CAPACITIES . . . . . 26

STORAGE CABINET BASICS . . . . . 29

STORAGE CABINET CONFIGURATIONS & LOCK CHARTS . . . . . 30

COMBINATION CABINET BASICS . . . . . 31

COMBINATION CABINET CONFIGURATIONS . . . . . 32

WARDROBE CABINET BASICS . . . . . 33

WARDROBE CABINET CONFIGURATIONS & LOCK CHARTS . . . . 34

ADD-ON STORAGE CABINET BASICS . . . . . 35

MOBILE PEDESTAL BASICS . . . . . 36

SUSPENDED PERSONAL CUBBY BASICS . . . . . 37

PLANNING WITH THE SUSPENDED PERSONAL CUBBY AND  
NAVIGATE . . . . . 38

PLANNING WITH THE SUSPENDED PERSONAL CUBBY AND  
HISPACE . . . . . 43

PLANNING WITH THE SUSPENDED PERSONAL CUBBY AND  
COMPLEMENTS TABLES . . . . . 45

ledger (continued)

# ledger (continued)



PEDESTAL BASICS . . . . .	46
PEDESTAL AND STRETCH PEDESTAL DRAWER CONFIGURATIONS & LOCK CHARTS. . . . .	47
MOBILE PEDESTAL DRAWER CONFIGURATIONS & LOCK CHARTS . . . . .	48
PEDESTAL STORAGE OPTIONS . . . . .	49
PEDESTAL AND STRETCH PEDESTAL DRAWER HEIGHTS . . . . .	50
CUBBY DRAWER HEIGHTS . . . . .	51
PLANNING WITH STRETCH PEDESTALS & THE FIXED STORAGE TOP CUSHIONS. . . . .	52
PLANNING WITH LEDGER PEDESTALS. . . . .	54
STORAGE LOCKER BASICS . . . . .	58
STORAGE LOCKER CONFIGURATIONS & LOCK CHARTS . . . . .	59
PLANNING WITH STORAGE LOCKERS . . . . .	60
BOOKSHELF BASICS . . . . .	62
LEDGER FINISHES . . . . .	63

## lateral file basics


Ledger provides a comprehensive storage solution for managing information and resources and integrates competently into workstations or stand-alone scenarios. Ledger Lateral Files are offered in pre-configured arrangements.

- Five Lateral File drawer configurations are available: Two-High, Three-High, Four-High, Five-High and Six-High, all available in three height options:
  - 1) Letter-Height: used primarily for hanging files
  - 2) Combination-Height: used primarily for hanging files with some openings dedicated to binder storage
  - 3) Binder-Height: supports binders in all drawing openings, as well as hanging files (with the exception of the Six-High cabinet which is available in Letter-Height only)
- All drawer heights are based on a 1.6" module (the size of the posting shelf), then 3.2", 4.8", 6.4" to up to 16"
- Adjacent drawers align for a continual datum line
- The interior construction of the case permits drawer reconfiguration or retrofit at any time

22



An optional, fully-retractable **posting shelf** is available for the Five- and Six-High Lateral File cabinets to provide a convenient ledge



LFA08



LFA09

- **Counterweights** are required for all cabinets with pull-out drawers and cabinets not located directly under a worksurface
- The following type and number of counterweights will be included, if specified:

### 18" deep cabinets

	Two-High (up to 35.2")	Three-High (36.8" – 51.2")	Four/Five/Six-High (52.8" – 75.2")
30" w	2 LFA08	2 LFA08	2 LFA08
36" w	2 LFA08	2 LFA08	2 LFA08
42" w	3 LFA08	3 LFA08	2 LFA08

### 20" deep cabinets


	Two-High (up to 35.2")	Three-High (36.8" – 51.2")	Four/Five/Six-High (52.8" – 75.2")
30" w	2 LFA09	2 LFA08	2 LFA08
36" w	2 LFA09	2 LFA09	2 LFA08
42" w	3 LFA08	3 LFA08	2 LFA08

Three **handle styles** are available: District handle pull, rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position




#### District Handle Pull

- Not available on metal fronts
- Platinum finish



#### Rectangular Handle Pull

Platinum finish




#### Full Pull

- Available on metal fronts only
- Finished to match drawer front

# lateral file basics (continued)


Lateral File Accessories (LFA) enhance the organizational ability of the lateral drawers.

All Lateral File Accessories are Grey, except for the Divider Plates and EDP Adapters are Black.




**Hanging File Bars (LFA01, 02, 03)**

Permits hanging letter-, legal- or metric-size files in side-to-side arrangements




**Cross File Bars (LFA07)**

- Permits hanging letter-, legal- or metric-size files in a front-to-back arrangements. They are shipped in packages of two
- Available for 18" and 20" depth drawers




**Legal-to-Letter Adapter (LFA11, 12, 13)**

Prevents the contents of letter-size folders from falling from the side of the folder



**Divider Plates (LFA10, 24, 32)**

- Section the lateral drawer into separate compartments
- Available for 18" and 20" depth drawers
- Quarter-Height Divider Plates (LFA32) are designed to fit in 3.2" high lateral drawers – 18" deep drawers will have a 1/2" gap and 20" deep drawers will have a 1" gap
- Half-Height Divider Plates (LFA24) are designed to fit in 4.8", 6.4", 8.0" and 9.6" high lateral drawers – 18" or 20" deep drawers will have a 2 3/4" gap
- Full-Height Divider Plates (LFA10) are designed to fit in 11.2", 12.8", 14.4" and 16.0" high lateral drawers – 18" or 20" deep drawers will have a 2 3/4" gap
- Can also be applied to the Slotted Shelf (SA2)



**EDP Adapters (LFA20)**


- Provide clearance space for EDP files
- Available for 18" and 20" depth drawers

# lateral file drawer configurations & lock charts


The family of Ledger Lateral Files cater to diverse filing requirements.

- All Five- and Six-high Laterals include a 1.6" high Structural Module (B016) above the third drawer for extra stability
- Details on drawer heights (i.e. F112, F128) can be found on the following pages
- When Individual locks are specified each drawer comes with a lock (except the 6-high which comes with 5 locks)


## two-high



Letter-Height  
1 Lock




1 Lock Combination-Height  
1 Lock




1 Lock Binder-Height  
1 Lock


## three-high



1 Lock Letter-Height  
1 Lock




1 Lock Combination-Height  
1 Lock




1 Lock Binder-Height  
1 Lock


## four-high



Letter Height (L)  
1 Lock




Combo Height (C) / Combo with Receding Front / Pull-Out Shelf (P)  
1 Lock




Binder Height (B) / Binder with Receding Front / Pull-Out Shelf (S)  
1 Lock


## five-high



Letter Height (L)  
1 Lock




Combo Height (C) / Combo with Receding Front / Pull-Out Shelf (65.6") (P)  
1 Lock



Binder Height (B) / Binder with Receding Front / Pull-Out Shelf (72") (S)  
1 Lock







## six-high



Letter-Height  
1 Lock

# lateral file drawer heights

The chart below aids in selecting the appropriate drawer for specific applications.

module code		interior height	drawer type	product illustration	applications
drawer type	exterior height				
F	<b>112</b> 11.2"	10.6"	Fixed Front – Letter		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits hanging files in letter and A4 sizes</li> <li>• Accommodates front-to-back and side-to-side filing</li> </ul>
F	<b>128</b> 12.8"	12.2"	Fixed Front – Binder		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits binders and hanging files in letter and A4 sizes</li> <li>• Does not accommodate metric-size binders</li> </ul>
S	<b>128</b> 12.8"	11.2"	Receding Drawer with Fixed Shelf – Letter		<ul style="list-style-type: none"> <li>• Appropriate for end tab filing</li> </ul>
S	<b>144</b> 14.4"	12.8"	Receding Drawer with Fixed Shelf – Binder		<ul style="list-style-type: none"> <li>• Appropriate for binders and tab filing</li> </ul>
R	<b>128</b> 12.8"	11.2"	Receding Drawer with Pull-out Shelf – Letter		<ul style="list-style-type: none"> <li>• Easy access to storage is provided by pull-out shelf</li> <li>• Fits hanging files in letter and A4 sizes</li> </ul>
R	<b>144</b> (14.4")	12.8"	Receding Drawer with Pull-out Shelf – Binder		<ul style="list-style-type: none"> <li>• Easy access to storage is provided by pull-out shelf</li> <li>• Fits binders and hanging files in letter and A4 sizes</li> </ul>

# lateral file drawer storage capacities


Lateral File drawer storage capacities for side-to-side storage arrangements are shown below.

All measurements are in linear inches and centimeters


letter, legal, a4 binders

side-to-side


26



30" Wide



36" Wide



42" Wide

18" and  
20" Deep

	30" Wide	36" Wide	42" Wide
One-High	26-5/8"/68 cm	32-5/8"/83 cm	38-5/8"/98 cm
Two-High	53-1/4"/135 cm	65-1/4"/166 cm	77-1/4"/196 cm
Three-High	79-13/16"/203 cm	97-13/16"/249 cm	115-13/16"/294 cm
Four-High	106-1/2"/271 cm	130-1/2"/331 cm	154-1/2"/392 cm
Five-High	133-1/4"/338 cm	163-1/4"/414 cm	193-1/4"/490 cm
Six-High	159-3/4 /406 cm	195-13/16"/497 cm	231-13/16"/589 cm


front-to-back arrangements can be seen on the following pages

# lateral file storage capacities (continued)


Lateral File storage capacities for front-to-back storage arrangements are shown below.

All measurements are in linear inches and centimeters


letter binders  
front-to-back



30" Wide



36" Wide



42" Wide

18" Deep

One-High	30-1/2"/77 cm	30-1/2"/77 cm +6-1/2"/17 cm side space	45-3/4"/116 cm
Two-High	61"/155 cm	61" 155 cm +13"/33 cm side space	45-3/4"/116 cm
Three-High	91-1/2"/232 cm	91-1/2"/232 cm +19-1/2"/50 cm side space	137-1/4"/349 cm
Four-High	122"/310 cm	122"/310 cm +26"/66 cm side space	183"/465 cm
Five-High	152-1/2"/387 cm	185"/470 cm	228-3/4"/581 cm
Six-High	183"/464 cm	222"/564 cm	274-1/2"/697 cm

20" Deep

One-High	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space	49-7/8"/127 cm
Two-High	66-1/2"/169 cm	66-1/2"/169 cm +13"/33cm side space	99-3/4"/254 cm
Three-High	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space	149-5/8"/380 cm
Four-High	133"/338 cm	132"/338 cm +26"/66 cm side space	199-1/2"/507 cm
Five-High	166-1/4"/442 cm	198-3/4"/505 cm	249-3/8"/633 cm
Six-High	199-1/2"/507 cm	238-1/2"/606 cm	299-1/4"/760 cm


# lateral file storage capacities (continued)

Lateral File storage capacities for front-to-back storage arrangements are shown below.


All measurements are in linear inches and centimeters

## legal binders front-to-back


28



30" Wide



36" Wide



42" Wide


18" Deep	One-High	15-1/4"/39 cm + 10"/25 cm side space	30-1/2"/77 cm	30-1/2"/77 cm + 6-1/2"/17 cm side space
	Two-High	30-1/2"/77 cm +20"/51 cm side space	61"/155 cm	61"/155 cm +13"/33 cm side space
	Three-High	45-3/4"/116 cm +30"/76 cm side space	91-1/2"/232 cm	91-1/2"/252 cm +19-1/2"/51 cm side space
	Four-High	61"/155 cm +46"/102 cm side space	122"/310 cm	122"/310 cm +26"/66 cm side space
	Five-High	126-1/4"/320 cm	152-1/2"/387 cm	185"/470 cm
	Six-High	151-1/2" / 384 cm	183"/464 cm	222"/564 cm

20" Deep	One-High	16-5/8"/42 cm +10"/125 cm side space	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space
	Two-High	33-1/4"/84 cm +20"/51 cm side space	66-1/2"/169 cm	66-1/2"/169 cm+ +13"/33 cm side space
	Three-High	49-7/8"/127 cm +30"/76 cm side space	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space
	Four-High	66-1/2"/155 cm +40"/102 cm side space	133"/338 cm	133"/338 cm +26"/66 cm side space
	Five-High	133-1/4"/338 cm	166-1/4"/422 cm	198-7/8"/505 cm
	Six-High	159-3/4"/406 cm	199-1/2"/507cm	238-1/2"/606 cm

# storage cabinet basics

Ledger Storage Cabinets cater to diverse storage requirements including reference materials, equipment and files for person or group use.


- Five Storage Cabinet configurations are available: Two-High, Three-High, Four-High, Five-High and Six-High, available in three height options:
  - 1) Letter-Height
  - 2) Combination-Height
  - 3) Binder-Height
- Accessories are available to match 18" and 20" deep cabinets





**Storage Top (SFVO)** can be applied to the top of cabinets to provide an additional workspace

**Locks** can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock

- Two-high includes one shelf
- Three-high includes two shelves
- Four-high includes three shelves
- Five-high includes four shelves (Shown)
- Six-high includes five shelves
- Interior shelves are included and are adjustable in 1.6" increments




• **Additional Shelves (SA1) and Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)




The Max Store Unit includes 12 **Max Storage Trays (SA6)**, creating 15 cubbyholes

Three **handle styles** are available: District handle pull, rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position




**District Handle Pull**

- Not available on metal fronts
- Platinum finish




**Rectangular Handle Pull**

- Platinum finish



**Full Pull**

- Available on metal fronts only
- Finished to match drawer front




**Max Store Trays (SA6)** create additional cubbyholes to a maximum of 24 trays per unit, creating 27 cubbyholes


# storage cabinet configurations & lock charts

The family of Ledger Storage Cabinets cater to diverse storage requirements.


## two-high



Letter-Height  
1 Lock




1 Lock Combo-Height  
1 Lock




1 Lock Binder-Height  
1 Lock


## three-high



Letter-Height  
1 Lock




1 Lock Combo-Height  
1 Lock




1 Lock Binder-Height  
1 Lock


## four-high



Letter-Height  
1 Lock




1 Lock Combo-Height  
1 Lock




1 Lock Binder-Height  
1 Lock


## five-high



Letter-Height  
1 Lock




Combo-Height  
1 Lock



Binder-Height  
1 Lock

## six-high




Letter-Height  
1 Lock


# combination cabinet basics

**Ledger Combination Cabinets cater to diverse storage requirements, and are a hybrid of the Lateral File and the Storage Cabinet.**

- Four Combination Cabinet configurations are available: Three-High, Four-High, Five-High and Six-High, available in three height options:
  - 1) Letter-Height: used primarily for hanging files
  - 2) Combination-Height: used primarily for hanging files with some openings dedicated to binder storage
  - 3) Binder-Height: supports binders in all drawing openings, as well as hanging files (with the exception of the Six-High cabinet which is available in Letter-Height only)
- All drawer heights are based on a 1.6" module
- Adjacent drawers align for a continual datum line
- Accessories are available to match 18" and 20" deep cabinets
- The interior construction of the case permits drawer reconfiguration or retrofit at any time
- Counterweights are required for all four-high through six-high combination cabinets. Two counterweights will be included, if specified



- Three-high includes one drawer
- Four-high includes two drawers
- Five-high includes three drawers (Shown)
- Six-high includes four drawers
- **Lateral File Accessories (LFA)** can be used in Combination Cabinet drawers. See Lateral File Basics.




# combination cabinet configurations & lock charts


The family of Ledger Storage Cabinets cater to diverse storage requirements.

When individual locks are specified each drawer comes with a lock


## three-high



Letter-Height  
2 Locks




Combo-Height  
2 Locks




Binder-Height  
2 Locks


## four-high



Letter-Height  
2 Locks




Combo-Height  
2 Locks




Binder-Height  
2 Locks


## five-high



Letter-Height  
2 Locks




Combo-Height  
2 Locks



Binder-Height  
2 Locks

## six-high



Letter-Height  
2 Locks


# wardrobe cabinet basics

**Ledger Wardrobe Cabinets store garments and other personal items.**


Three Wardrobe Cabinet configurations are available: Four-High, Five-High and Six-High, available in three height options:

- 1) Letter-Height
- 2) Combination-Height
- 3) Binder-Height

**Locks** can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock




**Undivided Wardrobe Cabinets**  
One shelf with coat rod included



**Divided Wardrobe Cabinets**

- One shelf with coat rod included
- Four-high includes two hat shelves
- Five-high includes three hat shelves (Shown)
- Six-high includes four hat shelves


• Cabinet walls are slotted in 1.6" height increments for shelf adjustment



• **Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)


1" leveling range

Three **handle styles** are available: District handle pull, rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position




**District Handle Pull**

- Not available on metal fronts
- Platinum finish



**Rectangular Handle Pull**  
Platinum finish




**Full Pull**

- Available on metal fronts only
- Finished to match drawer front


# wardrobe cabinet configurations & lock charts

Ledger Wardrobe Cabinets store garments and other personal items.


## four-high



Letter-Height  
(Undivided)  
1 Lock




Combo-Height  
(Divided)  
1 Lock




Binder-Height  
(Divided)  
1 Lock


## five-high



Letter-Height  
(Undivided)  
1 Lock




Combo-Height  
(Divided)  
1 Lock



Binder-Height  
(Divided)  
1 Lock

## six-high






Letter-Height  
(Undivided)  
1 Lock

# add-on storage cabinet basics


**Add-On Storage Cabinets provide enclosed storage that can be mounted on top of Ledger Lateral Files and Storage Cabinets.**

- Available in One-High and Two-High configurations
- Only one Add-On Storage Cabinet can be stacked on top of another unit
- Add-On Storage Cabinets have 1 lock at the Top


**Locks** can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock




- Two-High Add-On Cabinet matches the Two-High Lateral File Binder-Height
- One interior shelf is included with each two-high Add-On Cabinet and is adjustable in 1.6" increments



Two **handle styles** are available: rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position



**Rectangular Handle Pull**  
Platinum finish



**Full Pull**


- Available on metal fronts only
- Finished to match drawer front

- **Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)


# mobile pedestal basics

Ledger offers a range of mobile pedestal options which integrate aesthetically with all systems furniture.

- Mobile Pedestals are available in multiple drawer combinations and heights to allow for maximum flexibility
- Different Teknion systems products accommodate different heights of storage below the worksurface. See height restrictions in this section
- Pedestal file drawers accommodate both imperial and A4 filing sizes
- Locks can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock
- Counterweights are included




LPKN



LPCN



### Mobile Pedestal with Seat (LPKN) and Mobile Pedestal with Cushion (LPCN)

- Provides convenient personal storage equipped with a seat and casters for easy maneuverability
- The Mobile Pedestal with Seat (LPKN) has a soft molded foam handle (in Black) and a curved cushion
- The Mobile Pedestal with Cushion (LPCN) has a low profile flat cushion
- Drawer interiors extend the full interior depth of the pedestal except for 28" deep Box (B), Small Box (S) and Pencil Box (P). For these drawer sizes the interior drawer depth is actually 22"



### Mobile Personal Cubby (LMPC)

- Provides mobile personal storage
- Height: 20.6"
- Depth: 20"
- Width: 12"
- Optional low profile flat cushion available
- Locks available if specified
- Available in two options:
  - Side Drawer (S)
    - Extends the full interior depth of the cubby
    - Consists of one pull out tray, ideal for holding purse, personal bags etc.
  - Door (D)
    - Provides 2.87 cubic ft. of open storage
    - Ideal for storing personal items




### Mobile Pedestal (LPWN)

- A small footprint mobile pedestal that expands the storage capacity of a traditional pedestal
- Width: 15"
- Depth: 18", 22", 28"
  - Interior drawer is 22" for 22" and 28" deep pedestals, and 18" for 18" deep pedestal
- Drawer Configurations:
  - box, box file (BF)
  - pencil, small box, file (PSF)
  - small box, small box, file (SSF)
  - small box, file (SF)


# suspended personal cubby basics

The Ledger Suspended Personal Cubby mounts to height-adjustable tables.



Finishes:

- Case Finish:
  - Foundation
  - Mica
  - Accent
- Metal Front Finish:
  - Foundation
  - Mica
  - Accent



**Suspended Personal Cubby (LSPC)**

- A Suspended Cubby which mounts to height-adjustable tables and cater to personal storage requirements
- Depth: 20"
- Width: 10"
- Left and right handed



# planning with the suspended personal cubby and navigate

The following describes the planning capacities for the Personal Suspended Cubby used with height adjustable tables.


## freestanding tables

- The Suspended Personal Cubby (LSPC) is installed on the inside of a height adjustable leg
- There is a 1" gap between the leg and cubby
- The mounting bracket is 2.5"h


38



- The suspended personal cubby can be used with the following mechanisms
  - 7S Standard Electric (27" to 43" range)
  - 9C Extended Electric - Restricted (25" - 48.7")
- Worksurface widths must be 58" to 82"w. to allow a 31.5" - 55.5" seat clearance




7S Standard Electric (27" - 43")




9C Extended Electric - Restricted (25" - 48.7")

# planning with the suspended personal cubby and navigate (continued)

- The cubby can be installed in two locations
  - Opposite the switch
  - On the same side of the switch if the cable is tucked in along the lg and the channel and support bracket are installed after the switch
- For worksurfaces 48" to 64" wide, the cubby must be installed on the opposite side of the control cover box





- For base frames with 23" depth, the rectangular cut out **cannot** be on the same side as the Suspended Personal Cubby (LSPC)




## gable leg tables

- The suspended personal cubby can be used with the following mechanisms
  - 7S Standard Electric (27" to 43" range)
  - 9C Extended Electric - Restricted (25" - 48".7")
- Can be used on worksurfaces 58" - 76" w with a seat clearance of 35" - 53" w
- The cubby must be mounted opposite to the switch



(7S) Standard Electric (27" - 43")




(9C) Extended Electric - Restricted (25" - 48.7")

# planning with the suspended personal cubby and navigate (continued)


## extended corner tables

- The suspended personal cubby can be used with the following mechanisms
  - (7S) Standard Electric (27" to 43" range)
  - (9C) Extended Electric - Restricted (25" - 48".7")
- Worksurface widths A and B must be 58" to 70"w
- Worksurface B depth must be 23"


40



- The suspended cubby (LSPC) must be installed opposite to the switch, on the return surface



(7S) Standard Electric (27" - 43")




(9C) Extended Electric - Restricted (25" - 48.7")


# planning with the suspended personal cubby and navigate (continued)

## frames


- The suspended personal cubby can be used with the following mechanisms
  - (7S) Standard Electric (27" to 43" range)
  - (9C) Extended Electric - Restricted (25" - 48".7")
- Worksurface widths must be 58" to 94"w to allow a 34.5" - 70.5" seat clearance



- The cubby must be installed opposite the switch and E-Chain (HNBEEC)
- For worksurfaces 58"w the cubby must be installed on the opposite side of the control cover box



(7S) Standard Electric (27" - 43")




(9C) Extended Electric - Restricted (25" - 48.7")


# planning with the suspended personal cubby and navigate (continued)

## 120 frames


- The suspended personal cubby can be used with the following mechanisms
  - (7S) Standard Electric (27" to 43" range)
  - (9C) Extended Electric - Restricted (25" - 48.7")
- Worksurface widths must be 52" to 58"w to allow a 32.5" - 43.2" seat clearance



- The cubby must be installed opposite the switch and E-Chain (HNBEEC)
- For worksurfaces 58"w the cubby must be installed on the opposite side of the control cover box



(7S) Standard Electric (27" - 43")




(9C) Extended Electric - Restricted (25" - 48.7")

# planning with the suspended personal cubby and hiSpace



The following describes the planning capacities for the Personal Suspended Cubby used with height adjustable tables.

- When specifying a suspended personal cubby and modesty panel or wire tray, the worksurface must be 30" d



## height-adjustable tables

- The suspended personal cubby can be used with (9C) Extended Electric - Restricted (25" - 48".7") base mechanism
- Worksurface widths must be 60" to 72" w to allow a 35" - 47" seat clearance




(9C) Extended Range Electric Base (25" - 48".7")

# planning with the suspended personal cubby and hiSpace (continued)

## height-adjustable tables with upStage

- The suspended personal cubby can be used with (9C) Extended Electric - Restricted (25" - 48".7") base mechanism
- Worksurface widths must be 60" to 72"w to allow a 35" - 47" seat clearance
- The rectangular cut out **cannot** be specified on the same side with suspended cubby.



44



(9C) Extended Range Electric Base (25" - 48".7")

## frames

- The suspended personal cubby can be used with (9C) Extended Electric - Restricted (25" - 48".7") base mechanism
- Worksurface widths must be 60" to 72"w to allow a 35" - 47" seat clearance
- The cubby must be installed opposite the switch




(9C) Extended Range Electric Base (25" - 48".7")


# planning with the suspended personal cubby and complements tables

The following describes the planning capacities for the Personal Suspended Cubby used with height adjustable tables.


- The suspended personal cubby can be used with (7S) Standard Range Electric (27" - 43") base mechanism
- Worksurface widths must be 60" to 72"
- Depth must be 30"
- The cubby must be installed opposite the switch
- The cubby can be installed in two locations
  - Inside of the leg
  - Outside of the leg if the worksurface width is 72"



The Suspended Personal Cubby (LSPC) installed inside the legs.



The Suspended Personal Cubby (LSPC) installed outside the legs.




(7S) Standard Electric (27" - 43")

# pedestal basics

Ledger offers a wide range of pedestal options which integrate aesthetically with all systems furniture.

- Pedestals are available in multiple drawer combinations and heights to allow for maximum flexibility
- Different Teknion systems products accommodate different heights of storage below the worksurface. See height restrictions in this section
- Pedestal file drawers accommodate both imperial and A4 filing sizes
- Locks can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock.
- Counterweights are required for all Pedestals not located directly under a worksurface. If Pedestals are supporting a worksurface in a freestanding application, counterweights are required
- All configurations of Pedestal (LPFN) on Casters fit under the regular 29" high worksurface




**Pedestal (LPFN) and Stretch Pedestal (LPS)**

Has similar configuration as Pedestal (LPFN) for height consistency. The product is designed to have datum lines match

**Also available but not shown above:**

**Combo Pedestal (LPC)**

Available with a full file drawer on bottom and two file drawers on top or full file drawer on bottom and one file and two box drawers on top




**Pedestal Supporting Bracket (LSBN)** used in combination with a Pedestal provides a fully enclosed support at the end of a run of panel-mounted worksurfaces


# pedestal and stretch pedestal drawer configurations & lock charts

Ledger Pedestals provide storage in freestanding and workstation applications.


## pedestal (LPFN)




box, file (BF)  
1 Lock




pencil, box, file (PBF)  
1 Lock




file, file (FF)  
1 Lock (unless individual locks are specified each drawer comes with a lock)



box, box, file (BBF)  
1 Lock




large file, file (LF)  
1 Lock (unless individual locks are specified each drawer comes with a lock)




small box, small box, file (SSF)  
1 Lock

## stretch pedestal (LPS)


- When individual locks are specified each drawer comes with a lock




box, file (BF)  
1 Lock




file, file (FF)  
1 Lock



box, box, file (BBF)  
1 Lock



large file, file (LF)  
1 Lock




extra large file (Q)  
1 Lock


# mobile pedestal drawer configurations & lock charts

Ledger Pedestals provide storage in freestanding and workstation applications.


## mobile pedestal (LPWN)




box, file (BF)  
1 Lock



pencil, small box, file (PSF)  
1 Lock




small box, file (SF)  
1 Lock




small box, small box, file (SSF)  
1 Lock

## mobile pedestal with seat (LPKN)




small box, file (SF)  
1 Lock




box, file (BF)  
1 Lock


## mobile pedestal with cushion (LPCN)



small box, file (SF)  
1 Lock




box, file (BF)  
1 Lock




pencil, small box, file (PSF)  
1 Lock

## mobile personal cubby (LMPC)



side drawer (S)  
1 Lock






door (D)  
1 Lock

# pedestal storage options

The following describes options for handles, drawers and drawer capacities.

## handle options

Three **handle styles** are available: District handle pull, Rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position



### District Handle Pull

### Rectangular Handle Pull

• Both Handles are available in Foundation and Mica.


### Full Pull

- Available on metal fronts only
- Finished to match drawer front

## drawer options

### Pedestal Accessories (LPA)




- **Hanging File Bar (LPAS)** permits hanging letter- or legal-size files in the file drawer
- **Drawer Divider (LPAD)** sections the box file into separate compartments
- **Pencil Tray (LPAT)** organizes small work tools in any size drawer
- **Stationary Inserts (LPAK)** divisional inserts for sorting paper. Come in packs of 8 (Depth 18"), 9 (Depth 22") or 12 (Depth 28")
- Stretch Pedestals accommodate **Lateral File Accessories (LFA)**. See Lateral File Basics.



If Hanging File bar, Drawer Divider or Pencil tray is specified, drawer depth cannot be changed.

## front-to-back arrangement

### letter



18" Depth


22" Depth

28" Depth

14 1/2"/36 cm	18 1/2"/47 cm	24 1/2"/62 cm
---------------	---------------	---------------

All measurements are in lineal inches and centimeters.

## worksurface support options















Ledge Pedestal (LPFN) can be used to work as worksurface support. If planned to support the worksurface, Pedestal storage (LPFN) can be specified with or without a counterweights. The 18" and 22" deep pedestal storages (LPFN) can be specified to have casters and counterweight.

# pedestal and stretch pedestal drawer heights

The chart below aids in selecting the appropriate Pedestal and Stretch Pedestal drawer for specific applications.

All drawers have a fixed front





module code			drawer type	exterior height (pedestal shown)	interior height (stretch pedestal shown)	applications
pedestal	stretch pedestal	exterior height				
P	p	032	Pencil	 3.2" (032)	 2.6"	<ul style="list-style-type: none"> <li>• Writing equipment</li> <li>• Notepads</li> <li>• Paper</li> </ul>
S	S	048	Small Box	 4.8" (048)	 4.2"	<ul style="list-style-type: none"> <li>• Writing equipment</li> <li>• Notepads</li> <li>• Paper</li> </ul>
B	B	064	Box	 6.4" (064)	 5.8"	<ul style="list-style-type: none"> <li>• Writing equipment</li> <li>• Notepads</li> <li>• Paper</li> <li>• CDs</li> <li>• DVDs</li> </ul>
F	F	112	File	 11.2" (112)	 10.2"	<ul style="list-style-type: none"> <li>• Hanging files</li> <li>• Accommodates letter- and 4-size documents.</li> <li>• Books</li> </ul>
L	L	128	Large File	 12.8" (128)	 12.2"	<ul style="list-style-type: none"> <li>• Hanging files</li> <li>• Accommodates letter- and A4-size documents.</li> <li>• Books</li> <li>• Binders</li> </ul>
-	Q	176	Extra Large File	 17.6" (176)	 14.4"	<ul style="list-style-type: none"> <li>• Hanging files</li> <li>• Accommodates letter- and A4-size documents.</li> <li>• Books</li> <li>• Binders</li> </ul>

# application guides

## cubby drawer heights

The chart below aids in selecting the appropriate cubby drawer for specific applications.

All drawers have a fixed front


module code		exterior height	drawer type	exterior height	interior height	applications
cubby						
LMPC	S	20.6"	Side drawer			• Personal Storage
LMPC	D	20.6"	Door			• Personal Storage

# planning with stretch pedestals & the fixed storage top cushions


Stretch Pedestals can be used under a worksurface, or can be placed outside of or between workstations for additional storage or seating. The Extra Large File Stretch Pedestal used with the Fixed Storage Top Cushion is ideal for this application.



Outside of District Storage



Outside of Leverage Storage




Shared between two Leverage Worksurfaces




# planning with ledger pedestals


When planning with Ledger Pedestals below worksurfaces, careful attention should be given to the overall height of the pedestal. Each of Teknion's Systems and Benching products offers different underworksurface heights and District and Leverage require reinforcement channels after certain widths. Please refer to the support section of the District and Leverage application guide for reinforcement channel requirements. The following outlines Ledger Pedestal compatibility with Interpret, Marketplace, Leverage and District.




	Interpret	Marketplace	Leverage without Reinforcement Channel	Leverage with Reinforcement Channel	District without Reinforcement Channel	District with Reinforcement Channel
<b>Mobile Pedestal with Cushion (LPCN)</b>  23.7" Small Box File  25.3" Box File  26.9" Pencil Small Box File						
<b>Mobile Pedestal with Seat (LPKN)</b>  24.4" Small Box File  26" Box File						
<b>Mobile Personal Cubby (LMPC) with seat cushion</b>  22.1" Side Drawer  22.1" Door						

# planning with ledger pedestals (continued)



Mobile Pedestal (LP/WN)	Interpret	Marketplace	Leverage without Reinforcement Channel	Leverage with Reinforcement Channel	District without Reinforcement Channel	District with Reinforcement Channel
 22.2" Small Box File						
 23.8" Box File						
 25.4" Pencil Small Box File						
 27" Small Box Small Box File						


# planning with ledger pedestals (continued)



	Interpret	Marketplace	Leverage without Reinforcement Channel	Leverage with Reinforcement Channel	District without Reinforcement Channel	District with Reinforcement Channel
20.8" or 21.3" With Casters Box File						
24" or 24.5" With Casters Small Box File						
24" or 24.5" With Casters Pencil Box File						
25.6" or 26.1" With Casters File File						
27.2" or 27.7" With Casters Box File						
27.2" or 27.7" With Casters Large File File						

Pedestal (LPFN)

# planning with ledger pedestals (continued)




	Interpret	Marketplace	Leverage without Reinforcement Channel	Leverage with Reinforcement Channel	District without Reinforcement Channel	District with Reinforcement Channel
<b>Stretch Pedestal (LPS)</b> 17.6" Extra Large File						
20.8" Box File						
25.6" File File						
27.2" Box Box File						
27.2" Large File File						
<b>Combo Pedestal (LPC)</b> 27.2" Box Box File File						

# storage locker basics

**Storage Lockers combine wardrobe, cabinet and storage and come complete with a coat rod and shelf to accommodate personal items.**

- Available in a variety of configurations including full-height or half-height doors with drawers as well as lockers with front and side storage
- All drawer heights are based on a 1.6" module
- Cabinet walls are slotted in 1.6" height increments for shelf adjustment


The top of the Storage Locker is perforated for ventilation



Depths available in 24" or 30" which is greater than all other Ledger products


- Three locks are included for all compartments when half-height doors and drawers are specified, one for each door and one for drawers
- Two locks are included for all Full-Height Doors, one for each door
- Can be keyed alike to match other lockable storage components or keyed randomly to provide a dedicated lock
- Individual locks are available for file drawers only and will be keyed randomly

Three **handle styles** are available: District handle pull, rectangular handle pull and a distinctive full pull which makes opening and closing effortless from any position




**District Handle Pull**

- Not available on metal fronts
- Platinum finish




**Rectangular Handle Pull**

Platinum finish



**Full Pull**

- Available on metal fronts only
- Finished to match drawer/door front



**Supporting Locker Bracket (LLB)** used in combination with Ledger Storage Lockers (LSLF, LSLS) 24" wide only provides a support at the end of a run of panel-mounted worksurfaces

**Pedestal Accessories (LPA)**

- **Hanging File Bar (LPAB)** permits hanging letter- or legal-size files in the file drawer
- **Drawer Divider (LPAS)** sections the box file into separate compartments
- **Pencil Tray (LPAT)** organizes small work tools in any size drawer
- **Stationary Inserts (LPAK)** divisional inserts for sorting paper. Come in packs of 8 (Depth 18" ), 9 (Depth 22" ) or 12 (Depth 28" )




If Hanging File bar, Drawer Divider or Pencil tray is specified, drawer depth **cannot** be changed.


# storage locker configurations & lock charts

Ledger Storage Lockers cater to diverse storage requirements. A variety of styles are available.


## storage locker (LSL)




File, File  
Left  
3-4 Locks



File, File  
Full Height, Left  
2 Locks




File, File, File  
Left  
3-5 Locks




File, File, File  
Full Height, Left  
2 Locks


## open storage locker – front (LSLF)



File, File – Open Shelf,  
Right Wardrobe,  
24" Wide  
2-3 Locks




File, File – Metal Door  
Right Wardrobe,  
24" Wide  
3-4 Locks




File, File – Metal Door  
No Wardrobe, 15" Wide  
2-3 Locks


## open storage locker – side (LSLS)



File, File,  
Side Open Shelf,  
24" Wide  
2-3 Locks



File, File,  
Front and Side Open  
Shelf, 24" Wide  
2-3 Locks



File, File,  
Side Open Shelf  
15" Wide  
1-2 Locks


# planning with storage lockers

Ledger Storage Lockers can be attached to a worksurface with a supporting Locker Bracket (LLB). The following images outline the restrictions that apply when using this method of support.


The Supporting Locker Bracket (LLB) consists of the worksurface support bracket and the panel stabilizer bracket

60

## supporting locker bracket and return panel



## supporting locker bracket and c-leg




# planning with storage lockers (continued)

Ledger Storage Lockers can be attached to a worksurface with a supporting Locker Bracket (LLB). The following images outline the restrictions that apply when using this method of support.

The Supporting Locker Bracket (LLB) consists of the worksurface support bracket and the panel stabilizer bracket



## supporting locker bracket and corner return worksurface




# bookshelf basics

The Bookshelf (LBT) provides easily-accessible binder and book storage within the workstation or general office.


- Five shelf configurations are available: Two-High, Three-High, Four-High, Five-High and Six-High
- Each configuration is available in Letter-Height, Combination-Height and Binder-Heights to match other Ledger storage units
- Shelves are adjustable and can be moved in 1" increments




**Two-High**  
 Letter-Height: 25.6"  
 Combo-Height: 27.2"  
 Binder-Height: 28.8"




**Three-High**  
 Letter-Height: 36.8"  
 Combo-Height: 40"  
 Binder-Height: 41.6"



**Four-High**  
 Letter-Height: 48"  
 Combo-Height: 51.2"  
 Binder-Height: 56"



**Five-High**  
 Letter-Height: 62.4"  
 Combo-Height: 65.6"  
 Binder-Height: 72"




**Six-High**  
 Letter-Height: 75.2"

Ledger storage units are available in a variety of finish colors. Codes must be included in the order.

- Case and metal fronts are available in Satin, Satin Mica, Textured and Textured Mica colors
- Seamless fronts are available in a selection of Group 1 and Group 2 colors and Flintwood fronts are available in a selection of Standard and Cathedral Flintwood stains
- Drawer accessories are Grey and casters are Black
- The District and Rectangular handle pulls have a Platinum finish and Full Pull will be finished to match the drawer front
- Mobile Pedestal with Seat is available in Teknion's Standard Seating fabrics and leather, rubber pull is Black


**Storage Lockers**

- If Flintwood or Seamless finish fronts are specified, all fronts will match. All metal fronts will have a metal finish to match the case
- Tambour doors are finished in Platinum




**Lateral Files**

- Flintwood and Seamless fronts may only be specified on 18" deep cases
- Flintwood and Seamless fronts cannot be specified on lateral files with receding fronts



Standard Flintwood



Cathedral Flintwood

**Add-On Storage Cabinets**

- Flintwood and Seamless fronts are not available on Add-On Storage Cabinets
- Shelf (Two-High cabinet) will be finished to match the case

**Combination Cabinets**

- Flintwood and Seamless fronts are not available on Combination Cabinets
- Shelves will be finished to match the case

**Storage and Wardrobe Cabinets**

- Flintwood and Seamless fronts may only be specified on 18" deep cases
- Shelves will be finished to match the case

**Bookshelf**

Available in a variety of Satin, Satin Mica, Textured and Textured Mica colors

ledger plus

# ledger plus

INTRODUCTION . . . . .	66
METAL CABINET OVERVIEW . . . . .	71
METAL CABINET DATUM HEIGHTS . . . . .	72
METAL CABINET DRAWER HEIGHTS . . . . .	73
LATERAL FILE DRAWER STORAGE CAPACITIES . . . . .	74
METAL DRAWER CABINET BASICS . . . . .	76
METAL STORAGE CABINET BASICS . . . . .	77
METAL COMBO CABINET BASICS . . . . .	78
LOCKER TOWER BASICS . . . . .	79
LOCKER TOWER DOOR AND OPENING HEIGHTS . . . . .	81
METAL AND WOOD ADD-ON STORAGE BASICS . . . . .	83
PLANNING WITH ADD-ON STORAGE . . . . .	84
STORAGE TOP BASICS . . . . .	85
PLANNING WITH STORAGE TOPS . . . . .	86
WORKSURFACE BASICS . . . . .	87
PLANNING WITH WORKSURFACES . . . . .	88
CANTILEVERED WORKSURFACE BASICS . . . . .	89
WOOD GRAIN DIRECTION . . . . .	90

## introduction

Ledger Plus is a select group of storage elements that can be planned as single units or together in a variety of configurations. They bring further utility to what is typically used for filing and personal belongings. It does more with less in common areas and in between spaces.

- Ledger Plus Cabinets are planned in five heights, **Lounge**, **Underworksurface**, **Worksurface**, **Counter-Height** and **Bar-Height**
- **Locker Towers** are available up to 66" high
- Ledger Plus is based on a 1.6" filing module and can accommodate worksurfaces and cushions

66


The following chart outlines the heights of Ledger Plus Drawer Cabinets.

Height	Actual			Nominal		
	Without Worksurface	With Worksurface	With Cushion	Without Worksurface	With Worksurface	With Cushion
Lounge	17.6"	18.6"	19.1"	18"	19"	19.5"
Undersurface	20.8"	21.8"	22.3"	21"	22"	22.5"
Worksurface	27.2"	28.2"	n/a	27"	28"	n/a
Counter	35.2"	36.2"	n/a	35"	36"	n/a
Bar	40"	41"	n/a	40"	41"	n/a
Tall	48"	49"	n/a	48"	49"	n/a

The following layouts demonstrate a variety of applications that can be achieved with Ledger Plus including seating, stand up meeting places and casual sit-down meeting places. Ledger Plus provides the ability to create a "residential" look and feel through the blending of metal, wood and fabric cushions.

### low linear runs


17.6" high Lounge height storage placed back to back is ideal for providing additional seating. Cushions or wood toppers can be added individually or combined to create unique layouts.



## introduction (continued)

**low linear runs with metal or wood add-on storage**


Stackers are available in various heights in wood and metal configurations to allow for additional storage. When used with the 17.6" high Lounge height low storage 40" and 48" high datum heights are achieved. The wood and metal options share similar depths and heights so can be combined in the same configuration.




67

**seating and stand up meetings**

17.6" high Lounge height storage cabinets with cushions, and 40" high (Bar) height cabinets or lockers can be combined to provide both seating and standing height meeting spaces.

**workspace clusters**


Storage tops can be added to low runs or standing height cabinets to provide alternative heights for working.



## introduction (continued)

### locker clusters

A variety of locker sizes and combinations are available and can be combined with low linear seating, or storage tops. Heights are available from 35.2" to 65.6" high.




### cantilevered worksurfaces

Cantilevered worksurfaces extend on one or both sides of storage cabinets, or cabinets with wood add-ons to provide additional meeting spaces.



### semi-supported worksurfaces


Semi-supported worksurfaces are available in a variety of shapes and leg styles and are used with single storage or back to back storage units to provide casual meeting spaces at 28.2", 36.2" and 41" high.




# introduction (continued)

## semi-supported worksurfaces with wood add-on storage



Wood Add-On storage and semi-supported worksurfaces can achieve a datum height of 40" and 48". They can be planned with single or back to back storage units.



Add-Ons facing inwards



Add-Ons facing outwards






# introduction (continued)

## mixed configurations

Matching depths and heights between Ledger Plus units allows for an infinite number of storage and worksurface combinations.


70



# metal cabinet overview


**Ledger Plus provides storage solutions for managing information and resources and includes metal drawer, storage and combo cabinets, locker towers and add-on cabinets.**

- All door fronts are an overlay style and are available in metal, Source Laminate and Flintwood
- Locks are available keyed random or keyed alike




Combination of Storage Cabinets, Locker Towers and Combo Towers shown

Two base styles are available on all cabinets, **Standard** and **Elevated**



**Standard**


- With levelers
- +1" leveling range



**Elevated**


- With Interpret foot
- The leg is 3.2" high so the case height will be 3.2" less
- 7/8" up and 3/4" down leveling range

Two handle styles are available, **District** and **Interpret**.




**District**

- Can be used on the Standard Cabinet only
- Available in Storm White, Espresso, Platinum, Latte and Very White
- Available on wood or metal fronts




**Vertical**



**Horizontal**

**Interpret**

- Can be used on the Standard and Elevated Cabinet
- The Two-Tone color option is available in Foundation, Mica and Accent finish
- Available on wood or metal fronts




**Vertical**

# metal cabinet datum heights


The bottom drawer on Drawer Cabinets and Combo Cabinets align to maintain consistent datum lines. File drawers are available large (L) or Extra Large (XL), and vary in height depending on whether the cabinet is Standard or Elevated. The following outlines the datum lines that are achieved.

## standard\_F (file)

72








## standard\_Q (XL file)



# metal cabinet drawer heights

The chart below aids in selecting the appropriate drawer for specific applications.

module code		interior height	drawer type	product illustration	applications
drawer type	exterior height				
F	<b>112</b> 11.2"	10.6"	Fixed Front – Letter		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits hanging files in letter and A4 sizes, books and magazines</li> <li>• Accommodates front-to-back and side-to-side filing</li> </ul>
L	<b>128</b> 12.8"	12.2"	Fixed Front – Binder		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits binders and hanging files in letter and A4 sizes, books and magazines</li> <li>• Does not accommodate metric-size binders</li> </ul>
Q	<b>144</b> 14.4"	13.8"	Fixed Front		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits binders and hanging files in letter and A4 sizes, books and magazines</li> <li>• Accommodates metric-size binders</li> </ul>
B	<b>64</b> 6.4"	5.8"	Fixed Front		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits writing equipment office supplies, CDs, DVDs, personal items</li> </ul>
B*	<b>96</b> 9.6"	9"	Fixed Front		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits writing equipment office supplies, CDs, DVDs, personal items</li> </ul>

# lateral file drawer storage capacities


Lateral File drawer storage capacities arrangements are shown below.

All measurements are in linear inches and centimeters

## side-to-side

letter, legal, A4 binders


74



<b>18" and 20" Deep</b>	One-High	20-5/8"/52 cm	26-5/8"/68 cm	32-5/8"/83 cm	38-5/8"/98 cm
	Two-High	41-1/4"/105 cm	53-1/4"/135 cm	65-1/4"/166 cm	77-1/4"/196 cm
	Three-High	61-7/8"/157 cm	79-13/16"/203 cm	97-13/16"/249 cm	115-13/16"/294 cm
	Four-High	82-1/2"/210 cm	106-1/2"/271 cm	130-1/2"/331 cm	154-1/2"/392 cm

## front-to-back

letter binders




<b>18" Deep</b>	One-High	15-1/4"/39 cm +6-1/2"/17 cm side space	30-1/2"/77 cm	30-1/2"/77 cm +6-1/2"/17 cm side space	45-3/4"/116 cm
	Two-High	30-1/2"/77 cm +13"/33 cm side space	61"/155 cm	61" 155 cm +13"/33 cm side space	45-3/4"/116 cm
	Three-High	45-3/4"/116 cm +19-1/2"/50 cm side space	91-1/2"/232 cm	91-1/2"/232 cm +19-1/2"/50 cm side space	137-1/4"/349 cm
	Four-High	61"/155 cm +26"/66 cm side space	122"/310 cm	122"/310 cm +26"/66 cm side space	183"/465 cm


<b>20" Deep</b>	One-High	16-5/8"/42 cm +6-1/2"/17 cm side space	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space	49-7/8"/127 cm
	Two-High	33-1/4"/84 cm +13" 33 cm side space	66-1/2"/169 cm	66-1/2"/169 cm +13"/33cm side space	99-3/4"/254 cm
	Three-High	49-7/8"/127 cm +19 1/2"/50 cm side space	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space	149-5/8"/380 cm
	Four-High	66-1/2"/169 cm side space +26"/66 cm side space	133"/338 cm	132"/338 cm +26"/66 cm side space	199-1/2"/507 cm

# lateral file drawer storage capacities (continued)


legal binders  
front-to-back




24" Wide



30" Wide



36" Wide



42" Wide

18" Deep

One-High	15-1/4"/39 cm +4"/10 cm side space	15-1/4"/39 cm + 10"/25 cm side space	30-1/2"/77 cm	30-1/2"/77 cm + 6-1/2"/17 cm side space
Two-High	30-1/2"/77 cm +8"/20 cm side space	30-1/2"/77 cm +20"/51 cm side space	61"/155 cm	61"/155 cm +13"/33 cm side space
Three-High	45-3/4"/116 cm +12"/30 cm side space	45-3/4"/116 cm +30"/76 cm side space	91-1/2"/232 cm	91-1/2"/252 cm +19-1/2"/51 cm side space
Four-High	61"/155 cm +16"/41 cm side space	61"/155 cm +46"/102 cm side space	122"/310 cm	122"/310 cm +26"/66 cm side space

20" Deep

One-High	16-5/8"/42 cm +4"/10 cm side space	16-5/8"/42 cm +10"/125 cm side space	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space
Two-High	33-1/4"/84 cm +8"/20 cm side space	33-1/4"/84 cm +20"/51 cm side space	66-1/2"/169 cm	66-1/2"/169 cm+ +13"/33 cm side space
Three-High	49-7/8"/127 cm +12"/30 cm side space	49-7/8"/127 cm +30"/76 cm side space	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space
Four-High	66-1/2"/155 cm +16"/41 cm side space	66-1/2"/155 cm +40"/102 cm side space	133"/338 cm	133"/338 cm +26"/66 cm side space

## metal drawer cabinet basics

Ledger Plus metal Drawer cabinets are offered in six pre-configured arrangements in both Standard and Elevated profiles.

- All drawer heights are based on a 1.6' module allowing the drawer configurations to be changed or retrofitted at any time
- Tall filing cabinets are not available elevated

### Standard Profile



All cabinets are available 18" and 20" deep\* and 24", 30", 36" and 42" wide.

\*Drawer Cabinets (PLDLS) in depth 20" have interior drawer depth of 18"

76


### lounge height (17.6")



**Lounge Height Drawer Cabinet (PLDLS) - Standard**  
Extra Large File (Q)


When freestanding application and 18" depth is specified, 42" is not available.

### under worksurface height (20.8")




**Under Worksurface Drawer Cabinet (PLDUS) - Standard**  
Box/File (BF)

### worksurface height (27.2")




**Worksurface Height Drawer Cabinet (PLDWS) - Standard**  
Box/Extra Large File (BQ)  
Box/Box/File (BBF)  
Large File/File (LF)

### counter height (35.2")




**Counter Height Drawer Cabinet (PLDCS)- Standard**  
Box/File/File (BFF)  
Box/File/Extra Large File (BFL)

### bar height (40")



**Bar Height Drawer Cabinet (PLDBS) - Standard**  
File/File/Extra Large File (FFQ)  
Large File/Large File/File (LLF)


### tall height (48")



**Tall Drawer Cabinet (PLDTS) - Standard**  
Box/File/Large File/Extra Large File (BFLQ)  
File/File/File/File (FFFF)

# metal storage cabinet basics



Ledger Plus Metal Storage Cabinets are offered in three pre-configured arrangements in both Standard and Elevated profiles.




Standard profile shown with work surface top

All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.

Interior shelves are included and are adjustable in 1.6" increments




SA2 shown




**Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

The Max Store Unit includes 12 **Max Storage Trays (SA6)**, creating 15 cubbyholes




**Max Storage Trays (SA6)** create additional cubbyholes to a maximum of 24 trays per unit, creating 27 cubbyholes

## two-high (27.2")




Storage Cabinets (PLSS) - Standard

## three-high (40")



Storage Cabinets (PLSS) - Standard

## four-high (48")




Storage Cabinets (PLSS) - Standard

## metal combo cabinet basics

Ledger Plus Metal Combo Cabinets are offered in two pre-configured arrangements and provide a combination of drawers and closed storage.

- All drawer heights are based on a 1.6" module
- Counterweights are required on all four-high cabinets and three-high cabinets in Extra Large File configuration




All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.

One interior shelf is included with each Combination Cabinet and is adjustable in 1.6" increments




- **Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

### three-high (40")



**PLCS - Standard**  
File (F)  
Extra Large File (Q)

### four-high (48")




**PLCS - Standard**  
File, File (FF) - Shown  
Large File, Extra Large File (LQ)


Ledger Plus Locker Towers provide a variety of locker options for both personal and coat storage and are available one, two or three cubbies high, and one, two or three units wide in Standard and Elevated profiles.

- All overall heights are based on a 1.6" module, so not all interior heights are equal
- All locks are individual
- Lockers are handed

Standard profile






Elevated profile



All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.

### single lockers




Single Locker Tower (PLTSS)

# locker tower basics (continued)


## double lockers

80




**Dual Locker Tower (PLTDS / PLTDE)**  
(Standard shown)

## triple lockers



**Triple Locker Tower (PLTTS / PLTTE)**  
(Standard shown)



**Triple Locker Tower (PLTTS / PLTTE)**


# locker tower door and opening heights

The following outlines the door heights, shelf heights, and hook locations for all Locker Towers. The handle heights vary depending on the number of doors on the unit. It is recommended when planning that the same heights and configurations be planned side by side.


## standard

### 35" high


Available with 1 or 2 doors



Exterior door dimensions




Interior compartment dimensions




1 door with 1 fixed shelf      2 doors with no shelf

### 40" high


Available with 1 or 2 doors



Exterior door dimensions




Interior compartment dimensions




1 door available 1 coat hook      2 doors with no shelf

### 48" high


Available with 1, 2 or 3 doors



Exterior door dimensions



Interior compartment dimensions




1 door available with 1 adjustable shelf that can be mounted in three positions; 1 coat hook      2 doors with 1 fixed shelf per cubby      3 doors with no shelf

# locker tower door and opening heights (continued)


## 66" high

Available with 1, 2 or 3 doors

Exterior door dimensions



Interior compartment dimensions




1 door available with 2 adjustable shelves that can be mounted in four positions; 1 coat hook  
 2 doors available with 1 shelf per cubby  
 3 doors with no shelf

## elevated


### 35" high

Available with 1 or 2 doors

Exterior door dimensions



Interior compartment dimensions




1 door available with 1 fixed shelf  
 2 door with no shelf


### 40" high

Available with 1 or 2 doors

Exterior door dimensions



Interior compartment dimensions




1 door available with 1 adjustable shelf that can be mounted in three positions  
 2 doors with no shelf

# metal and wood add-on storage basics


Ledger Plus Metal Add-On Storage provides enclosed storage that is mounted on top of Ledger Cabinets. It provides open storage that is mounted to the top of Ledger one-high cabinets, worksurfaces or between worksurfaces and metal storage.

## Metal Add-On



## Wood Add-On


### metal add-on storage



#### Add-On Storage Cabinet (PLACM)

Height: 18", 22", 30"  
 Depth: 18" and 20"  
 Width: 24", 30", 36", 42"


When positioned next to each other, the wood add-on top thickness and metal add-on top thickness are not the same due to variance in material thickness so they will not align.



#### SA2 shown


- One interior shelf is included with each Add-On Cabinet except for 18" high and is adjustable in 1.6" increments
- **Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

### wood add-on storage



#### Add-On Storage Cabinet (PLACW)

Height:  
 above worksurface: 7", 12", 20"  
 below worksurface: 8", 10", 13", 14", 18", 19", 22"  
 on storage: 8", 13", 19", 21", 22", 27", 30"  
 Depth: 18" and 20"  
 Width: 24", 30", 36", 42"




# planning with add-on storage

Add-on storage units in metal or wood have been sized to achieve a specific datum height of Lounge, Worksurface, Counter or Bar height when combined with metal storage units below.


## above worksurface

84




Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	48	48	27.2	27	19.8
	48	48	35.2	35	11.8
	40	40	27.2	27	11.8

## below worksurface




Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	40	40	17.6	18	22.4
	40	40	20.8	21	19.2
	40	40	27.2	27	12.8
	35.2	35	17.6	18	17.6
	35.2	35	20.8	21	14.4
	35.2	35	27.2	27	8
	27.2	27	17.6	18	9.6

## stack storage




Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	48	48	17.6	18	30.4
	48	48	20.8	21	27.2
	48	48	27.2	27	20.8
	48	48	35.2	35	12.8
	48	48	40	40	8
	40	40	17.6	18	22.4
	40	40	20.8	21	19.2
	40	40	27.2	27	12.8

Ledger Plus Storage tops add extra functionality to the top of drawer cabinets. They have been sized precisely to fit on top of predetermined storage clusters and, therefore, provide the most ideal fit.





Storage Top for Clusters Without End Units



Storage Top for Clusters without End Units (PLSTN)

Storage Depth: 18" and 20"  
Storage Width: 24", 30", 36", 42"


- Used on drawer cabinets, storage cabinets, combo cabinets and lockers when no end units are used
- Mechanical fastening to the storage unit



Storage Top for Clusters with End Units (PLSTY)

Storage Depth: 18" and 20"  
Storage Width: 24", 30", 36", 42"


- Used on drawer cabinets, storage cabinets, combo cabinets and lockers when end units are used
- Mechanical fastening to the storage unit




# planning with storage tops

The following should be considered when planning with Ledger Plus Storage tops.

Ledger Plus storage tops are available in pre-configured sizes to accommodate common configurations. The following chart outlines the available standard configurations.



Application	Configuration	Depth A	Depth B	Width A	Width B	Depth of Top	Width of Top
(S) Single-Sided	(A) 2 units side by side	18, 20	n/a	24, 30, 36, 42	n/a	18, 20	48, 60, 72, 84
	(B) 3 units side by side	18, 20	n/a	24, 30	n/a	18, 20	72, 90
(D) Double-Sided	(C) 2 back to back units	18, 20	n/a	24, 30, 36, 42	n/a	36, 40	24, 30, 36, 42
	(D) back to back cluster of 4 units	18, 20	n/a	24, 30, 36, 42	n/a	36, 40	48, 60, 72, 84
	(E) back to back cluster of 6 units	18, 20	n/a	24, 30	n/a	36, 40	72, 90
	(F) 2 back to back units with 2 end units	18, 20	18 20	24, 30, 36, 42 24, 30, 36, 42	36, 42	36, 40	60, 66, 72, 78 64, 70, 76, 82
		(G) cluster of 4 back to back units with 2 end units	18, 20	18 20	24, 30 24	36, 42	36, 40
	(J) 2 back to back units with 1 end unit		18	18 20	24, 30, 36, 42 24, 30, 36, 42	36	36
		(H) cluster of 4 back to back units with 1 end unit	18	18 20	24, 30, 36 24, 30, 38	36	36





Please note that top sizes are nominal, the actual size is intended to slightly overlap the filing. It is recommended that only one top be used on each filing configuration. For non standard configurations, please contact the *Teknion Specials department* to request a single top.

When planning with 42" wide storage ends on both sides it is possible to create an internal gap in the center to allow for power access.

**Ledger Plus Semi-supported Worksurfaces with legs used in combination with Ledger Plus Storage provides casual areas for collaboration.**

- Ledger Plus worksurfaces are used on drawer cabinets, storage cabinets, combo cabinets and lockers
- Two shapes are available, Rectangular and Bullet
- The surfaces are mechanically fastened to the storage unit
- Reinforcement channels are ordered separately




**Semi-supported with Legs (PLSW)**  
 Depth: 24", 30", 36" 40", 42"  
 Width: 60", 66", 72", 78", 84", 90", 96"



**Worksurface Reinforcement Channel (PLRC)**  
 Width: 42", 48", 54" 60", 66", 72"


Three leg styles are available to support Ledger Plus worksurfaces.



**District Leg (PLSD)**  
 Height: 27.2", 35.2", 40"  
 Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica, Accent and Clear Anodized finish.


- Cluster Leveling range of +1



**Loop Leg (PLSL)**  
 Height: 27.2", 35.2", 40"  
 Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica, Accent and Clear Anodized finish.

- Cluster Leveling range of +1





**Pedestal Leg (PLSP)**  
 Height: 27.2", 35.2", 40"  
 Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica and Accent finish.

- Only available for surfaces over 36" deep
- Cluster Leveling range of +1




# planning with worksurfaces

The following should be considered when planning with Worksurfaces.



### Pedestal Legs

- If the unsupported span to the center of the pedestal leg is  $\ge 54''$  and the depth of the surface is  $\le 36''$ , then one reinforcement channel is required and must be mounted in the center of the surface
- The channel should be ordered at least 6" shorter than the unsupported span
- If the unsupported span to the center of the pedestal leg is  $\ge 48''$  and the depth of the surface is  $\ge 40''$ , then two reinforcement channels are required and must be mounted on either side of the pedestal leg
- The channel should be ordered the same length as the unsupported span to The Center of The Pedestal Leg





### District and Loop Legs



- If the unsupported span to the end of the worksurface is between 52" and 70" and the depth is  $\le 36''$ , then one reinforcement channel is required and must be mounted in the center of the surface
- The channel should be ordered no more than 6" shorter than the unsupported span
- If the unsupported span to the end of the worksurface is  $\ge 70''$  and the depth is between 30" and 36", then two reinforcement channels are required and must be mounted equally from both sides
- The channel should be ordered no more than 6" shorter than the unsupported span
- If the unsupported span to the end of the worksurface is  $\ge 52''$  and the depth is more than 40" then two reinforcement channels are required and must be mounted on equally from both sides
- The channel should be ordered no more than 6" shorter than the unsupported span

## Seating clearances for Worksurface legs.





### District Leg (PLSD)



### Loop Leg (PLSL)



### Pedestal Leg (PLSP)



# cantilevered worksurface basics

Ledger Plus Cantilevered Worksurfaces used with storage provide Counter and Bar height casual seating and perching areas.



- Ledger Plus cantilevered worksurfaces are used on drawer cabinets, storage cabinets, combo cabinets and lockers
- The surfaces are mechanically fastened to the storage unit
- Surfaces are available in Foundation Laminate and Flintwood

Two styles are of worksurface are available, Single Sided Overhang and Dual Sided Overhang.

### Single Sided Overhang





### Dual Sided Overhang



### Cantilevered with Storage (PLCW)

Depth: 36", 40"  
Width: 24", 30", 36", 42"


Worksurface finish options: Foundation Laminate, Flintwood




# wood grain direction

The following outlines the wood grain direction for all Ledger Plus storage units with wood or laminate fronts.


## metal drawer cabinets




## metal storage cabinets




## metal combo cabinets



## metal add-on storage




## wood add-on storage




Note: Back is Vertical Grain

## storage top grain direction




## storage top clusters




# wood grain direction (continued)


## lockers




Single Locker Tower  
(PLTSS / PLTSE)




Single Locker Tower  
(PLTSS / PLTSE)




Single Locker Tower  
(PLTSS)




Dual Locker Tower  
(PLTDS / PLTDE)




Dual Locker Tower  
(PLTDS / PLTDE)




Dual Locker Tower  
(PLTDS / PLTDE)



Triple Locker Tower  
(PLTTS / PLLTTE)




Triple Locker Tower  
(PLTTS / PLLTTE)



Triple Locker Tower  
(PLTTS / PLLTTE)

## worksurface



standard storage


# standard storage

STANDARD STORAGE BASICS . . . . .95






Standard Storage products provide filing and miscellaneous storage beneath the worksurface is an economical alternative to more extensive storage offerings.

- Adjacent drawers align for clean, continual lines. All datum lines are consistent
- All Pedestals are dimensioned to fit beneath the worksurface for filing of documents and small objects. It can be placed anywhere below the worksurface, and is not dependent on panel widths for placement
- Box drawers extend 16" and file drawers extend 19"
- The Integral Pull allows for easy extension of the drawer
- Can be keyed alike or keyed randomly for a dedicated lock
- Counterweights are required for all Pedestals and Stretch Pedestals that are not located under a worksurface
- If counterweights are specified for the 30" and 36" wide Stretch Pedestals, two counterweights will be installed and three counterweights for the 42" wide Stretch Pedestals will be installed
- Pedestal accessories (LPA) and Stretch Pedestal Accessories (LFA) are available and must be ordered separately




**Stretch Pedestal**


- All drawers fully extend
- Can accommodate imperial and metric size documents
- The width of the Stretch Pedestal should be less than the dimension between worksurface supports of the worksurface it is below




With Seat  
Box, File



Without Seat  
Box, File



Box, Box, File



Large File, File

**Mobile Pedestals (LCMS)**

- Available in Box, File configuration
- Available with or without a seat

**Pedestals (LCD)**

- Available in two drawer configurations: Box, Box, File and Large File, File drawers
- Can accommodate letter size documents
- All drawers fully extend with box drawers extending 16" and file drawers extending 19"

**Finishes**

- Available in three Foundation finishes only: Nevada (N), Granite (J), and Ebony (E)
- Keys have a Brushed Chrome finish
- Interiors are Grey

overhead storage

# overhead storage


MOUNTING APPLICABILITY . . . . .	99
UNIVERSAL OVERHEAD BASICS . . . . .	100
UNIVERSAL OVERHEAD APPLICATIONS . . . . .	101
UNIVERSAL UPMOUNT OVERHEAD APPLICATIONS . . . . .	101
LEDGER FLUSH FRONT OVERHEAD CABINET BASICS . . . . .	102
LEDGER FLUSH FRONT OVERHEAD CABINET APPLICATIONS . . . . .	102
LEDGER FULL PULL OVERHEAD CABINET BASICS . . . . .	103
LEDGER FULL PULL OVERHEAD CABINET APPLICATIONS . . . . .	104
SLIDING DOOR STORAGE CABINET BASICS . . . . .	105
SLIDING DOOR STORAGE CABINET APPLICATIONS . . . . .	106
UPMOUNT SLIDING DOOR STORAGE CABINET APPLICATIONS . . . . .	106
ALMANAC OVERHEAD CABINET BASICS . . . . .	107
ALMANAC OVERHEAD CABINET APPLICATIONS . . . . .	107
STANDARD OVERHEAD CABINET BASICS . . . . .	108
UPMOUNT OVERHEAD CABINET APPLICATIONS . . . . .	108
STANDARD OVERHEAD CABINET APPLICATIONS . . . . .	109
ALTOS APPLICATIONS . . . . .	110




# mounting applicability

A variety of overhead storage options are available for mounting on- or off-module to Teknion's panel and wall systems. The chart below summarizes the options. See the following pages for detailed descriptions.

storage cabinet	lyft	t/o/s	leverage	altos	district
<b>LUSF Universal Overhead</b>	n/a	On-Module and Off-Module	On-Module	On-Module	On-Module
<b>LUSU Universal Upmount</b>	n/a	On-Module and Off-Module	On-Module	n/a	n/a
<b>LSF Ledger Flush Front</b>	n/a	On-Module and Off-Module	On-Module	On-Module	On-Module
<b>SSF Ledger Full Pull</b>	n/a	On-Module and Off-Module	On-Module	On-Module	On-Module
<b>SSFM Ledger Full Pull A4</b>	n/a	On-Module and Off-Module	On-Module	On-Module	n/a
<b>LMSU Upmount Sliding Door Storage Cabinet</b>	n/a	On-Module and Off-Module	On-Module	n/a	n/a
<b>LSSF Almanac</b>	n/a	On-Module and Off-Module	On-Module	On-Module	Off-Module
<b>LCSF Standard</b>	On-Module	On-Module	On-Module and Off-Module	On-Module	n/a
<b>LCSU Standard Upmount</b>	n/a	On-Module	On-Module	n/a	n/a



The width of On-Module Overhead Cabinets must be equal to the width of the panel from which it is being suspended




Overhead Cabinet with off-module mounting cannot be mounted within 1 1/2" of the end of a panel or at a panel-to-panel connector.

# universal overhead basics


The Universal Overhead Cabinet mounts to Altos and all Panel Systems. The Universal Upmount Overhead Cabinet mounts to all Post and Beam and Panel Systems.

- Can be mounted on- or off-module depending on the system
- Equipped with an assisted opening mechanism. The door retracts outside/over the Overhead Cabinet
- Locks can be keyed alike to match other lockable storage components or keyed random to provide a dedicated lock

Universal Overhead Cabinet (LUSF)




Universal Upmount Overhead Cabinet (LUSU)



### Finishes


- Offered with seven front finish styles
- Case is available in Satin, Satin Mica, Textured and Textured Mica colors
- Metal fronts are available in Satin, Satin Mica, Textured and Textured Mica colors
- Laminated fronts are available in Foundation Laminated colors
- Flintwood fronts are available in a selection of Flintwood stains
- Flintwood and Laminate doors are not available in 54" and 60" widths




Metal Front




Whiteboard Front




Standard Flintwood Front




Cathedral Flintwood Front



Laminated Front



Fully Perforated Front




Translucent Front

# universal overhead applications


Universal Overhead Cabinets can be used on- or off-module in the following applications.

## on-module



### Leverage On-Module (shown)

- The 18" cabinet is not compatible with Leverage Panels
- T/O/S On and Off-Module available




### Altos On-Module

- The overhead is suspended by two brackets that hook into the Vertical Post Packages, so all applications must be on-module and span the width of the wall module
- The 18" wide cabinet is not compatible with Altos walls

# universal upmount overhead applications


Universal Upmount Overhead Cabinets can be used on- or off-module in the following applications.

## on-module



### Leverage On-Module (shown)

- The 18" cabinet is not compatible with Leverage Panels
- T/O/S On and Off-Module available



The width of the on-module overhead cabinet must be equal to the width of the panel from which it is suspended



# ledger flush front overhead cabinet basics

The Ledger Flush Front Overhead Cabinet is a lockable storage unit with flush fronts that mounts to Altos and panel systems.

- Can be mounted on- or off-module depending on the system
- Locks can be keyed alike to match other lockable storage components or keyed random to provide a dedicated lock
- The door retracts inside/within the overhead cabinet

IO2

## Ledger Flush Front Overhead Cabinet (LSF)




### Finishes

- Case and metal fronts are available in a selection of Satin, Satin Mica, Textured and Textured Mica colors
- Flintwood fronts are available in a selection of Flintwood stains
- Seamless finish fronts are available in a selection of Group 1 and Group 2 colors

# ledger flush front overhead cabinet applications


The Ledger Flush Front Overhead Cabinet can be used on- or off-module in the following applications.

## on-module



### Leverage On-Module (shown)

- District On-Module available
- T/O/S On and Off-Module available.
- T/O/S Off-Module **cannot** be installed on a 30" high element



### Altos On-Module



The overhead is suspended by two brackets that hook into the Vertical Post Packages, so all applications must be on-module and span the width of the wall module

# ledger full pull overhead cabinet basics



The Ledger Full Pull Overhead Cabinet is a lockable storage unit that mounts to Altos and panel systems.

- The A4 Cabinet is a metric-height unit
- Cabinets 54" and 60" wide have two doors, all other cabinets have one door
- Locks can be keyed alike to match other lockable storage components or keyed random to provide a dedicated lock
- The door retracts inside/within the overhead cabinet

Ledger Full Pull Overhead Cabinets (SSF)



Ledger Full Pull A4 Overhead Cabinets (SSFM)



**Finishes**


- Case and metal fronts are available in Foundation, Mica colors and Accent

# ledger full pull overhead cabinet applications

The Ledger Full Pull Overhead Cabinet can be used on- or off-module in the following applications.


## on-module

104



### Leverage On-Module (shown)

- District On-Module available



### T/O/S On-Module



- T/O/S Off-Module available.
- T/O/S Off-Module **cannot** be installed on a 30" high element

# sliding door storage cabinet basics

The Sliding Door Storage Cabinet mounts to Leverage, T/O/S, District and Altos. The Upmount Sliding Door Storage Cabinet mounts to Leverage and T/O/S.


- Can be mounted on- or off-module depending on the system
- Comes with a center dividing gable and sliding door
- Locks can be keyed alike to match other lockable storage components or keyed random to provide a dedicated lock
- Lock is located on the underside of the cabinet
- Fits metric and imperial binders
- There is no handle so the unit is non-handed
- Inner covers are specified separate

## Upmount Sliding Door Storage Cabinet (LMSU)



## Finishes


- Offered with seven front finish styles
- Case metal fronts and inner covers are available in Satin, Satin Mica, Textured and Textured Mica colors
- Seamless fronts are available in a selection of group 1 and 2 colors
- Laminate fronts are available in a selection of grade 1 and 2 colors
- Glass front is frosted
- Wood fronts are available in Flintwood and Natural Veneer



# sliding door storage cabinet applications


Sliding Door Storage Overhead Cabinets can be used on- or off-module in the following applications.

## on-module




### Leverage on-module (shown)

- District On-Module available
- T/O/S On and Off-Module available.
- T/O/S Off-Module, cabinet cannot span across two panels



### Altos on-module

The overhead is suspended by two brackets that hook into the Vertical Post Packages, so all applications must be on-module and span the width of the wall module




- An on-module cabinet can be mounted onto a 30' high element because the brackets mount over the top of the panel
- An on-module overhead can be mounted onto an add-on module but an additional add-on cannot be mounted above it
- The cabinet must mount from the top

# upmount sliding door storage cabinet applications

Upmount Sliding Door Storage Cabinets can be used on- or off-module in the following applications.

## on-module

### Upmount Sliding Door Storage Cabinet (LMSU)



### Leverage On-Module (shown)


- T/O/S on- and off-module available
- The width of the on-module overhead cabinet must be equal to the width of the panel from which it is suspended

# almanac overhead cabinet basics

The Almanac Overhead cabinet is a lockable storage unit, with sliding doors that mounts to Altos and panel systems.

- Provides an efficient method of placing frequently used items within arms reach
- Can be mounted on- or off-module depending on the system
- Locks can be keyed alike to match other lockable storage components or keyed random to provide a dedicated lock

## Almanac Overhead Cabinet (LSSF)




### Finishes

- Available with metal, Flintwood, Glass and Translucent front finish styles
- Case and metal fronts are available in Satin, Satin Mica, Textured and Textured Mica colors
- Flintwood fronts are available in a selection of Flintwood stains
- Glass and Translucent fronts will have a frosted finish

# almanac overhead cabinet applications


The Almanac Overhead cabinet can be used on- or off-module in the following applications.

## on-module



### Leverage On-Module (shown)

- T/O/S On and Off-Module available.
- T/O/S Off-Module **cannot** be installed on a 30" high element



### Altos On-Module

The overhead is suspended by two brackets that hook into the Vertical Post Packages, so all applications must be on-module and span the width of the wall module


## standard overhead cabinet basics

Standard Overhead Cabinets are lockable, on- or off-module storage units that mount to Altos, Lyft and panel systems.


- Standard storage is available with a lockable option
- The door retracts outside/over the cabinet
- Cannot accommodate Book Organizer (TBKGS)

108

Standard Overhead Cabinet (LCSF)



Standard Overhead Upmount Cabinet (LCSU)



**Finishes**


Case and front fronts are available in Nevada, Granite and Ebony colors

## upmount overhead cabinet applications

Upmount Overhead Cabinets are panel-mounted, lockable, on-module storage units.

### on-module

Upmount Overhead Cabinet (LCSU)



**T/O/S On-Module (shown)**


- Leverage on-module available
- Can be mounted on-module only

# standard overhead cabinet applications


Standard Overhead Cabinets are panel-mounted, lockable, on- or off-module storage units.

## on-module


### Standard Overhead Cabinet (LCSF)



**Leverage On-Module (shown)**  
T/O/S on-module available



**Lyft On-Module**











### Altos On-Module



The overhead is suspended by two brackets that hook into the Vertical Post Packages, so all applications must be on-module and span the width of the wall module

## altos applications

### single-sided applications per wall module



### double-sided applications per wall module



# altos applications (continued)

The chart below shows the maximum possible combinations of the mounted storage configurations on the previous pages.

All combinations are based on a maximum wall run of 16'-0" wide and four (48" wide each) wall modules. For example, if combining configuration A with configuration G, a maximum of three wall modules may be mounted in any combination with configuration A, G and G.

Configuration	Configuration									
	A	B	C	D	E	F	G	H	I	J
A	A,A*	A,B*	A,C*	A,D	A,E	A,F	A,G,G	A,H,H,H	A,I	A,J*
B	B,A*	B,B*	B,C*	B,D	B,E	B,F*	B,G,G	B,H,H,H B,B,H	n/a	B,J*
C	C,A*	C,B*	C,C,C	C,D	C,E*	C,F*	C,G,G C,C,G	C,H,H,H C,C,H,H	C,I	C,J,J C,C,J
D	D,A	D,B	D,C	D,D	n/a	D,F	D,G*	D,H,H	n/a	D,J
E	E,A	E,B	E,C*	n/a	E,E	E,F	E,G*	E,H,H,H	n/a	E,J*
F	F,A	F,B*	F,C*	F,D	F,E	F,F	F,G,G	F,H,H,H	F,I	F,J*
G	G,G,A	G,G,B	G,G,C G,C,C	G,D*	G,E*	G,G,F	G,G,G*	G,G,H,H/ G,H,H,H/ G,G,G,H	G,I*	G,G,J G,J,J
H	H,H,H,A	H,H,H,B H,B,B	H,H,H,C H,H,C,C	H,H,D	H,H,H,E	H,H,H,F	H,G,G,G/ H,H,G,G/ H,H,H,G	H,H,H,H	H,H,I	H,H,J,J H,H,H,J
I	I,A	n/a	I,C	n/a	n/a	I,F	I,G*	I,H,H	I,I	I,J
J	J,A*	J,B*	J,J,C J,C,C	J,D	J,E*	J,F*	J,G,G J,J,G	J,J,H,H J,H,H,H	J,I	J,J,J

\* Combination may accept an additional scenario H on a 16'-0" wall run.